Week39: Mobile device security

Mobile device security



0 plays • 0 players

A kahoot by Høyskolen Kristiania

Questions (14)

1 - Quiz

Identify a basic requirement for a mobile device to access a corporate network.

10 sec

- Anti-malware software ✓
- Remote backup ✗
- Virtual private network (VPN) ✗
- Anti-theft precautions ✗

2 - Quiz

Which of the following is a major argument against bring your own device (BYOD) programs?

10 sec

- Malware infestations on user-owned devices ✓
- The lack of company control over the devices ✗
- Device management costs ✗
- The potential for data theft ✗

3 - Quiz

NOT a reasonable BYOD security requirement from a company to its employees

10 sec

- Set up a password-protected screen lock ✗
- Configure a local firewall on the device ✗
- Install no personal apps on the device ✓
- Be sure that all apps and networks are from trusted sources ✗

4 - Quiz

Which of the following is NOT an example of a current mobile device lock feature?

10 sec

- Passcode entry ✗
- Face recognition ✗
- Fingerprint scan ✗
- Proximity detection ✓

5 - Quiz

Allows a user to track a lost or stolen device

10 sec

- Global Positioning System (GPS) location ✓
- Remote wipe ✗
- Factory reset ✗
- Remote backup ✗

6 - Quiz

A security feature that might deter a data thief because there is no workaround for it.

10 sec

- Fingerprint scan ✗
- Remote wipe ✗
- Remote backup and restore ✗
- Failed login attempts restriction ✓

7 - Quiz

What does a disk wipe utility do to a hard disk?

10 sec

- It replaces its data with zeros or random data. ✓
- It performs a high-level format. ✗
- It performs a low-level format. ✗
- It destroys the magnetic surface of the drive. ✗

8 - Quiz

Which basic security precaution to take when deploying new network access point hardware?

10 sec

- Reset the access point to factory defaults ✗
- Add physical security for the hardware ✓
- Update the firmware ✗
- Set the access point to deny all traffic ✗

9 - Quiz

A basic over-the-network preventative measure against attacks on mobile devices & workstations.

10 sec

- Local firewalls ✓
- Antivirus software ✗
- A static Internet Protocol (IP) address ✗
- A dynamically assigned IP address ✗

10 - Quiz

If a hacker attempts to connect to a TCP port on a system that has disabled that port...

10 sec

- Nothing happens. The system does not respond. ✓
- A banner is displayed explaining the denial ✗
- A redirect to a 404 web page occurs ✗
- You see awarning that the site has firewall protection ✗

11 - Quiz

Content filtering for Small office/home office (SOHO) networks usually takes the form of which of the following?

10 sec

- Incoming firewall rules ✗
- Outbound firewall rules ✗
- Parental controls ✓
- Disabling of Transmission Control Protocol (TCP) port ranges ✗

12 - Quiz

The best physical security method for network access points from the following choices.

10 sec

- Positioning on a high ceiling ✗
- A cable lock ✓
- In a remote wiring closet ✗
- On top of a filing cabinet ✗

13 - Quiz

What is the reason to change the default SSID (Service Set Identifier) of a wireless access point?

10 sec

- To temporarily obscure the access point make and model ✓
- To provide an extra level of security ✗
- To trick would-be hackers into bypassing the device ✗
- To define the access point's ownership ✗

14 - Quiz

Which of the following describes content control?

10 sec

- Website filtering and logging ✓
- Filtering based on TCP ports ✗
- Protocol filtering ✗
- Internet Protocol (IP) address filtering ✗

Resource credits

Description: Chainarong Prasertthai/iStock/Getty Images