

Ai10 Software WEB User Manual



AI掌握人类经验

Mastering Human Experiences with AI

Digital Platform Department

Document	Ai10	Standardized documents	Author	Wang Hao Xu
Version	V2.0		Time	2025-08-30
Category	User Manual		Pages	54

Contents

1、 Basic Data	6
1.1 Basic Data	6
1.1.1 Add New Employees	6
1.1.2 Import and Export of Employees	7
1.1.3 Modify and Delete Employees	8
1.1.4 Employee Search	8
1.2 Department Management	9
1.2.1 Add New Departments and Sewing Lines	9
1.2.2 Modify and Delete	10
1.3 Role Management	11
1.3.1 Create Roles and Set Menu Permissions	11
1.3.2 Edit and Delete	12
1.4 Equipment Management	12
1.4.1 Add Equipment	12
1.4.2 Search for Equipment	13

1.4.3 edit	13
1.4.4 Equipment Details	14
2、Clothing parameter library	18
2.1 Clothing parameter library	18
2.1.1 Add New Clothing Categories	18
2.1.2 Import of category	19
2.1.3 Modification and deletion of categories	20
2.1.4 Category - New addition of fabrics	21
2.1.5 Category - Modification and deletion of fabrics	22
2.1.6 Category - Parameter Settings for fabrics	23
2.1.7 Category - Parameter replication of fabric	24
2.1.8 The parameters of the category - fabric are issued	25
2.2 Fabric parameter library	27
2.2.1 Add fabric	27
2.2.2 Import of Fabric	27
2.2.3 Modification and deletion of fabrics	28
2.2.4 Parameter Settings of the fabric	29
2.2.5 Replication of fabric parameters	29
2.2.6 Parameter Issuing of Fabric	31
2.3 Parameter Distribution Records	32
2.3.1 View	32


2.3.2 Search	32
2.3.3 Redistribute parameters	33
2.3.4 Check the status of parameter	33
3、 production	34
3.1 Style library	34
3.1.1 Add Styles	34
3.1.2 Add process	35
3.1.3 Workstation Layout	37
3.1.4 Set the screening rules for process videos	41
3.1.5 Search for Style	42
3.1.6 Style edit and deletion	43
3.2 Production Line Change	43
3.3.1 Search for the sewing line	43
3.3.2 Exchange	44
4、 video	45
4.1 Process video library	45
4.1.1 Enter the list of process videos	45
4.1.2 Play Benchmark Video and Common Process Video	46
4.1.3 Sorting, Searching, Downloading and Deleting of Videos	47
4.2 Video early warning	48

4.2.1 Play the warning video of the processes carried out by the employees.....	48
4.2.1 analyse.....	49
4.3 Billboard.....	50
4.3.1 Check daily, weekly, and monthly employee points.....	50
4.3.2 detail.....	51
4.4 Improvement Suggestions.....	52
4.4.1 Add.....	52
4.4.2 Modify and View.....	53
4.4.3 Details.....	53

1、Basic Data

1.1 Basic Data

1.1.1 Add New Employees



1、Click the "Add" button.

2、Enter employee information.


Confirm and complete adding the employee.

Note:

System user: In the enabled state, the current user can log in to the system.

Status: In the disabled state, it is similar to deleting the current employee, only retaining employee information.

1.1.2 Import and Export of Employees




The screenshot shows the 'User Management' interface. At the top, there are buttons for 'Add', 'Delete', 'Template Download', 'Import', 'Export', and 'Print'. The 'Template Download', 'Import', and 'Export' buttons are highlighted with red boxes and numbered 1, 2, and 3 respectively. Below the buttons is a table with columns: Name, ID, Department, Position, System User, Status, Create Date, Update Date, and Action. The table contains 8 rows of employee data. The 'Action' column has 'Edit' and 'Delete' links for each row.

Name	ID	Department	Position	System User	Status	Create Date	Update Date	Action
frabi	s002	2 Line	手机权限测试管理员	Enable	Disable	2025-02-17 15:56:20	2025-06-18 09:30:37	Edit Delete
JayChou	MKBK	mkbk	审计,手机权限测试	Enable	Enable	2025-06-06 16:13:42	2025-06-17 15:11:42	Edit Delete
jlee	jk001	workshop	维护人员	Enable	Enable	2025-04-29 12:57:05	2025-06-11 12:44:28	Edit Delete
杰克	jack	noData	测试版	Enable	Enable	2025-02-17 15:50:35	2025-06-11 11:30:44	
s003	s003	workshop	管理员	Enable	Enable	2025-06-06 08:52:42	2025-06-09 15:27:03	Edit Delete
hss	202501	subtitle	测试权限	Enable	Enable	2025-05-22 10:24:33	2025-06-05 15:23:06	Edit Delete
远东管理员	YD001	远东	远东管理员	Enable	Enable	2025-06-03 14:08:23	2025-06-03 14:08:23	Edit Delete

- 1、Download the template and enter relevant employee information.
- 2、Click the "Import" button to import the entered employee information into the system.
- 3、Export: Click the "Export" button to export all employees to an Excel file.

1.1.3 Modify and Delete Employees



	Name	ID	Department	Position	System User	Status	Create Date	Update Date	Action
☒	frabi	s002	2 Line	手机权限测试管理员	Enable	Disable	2025-02-17 15:56:20	2025-06-18 09:30:37	Edit Delete
☐	JayChou	MKBK	mkbk	审计,手机权限测试	Enable	Enable	2025-06-06 16:13:42	2025-06-17 15:11:42	Edit Delete
☐	jklee	jk001	workshop	维护人员	Enable	Enable	2025-04-29 12:57:05	2025-06-11 12:44:28	Edit Delete
☐	杰克	jack	noData	测试版	Enable	Enable	2025-02-17 15:50:35	2025-06-11 11:30:44	
☐	s003	s003	workshop	管理员	Enable	Enable	2025-06-06 08:52:42	2025-06-09 15:27:03	Edit Delete
☐	hss	202501	subtitle	测试权限	Enable	Enable	2025-05-22 10:24:33	2025-06-05 15:23:06	Edit Delete
☐	远东管理员	YD001	远东	远东管理员	Enable	Enable	2025-06-03 14:08:23	2025-06-03 14:08:23	Edit Delete


1、Edit: Click the "Edit" button, modify the employee information, and click confirm.

2、Delete: Click the "Delete" button, and the current employee data will no longer be displayed.

3、Batch Delete: Select employees, click the "3 - Delete" button above, and the employees will no longer be displayed.

4、Print: Select the employees you need to print, click the "4 Print" button, and print the QR code of the selected employee.

1.1.4 Employee Search




	Name	Employee ID	Department	Role	Post	System User	Status	Creation Time	Update Time	Operations
☐	游国强	40000720	1组	车位	Sewing Operator	Enabled	Enabled	2025-09-08 13:40:21	2025-09-08 13:40:21	Modify Delete
☐	test_0901	test_0901	杰克	line7	Supervisor	Enabled	Enabled	2025-09-01 10:09:06	2025-09-01 10:57:46	Modify Delete
☐	ddx	0828_ddx	3 line	管理组长6line	Supervisor	Enabled	Enabled	2025-08-28 09:10:17	2025-08-29 08:42:34	Modify Delete

Search: Enter the employee's job number, name, department, or role in the search box, and click the "Search" button to filter out data that meets the criteria.


1.2 Department Management

1.2.1 Add New Departments and Sewing Lines



- 1、Click the "Add" button.
- 2、Set up sewing lines or departments (open, then the created one is a sewing line; close, the created one is a department).
- 3、Fill in department information.
- 4、Click the "Confirm" button, and department creation is completed.

1.2.2 Modify and Delete




1、Edit: Click the "edit" button, enter the modification content, click save, and the modification is completed.

2、Delete: Click the "Delete" button, and the current department data will no longer be displayed.


1.3 Role Management

1.3.1 Create Roles and Set Menu Permissions



- 1、Click the "Add" button.
- 2、Enter role information.
- 3、Set menus and data.
- 4、Click the "Confirm" button, and role creation is completed.

1.3.2 Edit and Delete




1、Edit: Click the "Edit" button, edit role information, and click confirm.

2、Delete: Click the "Delete" button, and the current role will no longer be displayed.


1.4 Equipment Management

1.4.1 Add Equipment




1. Click the "Add New" button, fill in the device information, and add the device to the system.

1.4.2 Search for Equipment



- 1、Enter the equipment serial number in the search box and click the “Search” button to filter out equipment that meets the criteria.


1.4.3 edit



- 1、Click the “Edit” button.
- 2、Modify the equipment name and equipment ownership, then click the “Confirm” button. The equipment information modification is successful.

1.4.4 Equipment Details


1.4.4.1 Equipment Operation Statistics



1、Click the "Equipment Operation Statistics" button to view the basic operation information of the equipment.

2、Use the search button to select the date you want to view, then click the "Query" button to view the current equipment's daily operation status, operation status in the last seven days (4), and operation efficiency in the last seven days (5).



1.4.4.2 Parameter Operation Statistics



1、View the parameter operation statistics times, operation time statistics, and electric control count within the selected time period.

1.4.4.3 Working Conditions (Real time Working Conditions, Historical Working Conditions, Processing Statistics)

Machine operation statistics Parameter operation statistics Machine condition Fault Alarm Maintenance Call	
Real time History Processing statistics	
Please EnterParameter Query	
Parameter	Real time
交流电压输入	
实际运行时间	
母线电压输入	
剪线时间	
剪线时间间隔	
单次抬压脚次数	
呼叫状态	
Page 1/8 1 10 item/page Total 77 Item	




1、Real - time Working Conditions: The number of times the reaction parameters occur.

2、Historical Working Conditions: View the reference time when the attributes occur within the time period.


3、Processing Statistics: Count the completion status of the processing

1.4.4.4 Fault




1、The detailed information of equipment failures during the statistical time period.

1.4.4.5 Alarm



1、Record the alarm time points, levels, and contents of equipment within the statistical time period.

1.4.4.6 Maintenance Records



1、Record detailed information on equipment maintenance within the statistical time period.

1.4.4.7 Call

Device Name: 3楼测试		Device Serial Number: 90051236540	Device Type: 平缝机	Device Version: -
Accumulated Working Hours: - h		Accumulated Startup Hours: - h	Accumulated Presser Foot Lifts: - Times	Accumulated Thread Trims: - Times
App Version: 2025-08-04 17:00:00		Algorithm Version: V0.9.8-250722-05:49:13	Fabric Library Version: 20250723170319	Electric Control Version: V1.1.3-2505-2208

Device Operation Statistics	Parameter Operation Statistics	Working Conditions	Fault Records	Alarm Records	Maintenance Records	Call Records
-----------------------------	--------------------------------	--------------------	---------------	---------------	---------------------	--------------

2025-08-09	→	2025-09-08	Please select Call Type	Search
------------	---	------------	-------------------------	--------


Call Time	Call Type	Operator
2025-08-14 19:46:38	Call Mechanic	刘建

1、Record the call records within the time period

2、Clothing parameter library

2.1 Clothing parameter library

2.1.1 Add New Clothing Categories




1、Click the "add Category" button

2、Enter the category information


3、Click the "Confirm" button and the new category is completed.

2.1.2 Import of category




- 1、Download the template and enter the category information
- 2、Click the "Import" button to import the recorded category information into the system.

2.1.3 Modification and deletion of categories




- 1、Click the "More Settings" button above the category
- 2、Modification: Click the "Modify" button, modify the category information, and then click Confirm.
- 3、Delete: Click the "Delete" button, and the current category will no longer be displayed.

2.1.4 Category - New addition of fabrics




- 1、Click the "add Category" button.
- 2、Choose fabrics
- 3、Click the "Confirm" button and the new fabric is completed.

2.1.5 Category - Modification and deletion of fabrics





- 1、Click the "More Settings" button above the fabric.
- 2、Modification: Click the "edit" button, modify the fabric information, and then click Confirm.
- 3、Delete: Click the "Delete" button, and the current fabric will no longer be displayed.

2.1.6 Category - Parameter Settings for fabrics



- 1、Click on the fabric
- 2、Set the parameter information.
- 3、Click the "Save" button and the parameter Settings are completed.


2.1.7 Category - Parameter replication of fabric




1、Select the fabric parameters to be set.

- 2、Click the "Copy from Parameter Library" button.
- 3、Select the fabric parameters to be replicated.
- 4、Click the "Copy Parameters" button and the parameter copying is completed.

2.1.8 The parameters of the category - fabric are issued






1、Click the "Parameter Distribution" button.

2、Find the machine to be distributed through the department or equipment serial number.

3、Select the machine, click the "Confirm" button, and the parameters will be issued successfully.


2.2 Fabric parameter library

2.2.1 Add fabric




- 1、Click the "Add Fabric" button
- 2、Enter fabric information
- 3、Click the "Confirm" button and the new fabric is completed.

2.2.2 Import of Fabric




- 1、Download the template and enter the fabric information
- 2、Click the "Import" button to import the recorded fabric information into the system.

2.2.3 Modification and deletion of fabrics




- 1、Click the "More Settings" button above the fabric
- 2、Modification: Click the "edit" button, modify the fabric information, and then click Confirm.
- 3、Delete: Click the "Delete" button, and the current fabric will no longer be displayed.


2.2.4 Parameter Settings of the fabric



- 1、Click on the fabric.
- 2、Set the parameter information.
- 3、Click the "Save" button and the parameter Settings are completed.



2.2.5 Replication of fabric parameters





- 1、 Select the fabric parameters to be set.
- 2、 Click the "Copy from Parameter Library" button.
- 3、 Select the fabric parameters to be replicated.
- 4、 Click the "Copy Parameters" button and the parameter copying is completed.

2.2.6 Parameter Issuing of Fabric




1、Click the "Parameter Delivery" button.

2、Find the machine to be distributed through the department or equipment serial number

3、Select the machine, click the "Confirm" button, and the parameters will be issued successfully.


2.3 Parameter Distribution Records

2.3.1 View




1. Click on 'Parameter Distribution Record' to enter the distribution list.

2.3.2 Search



1. Enter the start and end dates in the search box, click the "Search" button, and filter out the data that meets the criteria.


2.3.3 Redistribute parameters



Sequence Number	Parameter Version	Creation Time	Update Time	Distribution Content	Distributed Device Count	Delivery Status	Operations
1	肥大衣-超弹	2025-09-02 14:14:04	2025-09-03 10:27:33	(C5=5, C6=1, C7=50, P15...	1	Completed	Details Redistribute

1. Click the 'Redistribute' button to resend the parameters to the machine.

2.3.4 Check the status of parameter



Sequence Number	Parameter Version	Creation Time	Update Time	Distribution Content	Distributed Device Count	Delivery Status	Operations
1	肥大衣-超弹	2025-09-02 14:14:04	2025-09-03 10:27:33	(C5=5, C6=1, C7=50, P15...	1	Completed	Details Redistribute


Creation Time: 2025-09-02 14:14:04		Update Time: 2025-09-03 10:27:33		Parameter Version: 肥大衣-超弹	
Sequence Number	Device Name	Device Serial Number	Distribution Start Time	Distribution Result	
1	一维设备	95044503816	2025-09-02 14:14:04	Parameter completed Query	

1. Click on the 'Details' button.
2. Click the "Query" button to view the current distribution status.

3、production

3.1 Style library


3.1.1 Add Styles



- 1、Click the "Add" button
- 2、Enter the style information
- 3、Click the "Confirm" button and the new style is completed.


3.1.2 Add process

3.1.2.1 Add process




- 1、Click the "Add" button and add a blank process at the end
- 2、Click the "Add" button and add a blank process under the selected process.

3.1.2.2 import and export of processes



- 1、Download the template and enter the relevant process information
- 2、Click the "Import" button to import the recorded process information into the current style
- 3、Export: Click the "Export" button to export the current style process to an Excel file.


3.1.2.3 Printing of the process



1、 Select the process to be printed and click the "Print" button.

2、 The printing process QR code is completed

3.1.2.4 Deletion of the process




1、 Batch deletion: Select the processes you want to delete and click the "Delete" button at the top.


2、 Delete: Click the "Delete" button to delete the selected process.

3.1.3 Workstation Layout

3.1.3.1 Enter Workstation Layout




3.1.3.2 Add sewing line



- 1、Click the "Add" button.
- 2、Select the sewing line
- 3、Click the "OK" button and the sewing line is added.

3.1.3.3 AI Ranking




The screenshot illustrates the AI Ranking process in the Aitu software. The top panel shows the 'People Count' set to 3 and the 'AI Layout' button highlighted. A modal window displays a bar chart with three bars representing different workstations, with values 10, 17.5, and 17.5. The bottom panel shows the resulting layout with three workstations (01, 02, 03) and their associated processes (process-a, process-b, process-c) and work times.

Workstation	Process	Work Time
01	process-a	10s
02	process-b	15s
03	process-c	20s


- 1、Enter the number of people.
- 2、Click on AI ranking.
- 3、Click the "OK" button, and the binding relationship between the workstation and the process is established.

3.1.3.4 Bind employees



- 1、Click on the employee binding location
- 2、Select the employee, and the binding relationship between the workstation and the employee is created.


3.1.3.5 Workstation binding equipment



- 1、Click on the machine binding location.


2、Select the machine, and the binding relationship between the workstation and the equipment is created.


3.1.3.6 Save Workstation Layout



1、After configuring the workstation information, click the "Save" button to save the current configured workstation information

3.1.3.7 Copy Work Procedure Layout






1、Add sewing line

2、Click "Copy Workstation Layout", and in the pop-up window, select the sewing line you want to copy


3、Click "Save", and the copy of the workstation arrangement is successful

3.1.4 Set the screening rules for process videos




- 1、Click the "Filter" button icon
- 2、Set the screening rules for process videos.
- 3、Click the "Confirm" button and the setting of the process video screening rules is completed.

3.1.5 Search for Style



- 1、In the search box, enter the search content and filter out the data that meets the conditions.

3.1.6 Style edit and deletion




1、Click the "Edit" button, modify the style information, click "Confirm", and the style modification is completed.

2、Delete: Click the "Delete" button, and the current style will no longer be displayed.

3.2 Production Line Change


3.3.1 Search for the sewing line



1、In the search box, select the sewing thread and directly filter out the sewing line.

2、Or scroll through the production line change list to directly locate the sewing line.

3.3.2 Exchange



1、Click the "Exchange Style" button.


2、Select the production order in the pop-up window.

3、Click the "Confirm" button and the production line model change is successful.

4、video

4.1 Process video library

4.1.1 Enter the list of process videos



1、Search for the style name and select the style

2、Click on the process to enter the video list.

4.1.2 Play Benchmark Video and Common Process Video





图 1




图 2

1、Benchmark video: Click the "Play" button to enter the benchmark video playback page shown in Figure 1.

2、Ordinary process video: Click the "Play" button to enter the comparison page with the benchmark video in Figure 2.


4.1.3 Sorting, Searching, Downloading and Deleting of Videos



- 1、Sort: Click on "Sort Function 1", and sort the video list in the order of upload time or in reverse order.
- 2、Search: Click the search box, select the start date and end date, and directly filter out the videos that meet the conditions.
- 3、Download: Click on the function 3, and the currently clicked video will be downloaded.
- 4、Delete: Click on "Function 4" to delete the current video. The current video will no longer be displayed



4.2 Video early warning

4.2.1 Play the warning video of the processes carried out by the employees



- 1、 Select Date
- 2、 Choose the sewing line
- 3、 Search for employees.
- 4、 Click the "Play" button to randomly view a warning video.

4.2.1 analyse




1、Click the "Analyze" button to view the working hours used in the current process

2、Note: For the warning videos with the longest and shortest time taking, if uploaded, a play button will appear on the line chart, and you can also view the comparison videos.

4.3 Billboard

4.3.1 Check daily, weekly, and monthly employee points




The screenshot shows the Aitu Billboard interface. On the left is a sidebar with a user profile (杰克 xjack) and navigation options: Basic Infoma..., Production, Video, Process Video Li..., Video Alert, **Billboard**, Improvement S..., and Clothing Param... The main content area is titled 'Video / Billboard' and features three tabs: Day, Week, and Month. The 'Month' tab is selected and highlighted with a red box. Below the tabs is a table displaying employee rankings and points.

Ranking	Name	Team	Point
1	frabi	2 Line	163
2	white	1 Line	35
3	JayChou	mkbk	10
4	emp1	1 Line	9.5
5	emp2	1 Line	9

1、Click on the time option to view the current dragon and Tiger rankings, as well as the points for the past seven days and the past month respectively

4.3.2 detail



The screenshot displays the Aitu system interface. The top section shows the 'Video / Billboard' view with tabs for 'Day', 'Week', and 'Month'. Below this is a table listing employees and their performance metrics. A red arrow points to the 'Detail' button for the employee 'frabi'.


Ranking	Name	Team	Points	Video Count	Action
1	frabi	2 Line	163	39	Detail
2	white	1 Line	35	18	Detail
3	JayChou	mkbk	10	2	Detail
4	emp1	1 Line	9.5	2	Detail
5	emp2	1 Line	9	2	Detail
6	emp3	1 Line	5	1	Detail
7	杰克		5	1	Detail
8	testXu	workshop	0	1	Detail

The bottom section shows the 'Detail' page for the employee 'frabi'. It includes a profile card with a cartoon avatar, name 'frabi', ID 's002', and various metrics like 'Sewing Experience 0.33Year', 'Skill Level A', 'Entry Time 2025-02-17', and 'Department 2 Line'. To the right, there are 'Skills' listed: 'Expertise Category 3' (Sun-Protective, Jeans, Jacket) and 'Expertise Process 19'. Below this is a 'Video Upload Record' section with two columns: 'Jacket' and 'Jeans'. The 'Jacket' column shows a video titled '1, 333' with a 5-star rating. The 'Jeans' column shows a list of 6 videos, each with a 5-star rating and a play button icon.

- 1、Click the "Details" button to enter the current employee details page.
- 2、Note: On the detail page, you can view the detailed information of the employees, the processes they are proficient in, and some process videos.

4.4 Improvement Suggestions

4.4.1 Add



1. On the video comparison window page, click on "Improvement Suggestions" to enter the configuration page.

2. Configure the improvement content and click the "Save" button to save the current improvement suggestions.

4.4.2 Modify and View

< Video / Improvement Suggestions

In Progress

Completed

Sewing thread

Employee Name

Style Name

Select date

Delete

Add New

☐	Sequence Number	Proposal Number	Style Number	Style Name	Improve Process	Monitor Index	Current Value(s)	Target Value(s)	Initiate Value(s)	Execution Status	Implement User	Operations
☐	1	GS-202509080000	k-0901	0731+08301300	process-c	Average Working Hours	/	30	34	In Progress	admin	End Details

< Video / Improvement Suggestion

Proposer

admin

Post

Supervisor

Proposal Number

GS-202509080000

Style Name

0731+08301300

Improve Process

process-c

Improve User

刘强

Save

Current Action

Put: Timeout2.66s;

Play Abnormal Video

Improvement Suggestion

put needs to be accelerated

Upload Material

Monitor Index

Average Working Hours

Target Value(s)

30

SMV: 208

Initiate Value(s)

34

Improvement Cycle(Days)

7

Implement User

admin

1. Click on 'Proposal Number' to view the improvement content.

4.4.3 Details

< Video / Improvement Suggestions

In Progress

Completed

Sewing thread

Employee Name


Style Name

Select date

Delete

Add New

☐	Sequence Number	Proposal Number	Style Number	Style Name	Improve Process	Monitor Index	Current Value(s)	Target Value(s)	Initiate Value(s)	Execution Status	Implement User	Operations
☐	1	GS-202509080000	k-0901	0731+08301300	process-c	Average Working Hours	/	30	34	In Progress	admin	End Details
☐	2	GS-202509020000	KS-20250901-7	250901		Average Working Hours	/	13	12	Exception	test_0901	End Details



1. End: Click "End" to stop the current improvement suggestion.
2. Details: Click on "Details" to view the sewing process performed by the current employee.