

14:16:02 532 [RadioIf] Lora RX (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.5)
14:16:02 532 [RadioIf] AirTime - Packet received : 3022ms
14:16:02 532 [Router] Add packet record (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.5)
14:16:02 532 [Router] recentPackets size=29
14:16:02 532 [Router] recentPackets size=23 (after clearing expired packets)
14:16:02 532 [Router] Using channel 0 (hash 0xb1)
14:16:02 532 [Router] Expanding short PSK #1
14:16:02 532 [Router] Installing AES128 key!
14:16:02 532 [Router] decoded message (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577762 rxSNR=4.5)
14:16:02 532 [Router] handleReceived(remote) (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577762 rxSNR=4.5)
14:16:02 532 [Router] Plugin routing wantsPacket=1
14:16:02 532 [Router] Received routing from=0xabf84958, id=0x632c0e93, portnum=67, payloadlen=10
14:16:02 532 [Router] Routing sniffing (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577762 rxSNR=4.5)
14:16:02 532 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577762 rxSNR=4.5)
14:16:02 532 [Router] Expanding short PSK #1
14:16:02 532 [Router] Installing AES128 key!
14:16:02 532 [Router] enqueueing for send (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577762 rxSNR=4.5)
14:16:02 532 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:16:02 532 [Router] txGood=40,rxGood=60,rxBad=3
14:16:02 532 [Router] AirTime - Packet transmitted : 3022ms
14:16:02 532 [Router] FIXME-update-db Sniffing packet
14:16:02 532 [Router] Delivering rx packet (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577762 rxSNR=4.5)
14:16:02 532 [Router] Forwarding to phone (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577762 rxSNR=4.5)
14:16:02 532 [Router] Update DB node 0xabf84958, rx_time=1639577762
14:16:02 532 [Router] NOTE: tophone queue is full, discarding oldest
14:16:02 532 [Router] Plugin routing considered
14:16:03 533 [RadioIf] Starting low level send (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577762 rxSNR=4.5 priority=64)
14:16:06 536 [RadioIf] Completed sending (id=0x632c0e93 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577762 rxSNR=4.5 priority=64)
14:16:07 537 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=0, time 1449 ms
14:16:07 537 [RadioIf] ignoring received packet due to error=-7
14:16:07 537 [RadioIf] AirTime - Packet received (noise?) : 1449ms
14:16:10 540 [Power] Battery: usbPower=0, isCharging=0, batMv=4176, batPct=97
14:16:13 543 [GPS] WANT GPS=1
14:16:13 543 [GPS] Setting GPS power=1
14:16:13 543 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms

14:16:13 543 [RadioIf] Lora RX (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=-14)
14:16:13 543 [RadioIf] AirTime - Packet received : 3022ms
14:16:13 543 [Router] Add packet record (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=-14)
14:16:13 543 [Router] Using channel 0 (hash 0xb1)
14:16:13 543 [Router] Expanding short PSK #1
14:16:13 543 [Router] Installing AES128 key!
14:16:13 543 [Router] decoded message (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577773 rxSNR=-14)
14:16:13 543 [Router] handleReceived(remote) (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577773 rxSNR=-14)
14:16:13 543 [Router] Plugin routing wantsPacket=1
14:16:13 543 [Router] Received routing from=0xabf84958, id=0x632c0e94, portnum=67, payloadlen=10
14:16:13 543 [Router] Routing sniffing (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577773 rxSNR=-14)
14:16:13 543 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577773 rxSNR=-14)
14:16:13 543 [Router] Expanding short PSK #1
14:16:13 543 [Router] Installing AES128 key!
14:16:13 543 [Router] enqueueing for send (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577773 rxSNR=-14)
14:16:13 543 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:16:13 543 [Router] txGood=41,rxGood=61,rxBad=4
14:16:13 543 [Router] AirTime - Packet transmitted : 3022ms
14:16:13 543 [Router] FIXME-update-db Sniffing packet
14:16:13 543 [Router] Delivering rx packet (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577773 rxSNR=-14)
14:16:13 543 [Router] Forwarding to phone (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577773 rxSNR=-14)
14:16:13 543 [Router] Update DB node 0xabf84958, rx_time=1639577773
14:16:13 543 [Router] NOTE: tophone queue is full, discarding oldest
14:16:13 543 [Router] Plugin routing considered
14:16:14 544 [RadioIf] Starting low level send (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577773 rxSNR=-14 priority=64)
14:16:17 547 [RadioIf] Completed sending (id=0x632c0e94 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577773 rxSNR=-14 priority=64)
processUBX: counter hit MAX_PAYLOAD_SIZE
14:16:24 554 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:16:24 554 [RadioIf] Lora RX (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.75)14:16:24 554 [RadioIf] AirTime - Packet received : 3022ms
14:16:24 554 [Router] Add packet record (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.75)
14:16:24 554 [Router] Using channel 0 (hash 0xb1)
14:16:24 554 [Router] Expanding short PSK #1
14:16:24 554 [Router] Installing AES128 key!
14:16:24 554 [Router] decoded message (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577784 rxSNR=4.75)

14:16:24 554 [Router] handleReceived(remote) (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577784 rxSNR=4.75)
14:16:24 554 [Router] Plugin routing wantsPacket=1
14:16:24 554 [Router] Received routing from=0xabf84958, id=0x632c0e95, portnum=67, payloadlen=10
14:16:24 554 [Router] Routing sniffing (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577784 rxSNR=4.75)
14:16:24 554 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577784 rxSNR=4.75)
14:16:24 554 [Router] Expanding short PSK #1
14:16:24 554 [Router] Installing AES128 key!
14:16:24 554 [Router] enqueueing for send (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577784 rxSNR=4.75)
14:16:24 554 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:16:24 554 [Router] txGood=42,rxGood=62,rxBad=4
14:16:24 554 [Router] AirTime - Packet transmitted : 3022ms
14:16:24 554 [Router] FIXME-update-db Sniffing packet
14:16:24 554 [Router] Delivering rx packet (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577784 rxSNR=4.75)
14:16:24 554 [Router] Forwarding to phone (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577784 rxSNR=4.75)
14:16:24 554 [Router] Update DB node 0xabf84958, rx_time=1639577784
14:16:24 554 [Router] NOTE: tophone queue is full, discarding oldest
14:16:24 554 [Router] Plugin routing considered
14:16:25 555 [RadioIf] Starting low level send (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577784 rxSNR=4.75 priority=64)
14:16:28 558 [RadioIf] Completed sending (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577784 rxSNR=4.75 priority=64)
14:16:30 560 [Power] Battery: usbPower=0, isCharging=0, batMv=4176, batPct=97
14:16:33 564 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:16:33 564 [RadioIf] Lora RX (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6.75)14:16:33 564 [RadioIf] AirTime - Packet received : 3022ms
14:16:33 564 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0e95
14:16:33 564 [Router] Add packet record (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6.75)
14:16:33 564 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0e95 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6.75)
14:16:33 564 [Router] Incoming message was filtered 0xabf84958

--- exit ---

PS C:\Users\fredh> platformio device monitor

legacy Click

--- Available filters and text transformations: colorize, debug, default, direct, hexlify, log2file, nocontrol, printable, send_on_enter, time

--- More details at <http://bit.ly/pio-monitor-filters>

--- Miniterm on COM13 9600,8,N,1 ---

--- Quit: Ctrl+C | Menu: Ctrl+T | Help: Ctrl+T followed by Ctrl+H ---

14:16:49 579 [RadioIf] Completed sending (id=0x632c0e97 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577805 rxSNR=4.5 priority=64)

14:16:50 580 [Power] Battery: usbPower=0, isCharging=0, batMv=4182, batPct=98
14:16:59 590 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=60, time 4595 ms
14:16:59 590 [RadioIf] Lora RX (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.75)14:16:59 590 [RadioIf] AirTime - Packet received : 4595ms
14:16:59 590 [Router] Add packet record (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.75)
14:16:59 590 [Router] Using channel 0 (hash 0xb1)
14:16:59 590 [Router] Expanding short PSK #1
14:16:59 590 [Router] Installing AES128 key!
14:16:59 590 [Router] decoded message (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639577819 rxSNR=5.75)
14:16:59 590 [Router] handleReceived(remote) (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639577819 rxSNR=5.75)
14:16:59 590 [Router] Plugin nodeinfo wantsPacket=1
14:16:59 590 [Router] Received nodeinfo from=0xb582f090, id=0x1da5356a, portnum=4, payloadlen=40
14:16:59 590 [Router] old user !b582f090/Unknown f090/?90
14:16:59 590 [Router] updating changed=0 user !b582f090/Unknown f090/?90
14:16:59 590 [Router] Plugin nodeinfo considered
14:16:59 590 [Router] Plugin routing wantsPacket=1
14:16:59 590 [Router] Received routing from=0xb582f090, id=0x1da5356a, portnum=4, payloadlen=40
14:16:59 590 [Router] Routing sniffing (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639577819 rxSNR=5.75)
14:16:59 590 [Router] Rebroadcasting received floodmsg to neighbors (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639577819 rxSNR=5.75)
14:16:59 590 [Router] Expanding short PSK #1
14:16:59 590 [Router] Installing AES128 key!
14:16:59 590 [Router] enqueueing for send (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577819 rxSNR=5.75)
14:16:59 590 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=60, time 4595 ms
14:16:59 590 [Router] txGood=44,rxGood=65,rxBad=4
14:16:59 590 [Router] AirTime - Packet transmitted : 4595ms
14:16:59 590 [Router] FIXME-update-db Sniffing packet
14:16:59 590 [Router] Delivering rx packet (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639577819 rxSNR=5.75)
14:16:59 590 [Router] Forwarding to phone (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639577819 rxSNR=5.75)
14:16:59 590 [Router] Update DB node 0xb582f090, rx_time=1639577819
14:16:59 590 [Router] NOTE: tophone queue is full, discarding oldest
14:16:59 590 [Router] Plugin routing considered
14:17:00 591 [RadioIf] Starting low level send (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577819 rxSNR=5.75 priority=64)
14:17:05 595 [RadioIf] Completed sending (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577819 rxSNR=5.75 priority=64)
14:17:10 600 [Power] Battery: usbPower=0, isCharging=0, batMv=4180, batPct=97
14:17:10 600 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=60, time 4595 ms

14:17:10 600 [RadioIf] Lora RX (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim1 Ch0xb1 encrypted rxSNR=6.5)
14:17:10 600 [RadioIf] AirTime - Packet received : 4595ms
14:17:10 600 [Router] Found existing packet record for fr=0xb582f090,to=0xffffffff,id=0x1da5356a
14:17:10 600 [Router] Add packet record (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim1 Ch0xb1 encrypted rxSNR=6.5)
14:17:10 600 [Router] Ignoring incoming msg, because we've already seen it (id=0x1da5356a Fr0x90 To0xff, WantAck0, HopLim1 Ch0xb1 encrypted rxSNR=6.5)
14:17:10 600 [Router] Incoming message was filtered 0xb582f090
14:17:14 604 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:17:14 604 [RadioIf] Lora RX (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.5)
14:17:14 604 [RadioIf] AirTime - Packet received : 3022ms
14:17:14 604 [Router] Add packet record (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.5)
14:17:14 604 [Router] Using channel 0 (hash 0xb1)
14:17:14 604 [Router] Expanding short PSK #1
14:17:14 604 [Router] Installing AES128 key!
14:17:14 604 [Router] decoded message (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577834 rxSNR=5.5)
14:17:14 604 [Router] handleReceived(remote) (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577834 rxSNR=5.5)
14:17:14 604 [Router] Plugin routing wantsPacket=1
14:17:14 604 [Router] Received routing from=0xabf84958, id=0x632c0e98, portnum=67, payloadlen=10
14:17:14 604 [Router] Routing sniffing (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577834 rxSNR=5.5)
14:17:14 604 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577834 rxSNR=5.5)
14:17:14 604 [Router] Expanding short PSK #1
14:17:14 604 [Router] Installing AES128 key!
14:17:14 604 [Router] enqueueing for send (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577834 rxSNR=5.5)
14:17:14 604 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:17:14 604 [Router] txGood=45,rxGood=67,rxBad=4
14:17:14 604 [Router] AirTime - Packet transmitted : 3022ms
14:17:14 604 [Router] FIXME-update-db Sniffing packet
14:17:14 604 [Router] Delivering rx packet (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577834 rxSNR=5.5)
14:17:14 604 [Router] Forwarding to phone (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577834 rxSNR=5.5)
14:17:14 604 [Router] Update DB node 0xabf84958, rx_time=1639577834
14:17:14 604 [Router] NOTE: tophone queue is full, discarding oldest
14:17:14 604 [Router] Plugin routing considered
14:17:14 605 [RadioIf] Starting low level send (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577834 rxSNR=5.5 priority=64)
14:17:17 608 [RadioIf] Completed sending (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577834 rxSNR=5.5 priority=64)

processUBX: counter hit MAX_PAYLOAD_SIZE
14:17:23 613 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:17:23 613 [RadioIf] Lora RX (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.75)14:17:23 613 [RadioIf] AirTime - Packet received : 3022ms
14:17:23 613 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0e98
14:17:23 613 [Router] Add packet record (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.75)
14:17:23 613 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0e98 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.75)
14:17:23 613 [Router] Incoming message was filtered 0xabf84958
14:17:28 618 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:17:28 618 [RadioIf] Lora RX (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.5)
14:17:28 618 [RadioIf] AirTime - Packet received : 3022ms
14:17:28 618 [Router] Add packet record (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.5)
14:17:28 618 [Router] recentPackets size=29
14:17:28 618 [Router] recentPackets size=23 (after clearing expired packets)
14:17:28 618 [Router] Using channel 0 (hash 0xb1)
14:17:28 618 [Router] Expanding short PSK #1
14:17:28 618 [Router] Installing AES128 key!
14:17:28 618 [Router] decoded message (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577848 rxSNR=5.5)
14:17:28 618 [Router] handleReceived(remote) (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577848 rxSNR=5.5)
14:17:28 618 [Router] Plugin routing wantsPacket=1
14:17:28 618 [Router] Received routing from=0xabf84958, id=0x632c0e99, portnum=67, payloadlen=10
14:17:28 618 [Router] Routing sniffing (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577848 rxSNR=5.5)
14:17:28 618 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577848 rxSNR=5.5)
14:17:28 618 [Router] Expanding short PSK #1
14:17:28 618 [Router] Installing AES128 key!
14:17:28 618 [Router] enqueueing for send (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577848 rxSNR=5.5)
14:17:28 618 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:17:28 618 [Router] txGood=46,rxGood=69,rxBad=4
14:17:28 618 [Router] AirTime - Packet transmitted : 3022ms
14:17:28 618 [Router] FIXME-update-db Sniffing packet
14:17:28 618 [Router] Delivering rx packet (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577848 rxSNR=5.5)
14:17:28 618 [Router] Forwarding to phone (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577848 rxSNR=5.5)
14:17:28 618 [Router] Update DB node 0xabf84958, rx_time=1639577848
14:17:28 618 [Router] NOTE: tophone queue is full, discarding oldest
14:17:28 618 [Router] Plugin routing considered

14:17:29 620 [RadioIf] Starting low level send (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577848 rxSNR=5.5 priority=64)
14:17:30 620 [Power] Battery: usbPower=0, isCharging=0, batMv=4176, batPct=97
14:17:33 623 [RadioIf] Completed sending (id=0x632c0e99 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577848 rxSNR=5.5 priority=64)

--- exit ---

PS C:\Users\fredh> platformio device monitor

legacy Click

--- Available filters and text transformations: colorize, debug, default, direct, hexlify, log2file, nocontrol, printable, send_on_enter, time

--- More details at <http://bit.ly/pio-monitor-filters>

--- Miniterm on COM13 9600,8,N,1 ---

--- Quit: Ctrl+C | Menu: Ctrl+T | Help: Ctrl+T followed by Ctrl+H ---

???:???:?? 13 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms

???:???:?? 13 [RadioIf] Lora RX (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.5)

???:???:?? 13 [RadioIf] AirTime - Packet received : 3022ms

???:???:?? 13 [Router] Add packet record (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.5)

???:???:?? 13 [Router] Using channel 0 (hash 0xb1)

???:???:?? 13 [Router] Expanding short PSK #1

???:???:?? 13 [Router] Installing AES128 key!

???:???:?? 13 [Router] decoded message (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxSNR=4.5)

???:???:?? 13 [Router] handleReceived(REMOTE) (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxSNR=4.5)

???:???:?? 13 [Router] Plugin routing wantsPacket=1

???:???:?? 13 [Router] Received routing from=0xabf84958, id=0x632c0ea5, portnum=67, payloadlen=10

???:???:?? 13 [Router] Routing sniffing (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxSNR=4.5)

???:???:?? 13 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0ea5 Fr0x58 To0xff, WantAck0,

HopLim3 Ch0x0 Portnum=67 rxSNR=4.5)

???:???:?? 13 [Router] Expanding short PSK #1

???:???:?? 13 [Router] Installing AES128 key!

???:???:?? 13 [Router] enqueueing for send (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.5)

???:???:?? 13 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms

???:???:?? 13 [Router] txGood=1,rxGood=2,rxBad=0

???:???:?? 13 [Router] AirTime - Packet transmitted : 3022ms

???:???:?? 13 [Router] FIXME-update-db Sniffing packet

???:???:?? 13 [Router] Delivering rx packet (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67

rxSNR=4.5)

???:???:?? 13 [Router] Forwarding to phone (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxSNR=4.5)

???:???:?? 13 [Router] Update DB node 0xabf84958, rx_time=0

???:???:?? 13 [Router] Plugin routing considered

??:??:?? 15 [RadioIf] Starting low level send (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.5 priority=64)
??:??:?? 18 [RadioIf] Completed sending (id=0x632c0ea5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.5 priority=64)
??:??:?? 20 [Power] Battery: usbPower=0, isCharging=0, batMv=3788, batPct=55
??:??:?? 20 [PowerFSM] Loss of power in Powered
??:??:?? 20 [PowerFSM] Enter state: ON
processUBX: counter hit MAX_PAYLOAD_SIZE
00:00:25 25 [GPS] Upgrading time to RTC 1639577968 secs (quality 0)
14:19:28 25 [GPS] publishing pos@0:2, hasVal=0, GPSlock=0
14:19:28 25 [GPS] onGPSChanged() pos@0:4, time=1639577968, lat=0, bat=55
14:19:28 25 [GPS] updatePosition LOCAL pos@0:5, time=1639577968, latI=0, lonI=0
14:19:28 25 [GPS] Node status update: 1 online, 5 total
14:19:28 25 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:19:28 25 [RadioIf] Lora RX (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.25)
14:19:28 25 [RadioIf] AirTime - Packet received : 3022ms
14:19:28 25 [Router] Add packet record (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.25)
14:19:28 25 [Router] Using channel 0 (hash 0xb1)
14:19:28 25 [Router] Expanding short PSK #1
14:19:28 25 [Router] Installing AES128 key!
14:19:28 25 [Router] decoded message (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577968 rxSNR=5.25)
14:19:28 25 [Router] handleReceived(REMOTE) (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577968 rxSNR=5.25)
14:19:28 25 [Router] Plugin routing wantsPacket=1
14:19:28 25 [Router] Received routing from=0xabf84958, id=0x632c0ea6, portnum=67, payloadlen=10
14:19:28 25 [Router] Routing sniffing (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577968 rxSNR=5.25)
14:19:28 25 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577968 rxSNR=5.25)
14:19:28 25 [Router] Expanding short PSK #1
14:19:28 25 [Router] Installing AES128 key!
14:19:28 25 [Router] enqueueing for send (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577968 rxSNR=5.25)
14:19:28 25 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:19:28 25 [Router] txGood=2,rxGood=3,rxBad=0
14:19:28 25 [Router] AirTime - Packet transmitted : 3022ms
14:19:28 25 [Router] FIXME-update-db Sniffing packet
14:19:28 25 [Router] Delivering rx packet (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577968 rxSNR=5.25)
14:19:28 25 [Router] Forwarding to phone (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577968 rxSNR=5.25)
14:19:28 25 [Router] Update DB node 0xabf84958, rx_time=1639577968
14:19:28 25 [Router] Plugin routing considered

14:19:29 27 [RadioIf] Starting low level send (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577968 rxSNR=5.25 priority=64)
14:19:32 30 [RadioIf] Completed sending (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577968 rxSNR=5.25 priority=64)
14:19:32 30 [NodeInfoPlugin] Sending our nodeinfo to mesh (wantReplies=1)
14:19:32 30 [NodeInfoPlugin] sending owner !dc58eef1/Unknown eef1/?F1
14:19:32 30 [NodeInfoPlugin] Update DB node 0xdc58eef1, rx_time=1639577972
14:19:32 30 [NodeInfoPlugin] handleReceived(LOCAL) (id=0x5851f430 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 WANTRESP rxtime=1639577972 priority=10)
14:19:32 30 [NodeInfoPlugin] No plugins interested in portnum=4, src=LOCAL
14:19:32 30 [NodeInfoPlugin] Add packet record (id=0x5851f430 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 WANTRESP rxtime=1639577972 priority=10)
14:19:32 30 [NodeInfoPlugin] Expanding short PSK #1
14:19:32 30 [NodeInfoPlugin] Installing AES128 key!
14:19:32 30 [NodeInfoPlugin] enqueueing for send (id=0x5851f430 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxtime=1639577972 priority=10)
14:19:32 30 [NodeInfoPlugin] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=62, time 4694 ms
14:19:32 30 [NodeInfoPlugin] txGood=3,rxGood=3,rxBad=0
14:19:32 30 [NodeInfoPlugin] AirTime - Packet transmitted : 4694ms
14:19:34 32 [RadioIf] Can not send yet, busyRx
14:19:34 32 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:19:34 32 [RadioIf] Lora RX (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=2.25)
14:19:34 32 [RadioIf] AirTime - Packet received : 3022ms
14:19:34 32 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0ea6
14:19:34 32 [Router] Add packet record (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=2.25)
14:19:34 32 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0ea6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=2.25)
14:19:34 32 [Router] Incoming message was filtered 0xabf84958
14:19:36 34 [RadioIf] Can not send yet, busyRx
14:19:38 35 [RadioIf] Can not send yet, busyRx
14:19:38 35 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:19:38 35 [RadioIf] Lora RX (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5)
14:19:38 35 [RadioIf] AirTime - Packet received : 3022ms
14:19:38 35 [Router] Add packet record (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5)
14:19:38 35 [Router] Using channel 0 (hash 0xb1)
14:19:38 35 [Router] Expanding short PSK #1
14:19:38 35 [Router] Installing AES128 key!
14:19:38 35 [Router] decoded message (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577978 rxSNR=5)
14:19:38 35 [Router] handleReceived(REMOTE) (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577978 rxSNR=5)
14:19:38 35 [Router] Plugin routing wantsPacket=1
14:19:38 35 [Router] Received routing from=0xabf84958, id=0x632c0ea7, portnum=67, payloadlen=10

14:19:38 35 [Router] Routing sniffing (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577978 rxSNR=5)
14:19:38 35 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577978 rxSNR=5)
14:19:38 35 [Router] Expanding short PSK #1
14:19:38 35 [Router] Installing AES128 key!
14:19:38 35 [Router] enqueueing for send (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577978 rxSNR=5)
14:19:38 35 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:19:38 35 [Router] txGood=3,rxGood=5,rxBad=0
14:19:38 35 [Router] AirTime - Packet transmitted : 3022ms
14:19:38 35 [Router] FIXME-update-db Sniffing packet
14:19:38 35 [Router] Delivering rx packet (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577978 rxSNR=5)
14:19:38 35 [Router] Forwarding to phone (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639577978 rxSNR=5)
14:19:38 35 [Router] Update DB node 0xabf84958, rx_time=1639577978
14:19:38 35 [Router] Plugin routing considered
14:19:40 37 [RadioIf] Starting low level send (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577978 rxSNR=5 priority=64)
14:19:42 40 [Power] Battery: usbPower=0, isCharging=0, batMv=4166, batPct=96
14:19:43 41 [RadioIf] Completed sending (id=0x632c0ea7 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639577978 rxSNR=5 priority=64)
14:19:44 42 [RadioIf] Starting low level send (id=0x5851f430 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxtime=1639577972 priority=10)
processUBX: counter hit MAX_PAYLOAD_SIZE
14:19:49 47 [RadioIf] Completed sending (id=0x5851f430 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxtime=1639577972 priority=10)
14:19:55 52 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=63, time 4726 ms
14:19:55 52 [RadioIf] Lora RX (id=0x632c0ea9 Fr0x58 To0xf1, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.75)
14:19:55 52 [RadioIf] AirTime - Packet received : 4726ms
14:19:55 52 [Router] Add packet record (id=0x632c0ea9 Fr0x58 To0xf1, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.75)
14:19:55 52 [Router] Using channel 0 (hash 0xb1)
14:19:55 52 [Router] Expanding short PSK #1
14:19:55 52 [Router] Installing AES128 key!
14:19:55 52 [Router] decoded message (id=0x632c0ea9 Fr0x58 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639577995 rxSNR=4.75)
14:19:55 52 [Router] handleReceived(REMOTE) (id=0x632c0ea9 Fr0x58 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639577995 rxSNR=4.75)
14:19:55 52 [Router] Plugin nodeinfo wantsPacket=1
14:19:55 52 [Router] Received nodeinfo from=0xabf84958, id=0x632c0ea9, portnum=4, payloadlen=38
14:19:55 52 [Router] old user !abf84958/Unknown 4958/?58
14:19:55 52 [Router] updating changed=0 user !abf84958/Unknown 4958/?58
14:19:55 52 [Router] Plugin nodeinfo considered
14:19:55 52 [Router] Plugin routing wantsPacket=1

14:19:55 52 [Router] Received routing from=0xabf84958, id=0x632c0ea9, portnum=4, payloadlen=38
14:19:55 52 [Router] Routing sniffing (id=0x632c0ea9 Fr0x58 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639577995 rxSNR=4.75)
14:19:55 52 [Router] FIXME not implemented addRoute
14:19:55 52 [Router] Received a ack for 0x5851f430, stopping retransmissions
14:19:55 52 [Router] FIXME-update-db Sniffing packet
14:19:55 52 [Router] Delivering rx packet (id=0x632c0ea9 Fr0x58 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639577995 rxSNR=4.75)
14:19:55 52 [Router] Forwarding to phone (id=0x632c0ea9 Fr0x58 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639577995 rxSNR=4.75)
14:19:55 52 [Router] Update DB node 0xabf84958, rx_time=1639577995
14:19:55 52 [Router] Plugin routing considered
14:20:02 60 [PositionPlugin] Sending pos@0:6 to mesh (wantReplies=1)
14:20:02 60 [PositionPlugin] Providing time to mesh 1639578002
14:20:02 60 [PositionPlugin] Update DB node 0xdc58eef1, rx_time=1639578002
14:20:02 60 [PositionPlugin] handleReceived(LOCAL) (id=0x5851f431 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=3 WANTRESP rxtime=1639578002 priority=10)
14:20:02 60 [PositionPlugin] No plugins interested in portnum=3, src=LOCAL
14:20:02 60 [PositionPlugin] Add packet record (id=0x5851f431 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=3 WANTRESP rxtime=1639578002 priority=10)
14:20:02 60 [PositionPlugin] Expanding short PSK #1
14:20:02 60 [PositionPlugin] Installing AES128 key!
14:20:02 60 [PositionPlugin] enqueueing for send (id=0x5851f431 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxtime=1639578002 priority=10)
14:20:02 60 [PositionPlugin] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=27, time 2859 ms
14:20:02 60 [PositionPlugin] txGood=5,rxGood=6,rxBad=0
14:20:02 60 [PositionPlugin] AirTime - Packet transmitted : 2859ms
14:20:02 60 [Power] Battery: usbPower=0, isCharging=0, batMv=4177, batPct=97
processUBX: counter hit MAX_PAYLOAD_SIZE
14:20:02 60 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=65, time 4857 ms
14:20:02 60 [RadioIf] Lora RX (id=0x1da5356c Fr0x90 To0xf1, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=1)
14:20:02 60 [RadioIf] AirTime - Packet received : 4857ms
14:20:02 60 [Router] Add packet record (id=0x1da5356c Fr0x90 To0xf1, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=1)
14:20:02 60 [Router] Using channel 0 (hash 0xb1)
14:20:02 60 [Router] Expanding short PSK #1
14:20:02 60 [Router] Installing AES128 key!
14:20:02 60 [Router] decoded message (id=0x1da5356c Fr0x90 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639578002 rxSNR=1)
14:20:03 60 [Router] handleReceived(REMOTE) (id=0x1da5356c Fr0x90 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639578002 rxSNR=1)
14:20:03 60 [Router] Plugin nodeinfo wantsPacket=1
14:20:03 60 [Router] Received nodeinfo from=0xb582f090, id=0x1da5356c, portnum=4, payloadlen=40
14:20:03 60 [Router] old user !b582f090/Unknown f090/?90
14:20:03 60 [Router] updating changed=0 user !b582f090/Unknown f090/?90
14:20:03 60 [Router] Plugin nodeinfo considered
14:20:03 60 [Router] Plugin routing wantsPacket=1

14:20:03 60 [Router] Received routing from=0xb582f090, id=0x1da5356c, portnum=4, payloadlen=40
14:20:03 60 [Router] Routing sniffing (id=0x1da5356c Fr0x90 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639578002 rxSNR=1)
14:20:03 60 [Router] FIXME not implemented addRoute
14:20:03 60 [Router] Received a ack for 0x5851f430, stopping retransmissions
14:20:03 60 [Router] FIXME-update-db Sniffing packet
14:20:03 60 [Router] Delivering rx packet (id=0x1da5356c Fr0x90 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4r equestId=5851f430 rxtime=1639578002 rxSNR=1)
14:20:03 60 [Router] Forwarding to phone (id=0x1da5356c Fr0x90 To0xf1, WantAck0, HopLim3 Ch0x0 Portnum=4 requestId=5851f430 rxtime=1639578002 rxSNR=1)
14:20:03 60 [Router] Update DB node 0xb582f090, rx_time=1639578002
14:20:03 60 [Router] Plugin routing considered
14:20:03 60 [RadioIf] Starting low level send (id=0x5851f431 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxtime=1639578002 priority=10)
14:20:06 63 [RadioIf] Completed sending (id=0x5851f431 Fr0xf1 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxtime=1639578002 priority=10)
14:20:11 68 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:11 68 [RadioIf] Lora RX (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.25)
14:20:11 68 [RadioIf] AirTime - Packet received : 3022ms
14:20:11 69 [Router] Add packet record (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.25)
14:20:11 69 [Router] Using channel 0 (hash 0xb1)
14:20:11 69 [Router] Expanding short PSK #1
14:20:11 69 [Router] Installing AES128 key!
14:20:11 69 [Router] decoded message (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578011 rxSNR=5.25)
14:20:11 69 [Router] handleReceived(REMOTE) (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578011 rxSNR=5.25)
14:20:11 69 [Router] Plugin routing wantsPacket=1
14:20:11 69 [Router] Received routing from=0xabf84958, id=0x632c0ea8, portnum=67, payloadlen=10
14:20:11 69 [Router] Routing sniffing (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578011 rxSNR=5.25)
14:20:11 69 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578011 rxSNR=5.25)
14:20:11 69 [Router] Expanding short PSK #1
14:20:11 69 [Router] Installing AES128 key!
14:20:11 69 [Router] enqueueing for send (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578011 rxSNR=5.25)
14:20:11 69 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:11 69 [Router] txGood=6,rxGood=8,rxBad=0
14:20:11 69 [Router] AirTime - Packet transmitted : 3022ms
14:20:11 69 [Router] FIXME-update-db Sniffing packet
14:20:11 69 [Router] Delivering rx packet (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578011 rxSNR=5.25)

14:20:11 69 [Router] Forwarding to phone (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578011 rxSNR=5.25)
14:20:11 69 [Router] Update DB node 0xabf84958, rx_time=1639578011
14:20:11 69 [Router] Plugin routing considered
14:20:13 71 [RadioIf] Starting low level send (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578011 rxSNR=5.25 priority=64)
14:20:16 74 [RadioIf] Completed sending (id=0x632c0ea8 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578011 rxSNR=5.25 priority=64)
14:20:22 80 [Power] Battery: usbPower=0, isCharging=0, batMv=4177, batPct=97
14:20:24 81 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:24 81 [RadioIf] Lora RX (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=7)
14:20:24 81 [RadioIf] AirTime - Packet received : 3022ms
14:20:24 81 [Router] Add packet record (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=7)
14:20:24 81 [Router] Using channel 0 (hash 0xb1)
14:20:24 81 [Router] Expanding short PSK #1
14:20:24 81 [Router] Installing AES128 key!
14:20:24 81 [Router] decoded message (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578024 rxSNR=7)
14:20:24 82 [Router] handleReceived(REMOTE) (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578024 rxSNR=7)
14:20:24 82 [Router] Plugin routing wantsPacket=1
14:20:24 82 [Router] Received routing from=0xabf84958, id=0x632c0eab, portnum=67, payloadlen=10
14:20:24 82 [Router] Routing sniffing (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578024 rxSNR=7)
14:20:24 82 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578024 rxSNR=7)
14:20:24 82 [Router] Expanding short PSK #1
14:20:24 82 [Router] Installing AES128 key!
14:20:24 82 [Router] enqueueing for send (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578024 rxSNR=7)
14:20:24 82 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:24 82 [Router] txGood=7,rxGood=9,rxBad=0
14:20:24 82 [Router] AirTime - Packet transmitted : 3022ms
14:20:24 82 [Router] FIXME-update-db Sniffing packet
14:20:24 82 [Router] Delivering rx packet (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578024 rxSNR=7)
14:20:24 82 [Router] Forwarding to phone (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578024 rxSNR=7)
14:20:24 82 [Router] Update DB node 0xabf84958, rx_time=1639578024
14:20:24 82 [Router] Plugin routing considered
14:20:25 83 [RadioIf] Starting low level send (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578024 rxSNR=7 priority=64)
14:20:28 86 [RadioIf] Completed sending (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578024 rxSNR=7 priority=64)

14:20:32 90 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=58, time 4464 ms
14:20:32 90 [RadioIf] Lora RX (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=7.5)
14:20:32 90 [RadioIf] AirTime - Packet received : 4464ms
14:20:33 90 [Router] Add packet record (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=7.5)
14:20:33 90 [Router] Using channel 0 (hash 0xb1)
14:20:33 90 [Router] Expanding short PSK #1
14:20:33 90 [Router] Installing AES128 key!
14:20:33 90 [Router] decoded message (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639578033 rxSNR=7.5)
14:20:33 90 [Router] handleReceived(REMOTE) (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639578033 rxSNR=7.5)
14:20:33 90 [Router] Plugin nodeinfo wantsPacket=1
14:20:33 90 [Router] Received nodeinfo from=0xabf84ec0, id=0x340536a, portnum=4, payloadlen=38
14:20:33 90 [Router] old user !abf84ec0/Unknown 4ec0/?C0
14:20:33 90 [Router] updating changed=0 user !abf84ec0/Unknown 4ec0/?C0
14:20:33 90 [Router] Plugin nodeinfo considered
14:20:33 90 [Router] Plugin routing wantsPacket=1
14:20:33 90 [Router] Received routing from=0xabf84ec0, id=0x340536a, portnum=4, payloadlen=38
14:20:33 90 [Router] Routing sniffing (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639578033 rxSNR=7.5)
14:20:33 90 [Router] Rebroadcasting received floodmsg to neighbors (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639578033 rxSNR=7.5)
14:20:33 90 [Router] Expanding short PSK #1
14:20:33 90 [Router] Installing AES128 key!
14:20:33 90 [Router] enqueueing for send (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578033 rxSNR=7.5)
14:20:33 90 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=58, time 4464 ms
14:20:33 90 [Router] txGood=8,rxGood=10,rxBad=0
14:20:33 90 [Router] AirTime - Packet transmitted : 4464ms
14:20:33 90 [Router] FIXME-update-db Sniffing packet
14:20:33 90 [Router] Delivering rx packet (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639578033 rxSNR=7.5)
14:20:33 90 [Router] Forwarding to phone (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=4 rxtime=1639578033 rxSNR=7.5)
14:20:33 90 [Router] Update DB node 0xabf84ec0, rx_time=1639578033
14:20:33 90 [Router] Plugin routing considered
14:20:33 91 [RadioIf] Starting low level send (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578033 rxSNR=7.5 priority=64)
14:20:38 96 [RadioIf] Completed sending (id=0x0340536a Fr0xc0 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578033 rxSNR=7.5 priority=64)
14:20:42 100 [Power] Battery: usbPower=0, isCharging=0, batMv=4172, batPct=97
14:20:45 102 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:45 102 [RadioIf] Lora RX (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=6.75)14:20:45 102 [RadioIf] AirTime - Packet received : 3022ms

14:20:45 102 [Router] Add packet record (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=6.75)
14:20:45 102 [Router] Using channel 0 (hash 0xb1)
14:20:45 102 [Router] Expanding short PSK #1
14:20:45 102 [Router] Installing AES128 key!
14:20:45 102 [Router] decoded message (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578045 rxSNR=6.75)
14:20:45 102 [Router] handleReceived(REMOTE) (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578045 rxSNR=6.75)
14:20:45 102 [Router] Plugin routing wantsPacket=1
14:20:45 102 [Router] Received routing from=0xabf84958, id=0x632c0ead, portnum=67, payloadlen=10
14:20:45 102 [Router] Routing sniffing (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578045 rxSNR=6.75)
14:20:45 102 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578045 rxSNR=6.75)
14:20:45 102 [Router] Expanding short PSK #1
14:20:45 102 [Router] Installing AES128 key!
14:20:45 102 [Router] enqueueing for send (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578045 rxSNR=6.75)
14:20:45 102 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:45 102 [Router] txGood=9,rxGood=11,rxBad=0
14:20:45 102 [Router] AirTime - Packet transmitted : 3022ms
14:20:45 102 [Router] FIXME-update-db Sniffing packet
14:20:45 102 [Router] Delivering rx packet (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578045 rxSNR=6.75)
14:20:45 102 [Router] Forwarding to phone (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578045 rxSNR=6.75)
14:20:45 102 [Router] Update DB node 0xabf84958, rx_time=1639578045
14:20:45 102 [Router] Plugin routing considered
14:20:46 104 [RadioIf] Starting low level send (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578045 rxSNR=6.75 priority=64)
14:20:49 107 [RadioIf] Completed sending (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578045 rxSNR=6.75 priority=64)
14:20:52 110 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:52 110 [RadioIf] Lora RX (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=6.25)14:20:52 110 [RadioIf] AirTime - Packet received : 3022ms
14:20:52 110 [Router] Add packet record (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=6.25)
14:20:52 110 [Router] Using channel 0 (hash 0xb1)
14:20:52 110 [Router] Expanding short PSK #1
14:20:52 110 [Router] Installing AES128 key!
14:20:52 110 [Router] decoded message (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578052 rxSNR=6.25)
14:20:52 110 [Router] handleReceived(REMOTE) (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578052 rxSNR=6.25)
14:20:52 110 [Router] Plugin routing wantsPacket=1
14:20:52 110 [Router] Received routing from=0xabf84958, id=0x632c0eae, portnum=67, payloadlen=10

14:20:52 110 [Router] Routing sniffing (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578052 rxSNR=6.25)
14:20:52 110 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578052 rxSNR=6.25)
14:20:52 110 [Router] Expanding short PSK #1
14:20:52 110 [Router] Installing AES128 key!
14:20:52 110 [Router] enqueueing for send (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578052 rxSNR=6.25)
14:20:52 110 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:20:52 110 [Router] txGood=10,rxGood=12,rxBad=0
14:20:52 110 [Router] AirTime - Packet transmitted : 3022ms
14:20:52 110 [Router] FIXME-update-db Sniffing packet
14:20:52 110 [Router] Delivering rx packet (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578052 rxSNR=6.25)
14:20:52 110 [Router] Forwarding to phone (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578052 rxSNR=6.25)
14:20:52 110 [Router] Update DB node 0xabf84958, rx_time=1639578052
14:20:52 110 [Router] Plugin routing considered
14:20:54 111 [RadioIf] Starting low level send (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578052 rxSNR=6.25 priority=64)
14:20:57 115 [RadioIf] Completed sending (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578052 rxSNR=6.25 priority=64)
14:21:01 119 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:01 119 [RadioIf] Lora RX (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.5)
14:21:01 119 [RadioIf] AirTime - Packet received : 3022ms
14:21:01 119 [Router] Add packet record (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=4.5)
14:21:01 119 [Router] Using channel 0 (hash 0xb1)
14:21:01 119 [Router] Expanding short PSK #1
14:21:01 119 [Router] Installing AES128 key!
14:21:01 119 [Router] decoded message (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578061 rxSNR=4.5)
14:21:01 119 [Router] handleReceived(REMOTE) (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578061 rxSNR=4.5)
14:21:01 119 [Router] Plugin routing wantsPacket=1
14:21:01 119 [Router] Received routing from=0xabf84958, id=0x632c0eaf, portnum=67, payloadlen=10
14:21:01 119 [Router] Routing sniffing (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578061 rxSNR=4.5)
14:21:01 119 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578061 rxSNR=4.5)
14:21:01 119 [Router] Expanding short PSK #1
14:21:01 119 [Router] Installing AES128 key!
14:21:01 119 [Router] enqueueing for send (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578061 rxSNR=4.5)
14:21:01 119 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:01 119 [Router] txGood=11,rxGood=13,rxBad=0

14:21:01 119 [Router] AirTime - Packet transmitted : 3022ms
14:21:01 119 [Router] FIXME-update-db Sniffing packet
14:21:01 119 [Router] Delivering rx packet (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578061 rxSNR=4.5)
14:21:01 119 [Router] Forwarding to phone (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578061 rxSNR=4.5)
14:21:01 119 [Router] Update DB node 0xabf84958, rx_time=1639578061
14:21:01 119 [Router] Plugin routing considered
14:21:02 120 [RadioIf] Starting low level send (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578061 rxSNR=4.5 priority=64)
14:21:02 120 [Power] Battery: usbPower=0, isCharging=0, batMv=4172, batPct=97
processUBX: counter hit MAX_PAYLOAD_SIZE
14:21:05 123 [RadioIf] Completed sending (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578061 rxSNR=4.5 priority=64)
14:21:07 125 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:07 125 [RadioIf] Lora RX (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=1.75)14:21:07 125 [RadioIf] AirTime - Packet received : 3022ms
14:21:07 125 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eab
14:21:07 125 [Router] Add packet record (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=1.75)
14:21:07 125 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eab Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=1.75)
14:21:07 125 [Router] Incoming message was filtered 0xabf84958
14:21:13 131 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:13 131 [RadioIf] Lora RX (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=1.75)14:21:13 131 [RadioIf] AirTime - Packet received : 3022ms
14:21:13 131 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0ead
14:21:13 131 [Router] Add packet record (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=1.75)
14:21:13 131 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0ead Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=1.75)
14:21:13 131 [Router] Incoming message was filtered 0xabf84958
14:21:19 136 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:19 136 [RadioIf] Lora RX (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=5)
14:21:19 136 [RadioIf] AirTime - Packet received : 3022ms
14:21:19 136 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eae
14:21:19 136 [Router] Add packet record (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=5)
14:21:19 136 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eae Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=5)
14:21:19 136 [Router] Incoming message was filtered 0xabf84958
14:21:22 140 [Power] Battery: usbPower=0, isCharging=0, batMv=4182, batPct=98
14:21:25 142 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:25 142 [RadioIf] Lora RX (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6)
14:21:25 142 [RadioIf] AirTime - Packet received : 3022ms

14:21:25 142 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eaf
14:21:25 142 [Router] Add packet record (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6)
14:21:25 142 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eaf Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6)
14:21:25 142 [Router] Incoming message was filtered 0xabf84958
14:21:31 149 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:31 149 [RadioIf] Lora RX (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.5)
14:21:31 149 [RadioIf] AirTime - Packet received : 3022ms
14:21:31 149 [Router] Add packet record (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.5)
14:21:31 149 [Router] Using channel 0 (hash 0xb1)
14:21:31 149 [Router] Expanding short PSK #1
14:21:31 149 [Router] Installing AES128 key!
14:21:31 149 [Router] decoded message (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578091 rxSNR=5.5)
14:21:31 149 [Router] handleReceived(REMOTE) (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578091 rxSNR=5.5)
14:21:31 149 [Router] Plugin routing wantsPacket=1
14:21:31 149 [Router] Received routing from=0xabf84958, id=0x632c0eb2, portnum=67, payloadlen=10
14:21:31 149 [Router] Routing sniffing (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578091 rxSNR=5.5)
14:21:31 149 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578091 rxSNR=5.5)
14:21:31 149 [Router] Expanding short PSK #1
14:21:31 149 [Router] Installing AES128 key!
14:21:31 149 [Router] enqueueing for send (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578091 rxSNR=5.5)
14:21:31 149 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:31 149 [Router] txGood=12,rxGood=18,rxBad=0
14:21:31 149 [Router] AirTime - Packet transmitted : 3022ms
14:21:31 149 [Router] FIXME-update-db Sniffing packet
14:21:31 149 [Router] Delivering rx packet (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578091 rxSNR=5.5)
14:21:31 149 [Router] Forwarding to phone (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578091 rxSNR=5.5)
14:21:31 149 [Router] Update DB node 0xabf84958, rx_time=1639578091
14:21:31 149 [Router] Plugin routing considered
14:21:32 149 [RadioIf] Starting low level send (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578091 rxSNR=5.5 priority=64)
processUBX: counter hit MAX_PAYLOAD_SIZE
14:21:35 152 [RadioIf] Completed sending (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578091 rxSNR=5.5 priority=64)
14:21:40 158 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:21:40 158 [RadioIf] Lora RX (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.75)14:21:40 158 [RadioIf] AirTime - Packet received : 3022ms

14:21:40 158 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eb2
14:21:40 158 [Router] Add packet record (id=0x632c0eb2 Fr0x58 To0xff, WantAck0, HopLim2
Ch0xb1 encrypted rxSNR=4.75)
14:21:40 158 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eb2
Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=4.75)
14:21:40 158 [Router] Incoming message was filtered 0xabf84958
14:21:42 160 [Power] Battery: usbPower=0, isCharging=0, batMv=4177, batPct=97
14:21:53 171 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time
3022 ms
14:21:53 171 [RadioIf] Lora RX (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1
encrypted rxSNR=6.5)
14:21:53 171 [RadioIf] AirTime - Packet received : 3022ms
14:21:53 171 [Router] Add packet record (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim3
Ch0xb1 encrypted rxSNR=6.5)
14:21:53 171 [Router] Using channel 0 (hash 0xb1)
14:21:53 171 [Router] Expanding short PSK #1
14:21:53 171 [Router] Installing AES128 key!
14:21:53 171 [Router] decoded message (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim3
Ch0x0 Portnum=67 rxtime=1639578113 rxSNR=6.5)
14:21:53 171 [Router] handleReceived(REMOTE) (id=0x632c0eb4 Fr0x58 To0xff, WantAck0,
HopLim3 Ch0x0 Portnum=67 rxtime=1639578113 rxSNR=6.5)
14:21:53 171 [Router] Plugin routing wantsPacket=1
14:21:53 171 [Router] Received routing from=0xabf84958, id=0x632c0eb4, portnum=67,
payloadlen=10
14:21:53 171 [Router] Routing sniffing (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim3
Ch0x0 Portnum=67 rxtime=1639578113 rxSNR=6.5)
14:21:53 171 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eb4 Fr0x58
To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578113 rxSNR=6.5)
14:21:53 171 [Router] Expanding short PSK #1
14:21:53 171 [Router] Installing AES128 key!
14:21:53 171 [Router] enqueueing for send (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim2
Ch0xb1 encrypted rxtime=1639578113 rxSNR=6.5)
14:21:53 171 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022
ms
14:21:53 171 [Router] txGood=13,rxGood=20,rxBad=0
14:21:53 171 [Router] AirTime - Packet transmitted : 3022ms
14:21:53 171 [Router] FIXME-update-db Sniffing packet
14:21:53 171 [Router] Delivering rx packet (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim3
Ch0x0 Portnum=67 rxtime=1639578113 rxSNR=6.5)
14:21:53 171 [Router] Forwarding to phone (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim3
Ch0x0 Portnum=67
rxtime=1639578113 rxSNR=6.5)
14:21:53 171 [Router] Update DB node 0xabf84958, rx_time=1639578113
14:21:53 171 [Router] Plugin routing considered
14:21:55 173 [RadioIf] Starting low level send (id=0x632c0eb4 Fr0x58 To0xff, WantAck0,
HopLim2 Ch0xb1 encrypted rxtime=1639578113 rxSNR=6.5 priority=64)
14:21:58 176 [RadioIf] Completed sending (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim2
Ch0xb1 encrypted rxtime=1639578113 rxSNR=6.5 priority=64)
14:22:02 180 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time
3022 ms
14:22:02 180 [RadioIf] Lora RX (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1
encrypted rxSNR=5.25)14:22:02 180 [RadioIf] AirTime - Packet received : 3022ms

14:22:02 180 [Router] Add packet record (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.25)
14:22:02 180 [Router] Using channel 0 (hash 0xb1)
14:22:02 180 [Router] Expanding short PSK #1
14:22:02 180 [Router] Installing AES128 key!
14:22:02 180 [Router] decoded message (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578122 rxSNR=5.25)
14:22:02 180 [Router] handleReceived(REMOTE) (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578122 rxSNR=5.25)
14:22:02 180 [Router] Plugin routing wantsPacket=1
14:22:02 180 [Router] Received routing from=0xabf84958, id=0x632c0eb5, portnum=67, payloadlen=10
14:22:02 180 [Router] Routing sniffing (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578122 rxSNR=5.25)
14:22:02 180 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578122 rxSNR=5.25)
14:22:02 180 [Router] Expanding short PSK #1
14:22:02 180 [Router] Installing AES128 key!
14:22:02 180 [Router] enqueueing for send (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578122 rxSNR=5.25)
14:22:02 180 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:22:02 180 [Router] txGood=14,rxGood=21,rxBad=0
14:22:02 180 [Router] AirTime - Packet transmitted : 3022ms
14:22:02 180 [Router] FIXME-update-db Sniffing packet
14:22:02 180 [Router] Delivering rx packet (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578122 rxSNR=5.25)
14:22:02 180 [Router] Forwarding to phone (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578122 rxSNR=5.25)
14:22:02 180 [Router] Update DB node 0xabf84958, rx_time=1639578122
14:22:02 180 [Router] Plugin routing considered
14:22:02 180 [Power] Battery: usbPower=0, isCharging=0, batMv=4177, batPct=97
14:22:04 181 [RadioIf] Can not send yet, busyRx
14:22:05 182 [RadioIf] Can not send yet, busyRx
14:22:05 182 [RadioIf] Can not send yet, busyRx
14:22:05 183 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:22:05 183 [RadioIf] Lora RX (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=7.25)14:22:05 183 [RadioIf] AirTime - Packet received : 3022ms
14:22:05 183 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eb4
14:22:05 183 [Router] Add packet record (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=7.25)
14:22:05 183 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eb4 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=7.25)
14:22:05 183 [Router] Incoming message was filtered 0xabf84958
14:22:07 184 [RadioIf] Starting low level send (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578122 rxSNR=5.25 priority=64)
14:22:10 187 [RadioIf] Completed sending (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578122 rxSNR=5.25 priority=64)
14:22:12 190 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms

14:22:12 190 [RadioIf] Lora RX (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=5.25)14:22:12 190 [RadioIf] AirTime - Packet received : 3022ms
14:22:12 190 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eb5
14:22:12 190 [Router] Add packet record (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=5.25)
14:22:12 190 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eb5 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=5.25)
14:22:12 190 [Router] Incoming message was filtered 0xabf84958
14:22:21 199 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:22:21 199 [RadioIf] Lora RX (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.25)14:22:21 199 [RadioIf] AirTime - Packet received : 3022ms
14:22:21 199 [Router] Add packet record (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5.25)
14:22:21 199 [Router] Using channel 0 (hash 0xb1)
14:22:21 199 [Router] Expanding short PSK #1
14:22:21 199 [Router] Installing AES128 key!
14:22:21 199 [Router] decoded message (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578141 rxSNR=5.25)
14:22:21 199 [Router] handleReceived(REMOTE) (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578141 rxSNR=5.25)
14:22:21 199 [Router] Plugin routing wantsPacket=1
14:22:21 199 [Router] Received routing from=0xabf84958, id=0x632c0eb6, portnum=67, payloadlen=10
14:22:21 199 [Router] Routing sniffing (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578141 rxSNR=5.25)
14:22:21 199 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578141 rxSNR=5.25)
14:22:21 199 [Router] Expanding short PSK #1
14:22:21 199 [Router] Installing AES128 key!
14:22:21 199 [Router] enqueueing for send (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578141 rxSNR=5.25)
14:22:21 199 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:22:21 199 [Router] txGood=15,rxGood=24,rxBad=0
14:22:21 199 [Router] AirTime - Packet transmitted : 3022ms
14:22:21 199 [Router] FIXME-update-db Sniffing packet
14:22:21 199 [Router] Delivering rx packet (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578141 rxSNR=5.25)
14:22:21 199 [Router] Forwarding to phone (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578141 rxSNR=5.25)
14:22:21 199 [Router] Update DB node 0xabf84958, rx_time=1639578141
14:22:21 199 [Router] Plugin routing considered
14:22:22 200 [Power] Battery: usbPower=0, isCharging=0, batMv=4187, batPct=98
14:22:22 200 [RadioIf] Starting low level send (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578141 rxSNR=5.25 priority=64)
14:22:25 203 [RadioIf] Completed sending (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578141 rxSNR=5.25 priority=64)
14:22:32 210 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms

14:22:32 210 [RadioIf] Lora RX (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6.25)14:22:32 210 [RadioIf] AirTime - Packet received : 3022ms
14:22:32 210 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eb6
14:22:32 210 [Router] Add packet record (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6.25)
14:22:32 210 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eb6 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6.25)
14:22:32 210 [Router] Incoming message was filtered 0xabf84958
14:22:41 218 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:22:41 218 [RadioIf] Lora RX (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5)
14:22:41 218 [RadioIf] AirTime - Packet received : 3022ms
14:22:41 218 [Router] Add packet record (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0xb1 encrypted rxSNR=5)
14:22:41 218 [Router] Using channel 0 (hash 0xb1)
14:22:41 218 [Router] Expanding short PSK #1
14:22:41 218 [Router] Installing AES128 key!
14:22:41 218 [Router] decoded message (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578161 rxSNR=5)
14:22:41 218 [Router] handleReceived(REMOTE) (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578161 rxSNR=5)
14:22:41 218 [Router] Plugin routing wantsPacket=1
14:22:41 218 [Router] Received routing from=0xabf84958, id=0x632c0eb7, portnum=67, payloadlen=10
14:22:41 218 [Router] Routing sniffing (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578161 rxSNR=5)
14:22:41 218 [Router] Rebroadcasting received floodmsg to neighbors (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578161 rxSNR=5)
14:22:41 218 [Router] Expanding short PSK #1
14:22:41 218 [Router] Installing AES128 key!
14:22:41 218 [Router] enqueueing for send (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578161 rxSNR=5)
14:22:41 218 [Router] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time 3022 ms
14:22:41 218 [Router] txGood=16,rxGood=26,rxBad=0
14:22:41 218 [Router] AirTime - Packet transmitted : 3022ms
14:22:41 218 [Router] FIXME-update-db Sniffing packet
14:22:41 218 [Router] Delivering rx packet (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578161 rxSNR=5)
14:22:41 218 [Router] Forwarding to phone (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim3 Ch0x0 Portnum=67 rxtime=1639578161 rxSNR=5)
14:22:41 218 [Router] Update DB node 0xabf84958, rx_time=1639578161
14:22:41 218 [Router] Plugin routing considered
14:22:41 219 [RadioIf] Starting low level send (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578161 rxSNR=5 priority=64)
14:22:42 220 [Power] Battery: usbPower=0, isCharging=0, batMv=4176, batPct=97
14:22:44 222 [RadioIf] Completed sending (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxtime=1639578161 rxSNR=5 priority=64)
processUBX: counter hit MAX_PAYLOAD_SIZE

14:22:51 229 [RadioIf] (bw=125, sf=12, cr=4/8) packet symLen=32 ms, payloadSize=30, time
3022 ms
14:22:51 229 [RadioIf] Lora RX (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1
encrypted rxSNR=6)
14:22:51 229 [RadioIf] AirTime - Packet received : 3022ms
14:22:51 229 [Router] Found existing packet record for fr=0xabf84958,to=0xffffffff,id=0x632c0eb7
14:22:51 229 [Router] Add packet record (id=0x632c0eb7 Fr0x58 To0xff, WantAck0, HopLim2
Ch0xb1 encrypted rxSNR=6)
14:22:51 229 [Router] Ignoring incoming msg, because we've already seen it (id=0x632c0eb7
Fr0x58 To0xff, WantAck0, HopLim2 Ch0xb1 encrypted rxSNR=6)
14:22:51 229 [Router] Incoming message was filtered 0xabf84958
14:23:02 240 [Power] Battery: usbPower=0, isCharging=0, batMv=4183, batPct=98

--- exit ---