

# Creating indexes for multi-tenant solutions

Patryk Orwat

Software Architect - Bluestone

#### Who am I

Humanity is OK, but 99% of people are boring idiots – Slavoj Žižek

I'm a boring idiot, write code for living, deliver solutions using AWS services

# Challenge



Let's create a fancy solution with Elasticsearch



And make it for different clients



Customers have different requirements/can interfere with each other



We want to optimize costs

#### Plan

Multi tenancy modes


Multitenant indexes


Tenant index mapping – index templates

Rolling updates – aliases

I assume you know ES (indexes, documents, clustering)

# Tenancy modes (2 extremes) + example





# Tenancy modes (2 extremes)

#### **Shared single index**

- Shared functionalities
- Quick initial setup
- High complexity
- Little tenant separation X

#### Separate everything

- High agility
- Best tenant separation
- High maintenance cost
- Unused memory

#### Best solution

#### Shared functionalities

High agility

Moderate maintenance costs

Moderate tenant separation

#### Multitenant index



Let's have tenant on single shard



Indexes up to ES 7.0 have 5 shards, later have 1



Shard allocation can be done using \_routing

# \_routing field + example

A document is routed to a particular shard in an index using the following formula:

```
shard_num = hash(_routing) % num_primary_shards
```

The default value used for \_routing is the document's \_id.

Custom routing patterns can be implemented by specifying a custom routing value per document. For instance:

```
PUT my_index/_doc/1?routing=user1&refresh=true ①
{
    "title": "This is a document"
}

GET my_index/_doc/1?routing=user1 ②

COPY AS CURL VIEW IN CONSOLE ❖
```

- 1 This document uses user1 as its routing value, instead of its ID.
- The same routing value needs to be provided when getting, deleting, or updating the document.

Source: <a href="https://www.elastic.co/guide/en/elasticsearch/reference/current/mapping-routing-field.html">https://www.elastic.co/guide/en/elasticsearch/reference/current/mapping-routing-field.html</a>

# Index template


- How to define mappings (mapping types are obsolete)?
- Let's create many indexes data\_en, data\_th, data\_en\_big\_tenant
- data\_en\_big\_tenant can have custom schema
- How to manage mappings?
- Create index templates for patterns:
  - \*data\_\*
  - \*data en big tenant

### Index template + example

```
PUT _template/template_1
  "index_patterns": ["te*", "bar*"],
 "settings": {
   "number_of_shards": 1
  "mappings": {
   "_source": {
     "enabled": false
    "properties": {
     "host_name": {
        "type": "keyword"
      "created at": {
       "type": "date",
        "format": "EEE MMM dd HH:mm:ss Z yyyy"
                                              COPY AS CURL VIEW IN CONSOLE 👶
```


# How to manage index updates?

What is ES isolation level?




Source: <a href="https://www.codeproject.com/Articles/1190420/Database-Transactions-with-Spring-Framework">https://www.codeproject.com/Articles/1190420/Database-Transactions-with-Spring-Framework</a>

#### Index aliases



#### Opendistro Index Management (in development)



#### Links

https://www.elastic.co/blog/found-multi-tenancy

• https://github.com/meshuga/es meetup 2019



