COMP417 Lecture 1

Introduction to Machine Learning

Dr. Hend Dawood

)MP417

Course Grading


Component	Grade	
Lab Work	30%	Lab Exams
Midterm	10%	
Final Exam	60%	
Bonus	2%	Class participation

OMP417

Artificial Intelligence

Definition (Oxford dictionary)

Artificial Intelligence, *noun*: the theory and development of computer systems able to perform tasks normally requiring human intelligence, such as visual perception, speech recognition, decision-making, and translation.



Artificial Intelligence, Machine Learning, and Deep Learning

Artificial Intelligence

Machine Learning

Deep Learning

The subset of machine learning composed of algorithms that permit software to train itself to perform tasks, like speech and image recognition, by exposing multilayered neural networks to vast amounts of data.


A subset of AI that includes abstruse statistical techniques that enable machines to improve at tasks with experience. The category includes deep learning


Any technique that enables computers to mimic human intelligence, using logic, if-then rules, decision trees, and machine learning (including deep learning)

Machine Learning

Definition

Machine Learning, *noun*: type of Artificial Intelligence that provides computers with the ability to learn without being explicitly programmed.






(OMP417

Machine Learning


ML provides various techniques that can learn from and make predictions on data. Most of them follow the same general structure:




30MP417

Machine Learning-Learning approaches


Learning approaches



Unsupervised Learning Algorithms



Supervised Learning Algorithms



Semi-supervised Learning Algorithms

Unsupervised learning: Discovering patterns in unlabeled data. Example: cluster similar documents based on the text content.

Supervised learning: Learning with a labeled training set. Example: email spam detector with training set of already labeled emails.

Semisupervised learning: Learning with a small amount of labeled data and a large amount of unlabeled data.

Example: web content and protein sequence classifications.


Reinforcement learning: Learning based on feedback or reward. Example: learn to play chess by winning or losing.

Machine Learning-Problem types


Problem types




Classification (supervised – predictive)



Regression (supervised – predictive)




Clustering (unsupervised – descriptive)




Anomaly Detection (unsupervised – descriptive)

Machine Learning-Problem types

• Regression




Classification




Machine Learning-Problem types

• Regression (linear)




• Regression (Non-linear)




Machine Learning-Problem types

Classification


Linear




Non-linear



Supervised Learning



Unsupervised Learning



Deep Learning

What is deep learning?

- Part of the machine learning field of learning representations of data.
 Exceptionally effective at learning patterns.
- Utilizes learning algorithms that derive meaning out of data by using a hierarchy of multiple layers that mimic the neural networks of our brain.
- If you provide the system tons of information, it begins to understand it and respond in useful ways.
- Rebirth of artificial neural networks.

Deep Learning

Popularized by Hinton in 2006 with Restricted Boltzmann Machines



Geoffrey Hinton: University of Toronto & Google

Developed by different actors:



Yann LeCun: New York University & Facebook



Andrew Ng: Stanford & Baidu



Yoshua Bengio: University of Montreal



Jürgen Schmidhuber: Swiss AI Lab & NNAISENSE

and many others...

Yoshua Bengio, Geoffrey Hinton, and Yann LeCun recipients of the 2018
 ACM A.M. Turing Award for conceptual and engineering breakthroughs
 that have made deep neural networks a critical component of computing.

OMP417

Deep Learning

Actors and applications


Very active technology adopted by big actors



- Success story for many different academic problems
 - Image processing
 - Computer vision
 - Speech recognition

- Natural language processing
- Translation
- etc
- Today all industries wonder if DL can improve their process.

Deep Learning




- Neural networks have become one of the main approaches to AI
- They have been successfully applied to various pattern recognition, prediction, and analysis problems
- In many problems they have established the state of the art
 - Often exceeding previous benchmarks by large margins
 - Sometimes solving problems you couldn't solve using earlier ML methods

Breakthroughs with neural networks




Breakthroughs with neural networks



(OMP417


Breakthroughs with neural networks



 Captions generated entirely by a neural network

Breakthroughs with neural networks

ChatGPT, tell me about this picture




And now...

The ceiling in the photo appears to have several noticeable water stains, which could indicate potential water damage. The stains seem to be spread across multiple tiles, suggesting there might be a leak from the roof or pipes above. It would be advisable to address this issue promptly to prevent any further damage or potential mold growth. Notifying building maintenance or the landlord to investigate and fix the source of the leak would be the best course of action.

Besides the water stains on the ceiling, the photo shows a few other details:

- Posters on the Wall: There are several posters or prints on the wall featuring various images, likely of scenes from movies, video games, or other forms of media.
- 2. Furniture and Clutter: The room contains a few pieces of furniture, including a blue chair, a black wardrobe or storage unit, and a desk with two monitors. There are clothes and other items visible on the wardrobe and desk, indicating a typical lived-in space.
- 3. **Lighting and Ventilation:** The ceiling has a light fixture and an air vent, suggesting this is a standard room with typical building amenities.
- 4. Bed and Bedding: The lower part of the photo shows a bed with a person lying on it, with their foot visible in the foreground. The bed has a comforter and some clothing or linens on it.
- Overall Condition: The room appears somewhat cluttered, with personal belongings spread out. The presence of water stains on the ceiling is the most concerning issue visible.




What's in these boxes?

Brain: Interconnected Neurons



- Many neurons connect in to each neuron
- Each neuron connects out to many neurons
- The brain is a network of neurons


Connectionist Machines




- Network of processing elements
- All world knowledge is stored in the connections between the elements

Connectionist Machines


- Neural networks are connectionist machines
 - As opposed to Von Neumann Machines





- The machine has many non-linear processing units
 - The program is the connections between these units
 - · Connections may also define memory


Neural Networks: The Perceptron




OMP417

Neural Networks: The Perceptron

Perceptron (Frank Rosenblatt, 1958)






First binary classifier based on supervised learning (discrimination).

Foundation of modern artificial neural networks.

At that time: technological, scientific and philosophical challenges.

Neural Networks: The Perceptron

Representation of the Perceptron



Parameters of the perceptron

- w_k : synaptic weights
- *b*: bias


 \longleftarrow real parameters to be estimated.

Training = adjusting the weights and biases

Neural Networks: The Perceptron

The origin of the Perceptron

Takes inspiration from the visual system known for its ability to learn patterns.



- When a neuron receives a stimulus with high enough voltage, it emits an action potential (aka, nerve impulse or spike). It is said to fire.
- The perceptron mimics this activation effect: it fires only when


$$\sum_{i} w_i x_i + b > 0$$

$$y = \underbrace{\operatorname{sign}(w_0 x_0 + w_1 x_1 + w_2 x_2 + w_3 x_3 + b)}_{f(\boldsymbol{x}; \boldsymbol{w})} = \begin{cases} +1 & \text{for the first class} \\ -1 & \text{for the second class} \end{cases}$$

30MP417

Neural Networks: The Perceptron

Alternative representation



Use the zero-index to encode the bias as a synaptic weight.

Simplifies algorithms as all parameters can now be processed in the same way.