



- There were issues affecting this run of Lighthouse:
- **Chrome extensions negatively affected this page's load performance.** Try auditing the page in incognito mode or from a Chrome profile without extensions.
 - **The page loaded too slowly to finish within the time limit.** Results may be incomplete.




Performance



Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100

METRICS Expand view

▲ First Contentful Paint 4.6 s	▲ Largest Contentful Paint 13.5 s
▲ Total Blocking Time 101,070 ms	Cumulative Layout Shift 0
▲ Speed Index 22.4 s	
	

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Font display — Est savings of 650 ms




Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored

autoketing.org

URL	Est Savings
-----	-------------

▲ Improve image delivery — Est savings of 229 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

shopialo.com 1st Party		266.0 KiB	229.3 KiB
	...files/Banner_web_movil_1280x1600.jpg?v=176... (shopialo.com)	219.9 KiB	184.3 KiB
	img.slideshow-slide__image.slideshow-slide__image--mobile		
	This image file is larger than it needs to be (1280x1599) for its displayed dimensions (515x643). Use responsive images to reduce the image download size.		184.3 KiB
	img.site-logo-image		
	...files/Logo_Shop....png?v=165... (shopialo.com)	46.2 KiB	45.1 KiB
	This image file is larger than it needs to be (2024x500) for its displayed dimensions		45.1 KiB
URL		Resource Size	Est Savings

▲ Forced reflow

^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call

Total reflow time

clarity.js:3	572 ms
--------------	--------

Source

Total reflow time

[unattributed]	317 ms
bda62cc92w68dfea28pc...25a4m392e00d0m.js:1	55 ms
empire.js?v=59325038...63340271767021292:1	0 ms
empire.js?v=59325038...3340271767021292:97	2 ms
empire.js?v=59325038...3340271767021292:97	1 ms
empire.js?v=59325038...340271767021292:278	10 ms
empire.js?v=59325038...340271767021292:278	16 ms
bda62cc92w68dfea28pc...25a4m392e00d0m.js:1	128 ms
empire.js?v=59325038...3340271767021292:41	1 ms
empire.js?v=59325038...3340271767021292:41	0 ms
empire.js?v=59325038...3340271767021292:41	1 ms
empire.js?v=59325038...3340271767021292:41	0 ms
empire.js?v=59325038...3340271767021292:41	0 ms
empire.js?v=59325038...3340271767021292:41	1 ms
bda62cc92w68dfea28pc...25a4m392e00d0m.js:1	0 ms
app.js:175	5 ms
shopify-perf-kit-2.1.2.min.js:1	3 ms
clarity.js:2	572 ms
js?id=G-6LMGN1C81N:794	1 ms
iframe_form_detection.js:23	110 ms

Source	Total reflow time
jquery.min.js:2	51 ms
jquery.min.js:2	1 ms
jquery.min.js:2	1 ms
jquery.min.js:2	1 ms
jquery.min.js:2	1 ms
jquery.min.js:2	2 ms
jquery.min.js:2	0 ms
jquery.min.js:2	1 ms
iframe_form_detection.js:23	60 ms
content-all.js:2439	1 ms
App-5BD5MI6I.js:1563	7 ms
App-5BD5MI6I.js:1493	1 ms
App-5BD5MI6I.js:1755	1 ms
App-5BD5MI6I.js:1400	2 ms
content-all.js:222	36 ms
a.plerdy.com/public/...k/main2.js?v=33:181	1 ms
a.plerdy.com/public/.../main2.js?v=33:7450	34 ms
a.plerdy.com/public/.../main2.js?v=33:7450	1 ms

▲ LCP request discovery

^

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

- fetchpriority=high should be applied
- Request is discoverable in initial document
- lazy load not applied



img.slideshow-slide_image.slideshow-slide_image--mobile

▲ Network dependency tree

^

Warnings: More than 4 'preconnect' connections were found. These should be used sparingly and only to the most important origins.

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **33,913 ms**

Initial Navigation

- https://shopialo.com - **1,161 ms**, 36.78 KiB
- /checksiteconfig?v=... (api.hcaptcha.com) - **33,913 ms**, 0.87 KiB
- ...Helvetica/Helvetica.css (cdn.autoketing.org) - **26,284 ms**, 0.63 KiB
- ...Helvetica/Helvetica.ttf (cdn.autoketing.org) - **32,357 ms**, 311.17 KiB
- /css2?family=... (fonts.googleapis.com) - **26,839 ms**, 2.74 KiB
- ...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com) - **30,420 ms**, 36.25 KiB
- ...v20/92zatBhPN....woff2 (fonts.gstatic.com) - **30,334 ms**, 10.02 KiB
- ...v20/92zatBhPN....woff2 (fonts.gstatic.com) - **30,332 ms**, 0.00 KiB

...v20/92zatBhPN....woff2 (fonts.gstatic.com) - **30,252 ms**, 26.49 KiB

/css/a-auto-signature (fonts.cdnfonts.com) - **28,808 ms**, 0.60 KiB

...proxima-nova/proxima-nova.css (cdn.autoketing.org) - **28,660 ms**, 0.63 KiB

...lemon-milk/lemon-milk.css (cdn.autoketing.org) - **28,648 ms**, 0.63 KiB

...cattus/cattus.css (cdn.autoketing.org) - **28,540 ms**, 0.64 KiB

...souther/souther.css (cdn.autoketing.org) - **28,533 ms**, 0.66 KiB

...beloved-christmas/beloved-christmas.css (cdn.autoketing.org) - **28,450 ms**, 0.64 KiB

...din-condensed/din-condensed.css (cdn.autoketing.org) - **28,424 ms**, 0.63 KiB

...hiragino-mincho-pro/hiragino-mincho-pro.css (cdn.autoketing.org) - **28,417 ms**, 0.63 KiB

...helvetica-neue/helvetica-neue.css (cdn.autoketing.org) - **28,338 ms**, 0.64 KiB

...bodoni-72/bodoni-72.css (cdn.autoketing.org) - **28,310 ms**, 0.62 KiB

...dm-serif-text/dm-serif-text.css (cdn.autoketing.org) - **28,299 ms**, 0.66 KiB

...montaga/montaga.css (cdn.autoketing.org) - **28,218 ms**, 0.62 KiB

...vamelia/vamelia.css (cdn.autoketing.org) - **28,190 ms**, 0.62 KiB

...tetradoth/tetradoth.css (cdn.autoketing.org) - **28,175 ms**, 0.63 KiB

...terror-thaw/terror-thaw.css (cdn.autoketing.org) - **28,099 ms**, 0.63 KiB

...suzanstein/suzanstein.css (cdn.autoketing.org) - **28,072 ms**, 0.62 KiB

...spooky-crowley/spooky-crowley.css (cdn.autoketing.org) - **28,062 ms**, 0.64 KiB

...soaked-blood/soaked-blood.css (cdn.autoketing.org) - **27,987 ms**, 0.63 KiB

...scary-screech/scary-screech.css (cdn.autoketing.org) - **27,952 ms**, 0.63 KiB

...psychomachy/psychomachy.css (cdn.autoketing.org) - **27,945 ms**, 0.63 KiB

/css2?family=Montserrat+Alternates:wght@500&display=swap (fonts.googleapis.com) - **27,869 ms**, 0.60 KiB

...moonster/moonster.css (cdn.autoketing.org) - **27,837 ms**, 0.63 KiB

...midnight-whispers/midnight-whispers.css (cdn.autoketing.org) - **27,824 ms**, 0.64 KiB

...meltdown/meltdown.css (cdn.autoketing.org) - **27,726 ms**, 0.63 KiB

...helloghost/helloghost.css (cdn.autoketing.org) - **27,719 ms**, 0.62 KiB

...haunted-ink/haunted-ink.css (cdn.autoketing.org) - **27,700 ms**, 0.63 KiB

...halloween-day-s-handcraft-display-font-2021-09-02-17-14-16....css (cdn.autoketing.org) - **27,607 ms**, 0.66 KiB

...halloween-bash-font-2023-09-02-03-07-56-utc/halloween-bash.css (cdn.autoketing.org) - **27,602 ms**, 0.65 KiB

...halloween/halloween.css (cdn.autoketing.org) - **27,583 ms**, 0.63 KiB

...gothic-blood/gothic-blood.css (cdn.autoketing.org) - **27,490 ms**, 0.64 KiB

...furry-monster/furry-monster.css (cdn.autoketing.org) - **27,482 ms**, 0.63 KiB

...frighted/frighted.css (cdn.autoketing.org) - **27,467 ms**, 0.63 KiB

...firestor/firestor.css (cdn.autoketing.org) - **27,378 ms**, 0.62 KiB

...edinburg/edinburg.css (cdn.autoketing.org) - **27,367 ms**, 0.64 KiB

...bloody-gore/bloody-gore.css (cdn.autoketing.org) - **27,321 ms**, 0.63 KiB

...agree/agree.css (cdn.autoketing.org) - **27,256 ms**, 0.65 KiB

/css2?family=Be+Vietnam+Pro&display=swap (fonts.googleapis.com) - **27,254 ms**, 0.49 KiB

/css2?family=Fanwood+Text&display=swap (fonts.googleapis.com) - **27,205 ms**, 0.42 KiB

/css2?family=Fuggles&display=swap (fonts.googleapis.com) - **27,137 ms**, 0.48 KiB

/css2?family=Croissant+One&display=swap (fonts.googleapis.com) - **27,102 ms**, 0.42 KiB

...DidotLTStd/DidotLTStd.css (cdn.autoketing.org) - **27,057 ms**, 0.63 KiB

...Epilogue/Epilogue.css (cdn.autoketing.org) - **26,984 ms**, 0.63 KiB

...BebasNeue/BebasNeue.css (cdn.autoketing.org) - **26,950 ms**, 0.65 KiB

/css2?family=... (fonts.googleapis.com) - **26,943 ms**, 0.88 KiB

...BODONIB/BODONI.css (cdn.autoketing.org) - **26,865 ms**, 0.63 KiB

...SparklingChristmas/sparklingChristmas.css (cdn.autoketing.org) - **26,753 ms**, 0.65 KiB

...MerryChristmasBaby/MerryChri....css (cdn.autoketing.org) - **26,734 ms**, 0.64 KiB

...MelodyChristmas/MelodyChristmas.css (cdn.autoketing.org) - **26,673 ms**, 0.64 KiB

...SFU_Ergoe/font.css (cdn.autoketing.org) - **26,638 ms**, 0.59 KiB

...Tomorrow/tomorrow.css (cdn.autoketing.org) - **26,617 ms**, 0.64 KiB

...Stafford/SFUStafford2.css (cdn.autoketing.org) - **26,558 ms**, 0.66 KiB

...Google_San/GoogleSan.css (cdn.autoketing.org) - **26,520 ms**, 0.64 KiB

...Cafeta/Cafeta.css (cdn.autoketing.org) - **26,501 ms**, 0.63 KiB

...SFU_Fenice/SFUFenice.css (cdn.autoketing.org) - **26,445 ms**, 0.65 KiB

...Didot/Didot.css (cdn.autoketing.org) - **26,398 ms**, 0.75 KiB

...Gurmukhi/Gurmukhi.css (cdn.autoketing.org) - **26,367 ms**, 0.63 KiB

...SFU/SFU.css (cdn.autoketing.org) - **26,334 ms**, 0.64 KiB

...BangLa_Mn/Bangla.css?v=123 (cdn.autoketing.org) - **26,255 ms**, 0.64 KiB

...HighTide/HighTide.css (cdn.autoketing.org) - **26,217 ms**, 0.65 KiB

/css2?family=Sansita+Swashed:wght@300&display=swap (fonts.googleapis.com) - **26,172 ms**, 0.51 KiB

/css2?family=Syne+Mono&display=swap (fonts.googleapis.com) - **26,142 ms**, 0.42 KiB

/css2?family=... (fonts.googleapis.com) - **26,106 ms**, 0.70 KiB

/css2?family=Playfair+Display&display=swap (fonts.googleapis.com) - **26,012 ms**, 0.55 KiB

/css2?family=Lora&display=swap (fonts.googleapis.com) - **25,976 ms**, 1.43 KiB

/css2?family=Gudea:wght@700&display=swap (fonts.googleapis.com) - **25,954 ms**, 0.40 KiB

/css2?family=... (fonts.googleapis.com) - **25,877 ms**, 113.21 KiB

/css2?family=Raleway&display=swap (fonts.googleapis.com) - **25,815 ms**, 0.58 KiB

/css2?family=Koulen&display=swap (fonts.googleapis.com) - **25,807 ms**, 0.35 KiB

...SF_Pro_Display/SF_Pro_Display.css?v=2 (cdn.autoketing.org) - **25,665 ms**, 0.94 KiB

/css2?family=... (fonts.googleapis.com) - **25,660 ms**, 1.11 KiB

/css2?family=... (fonts.googleapis.com) - **25,468 ms**, 0.64 KiB

/css2?family=Oswald:wght@200;300;400;500;600;700&display=swap (fonts.googleapis.com) - **25,413 ms**, 0.72 KiB

/css2?family=Roboto+Mono&display=swap (fonts.googleapis.com) - **25,391 ms**, 0.64 KiB

/css2?family=Irish+Grover&display=swap (fonts.googleapis.com) - **25,238 ms**, 0.32 KiB

/css2?family=Style+Script&display=swap (fonts.googleapis.com) - **25,235 ms**, 0.49 KiB

/css2?family=BhuTuka+Expanded+One&display=swap (fonts.googleapis.com) - **25,062 ms**, 0.50 KiB

/css2?family=Quicksand:wght@300;400&display=swap (fonts.googleapis.com) - **25,056 ms**, 0.51 KiB

/css2?family=... (fonts.googleapis.com) - **25,054 ms**, 2.40 KiB

...fonts/proximanova-regular.woff2 (js.smile.io) - **25,018 ms**, 21.93 KiB

/css2?family=... (fonts.googleapis.com) - **24,792 ms**, 0.88 KiB

/css2?family=... (fonts.googleapis.com) - **24,787 ms**, 2.46 KiB

...SFU_Fenice/SFU_Fenice.css (cdn.autoketing.org) - **24,749 ms**, 0.68 KiB

...shoplift/GTStandar....woff2 (cdn.shopify.com) - **12,371 ms**, 63.16 KiB

...swiper@11/swiper-bundle.min.js (cdn.jsdelivrivr.net) - **1,606 ms**, 43.46 KiB

...assets/superlemon.css (cdn.shopify.com) - **1,158 ms**, 7.32 KiB

 /css?family=Lato&display=swap (fonts.googleapis.com) - **1,542 ms**, 0.47 KiB

 /css?family=Source+Sans+Pro:300,400,600&display=swap (fonts.googleapis.com) - **1,505 ms**, 1.22 KiB

...assets/stylex-jZ94qfXx.css (cdn.shopify.com) - **1,340 ms**, 3.22 KiB

...assets/app-embed-vwdOLNDM.js (cdn.shopify.com) - **1,174 ms**, 6.66 KiB

...shopify/storefront.min.js?key=... (edge.personalizer.io) - **1,169 ms**, 0.91 KiB

...v2/chunk.common_DkoBxfB9.esm.js (shopialo.com) - **1,168 ms**, 43.91 KiB

...assets/instantPage.min.js?v=6339878... (shopialo.com) - **1,166 ms**, 1.71 KiB

...v2/client.init-shop....es.esm.js (shopialo.com) - **1,165 ms**, 1.30 KiB

...assets/sdk.css (cdn.shopify.com) - **1,157 ms**, 3.24 KiB

...assets/app.css (cdn.shopify.com) - **1,155 ms**, 1.23 KiB

...assets/ripple.css?v=1002403... (shopialo.com) - **1,149 ms**, 1.73 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://cdn.shopify.com/	link
https://fonts.shopifycdn.com/	link
Unused preconnect. Only use `preconnect` for origins that the page is likely to request.	
https://v.shopify.com/	head > link <link rel="preconnect" href="https://v.shopify.com">

Origin	Source
Unused preconnect. Only use `preconnect` for origins that the page is likely to request.	
https://cdn.shopifycloud.com/	head > link <link rel="preconnect" href="https://cdn.shopifycloud.com">
Unused preconnect. Only use `preconnect` for origins that the page is likely to request.	
	head > link <link rel="dns-prefetch preconnect" href="https://cdn.shopify.com" crossorigin="">
Unused preconnect. Only use `preconnect` for origins that the page is likely to request.	
https://cdn.shopify.com	<https://cdn.shopify.com>; rel="preconnect"
https://cdn.shopify.com	<https://cdn.shopify.com>; rel="preconnect"; crossorigin

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

Origin	Est LCP savings
https://fonts.googleapis.com	350 ms
https://edge.personalizer.io	300 ms

Use efficient cache lifetimes — Est savings of 106 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Request	Cache TTL	Transfer Size
hcaptcha.com		79 KiB
/1/api.js?render=... (js.hcaptcha.com)	5m	79 KiB
Hexton Utility		35 KiB
/js/freeshippingbar.js?shop=tu-market-place.myshopify.com (cdn.hextom.com)	1d	35 KiB
Clarity Utility		26 KiB
/0.8.45/clarity.js (scripts.clarity.ms)	1d	26 KiB
JSDelivr CDN Cdn		43 KiB
...swiper@11/swiper-bundle.min.js (cdn.jsdelivr.net)	7d	43 KiB
personalizer.io		1 KiB
...shopify/storefront.min.js?key=... (edge.personalizer.io)	3m	1 KiB
...shopify/storefront.min.js?key=... (edge.personalizer.io)	3m	0 KiB
Crazy Egg Analytics		0 KiB
...0106/9026.js?shop=tu-market-place.myshopify.com (script.crazyegg.com)	1d	0 KiB

Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

☒ Show 3rd-party resources (6)

URL	Transfer Size	Duration
personalizer.io	0.9 KiB	860 ms
...shopify/storefront.min.js?key=... (edge.personalizer.io)	0.9 KiB	860 ms
Shopify Hosting	11.8 KiB	1,330 ms
...assets/superlemon.css (cdn.shopify.com)	7.3 KiB	300 ms
...assets/sdk.css (cdn.shopify.com)	3.2 KiB	150 ms
...assets/app.css (cdn.shopify.com)	1.2 KiB	880 ms
shopialo.com 1st Party	1.7 KiB	0 ms
...assets/ripple.css?v=1002403... (shopialo.com)	1.7 KiB	
Google Fonts Cdn	1.7 KiB	1,110 ms
/css?family=Lato&display=swap (fonts.googleapis.com)	0.5 KiB	170 ms
/css?family=Source+Sans+Pro:300,400,600&display=swap (fonts.googleapis.com)	1.2 KiB	940 ms

Legacy JavaScript — Est savings of 20 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored

URL	Wasted bytes
hcaptcha.com	14.2 KiB
/1/api.js?render=... (js.hcaptcha.com)	14.2 KiB
js.hcaptcha.com/1/ap...captchacompat=off:3	Array.isArray
js.hcaptcha.com/1/ap...captchacompat=off:3	Array.prototype.indexOf
js.hcaptcha.com/1/ap...captchacompat=off:3	Array.prototype.slice
js.hcaptcha.com/1/ap...captchacompat=off:3	Object.create
js.hcaptcha.com/1/ap...captchacompat=off:3	Object.keys
js.hcaptcha.com/1/ap...captchacompat=off:3	Promise.allSettled
js.hcaptcha.com/1/ap...captchacompat=off:3	String.prototype.endsWith
js.hcaptcha.com/1/ap...captchacompat=off:3	String.prototype.startsWith
plerdy.com	6.2 KiB
...click/main2.js?v=33 (a.plerdy.com)	6.2 KiB
a.plerdy.com/public/.../main2.js?v=33:9714	@babel/plugin-transform-classes
a.plerdy.com/public/...ck/main2.js?v=33:47	Array.prototype.forEach

Layout shift culprits


Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.000
<div><div></div><div>div.small-promo-content</div></div>	0.000
...jost/jost_n4.d47a1b6....woff2 (shopialo.com)	Web font
...jost/jost_n7.921dc18....woff2 (shopialo.com)	Web font

○ Optimize DOM size



A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) (Unscored)

Statistic	Element	Value
Total elements		1,732
DOM depth	path.icon-chevron-down-left	15
Most children		24
	body.template-index.site-header-sticky	

○ LCP breakdown



Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. (LCP) (Unscored)

Subpart	Duration
Time to first byte	50 ms
Resource load delay	250 ms
Resource load duration	910 ms
Element render delay	890 ms



img.slideshow-slide__image.slideshow-slide__image--mobile

○ 3rd parties



3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. (Unscored)

3rd party	Transfer size	Main thread time
difoiojjjojoaoomphldepapgbgkhhb	0 KiB	18,635 ms
chrome-extension://difoiojjjojoaoomphldepapgbgkhhb/content-all.js	0 KiB	13,044 ms
chrome-extension://difoiojjjojoaoomphldepapgbgkhhb/all-frames.js	0 KiB	5,591 ms
plerdy.com	110 KiB	1,205 ms
...click/main2.js?v=33 (a.plerdy.com)	96 KiB	1,181 ms
...click/main.js?v=1 (a.plerdy.com)	4 KiB	13 ms
...click/detector.js?v=33 (a.plerdy.com)	9 KiB	8 ms
...1922/plerdy_shopy.js?shop=tu-market-place.myshopify.com (sapp.plerdy.com)	1 KiB	2 ms
...56470/iframe.js?v=0.710... (a.plerdy.com)	1 KiB	2 ms
Google Tag Manager Tag-Manager	654 KiB	822 ms
/gtag/js?id=AW-165... (www.googletagmanager.com)	133 KiB	278 ms
/gtag/js?id=G-6LMGN1C81N (www.googletagmanager.com)	143 KiB	262 ms
/gtag/js?id=GT-K8GXD6ZN (www.googletagmanager.com)	123 KiB	179 ms
/gtag/js?id=AW-165...&cx=c>m=4e5ca1 (www.googletagmanager.com)	132 KiB	64 ms
/gtag/js?id=GT-K8GXD6ZN&cx=c>m=4e5ca1 (www.googletagmanager.com)	123 KiB	38 ms
caljgklbbfbcjjanaijlacgnafpegll	0 KiB	601 ms
chrome-extension://caljgklbbfbcjjanaijlacgnafpegll1/js/content/content.js	0 KiB	551 ms

3rd party	Transfer size	Main thread time
chrome-extension://caljgklbbfbcjjanaijlacncafpegll/js/content/common.js	0 KiB	33 ms
chrome-extension://caljgklbbfbcjjanaijlacncafpegll/js/content/iframe_content.js	0 KiB	12 ms
chrome-extension://caljgklbbfbcjjanaijlacncafpegll/js/content/content-inject.js	0 KiB	4 ms
kbfnbcaeplbcioakkpcpgfkobkgh1hen	0 KiB	565 ms
chrome-extension://kbfnbcaeplbcioakkpcpgfkobkgh1hen/src/js/Grammarly-check.js	0 KiB	561 ms
chrome-extension://kbfnbcaeplbcioakkpcpgfkobkgh1hen/src/js/Grammarly-check.styles.js	0 KiB	4 ms
smile.io	124 KiB	415 ms
/v1/smile-lite-e8d16072fe.js (js.smile.io)	6 KiB	410 ms
/v1/smile-shopify.js?shop=tu-market-place.myshopify.com (js.smile.io)	1 KiB	5 ms
/v1/vendor-ac982c9....modern.js (js.smile.io)	70 KiB	0 ms
...fonts/proximanova-regular.woff2 (js.smile.io)	22 KiB	0 ms
/v1/smile-shopify-f5bc8b0....modern.js (js.smile.io)	20 KiB	0 ms
/smile_ui/init?channel_key=channel_g... (platform.smile.io)	5 KiB	0 ms
gighmmpiobklfepjocnamgkkgbiglidom	0 KiB	377 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	0 KiB	195 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/globals-front.js	0 KiB	74 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/polyfill.js	0 KiB	36 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/adblock-picreplacement.js	0 KiB	24 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/adblock-functions.js	0 KiB	24 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/premium.preload.js	0 KiB	7 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/contentscript-loader.js	0 KiB	5 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/ext/content.js	0 KiB	4 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/ext/common.js	0 KiB	4 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/adblock-uiscrpts-rightclick_hook.js	0 KiB	3 ms
chrome-extension://gighmmpiobklfepjocnamgkkgbiglidom/cookie-banner-detection.preload.js	0 KiB	2 ms
pdnenlnelpdomajfejgapbdpmjfkfpjkip	0 KiB	348 ms
chrome-extension://pdnenlnelpdomajfejgapbdpmjfkfpjkip/content-scripts/content.js	0 KiB	348 ms
fheogkfdfchfphceeiadbepaooicaho	0 KiB	338 ms
chrome-extension://fheogkfdfchfphceeiadbepaooicaho/scripts/iframe_form_detection.js	0 KiB	327 ms
chrome-extension://fheogkfdfchfphceeiadbepaooicaho/scripts/iframe_form_check.js	0 KiB	6 ms
chrome-extension://fheogkfdfchfphceeiadbepaooicaho/scripts/content_navigate_complete.js	0 KiB	5 ms
Shopify <div>Hosting</div>	565 KiB	304 ms
...assets/sdk.js (cdn.shopify.com)	39 KiB	82 ms
...assets/stylex-BgfZxVhS.js (cdn.shopify.com)	53 KiB	78 ms
...assets/App-5BD5MI6l.js (cdn.shopify.com)	174 KiB	40 ms
...files/pushdaddy_a7_livechat1_new2.js?v=... (cdn.shopify.com)	70 KiB	38 ms
...assets/shopify-forms-loader.js (cdn.shopify.com)	1 KiB	19 ms
...assets/superlemon.js (cdn.shopify.com)	28 KiB	18 ms
...assets/app.js (cdn.shopify.com)	6 KiB	8 ms
...files/splmn-sho....min.js?v=... (cdn.shopify.com)	21 KiB	8 ms
...files/intlTelInput.min.js?v=168... (cdn.shopify.com)	11 KiB	6 ms

3rd party	Transfer size	Main thread time
...assets/superlemon-loader.js (cdn.shopify.com)	1 KiB	2 ms
...assets/app-embed-vwdOLNDM.js (cdn.shopify.com)	7 KiB	2 ms
...assets/smile-loader.js (cdn.shopify.com)	1 KiB	2 ms
...assets/chunk-4SLG6PIX.js (cdn.shopify.com)	12 KiB	1 ms
...shoplift/GTStandar....woff2 (cdn.shopify.com)	63 KiB	0 ms
...files/POP_UP_SHOPIALO.jpg?v=... (cdn.shopify.com)	39 KiB	0 ms
...assets/superlemon.css (cdn.shopify.com)	7 KiB	0 ms
...v2/form_instances?shopify_domain=tu-market-place.myshopify.com (forms.shopifyapps.com)	7 KiB	0 ms
...files/countryCodes-may-29.json (cdn.shopify.com)	5 KiB	0 ms
...assets/sdk.css (cdn.shopify.com)	3 KiB	0 ms
...assets/stylex-jZ94qfXx.css (cdn.shopify.com)	3 KiB	0 ms
...files/intlTelInput.min.css?v=168... (cdn.shopify.com)	3 KiB	0 ms
...assets/index.js (cdn.shopify.com)	2 KiB	0 ms
...files/POP_UP_SHOPIALO.jpg?v=174...?width=10&height=20 (cdn.shopify.com)	2 KiB	0 ms
...flags/pk.svg (cdn.shopify.com)	1 KiB	0 ms
...assets/app.css (cdn.shopify.com)	1 KiB	0 ms
/unstable/produce_batch (monorail-edge.shopifysvc.com)	1 KiB	0 ms
autoketing.org	431 KiB	227 ms
...build/build.main.09cdc29....js (cdn.autoketing.org)	74 KiB	209 ms
...dist/popup-fullsize-embed.js?t=... (cdn.autoketing.org)	6 KiB	16 ms
...template/countdown-script-2.min.js (cdn.autoketing.org)	2 KiB	1 ms
...views/tu-market-place.myshopify.com.json (api-v2-autoketing.autoketing.org)	1 KiB	0 ms
/pop/sdk-list-...?shop_domain=... (api-v2-popup.autoketing.org)	0 KiB	0 ms
...sdk/tu-market-place.myshopify.com.json (api-v2-autoketing.autoketing.org)	1 KiB	0 ms
...Helvetica/Helvetica.ttf (cdn.autoketing.org)	311 KiB	0 ms
...SF_Pro_Display/SF_Pro_Display.css?v=2 (cdn.autoketing.org)	1 KiB	0 ms
...Didot/Didot.css (cdn.autoketing.org)	1 KiB	0 ms
...SFU_Fenice/SFUFenice.css (cdn.autoketing.org)	1 KiB	0 ms
...halloween-day-s-handcraft-display-font-2021-09-02-17-14-16....css (cdn.autoketing.org)	1 KiB	0 ms
...dm-serif-text/dm-serif-text.css (cdn.autoketing.org)	1 KiB	0 ms
...Stafford/SFUStafford2.css (cdn.autoketing.org)	1 KiB	0 ms
...souther/souther.css (cdn.autoketing.org)	1 KiB	0 ms
...agree/agree.css (cdn.autoketing.org)	1 KiB	0 ms
...SFU_Fenice/SFUFenice.css (cdn.autoketing.org)	1 KiB	0 ms
...HighTide/HighTide.css (cdn.autoketing.org)	1 KiB	0 ms
...SparklingChristmas/sparklingChristmas.css (cdn.autoketing.org)	1 KiB	0 ms
...halloween-bash-font-2023-09-02-03-07-56-utc/halloween-bash.css (cdn.autoketing.org)	1 KiB	0 ms
...BebasNeue/BebasNeue.css (cdn.autoketing.org)	1 KiB	0 ms
...MerryChristmasBaby/MerryChri....css (cdn.autoketing.org)	1 KiB	0 ms
...edinburg/edinburg.css (cdn.autoketing.org)	1 KiB	0 ms
...BangLa_Mn/Bangla.css?v=123 (cdn.autoketing.org)	1 KiB	0 ms
...cattus/cattus.css (cdn.autoketing.org)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
...Google_San/GoogleSan.css (cdn.autoketing.org)	1 KiB	0 ms
...MelodyChristmas/MelodyChristmas.css (cdn.autoketing.org)	1 KiB	0 ms
...beloved-christmas/beloved-christmas.css (cdn.autoketing.org)	1 KiB	0 ms
...SFU/SFU.css (cdn.autoketing.org)	1 KiB	0 ms
...midnight-whispers/midnight-whispers.css (cdn.autoketing.org)	1 KiB	0 ms
...helvetica-neue/helvetica-neue.css (cdn.autoketing.org)	1 KiB	0 ms
...Tomorrow/tomorrow.css (cdn.autoketing.org)	1 KiB	0 ms
...gothic-blood/gothic-blood.css (cdn.autoketing.org)	1 KiB	0 ms
...spooky-crowley/spooky-crowley.css (cdn.autoketing.org)	1 KiB	0 ms
...Gurmukhi/Gurmukhi.css (cdn.autoketing.org)	1 KiB	0 ms
...BODONIB/BODONI.css (cdn.autoketing.org)	1 KiB	0 ms
...proxima-nova/proxima-nova.css (cdn.autoketing.org)	1 KiB	0 ms
...scary-screech/scary-screech.css (cdn.autoketing.org)	1 KiB	0 ms
...din-condensed/din-condensed.css (cdn.autoketing.org)	1 KiB	0 ms
...Cafeta/Cafeta.css (cdn.autoketing.org)	1 KiB	0 ms
...furry-monster/furry-monster.css (cdn.autoketing.org)	1 KiB	0 ms
...terror-thaw/terror-thaw.css (cdn.autoketing.org)	1 KiB	0 ms
...Epilogue/Epilogue.css (cdn.autoketing.org)	1 KiB	0 ms
...soaked-blood/soaked-blood.css (cdn.autoketing.org)	1 KiB	0 ms
...Helvetica/Helvetica.css (cdn.autoketing.org)	1 KiB	0 ms
...halloween/halloween.css (cdn.autoketing.org)	1 KiB	0 ms
...moonster/moonster.css (cdn.autoketing.org)	1 KiB	0 ms
...hiragino-mincho-pro/hiragino-mincho-pro.css (cdn.autoketing.org)	1 KiB	0 ms
...bloody-gore/bloody-gore.css (cdn.autoketing.org)	1 KiB	0 ms
...frighted/frighted.css (cdn.autoketing.org)	1 KiB	0 ms
...haunted-ink/haunted-ink.css (cdn.autoketing.org)	1 KiB	0 ms
...psychomachy/psychomachy.css (cdn.autoketing.org)	1 KiB	0 ms
...tetradoth/tetradoth.css (cdn.autoketing.org)	1 KiB	0 ms
...DidotLTStd/DidotLTStd.css (cdn.autoketing.org)	1 KiB	0 ms
...meltdown/meltdown.css (cdn.autoketing.org)	1 KiB	0 ms
...lemon-milk/lemon-milk.css (cdn.autoketing.org)	1 KiB	0 ms
...firestor/firestor.css (cdn.autoketing.org)	1 KiB	0 ms
...suzanstein/suzanstein.css (cdn.autoketing.org)	1 KiB	0 ms
...bodoni-72/bodoni-72.css (cdn.autoketing.org)	1 KiB	0 ms
...helloghost/helloghost.css (cdn.autoketing.org)	1 KiB	0 ms
...vamelia/vamelia.css (cdn.autoketing.org)	1 KiB	0 ms
...montaga/montaga.css (cdn.autoketing.org)	1 KiB	0 ms
...SFU_Ergoe/font.css (cdn.autoketing.org)	1 KiB	0 ms
Clarity Utility	27 KiB	172 ms
/0.8.45/clarityjs (scripts.clarity.ms)	26 KiB	170 ms
/tag/un0gwc5xdn?ref=shopify (www.clarity.ms)	1 KiB	1 ms
/collect (z.clarity.ms)	1 KiB	1 ms
hcaptcha.com	79 KiB	146 ms

3rd party	Transfer size	Main thread time
/1/api.js?render=... (js.hcaptcha.com)	79 KiB	146 ms
Google CDN Cdn	33 KiB	56 ms
...1.7.1/jquery.min.js (ajax.googleapis.com)	33 KiB	56 ms
clldacgmdnnanihiibdgemajcfkmfhia	0 KiB	54 ms
chrome-extension://clldacgmdnnanihiibdgemajcfkmfhia/jquery.min.js	0 KiB	49 ms
chrome-extension://clldacgmdnnanihiibdgemajcfkmfhia/contentScript.js	0 KiB	4 ms
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	46 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	31 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	9 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	5 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	1 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	1 ms
Hexton Utility	35 KiB	40 ms
/js/freeshippingbar.js?shop=tu-market-place.myshopify.com (cdn.hexton.com)	35 KiB	40 ms
/fsb_get_bars?shop=tu-market-place.myshopify.com (fsb.hexton.com)	0 KiB	0 ms
personalizer.io	12 KiB	21 ms
...shopify/main.f478448...js?key=... (edge.personalizer.io)	7 KiB	16 ms
...shopify/storefront.min.js?key=... (edge.personalizer.io)	1 KiB	4 ms
/runtime.f478448...js?key=... (edge.personalizer.io)	2 KiB	1 ms
/v1/userAuthentication?storefront=... (storefront.personalizer.io)	1 KiB	0 ms
fdgfkebogiimcoedlicjlajpkdmockpc	0 KiB	13 ms
chrome-extension://fdgfkebogiimcoedlicjlajpkdmockpc/content.js	0 KiB	13 ms
JSDelivr CDN Cdn	43 KiB	8 ms
...swiper@11/swiper-bundle.min.js (cdn.jsdelivr.net)	43 KiB	8 ms
lmhkpmbekcpmknklloeibfkpmmfiblj	0 KiB	7 ms
chrome-extension://lmhkpmbekcpmknklloeibfkpmmfiblj/page.bundle.js	0 KiB	4 ms
chrome-extension://lmhkpmbekcpmknklloeibfkpmmfiblj/content.bundle.js	0 KiB	2 ms
majdfhpaihoncoakbjgbdhglocklgno	0 KiB	3 ms
chrome-extension://majdfhpaihoncoakbjgbdhglocklgno/assets/main.tsx-loader-DGU84JrJ.js	0 KiB	2 ms
chrome-extension://majdfhpaihoncoakbjgbdhglocklgno/assets/main.tsx-DuyzaKII.js	0 KiB	1 ms
chrome-extension://majdfhpaihoncoakbjgbdhglocklgno/assets/index-DA4uJ5Kf.js	0 KiB	0 ms
hengam.io	0 KiB	1 ms
/graphql (api-discounty.hengam.io)	0 KiB	1 ms
Crazy Egg Analytics	0 KiB	1 ms
...0106/9026.js?shop=tu-market-place.myshopify.com (script.crazyegg.com)	0 KiB	1 ms
superlemon.xyz	6 KiB	0 ms
...widget/settings?id=tu-market-place.myshopify.com (api.superlemon.xyz)	6 KiB	0 ms
Google Fonts Cdn	235 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	113 KiB	0 ms
...v20/92zatBhPN....woff2 (fonts.gstatic.com)	52 KiB	0 ms
...v17/rP2Yp2ywx....woff2 (fonts.gstatic.com)	36 KiB	0 ms
...v20/92zatBhPN....woff2 (fonts.gstatic.com)	10 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	3 KiB	0 ms

3rd party	Transfer size	Main thread time
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms
/css2?family=Lora&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css?family=Source+Sans+Pro:300,400,600&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Oswald:wght@200;300;400;500;600;700&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Roboto+Mono&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Montserrat+Alternates:wght@500&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Raleway&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Playfair+Display&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Quicksand:wght@300;400&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=Sansita+Swashed:wght@300&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=BhuTuka+Expanded+One&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Be+Vietnam+Pro&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Style+Script&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Fuggles&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css?family=Lato&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Croissant+One&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Syne+Mono&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Fanwood+Text&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Gudea:wght@700&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Koulen&display=swap (fonts.googleapis.com)	0 KiB	0 ms
/css2?family=Irish+Grover&display=swap (fonts.googleapis.com)	0 KiB	0 ms
techybooster.com	1 KiB	0 ms
/api/storefront?shopUrl=tu-market-place.myshopify.com (whatsapp.techybooster.com)	1 KiB	0 ms
Other Google APIs/SDKs Utility	0 KiB	0 ms
/ccm/collect?frm=... (www.google.com)	0 KiB	0 ms
Google/DoubleClick Ads Ad	2 KiB	0 ms
...conversion/165...?random=... (www.googleadservices.com)	2 KiB	0 ms
google.com.pk	0 KiB	0 ms
...1p-conversion/165...?random=... (www.google.com.pk)	0 KiB	0 ms
country.is	0 KiB	0 ms
https://api.country.is	0 KiB	0 ms
Google Analytics Analytics	1 KiB	0 ms
/g/collect?v=... (www.google-analytics.com)	1 KiB	0 ms
merchant-center-analytics.goog	1 KiB	0 ms
/mc/collect?v=... (www.merchant-center-analytics.goog)	1 KiB	0 ms
cdnfonts.com	1 KiB	0 ms

3rd party	Transfer size	Main thread time
/css/a-auto-signature (fonts.cdnfonts.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲

Minimize main-thread work — 153.2 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Script Evaluation	67,398 ms
Script Parsing & Compilation	54,905 ms
Other	13,230 ms
Garbage Collection	8,178 ms
Style & Layout	7,754 ms
Parse HTML & CSS	1,690 ms
Rendering	72 ms

▲

Reduce JavaScript execution time — 121.1 s

^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) TBT Unscored

☒ Show 3rd-party resources (30)

URL	Total CPU Time	Script Evaluation	Script Parse
plerdy.com	47,618 ms	17,317 ms	24,660 ms
...click/main2js?v=33 (a.plerdy.com)	47,211 ms	17,149 ms	24,647 ms
...click/detector.js?v=33 (a.plerdy.com)	251 ms	28 ms	10 ms
...click/main.js?v=1 (a.plerdy.com)	88 ms	80 ms	2 ms
...1922/plerdy_shopys?shop=tu-market-place.myshopify.com (sapp.plerdy.com)	67 ms	60 ms	1 ms
smile.io	28,314 ms	9,931 ms	15,784 ms
/v1/smile-lite-e8d16072fe.js (js.smile.io)	28,231 ms	9,869 ms	15,782 ms
/v1/smile-shopifyjs?shop=tu-market-place.myshopify.com (js.smile.io)	83 ms	62 ms	2 ms
shopialo.com 1st Party	27,805 ms	17,270 ms	2,245 ms
...assets/empire.js?v=5932503... (shopialo.com)	10,511 ms	10,102 ms	193 ms
https://shopialo.com	6,436 ms	1,833 ms	1,968 ms
...wpm/bda62cc92w68dfea28pcf9825a4m392e00d0m.js (shopialo.com)	5,879 ms	2,854 ms	30 ms
...storefront/load_feature-a0a9edcb.js (shopialo.com)	3,450 ms	1,210 ms	3 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...perf-kit/shopify-perf-kit-2.1.2.min.js (shopialo.com)	737 ms	689 ms	25 ms
...v2/chunk.common_DkoBXfB9.esm.js (shopialo.com)	377 ms	245 ms	1 ms
...assets/shop_events_listener-3da45d37.js (shopialo.com)	185 ms	148 ms	3 ms
...s/trekkie.storefront.8f32c7f....min.js (shopialo.com)	138 ms	113 ms	18 ms
...web-pixel-519...@b2a88ba.../pixel.modern.js (shopialo.com)	92 ms	75 ms	5 ms
Sider: Chat with all AI: GPT-5, Claude, DeepSeek, Gemini, Grok Chrome Extension	19,956 ms	8,434 ms	8,769 ms
chrome-extension://difoogjjjoaoomphldepagpgbghkb/content-all.js	19,878 ms	8,369 ms	8,769 ms
chrome-extension://difoogjjjoaoomphldepagpgbghkb/all-frames.js	78 ms	65 ms	0 ms
Unattributable	14,454 ms	4,212 ms	1,381 ms
Unattributable	7,720 ms	1,242 ms	0 ms
chrome-extension://caljgklbbfbcjjanaijlacncafpegll/js/content/content.js	2,369 ms	1,377 ms	881 ms
chrome-extension://fheogkfdfchfphceeifdbepaooicaho/scripts/iframe_form_detection.js	1,910 ms	843 ms	80 ms
chrome-extension://kbfnbcaep1bcioakpcpgfkobkghlhen/src/js/Grammarly-check.js	1,819 ms	551 ms	202 ms
chrome-extension://fheogkfdfchfphceeifdbepaooicaho/scripts/iframe_form_check.js	232 ms	17 ms	7 ms
chrome-extension://c1ldacgmdnnanihiibdgemajcfkmfhia/jquery.min.js	221 ms	157 ms	56 ms
chrome-extension://caljgklbbfbcjjanaijlacncafpegll/js/content/common.js	130 ms	2 ms	128 ms
chrome-extension://caljgklbbfbcjjanaijlacncafpegll/js/content/iframe_content.js	51 ms	23 ms	26 ms
Google Tag Manager Tag-Manager	3,621 ms	2,776 ms	623 ms
/gtag/js?id=AW-165... (www.googletagmanager.com)	1,288 ms	1,085 ms	127 ms
/gtag/js?id=G-6LMGN1C81N (www.googletagmanager.com)	1,142 ms	884 ms	152 ms
/gtag/js?id=GT-K8GXD6ZN (www.googletagmanager.com)	747 ms	650 ms	91 ms
/gtag/js?id=AW-165...&cx=c>m=4e5ca1 (www.googletagmanager.com)	290 ms	111 ms	145 ms
/gtag/js?id=GT-K8GXD6ZN&cx=c>m=4e5ca1 (www.googletagmanager.com)	155 ms	46 ms	108 ms
Shopify Hosting	3,089 ms	2,289 ms	248 ms
...assets/shopify-forms-loader.js (cdn.shopify.com)	1,955 ms	1,699 ms	1 ms
...assets/App-5BD5MI6l.js (cdn.shopify.com)	261 ms	137 ms	23 ms
...assets/sdk.js (cdn.shopify.com)	253 ms	197 ms	50 ms
...files/pushdaddy_a7_livechat1_new2.js?v=... (cdn.shopify.com)	222 ms	63 ms	125 ms
...assets/superlemon.js (cdn.shopify.com)	221 ms	110 ms	43 ms
...assets/app.js (cdn.shopify.com)	117 ms	77 ms	4 ms
...assets/chunk-4SLG6PIX.js (cdn.shopify.com)	59 ms	5 ms	1 ms

URL	Total CPU Time	Script Evaluation	Script Parse
autoketing.org	1,809 ms	1,407 ms	71 ms
...build/build.main.09cdc29...js (cdn.autoketing.org)	1,639 ms	1,262 ms	58 ms
...dist/popup-fullsize-embed.js?t=... (cdn.autoketing.org)	169 ms	145 ms	13 ms
Jetwriter AI: Reply Emails, Ask Page, Summarize, Fix Grammar, and More Chrome Extension	1,419 ms	658 ms	741 ms
chrome-extension://pdnenlnelpdomajfejgapbdpmjkgfpjkgp/content-scripts/content.js	1,419 ms	658 ms	741 ms
Clarity Utility	810 ms	611 ms	42 ms
/0.8.45/clarifyjs (scripts.clarity.ms)	810 ms	611 ms	42 ms
hcaptcha.com	784 ms	668 ms	85 ms
/1/api.js?render=... (js.hcaptcha.com)	784 ms	668 ms	85 ms
Free VPN for Chrome - VPN Proxy VeePN Chrome Extension	587 ms	454 ms	2 ms
chrome-extension://majdfhpaihoncoakbjgbdhglocklcnog/assets/main.tsx-DuyzaKII.js	587 ms	454 ms	2 ms
Google CDN Cdn	438 ms	159 ms	28 ms
...1.7.1/jquery.min.js (ajax.googleapis.com)	438 ms	159 ms	28 ms
Hexton Utility	245 ms	114 ms	88 ms
/js/freeshippingbar.js?shop=tu-market-place.myshopify.com (cdn.hextom.com)	245 ms	114 ms	88 ms
Google Fonts Cdn	74 ms	0 ms	0 ms
/css2?family=... (fonts.googleapis.com)	74 ms	0 ms	0 ms
personalizer.io	69 ms	60 ms	4 ms
...shopify/main.f478448...js?key=... (edge.personalizer.io)	69 ms	60 ms	4 ms

▲ Reduce unused JavaScript — Est savings of 19,006 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.
[Learn how to reduce unused JavaScript.](#) (FCP) (LCP) (Unscored)

☒ Show 3rd-party resources (32)

URL	Transfer Size	Est Savings
Sider: Chat with all AI: GPT-5, Claude, DeepSeek, Gemini, Grok Chrome Extension	22,905.0 KiB	16,924.9 KiB
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	2,126.4 KiB	1,612.2 KiB
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	2,126.4 KiB	1,612.2 KiB
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	2,126.4 KiB	1,612.2 KiB
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	2,126.4 KiB	1,612.1 KiB
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	2,126.4 KiB	1,612.1 KiB
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	2,126.4 KiB	1,561.2 KiB
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	2,126.4 KiB	1,489.8 KiB

URL	Transfer Size	Est Savings
chrome-extension://difoilogjjojoaoomphldepapgpbgkxkb/all-frames.js	1,145.8 KiB	830.9 KiB
chrome-extension://difoilogjjojoaoomphldepapgpbgkxkb/all-frames.js	1,145.8 KiB	830.9 KiB
chrome-extension://difoilogjjojoaoomphldepapgpbgkxkb/all-frames.js	1,145.8 KiB	830.9 KiB
chrome-extension://difoilogjjojoaoomphldepapgpbgkxkb/all-frames.js	1,145.8 KiB	830.8 KiB
chrome-extension://difoilogjjojoaoomphldepapgpbgkxkb/all-frames.js	1,145.8 KiB	830.8 KiB
chrome-extension://difoilogjjojoaoomphldepapgpbgkxkb/all-frames.js	1,145.8 KiB	830.1 KiB
chrome-extension://difoilogjjojoaoomphldepapgpbgkxkb/all-frames.js	1,145.8 KiB	828.5 KiB
Unattributable	1,045.4 KiB	627.4 KiB
chrome-extension://caljgklbbfbcjjanaijlacgnafegll/js/content/content.js	471.0 KiB	254.0 KiB
chrome-extension://kbfnbcaeplbcioakpcpgfkobkghlhen/src/js/Grammarly-check.js	105.3 KiB	68.3 KiB
chrome-extension://kbfnbcaeplbcioakpcpgfkobkghlhen/src/js/Grammarly-check.js	105.3 KiB	68.3 KiB
chrome-extension://kbfnbcaeplbcioakpcpgfkobkghlhen/src/js/Grammarly-check.js	105.3 KiB	57.7 KiB
chrome-extension://kbfnbcaeplbcioakpcpgfkobkghlhen/src/js/Grammarly-check.js	105.3 KiB	57.2 KiB
chrome-extension://fmkadmappofadopljbjfkapdkoienshi/build/installHook.js	57.6 KiB	53.1 KiB
chrome-extension://caljgklbbfbcjjanaijlacgnafegll/js/content/common.js	66.7 KiB	47.7 KiB
chrome-extension://c1ldacgmdnnanihiibdgemajcfkfmfhia/jquery.min.js	28.8 KiB	21.1 KiB
Google Tag Manager Tag-Manager	647.8 KiB	343.1 KiB
/gtag/js?id=GT-K8GXD6ZN&cx=c>m=4e5ca1 (www.googletagmanager.com)	122.9 KiB	95.2 KiB
/gtag/js?id=AW-165...&cx=c>m=4e5ca1 (www.googletagmanager.com)	132.4 KiB	95.1 KiB
/gtag/js?id=GT-K8GXD6ZN (www.googletagmanager.com)	122.9 KiB	55.4 KiB
/gtag/js?id=G-6LMGN1C81N (www.googletagmanager.com)	138.4 KiB	51.5 KiB
/gtag/js?id=AW-165... (www.googletagmanager.com)	131.3 KiB	45.9 KiB
Free VPN for Chrome - VPN Proxy VeePN Chrome Extension	421.1 KiB	320.0 KiB
chrome-extension://majdfhpaihoncoakbjgbdhglocklcnog/assets/client-Da0e5-BC.js	188.3 KiB	166.8 KiB
chrome-extension://majdfhpaihoncoakbjgbdhglocklcnog/assets/main.tsx-DuyzaKII.js	132.4 KiB	94.0 KiB
chrome-extension://majdfhpaihoncoakbjgbdhglocklcnog/assets/index-BbV_wpce.js	100.3 KiB	59.1 KiB
Jetwriter AI: Reply Emails, Ask Page, Summarize, Fix Grammar, and More Chrome Extension	376.0 KiB	243.4 KiB
chrome-extension://pdnenlnelpdomajfejgapbdpmjfkfpjkkp/content-scripts/content.js	376.0 KiB	243.4 KiB
Shopify Hosting	359.2 KiB	211.4 KiB
...assets/App-5BD5MI6l.js (cdn.shopify.com)	173.3 KiB	69.8 KiB
...files/pushdaddy_a7_livechat1_new2.js?v=... (cdn.shopify.com)	69.6 KiB	65.8 KiB
...	69.6 KiB	65.8 KiB

URL	Transfer Size	Est Savings
...assets/stylex-BgfZxVhS.js (cdn.shopify.com)	51.0 KiB	29.1 KiB
...assets/sdk.js (cdn.shopify.com)	38.5 KiB	24.0 KiB
...assets/superlemon.js (cdn.shopify.com)	26.7 KiB	22.7 KiB
shopialo.com 1st Party	227.7 KiB	165.2 KiB
...assets/empire.js?v=5932503... (shopialo.com)	184.6 KiB	142.4 KiB
...v2/chunk.common_DkoBXfB9.esm.js (shopialo.com)	43.1 KiB	22.8 KiB
...node_modules/@shopify/bugsnag-light-core/dist/index.mjs	1.6 KiB	1.3 KiB
...node_modules/construct-style-sheets-polyfill/dist/adoptedStyleSheets.js	1.5 KiB	1.2 KiB
...node_modules/preact/compat/dist/compat.module.js	1.9 KiB	1.1 KiB
...node_modules/@shopify/opentelemetry-mini-client-private/build/esm/client.mjs	1.2 KiB	1.1 KiB
...src/foundation/Monorail/Monorail.ts	1.7 KiB	1.0 KiB
plerdy.com	94.2 KiB	66.9 KiB
...click/main2.js?v=33 (a.plerdy.com)	94.2 KiB	66.9 KiB
autoketing.org	74.1 KiB	39.4 KiB
...build/build.main.09cdc29...js (cdn.autoketing.org)	74.1 KiB	39.4 KiB
JSDelivr CDN Cdn	35.4 KiB	34.5 KiB
...swiper@11/swiper-bundle.min.js (cdn.jsdelivr.net)	35.4 KiB	34.5 KiB
...	35.4 KiB	34.5 KiB
hcaptcha.com	78.5 KiB	29.5 KiB
/1/api.js?render=... (js.hcaptcha.com)	78.5 KiB	29.5 KiB

▲ Reduce unused CSS — Est savings of 281 KiB












Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#) FCP LCP Unscored


☒ Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
Google Fonts Cdn	113.2 KiB	113.2 KiB
/css2?family=... (fonts.googleapis.com)	113.2 KiB	113.2 KiB
Unattributable	101.3 KiB	97.9 KiB
@charset "UTF-8";*,:before,:after{--tw-border-spacing-x: 0;--tw-border-spacing-y: 0;--tw-translate-...	101.3 KiB	97.9 KiB
shopialo.com 1st Party	75.3 KiB	69.6 KiB
...assets/theme.css?v=6940893... (shopialo.com)	75.3 KiB	69.6 KiB

Image elements do not have explicit [width](#) and [height](#)

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

URL		
shopialo.com 1st Party		
	img.site-logo-image	...files/Logo_Shop....png?v=165... (shopialo.com)
	img.logolist--image	...files/Marcas-Skechers_158x158.png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-Ne....png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-NA....png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-Velez_158x158.png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-Hurley_158x158.png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-Fl....png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-PE....png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-NI....png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-NA....png?v=174... (shopialo.com)
	img.logolist--image	...files/Marcas-LO....png?v=174... (shopialo.com)

URL		
	img.logolist--image	...files/Marcas-Pl...png?v=174... (shopialo.com)

Minify CSS — Est savings of 12 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
Google Fonts Cdn	113.2 KiB	12.0 KiB
/css2?family=... (fonts.googleapis.com)	113.2 KiB	12.0 KiB

Minify JavaScript — Est savings of 802 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP Unscored

☒ Show 3rd-party resources (2)

URL	Transfer Size	Est Savings
Unattributable	1,101.3 KiB	754.4 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	93.6 KiB	76.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	93.6 KiB	76.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	93.6 KiB	76.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	93.6 KiB	76.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	93.6 KiB	76.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	93.6 KiB	76.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	34.1 KiB	17.3 KiB

URL	Transfer Size	Est Savings
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js	10.0 KiB	5.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
plerdy.com	95.5 KiB	41.1 KiB
...click/main2js?v=33 (a.plerdy.com)	95.5 KiB	41.1 KiB
Shopify Hosting	27.0 KiB	6.8 KiB
...assets/superlemon.js (cdn.shopify.com)	27.0 KiB	6.8 KiB

Avoid enormous network payloads — Total size was 4,990 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

☒ Show 3rd-party resources (6)

URL	Transfer Size
shopialo.com 1st Party	1,590.0 KiB
...files/Banner2_9f00bb0a-24b0-4496-9031-f1d7abbfe13c_686x6....gif?... (shopialo.com)	1,017.9 KiB
...files/Banner_web_movil_1280x1600.jpg?v=176... (shopialo.com)	220.7 KiB
...assets/empire.js?v=5932503... (shopialo.com)	185.4 KiB
...files/Banner_Web_1920x931.jpg?v=176... (shopialo.com)	166.0 KiB
hcaptcha.com	485.5 KiB
...c72549b.../hsw.js (newassets.hcaptcha.com)	327.7 KiB
...static/hcaptcha.html (newassets.hcaptcha.com)	157.8 KiB
autoketing.org	311.2 KiB
...Helvetica/Helvetica.ttf (cdn.autoketing.org)	311.2 KiB
Google Tag Manager Tag-Manager	276.0 KiB
/gtag/js?id=G-6LMGN1C81N (www.googletagmanager.com)	143.4 KiB
/gtag/js?id=AW-165... (www.googletagmanager.com)	132.6 KiB
Shopify Hosting	174.1 KiB
...assets/App-5BD5MI6l.js (cdn.shopify.com)	174.1 KiB

☐ Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (14)

URL	Start Time	Duration
plerdy.com		39,327 ms
...click/main2.js?v=33 (a.plerdy.com)	98,880 ms	5,808 ms
...click/main2.js?v=33 (a.plerdy.com)	93,007 ms	5,722 ms
...click/main2.js?v=33 (a.plerdy.com)	81,265 ms	5,545 ms
...click/main2.js?v=33 (a.plerdy.com)	105,735 ms	4,441 ms
...click/main2.js?v=33 (a.plerdy.com)	87,013 ms	4,084 ms
...click/main2.js?v=33 (a.plerdy.com)	110,572 ms	4,035 ms
...click/main2.js?v=33 (a.plerdy.com)	73,187 ms	3,941 ms
...click/main2.js?v=33 (a.plerdy.com)	77,383 ms	3,841 ms
...click/main2.js?v=33 (a.plerdy.com)	91,097 ms	1,910 ms
smile.io		23,094 ms
/v1/smile-lite-e8d16072fe.js (js.smile.io)	10,823 ms	7,796 ms

URL	Start Time	Duration
/v1/smile-lite-e8d16072fe.js (js.smile.io)	62,073 ms	7,620 ms
/v1/smile-lite-e8d16072fe.js (js.smile.io)	56,039 ms	4,774 ms
/v1/smile-lite-e8d16072fe.js (js.smile.io)	51,751 ms	2,904 ms
shopialo.com 1st Party		21,678 ms
...wpm/bda62cc92w68dfea28pcf9825a4m392e00d0m.js (shopialo.com)	29,252 ms	6,874 ms
...assets/empire.js?v=5932503... (shopialo.com)	19,098 ms	5,097 ms
...storefront/load_feature-a0a9edcb.js (shopialo.com)	25,272 ms	3,729 ms
https://shopialo.com	1,159 ms	3,373 ms
...wpm/bda62cc92w68dfea28pcf9825a4m392e00d0m.js (shopialo.com)	48,939 ms	2,605 ms
Unattributable		1,313 ms
chrome-extension://kbfnbcaeplbcioakkpcpgfkobkghlhen/src/js/Grammarly-check.styles.js	5,790 ms	1,313 ms
Sider: Chat with all AI: GPT-5, Claude, DeepSeek, Gemini, Grok Chrome Extension		1,142 ms
chrome-extension://difoiooggjjojoaomphldepagpgbgkhhb/content-all.js	8,206 ms	1,142 ms

User Timing marks and measures — 36 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) (Unscored)

Name	Type	Start Time	Duration
wpm:completed	Measure	1,553.01 ms	10,145.69 ms
wpm:pixel:register:1734082797:app	Measure	1,911.14 ms	9,156.08 ms
wpm:pixel:register:1718714605:app	Measure	1,913.39 ms	3,131.24 ms
wpm:pixel:register:848462061:app	Measure	1,914.18 ms	9,148.94 ms
wpm:pixel:register:831226093:app	Measure	1,914.60 ms	3,102.97 ms
wpm:pixel:register:599359725:app	Measure	1,916.17 ms	3,131.04 ms
wpm:pixel:register:519176429:app	Measure	1,916.75 ms	3,089.77 ms
wpm:pixel:register:shopify-app-pixel:app	Measure	1,917.40 ms	3,109.18 ms
wpm:pixel:register:shopify-custom-pixel:custom	Measure	1,918.08 ms	9,779.61 ms
__v3	Mark	0.00 ms	
shopify.content_for_header.start	Mark	1,190.64 ms	
shopify.content_for_header.end	Mark	1,199.26 ms	
wpm:start	Mark	1,553.01 ms	
wpm:pixel:register:started:1734082797:app	Mark	1,911.14 ms	

Name	Type	Start Time	Duration
wpm:pixel:register:started:1718714605:app	Mark	1,913.39 ms	
wpm:pixel:register:started:848462061:app	Mark	1,914.18 ms	
wpm:pixel:register:started:831226093:app	Mark	1,914.60 ms	
wpm:pixel:register:started:599359725:app	Mark	1,916.17 ms	
wpm:pixel:register:started:519176429:app	Mark	1,916.75 ms	
wpm:pixel:register:started:shopify-app-pixel:app	Mark	1,917.40 ms	
wpm:pixel:register:started:shopify-custom-pixel:custom	Mark	1,918.08 ms	
wpm:pixel:register:completed:519176429:app	Mark	5,006.52 ms	
wpm:pixel:register:completed:831226093:app	Mark	5,017.57 ms	
wpm:pixel:register:completed:shopify-app-pixel:app	Mark	5,026.58 ms	
wpm:pixel:register:completed:1718714605:app	Mark	5,044.63 ms	
wpm:pixel:register:completed:599359725:app	Mark	5,047.21 ms	
@grammarly-extension:checkScriptInitStart	Mark	10,271.18 ms	
@grammarly-extension:checkScriptInitEnd	Mark	10,876.83 ms	
wpm:pixel:register:completed:848462061:app	Mark	11,063.12 ms	
wpm:pixel:register:completed:1734082797:app	Mark	11,067.22 ms	
wpm:pixel:register:completed:shopify-custom-pixel:custom	Mark	11,697.69 ms	
wpm:pixels:resolved	Mark	11,698.70 ms	
@grammarly-extension:checkScriptInitStart	Mark	24,991.30 ms	
@grammarly-extension:checkScriptInitEnd	Mark	25,095.96 ms	
@grammarly-extension:checkScriptInitStart	Mark	39,036.89 ms	
@grammarly-extension:checkScriptInitStart	Mark	41,500.68 ms	

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (7)

Hide

Document request latency

^

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 18 ms)

Applies text compression

Duplicated JavaScript

^

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

about:blank

24/45

INP breakdown

Start investigating [how to improve INP](#) by looking at the longest subpart.

Unscored

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#).

FCP

LCP

Unscored

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

Unscored

meta

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#).

CLS

Unscored

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Unscored



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

Failing Elements


body.template-index > button#cgw_action_btn
`<button id="cgw_action_btn" tabindex="-1" style="position: absolute; top: -9999px; left: -9999px; width: 1px; height: 1px;" plerdy-tracking-id="7277828290`

button.size-10.absolute.z-[-1].bottom-[10px].flex-center.p-0.outline-none.border-none.text-title.bg-bg...

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](#).

Failing Elements




Failing Elements




a.slideshow-slide__background-link

a.slideshow-slide__content-background-link



a.promo-block--content,promo-block--content-align-top-left,promo-grid--maintain-aspect-ratio.pro...



a.promo-block--content,promo-block--content-align-top-left,promo-grid--maintain-aspect-ratio.pro...



a.promo-block--content,promo-block--content-align-top-left,promo-grid--maintain-aspect-ratio.pro...



a.logolist--link



a.logolist--link



a.logolist--link



a.logolist--link



a.logolist--link







a.logolist--link



a.logolist--link

Failing Elements

	a.logolist--link
	a.logolist--link
	a.logolist--link
	a.logolist--link


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ARIA

▲ Elements use prohibited ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Failing Elements

	div.slideshow-slide--mobile.pxu-lia-block.pxu-lia-block--play
---	---

○ ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) Unscored

Failing Elements

title#pi-american_express
title#pi-american_express

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

h2.site-footer-block-title

section.site-footer-wrapper

p

section.site-footer-wrapper

strong

section.site-footer-wrapper

p

section.site-footer-wrapper

h2.site-footer-block-title

section.site-footer-wrapper

strong

section.site-footer-wrapper

p

section.site-footer-wrapper

p

Failing Elements



section.site-footer-wrapper



h2.site-footer-block-title



section.site-footer-wrapper



p




section.site-footer-wrapper



label.form-field-title




input#footer_newsletter_email.form-field-input.form-field-text



h2.site-footer-block-title



section.site-footer-wrapper



a.navmenu-link.navmenu-link-depth-1



section.site-footer-wrapper










a.navmenu-link.navmenu-link-depth-1



section.site-footer-wrapper

Failing Elements

	a.navmenu-link.navmenu-link-depth-1
	section.site-footer-wrapper
	a.navmenu-link.navmenu-link-depth-1
	section.site-footer-wrapper
	a.navmenu-link.navmenu-link-depth-1
	section.site-footer-wrapper
	p.site-footer-credits
	section.site-footer-wrapper
	a
	section.site-footer-wrapper
	comprar por whatsapp

These are opportunities to improve the legibility of your content.

INTERNATIONALIZATION AND LOCALIZATION

 <html> element does not have a [lang] attribute 

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

Failing Elements

html

Failing Elements
<html>

These are opportunities to improve the interpretation of your content by users in different locales.

NAVIGATION

▲ Some elements have a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

Failing Elements
<div><div></div><div>div.chat-gpt-query-model-wrapper.outline-none.active:outline-none.focus:outline-none</div></div>

These are opportunities to improve keyboard navigation in your application.

BEST PRACTICES

▲ Touch targets do not have sufficient size or spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Failing Elements
<div><div><div></div><div>a.navmenu-link.navmenu-link-depth-1</div></div><div><div></div><div>a.navmenu-link.navmenu-link-depth-1</div></div></div>

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Hide

☐ Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) (Unscored)

☐ Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) (Unscored)

☐ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) (Unscored)

☐ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) (Unscored)

<div><div></div><div>User focus is not accidentally trapped in a region</div><div></div></div>	
<div>A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps. <div>Unscored</div></div>	
<div><div></div><div>The user's focus is directed to new content added to the page</div><div></div></div>	
<div>If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content. <div>Unscored</div></div>	
<div><div></div><div>HTML5 landmark elements are used to improve navigation</div><div></div></div>	
<div>Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements. <div>Unscored</div></div>	
<div><div></div><div>Offscreen content is hidden from assistive technology</div><div></div></div>	
<div>Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content. <div>Unscored</div></div>	
<div><div></div><div>Custom controls have associated labels</div><div></div></div>	
<div>Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels. <div>Unscored</div></div>	
<div><div></div><div>Custom controls have ARIA roles</div><div></div></div>	
<div>Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. <div>Unscored</div></div>	
<div>These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.</div>	
PASSED AUDITS (21)	Hide
<div><div></div><div>[aria-*] attributes match their roles</div><div></div></div>	
<div>Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles.</div>	
<div><div></div><div>[aria-hidden="true"] is not present on the document <body></div><div></div></div>	
<div>Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. Learn how aria-hidden affects the document body.</div>	
<div><div></div><div>[role]s have all required [aria-*] attributes</div><div></div></div>	
<div>Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more about roles and required attributes.</div>	
<div><div></div><div>[role] values are valid</div><div></div></div>	
<div>ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles.</div>	
<div><div></div><div>[aria-*] attributes have valid values</div><div></div></div>	
<div>Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes.</div>	
<div><div></div><div>[aria-*] attributes are valid and not misspelled</div><div></div></div>	
<div>Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes.</div>	

Image elements have <code>[alt]</code> attributes	^
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute.	
Form elements have associated labels	^
Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels.	
<code>[user-scalable="no"]</code> is not used in the <code><meta name="viewport"></code> element and the <code>[maximum-scale]</code> attribute is not less than 5.	^
Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.	
<code>button</code> , <code>link</code> , and <code>menuitem</code> elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to make command elements more accessible.	
ARIA attributes are used as specified for the element's role	^
Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes.	
<code>[aria-hidden="true"]</code> elements do not contain focusable descendents	^
Focusable descendents within an <code>[aria-hidden="true"]</code> element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how aria-hidden affects focusable elements.	
Document has a <code><title></code> element	^
The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.	
<code><frame></code> or <code><iframe></code> elements have a title	^
Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.	
<code><html></code> element has a valid value for its <code>[lang]</code> attribute	^
Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the lang attribute.	
Lists contain only <code></code> elements and script supporting elements (<code><script></code> and <code><template></code>).	^
Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more about proper list structure.	
List items (<code></code>) are contained within <code></code> , <code></code> or <code><menu></code> parent elements	^
Screen readers require list items (<code></code>) to be contained within a parent <code></code> , <code></code> or <code><menu></code> to be announced properly. Learn more about proper list structure.	
Heading elements appear in a sequentially-descending order	^
Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.	
Skip links are focusable.	^
Including a skip link can help users skip to the main content to save time. Learn more about skip links.	

Document has a main landmark.	^
One main landmark helps screen reader users navigate a web page. Learn more about landmarks.	
Deprecated ARIA roles were not used	^
Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles.	
NOT APPLICABLE (31)	Hide
<input type="radio"/> [accesskey] values are unique	^
Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. (Unscored)	
<input type="radio"/> Elements with <code>role="dialog"</code> or <code>role="alertdialog"</code> have accessible names.	^
ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. (Unscored)	
<input type="radio"/> ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels. (Unscored)	
<input type="radio"/> ARIA <code>meter</code> elements have accessible names	^
When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements. (Unscored)	
<input type="radio"/> ARIA <code>progressbar</code> elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements. (Unscored)	
<input type="radio"/> Elements with an ARIA <code>[role]</code> that require children to contain a specific <code>[role]</code> have all required children.	^
Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. (Unscored)	
<input type="radio"/> <code>[role]</code> s are contained by their required parent element	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)	
<input type="radio"/> Elements with the <code>role=text</code> attribute do not have focusable descendants.	^
Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)	
<input type="radio"/> ARIA toggle fields have accessible names	^
When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)	
<input type="radio"/> ARIA <code>tooltip</code> elements have accessible names	^
When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)	

☐ ARIA `treeitem` elements have accessible names

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#) (Unscored)

☐ The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) (Unscored)

☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) (Unscored)

☐ Definition list items are wrapped in `<dl>` elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) (Unscored)

☐ No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) (Unscored)

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#) (Unscored)

☐ Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) (Unscored)

☐ `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) (Unscored)

☐ Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) (Unscored)

☐ The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) (Unscored)

☐ `<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) (Unscored)

☐ Select elements have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element.](#) (Unscored)

☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) (Unscored)

☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) (Unscored)

☐ `[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) (Unscored)

☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) (Unscored)

☐ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) (Unscored)

☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) (Unscored)

☐ Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) (Unscored)

☐ Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) (Unscored)

☐ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) (Unscored)



Best Practices

GENERAL

Uses deprecated APIs — 1 warning found ^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Deprecation / Warning	Source
Unload event listeners are deprecated and will be removed.	Grammarly-check.js:1

▲ Uses third-party cookies — 21 cookies found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

☒ Show 3rd-party resources (20)

Name	URL
Shopify Hosting	
_identity_session	...assets/app.css (cdn.shopify.com)
Clarity Utility	
SM	/tag/un0gwc5xdn?ref=shopify (www.clarity.ms)
MR	/tag/un0gwc5xdn?ref=shopify (www.clarity.ms)
CLID	/tag/un0gwc5xdn?ref=shopify (www.clarity.ms)
MUID	/tag/un0gwc5xdn?ref=shopify (www.clarity.ms)
shopialo.com 1st Party	
IsSema-	...wpm/sda62cc92w68dfea28pcf9825a4m392e00d0m.js (shopialo.com)
Other Google APIs/SDKs Utility	
COMPASS	/ccm/collect?frm=... (www.google.com)
__Host-3PLSID	/ccm/collect?frm=... (www.google.com)
__Secure-OSID	/ccm/collect?frm=... (www.google.com)
__Secure-3PSID	/ccm/collect?frm=... (www.google.com)
__Secure-3PAPISID	/ccm/collect?frm=... (www.google.com)
__Secure-3PSIDTS	/ccm/collect?frm=... (www.google.com)
NID	/ccm/collect?frm=... (www.google.com)
__Secure-3PSIDCC	/ccm/collect?frm=... (www.google.com)
Google/DoubleClick Ads Ad	
ar_debug	...conversion/165...?random=... (www.googleadservices.com)
ar_debug	...viewthrou.../165...?random=... (googleads.g.doubleclick.net)
IDE	...viewthrou.../165...?random=... (googleads.g.doubleclick.net)
shop.app	
_shop_app_essential	/pay/hop?analytics_trace_id=... (shop.app)
google.com.pk	
__Secure-3PSID	...1p-conversion/165...?random=... (www.google.com.pk)



Name	URL
__Secure-3PAPISID	...1p-conversion/165...?random=... (www.google.com.pk)
hcaptcha.com	
__cf_bm	/1/api.js?render=... (js.hcaptcha.com)

 Browser errors were logged to the console 

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

☒ Show 3rd-party resources (2)

Source	Description
Facebook Social	
<div>connect.facebook.net/en_US/fbevents.js:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_CLIENT
Unattributable	
<div>avira-pwm-extensions... egative-list.json:1</div>	Failed to load resource: net::ERR_CONNECTION_RESET
<div>avira-pwm-extensions... egative-list.json:1</div>	Failed to load resource: net::ERR_CONNECTION_RESET
	Framing 'https://shop.app/' violates the following Content Security Policy directive: "frame-ancestors 'none'". The request has been blocked.
personalizer.io	
<div>storefront.personali... m&state=undefined:1</div>	Failed to load resource: the server responded with a status of 401 ()

 Issues were logged in the [Issues](#) panel in Chrome Devtools 

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie
...assets/app.css (cdn.shopify.com)
...assets/sdk.css (cdn.shopify.com)
...assets/superlemon.css (cdn.shopify.com)
...assets/stylex-jZ94qfXx.css (cdn.shopify.com)
...assets/shopify-forms-loader.js (cdn.shopify.com)
...assets/app.js (cdn.shopify.com)
...assets/smile-loader.js (cdn.shopify.com)
...assets/sdk.js (cdn.shopify.com)
...assets/superlemon-loader.js (cdn.shopify.com)
/tag/un0gwc5xdn?ref=shopify (www.clarity.ms)
...wpm/sda62cc92w68dfea28pcf9825a4m392e00d0m.js (shopialo.com)
/0.8.45/clarity.js (scripts.clarity.ms)
/collect (z.clarity.ms)
/ccm/collect?frm=... (www.google.com)

Issue type

...conversion/165...?random=... (www.googleadservices.com)
...assets/superlemon.js (cdn.shopify.com)
/pay/hop?analytics_trace_id=... (shop.app)
...viewthrou.../165...?random=... (googleads.g.doubleclick.net)
...1p-conversion/165...?random=... (www.google.com)
...1p-conversion/165...?random=... (www.google.com.pk)
...files/splmn-sho...min.js?v=... (cdn.shopify.com)
...files/pushdaddy_a7_livechat1_new2.js?v=... (cdn.shopify.com)
...files/pushdaddy_a2.js?shop=tu-market-place.myshopify.com (cdn.shopify.com)
...files/POP_UP_SHOPIALO.jpg?v=174...?width=10&height=20 (cdn.shopify.com)
...files/POP_UP_SHOPIALO.jpg?v=... (cdn.shopify.com)
...flags/pk.svg (cdn.shopify.com)
...files/intlTelInput.min.css?v=168... (cdn.shopify.com)
...files/intlTelInput.min.js?v=168... (cdn.shopify.com)
/1/api.js?render=... (js.hcaptcha.com)
...static/hcaptcha.html (newassets.hcaptcha.com)
/checksiteconfig?v=... (api.hcaptcha.com)
...c72549b.../hsw.js (newassets.hcaptcha.com)

Content security policy

https://shop.app

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)
(Unscored)

Name	Version
jQuery	3.7.1
Preact	10
Shopify	
core-js	core-js-global@3.37.0; core-js-pure@2.6.12

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) (Unscored)

Description	Directive	Severity
`script-src` directive is missing. This can allow the execution of unsafe scripts.	script-src	High
Missing `object-src` allows the injection of plugins that execute unsafe scripts. Consider setting `object-src` to `none` if you can.	object-src	High

Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) (Unscored)

Description	Directive	Severity
`max-age` is too low	max-age	High
No `includeSubDomains` directive found	includeSubDomains	Medium
No `preload` directive found	preload	Medium

○ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) (Unscored)

Description	Directive	Severity
No COOP header found		High

○ Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) (Unscored)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (9) Hide

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers.[Learn more about user-friendly input fields.](#)

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset

A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

☒ Show 3rd-party resources (5)

URL	Map URL
Shopify Hosting	
...assets/index.js (cdn.shopify.com)	...assets/index.js.map (cdn.shopify.com)
Error: Failed fetching source map (404)	
...assets/chunk-4SLG6PIX.js (cdn.shopify.com)	...assets/chunk-4SLG6PIX.js.map (cdn.shopify.com)
Error: Failed fetching source map (404)	
...assets/App-5BD5MI6I.js (cdn.shopify.com)	...assets/App-5BD5MI6I.js.map (cdn.shopify.com)
Error: Failed fetching source map (404)	
...files/pushdaddy_a7_livechat1_new2.js? v=... (cdn.shopify.com)	...files/pushdaddy_a7_livechat1_new2.js.map? shop=... (cdn.shopify.com)
JSDelivr CDN Cdn	
...swiper@11/swiper-bundle.min.js (cdn.jsdelivr.net)	...swiper@11/swiper-bundle.min.js.map (cdn.jsdelivr.net)
Warning: missing 1 item in `sourcesContent`	
Unattributable	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills	chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/polyfills.js.map

about:blank

URL	Map URL
chrome-extension://fheoggkfdfchfphceefdbepaooicaho/scripts/iframe_form_check.js	chrome-extension://fheoggkfdfchfphceefdbepaooicaho/sourceMap/chrome/scripts/iframe_form_check.js.map
Error: Failed fetching source map (null)	
chrome-extension://fheoggkfdfchfphceefdbepaooicaho/scripts/content_navigate_complete.js	chrome-extension://fheoggkfdfchfphceefdbepaooicaho/sourceMap/chrome/scripts/content_navigate_complete.js.map
Error: Failed fetching source map (null)	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	
chrome-extension://gighmmpiobklfepjocnamgkbbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	
shopialo.com 1st Party	
...v2/client.init-shop....esm.js (shopialo.com)	...v2/client.init-shop....esm.js.map (shopialo.com)
...v2/chunk.common_DkoBx9.esm.js (shopialo.com)	...v2/chunk.common_DkoBx9.esm.js.map (shopialo.com)
...v0.1/consent-tracking-api.js (shopialo.com)	...v0.1/consent-tracking-api.js.map (shopialo.com)
...assets/instantPage.min.js?v=6339878... (shopialo.com)	...assets/instantPage.min.js.map?172... (shopialo.com)
...assets/empire.js?v=5932503... (shopialo.com)	...assets/empire.js.map?v=5932503... (shopialo.com)

NOT APPLICABLE (2) Hide

○ Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#) Unscored

○ Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Hide

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).
- Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).
- Document has a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).
- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).
- Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).
- Links are crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)
- robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).
- Image elements have [alt] attributes







Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).
- Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

Document has a valid `rel=canonical`



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

 Captured at Dec 31, 2025, 6:51 PM GMT+5	 Emulated Moto G Power with Lighthouse 13.0.1	 Single page session
 Initial page load	 Slow 4G throttling	 Using Chromium 143.0.0.0 with devtools

Generated by **Lighthouse** 13.0.1 | [File an issue](#)