

CANLIFAL_API.md — Endpoint Envanteri (PHASE 1 AUDIT)

Otomatik üretim: scripts_docs/generate_api_docs.py → backend-docs/endpoints_index.json.
Tarih: 2026-08-27

Toplam: 737 handler / 473 benzersiz path / 92 üst grup.

Auth dağılımı: dual (mobil JWT + web session) 390, session-only 226, public 121.

Admin korumalı: 288 handler. **Rate limit uygulanmış:** 9 handler.

Metodlar: GET 345, POST 257, DELETE 68, PATCH 52, PUT 15.

/api/v1/<path> çağrıları middleware.ts tarafından /api/<path>'e rewrite edilir; yanıt x-api-version: v1 header'ı taşır. Aşağıdaki tüm yollar her iki prefix ile de çalışır.

Legend — AUTH: public = kimlik doğrulama yok, session = sadece web oturumu, dual = mobil Bearer JWT veya web oturumu. ADMIN: rol kontrolü var. RL: rate limit var.

/api/activities (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/activities	dual	—	—	—	—

/api/admin (223 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/admin/activities-feed	session-only	□	—	—	—
POST	/api/admin/activities-feed	session-only	□	—	—	isEnabled, maxItems, specificUserIds, visibleToAdmin, visibleToBasic, visibleToDiamond, visibleToGold, visibleToGuests, visibleToModerator, visibleToPremium
DELETE	/api/admin/admin-session-networks	session	□	—	—	—
GET	/api/admin/admin-session-networks	session	□	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/admin/admission-networks		□	—	—	adCode, adUnitId, appld, id, isActive, name, provider, sortOrder agencyId
DELETE	/api/admin/agencies		□	—	—	—
GET	/api/admin/agencies		□	—	—	—
PATCH	/api/admin/agencies		□	—	—	action, agencyId
GET	/api/admin/agencies-sections		□	—	—	—
POST	/api/admin/agencies-sections		□	—	—	categoryConfig, category- ryKey, category- Settings, giftAn- nounce- mentSet- tings
DELETE	/api/admin/awards		□	—	—	—
GET	/api/admin/awards		□	—	—	—
POST	/api/admin/awards		□	—	—	awardType, endDate, startDate, tellerId, title
GET	/api/admin/banners		□	—	—	—
DELETE	/api/admin/banners		□	—	—	—
GET	/api/admin/banners		□	—	—	—
POST	/api/admin/banners		□	—	—	bgColor, color, description, icon, name, tier, userId
PUT	/api/admin/banners		□	—	—	bgColor, color, description, icon, id, isActive, name, sortOrder, tier, userId
GET	/api/admin/banners- ozel		□	—	—	—
PATCH	/api/admin/banners- ozel		□	—	—	id

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/admin/blog/ozel	session	□	—	—	category, icon, jetonCost, nameEn, nameTr, slug, sortOrder
GET	/api/admin/blog	session	□	—	—	—
POST	/api/admin/blog	session	□	—	—	authorName, category, contentEn, contentTr, coverImage, descEn, descTr, isAiGener- ated, isEditorPick, isFeatured, isPremium, isPub- lished...
GET	/api/admin/blog/analytics	session	□	—	—	—
PATCH	/api/admin/blog/bulk-category	session	□	—	—	category, postIds
POST	/api/admin/blog/bulk-delete	session	□	—	—	postIds
POST	/api/admin/blog/bulk-generate	session	□	—	—	autoPublish, category, topics, zodiacSign
POST	/api/admin/blog/bulk-import	session	□	—	—	—
PATCH	/api/admin/blog/bulk-publish	session	□	—	—	isPublished, postIds
DELETE	/api/admin/blog/categories	session	□	—	—	—
GET	/api/admin/blog/categories	session	□	—	—	—
POST	/api/admin/blog/categories	session	□	—	—	nameEn, nameTr, slug
GET	/api/admin/blog/comments	session	□	—	—	—
PATCH	/api/admin/blog/comments	session	□	—	—	action, commentId
POST	/api/admin/blog/generate	session	□	—	—	keywords, mode, title
POST	/api/admin/blog/import	session	□	—	—	—
POST	/api/admin/blog/schedule-publish	session	□	—	—	—
DELETE	/api/admin/blog/{postId}	session	□	—	postId	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
PATCH	/api/admin/blog/{postId}	session	□	—	postId	authorName, category, contentEn, contentTr, coverImage, descEn, descTr, isAiGener- ated, isEditorPick, isFeatured, isPremium, isPub- lished...
PUT	/api/admin/blog/{postId}	session	□	—	postId	—
GET	/api/admin/blog/session	session	□	—	—	—
PATCH	/api/admin/blog/session	session	□	—	—	action, ac- tivityLevel, botIds, isActive, personality
GET	/api/admin/blog/session/simulate	session	□	—	—	—
POST	/api/admin/blog/session/simulate	session	□	—	—	action, roomId
GET	/api/admin/blog/session/simulate/fortune	session	□	—	—	—
POST	/api/admin/blog/session/simulate/fortune	session	□	—	—	—
GET	/api/admin/blog/session/simulate/master	session	□	—	—	—
POST	/api/admin/blog/session/simulate/master	session	□	—	—	—
GET	/api/admin/blog/session/simulate/social	session	□	—	—	—
POST	/api/admin/blog/session/simulate/social	session	□	—	—	—
DELETE	/api/admin/blog/session/post-images	session	□	—	—	—
GET	/api/admin/blog/session/post-images	session	□	—	—	—
PATCH	/api/admin/blog/session/post-images	session	□	—	—	id, imageUrl, isActive, name, sortOrder
POST	/api/admin/blog/session/post-images	session	□	—	—	imageUrl, name, sortOrder
GET	/api/admin/blog/session/order	session	□	—	—	—
POST	/api/admin/blog/session/order	session	□	—	—	order
DELETE	/api/admin/blog/session	session	□	—	—	—
GET	/api/admin/blog/session	session	□	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/admin/cfession payment-requests	□	□	—	—	—
PATCH	/api/admin/cfession payment-requests	□	□	—	—	action, requestId, reviewNote
GET	/api/admin/cfession settings	□	□	—	—	—
POST	/api/admin/cfession settings	□	□	—	—	—
DELETE	/api/admin/cfession rooms	□	□	—	—	roomId
GET	/api/admin/cfession rooms	□	□	—	—	—
POST	/api/admin/cfession rooms	□	□	—	—	description, icon, name, roomType
PUT	/api/admin/cfession rooms	□	□	—	—	backgroundImage, descEn, descTr, giftCommis- sionPercent, icon, isActive, isMuted, nameEn, nameTr, ownerId, roomId, roomType
DELETE	/api/admin/contestants	□	□	—	—	—
GET	/api/admin/contestants	□	□	—	—	—
PATCH	/api/admin/contestants	□	□	—	—	description, dream- Prompt, endDate, id, isActive, startDate, title
POST	/api/admin/contestants	□	□	—	—	description, dream- Prompt, endDate, startDate, title
GET	/api/admin/credit packages	□	□	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/admin/creations/packages	session	□	—	—	bonusCredits, credits, currency, isFeatured, name, nameEn, price, sortOrder
DELETE	/api/admin/creations/packages/{packageId}	session	□	—	packageId	—
PATCH	/api/admin/creations/packages/{packageId}	session	□	—	packageId	bonusCredits, credits, currency, isActive, isFeatured, name, nameEn, price, sortOrder
POST	/api/admin/creations/packages/{packageId}/amount	session	□	—	—	amount, currency, userId
GET	/api/admin/creations/config	session	□	—	—	—
POST	/api/admin/creations/config	session	□	—	—	area, areaName, cost, currencyType, id, isActive
PUT	/api/admin/creations/config	session	□	—	—	configs
DELETE	/api/admin/creations/{creationId}	session	□	—	—	—
GET	/api/admin/creations/{creationId}	session	□	—	—	—
POST	/api/admin/creations/{creationId}	session	□	—	—	category, content, isPublished, keywords, metaDescription, summary, title
PUT	/api/admin/creations/{creationId}	session	□	—	—	category, content, id, isPublished, keywords, metaDescription, summary, title
PATCH	/api/admin/creations/bulk-category	session	□	—	—	category, dreamIds
POST	/api/admin/creations/bulk-delete	session	□	—	—	dreamIds

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/admin/dreams/bulk-import	session	□	—	—	—
PATCH	/api/admin/dreams/bulk-publish	session	□	—	—	dreamIds, isPublished
POST	/api/admin/dreams/generate	session	□	—	—	title
GET	/api/admin/factions	session	□	—	—	—
POST	/api/admin/factions	session	□	—	—	action, amount, currency, key, reason, userId, value
DELETE	/api/admin/faction-request-types	session	□	—	—	—
GET	/api/admin/faction-request-types	session	□	—	—	—
PATCH	/api/admin/faction-request-types	session	□	—	—	description, icon, id, isActive, jetonCost, name, nameEn, sortOrder
POST	/api/admin/faction-request-types	session	□	—	—	description, icon, jetonCost, name, nameEn, sortOrder
GET	/api/admin/factions	session	□	—	—	—
DELETE	/api/admin/games	session	□	—	—	—
GET	/api/admin/games	session	□	—	—	—
POST	/api/admin/games	session	□	—	—	config, description, entryFee, icon, isActive, maxReward, minReward, slug, sortOrder, title
PUT	/api/admin/games	session	□	—	—	config, description, entryFee, icon, id, isActive, maxReward, minReward, sortOrder, title
DELETE	/api/admin/games/rooms	session	□	—	—	roomId

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/admin/gifts/rooms	session	□	—	—	—
GET	/api/admin/gifts/settings	session	□	—	—	—
PUT	/api/admin/gifts/settings	session	□	—	—	—
GET	/api/admin/gifts/collections	session	□	—	—	—
PATCH	/api/admin/gifts/collections	session	□	—	—	description, iconCloud- Path, iconEmoji, iconUrl, id, isActive, name, nameEn, slug, sortOrder
POST	/api/admin/gifts/collections	session	□	—	—	description, iconCloud- Path, iconEmoji, iconUrl, isActive, name, nameEn, slug, sortOrder
POST	/api/admin/gifts/upload	session	□	—	—	contentType, fileName, purpose
GET	/api/admin/gifts	session	□	—	—	—
POST	/api/admin/gifts	session	□	—	—	animEndPoint, animStart- Point, animation, animation- DurationMs, animation- Type, assetDura- tionMs, as- setHeight, assetMime- Type, assetType, assetUrl, assetWidth, campaignEnd...
GET	/api/admin/gifts/stats	session	□	—	—	—
DELETE	/api/admin/gifts/{giftId}	session	□	—	giftId	—
GET	/api/admin/gifts/{giftId}	session	□	—	giftId	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
PATCH	/api/admin/gifts/{giftId}	session	□	—	giftId	animationType, assetMimeType, assetType, assetUrl, cloudStoragePath, collectionId, iconImageCloudPath, iconImageUrl, musicCloudPath, musicUrl, soundCloudPath, soundUrl...
DELETE	/api/admin/homepage-buttons	session	□	—	—	—
GET	/api/admin/homepage-buttons	session	□	—	—	—
PATCH	/api/admin/homepage-buttons	session	□	—	—	href, icon, id, isVisible, label, reorder, sortOrder, specialBehavior
POST	/api/admin/homepage-buttons	session	□	—	—	href, icon, label, specialBehavior
DELETE	/api/admin/homepage-fortune-cards	session	□	—	—	id
GET	/api/admin/homepage-fortune-cards	session	□	—	—	—
PATCH	/api/admin/homepage-fortune-cards	session	□	—	—	key, settings, value
POST	/api/admin/homepage-fortune-cards	session	□	—	—	href, icon, id, image, isActive, name, sortOrder
PUT	/api/admin/homepage-fortune-cards	session	□	—	—	id
GET	/api/admin/live-tellers	session	□	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/admin/lession tellers	session	□	—	—	bio, display- Name, isVerified, pricePerSes- sion, specialties, userId
DELETE	/api/admin/lession tellers/{tellerId}	session	□	—	tellerId	—
GET	/api/admin/lession tellers/{tellerId}	session	□	—	tellerId	—
PUT	/api/admin/lession tellers/{tellerId}	session	□	—	tellerId	bio, display- Name, isActive, isVerified, pricePerSes- sion, specialties action, note
POST	/api/admin/lession tellers/{tellerId}/approve	session	□	—	tellerId	action, reason
POST	/api/admin/lession tellers/{tellerId}/ban	session	□	—	tellerId	amount, reason
POST	/api/admin/lession tellers/{tellerId}/bonus	session	□	—	tellerId	action, reason
POST	/api/admin/lession tellers/{tellerId}/freeze	session	□	—	tellerId	adminNotes, canChat, canEditPro- file, canGoOn- line, canSetPrice, canStart- Session, can- ViewEarn- ings, canWith- draw, commis- sionRate, maxSes- sionsPer- Day
PUT	/api/admin/lession tellers/{tellerId}/permissions	session	□	—	tellerId	—
DELETE	/api/admin/lession tellers/{tellerId}/warning	session	□	—	tellerId	reason
POST	/api/admin/lession tellers/{tellerId}/warning	session	□	—	tellerId	—
DELETE	/api/admin/lession gifts/tiers	session	□	—	—	—
GET	/api/admin/lession gifts/tiers	session	□	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
PATCH	/api/admin/seasons/gifts/tiers	season	□	—	—	id
POST	/api/admin/seasons/gifts/tiers	season	□	—	—	color, icon, isActive, isJackpot, multiplier, name, nameEn, sortOrder, weight
DELETE	/api/admin/seasonship-badges	seasonship	□	—	—	—
GET	/api/admin/seasonship-badges	seasonship	□	—	—	—
PATCH	/api/admin/seasonship-badges	seasonship	□	—	—	id, imageUrl, isActive, name, sortOrder, tier
POST	/api/admin/seasonship-badges	seasonship	□	—	—	imageUrl, isActive, name, sortOrder, tier
DELETE	/api/admin/seasonships	seasonship	□	—	—	—
GET	/api/admin/seasonships	seasonship	□	—	—	—
POST	/api/admin/seasonships	seasonship	□	—	—	bonusJetons, currency, description, descriptionEn, discountPercent, durationDays, exclusiveBadge, features, isActive, isFeatured, name, nameEn...
PUT	/api/admin/seasonships	seasonship	□	—	—	id
GET	/api/admin/seasonships/purchases	seasonship	□	—	—	—
PATCH	/api/admin/seasonships/purchases	seasonship	□	—	—	action, extendDays, purchased customTier, durationDays, freeGrant, planId, userId
POST	/api/admin/seasonships/purchases	seasonship	□	—	—	

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/admin/moderation	session	□	—	—	—
POST	/api/admin/moderation	session	□	—	—	action, reason, targetId
DELETE	/api/admin/noteifications	session	□	—	—	—
GET	/api/admin/noteifications	session	□	—	—	—
POST	/api/admin/noteifications	session	□	—	—	imageUrl, message, scheduledAt, targetType, targetValue, title, url
DELETE	/api/admin/optional/buttons	session	□	—	—	—
GET	/api/admin/optional/buttons	session	□	—	—	—
PATCH	/api/admin/optional/buttons	session	□	—	—	bgColor, borderColor, href, icon, id, isVisible, label, sortOrder, textColor
POST	/api/admin/optional/buttons	session	□	—	—	bgColor, borderColor, href, icon, label, textColor
GET	/api/admin/optional/sections	session	□	—	—	—
PATCH	/api/admin/optional/sections	session	□	—	—	icon, id, isVisible, sortOrder, title
POST	/api/admin/optional/sections	session	□	—	—	order
GET	/api/admin/paysiont-methods	session	□	—	—	—
POST	/api/admin/paysiont-methods	session	□	—	—	config, description, descriptionEn, isActive, name, nameEn, sortOrder, type
GET	/api/admin/paysionts	session	□	—	—	—
PATCH	/api/admin/paysionts	session	□	—	—	action, jet- onAmount, notifica- tionId

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/admin/paysessions	session	□	—	—	jetonAmount, reason, userId
GET	/api/admin/pending-counts	session	□	—	—	—
DELETE	/api/admin/popsession	session	□	—	—	—
GET	/api/admin/popsession	session	□	—	—	—
POST	/api/admin/popsession	session	□	—	—	buttons, isActive, maxShow- Count, message, popupType, priority, showDelay- Seconds, showOnRe- fresh, showTo, title
PUT	/api/admin/popsession	session	□	—	—	action, buttons, id, isActive, maxShow- Count, message, popupType, priority, showDelay- Seconds, showOnRe- fresh, showTo, title
DELETE	/api/admin/profile-frames	session	□	—	—	—
GET	/api/admin/profile-frames	session	□	—	—	—
POST	/api/admin/profile-frames	session	□	—	—	id, imageUrl, isActive, name, sortOrder, tier
POST	/api/admin/profile-frames/assign	session	□	—	—	frameId, userId
GET	/api/admin/session-themes/backgrounds	session	□	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
PATCH	/api/admin/room/themes/backgrounds	session	□	—	—	backgroundUrl, cloudStoragePath, id, soundCloudPath, soundUrl, thumbnailCloudPath, thumbnailUrl
POST	/api/admin/room/themes/backgrounds	session	□	—	—	activeFrom, activeTo, animationSpeed, assetType, backgroundUrl, blurAmount, category, cloudStoragePath, description, hasParallax, hasZoom, isActive...
GET	/api/admin/room	session	□	—	—	—
PATCH	/api/admin/room	session	□	—	—	giftBeneficiaryId, giftCommissionPercent, roomId
GET	/api/admin/session/settings	session	□	—	—	—
POST	/api/admin/session/settings	session	□	—	—	—
GET	/api/admin/session/settings	session	□	—	—	—
POST	/api/admin/session/settings	session	□	—	—	description, key, value
DELETE	/api/admin/session/pages	session	□	—	—	—
GET	/api/admin/session/pages	session	□	—	—	—
POST	/api/admin/session/pages	session	□	—	—	content, contentEn, isPublished, showInFooter, showInHeader, slug, sortOrder, title, titleEn

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
PUT	/api/admin/session pages	session	□	—	—	content, contentEn, id, isPublished, items, reorder, showIn- Footer, showIn- Header, slug, sortOrder, title, titleEn
GET	/api/admin/session statistics	session	□	—	—	—
POST	/api/admin/session levels	session	□	—	—	—
GET	/api/admin/session performance	session	□	—	—	—
GET	/api/admin/session verification	session	□	—	—	—
POST	/api/admin/session verification	session	□	—	—	action, note, tellerId
GET	/api/admin/session messages	session	□	—	—	—
POST	/api/admin/session messages	session	□	—	—	icon, text
DELETE	/api/admin/session messages/{messageId}	session	□	—	messageId	—
PATCH	/api/admin/session messages/{messageId}	session	□	—	messageId	icon, isActive, sortOrder, text
DELETE	/api/admin/session categories	session	□	—	—	—
GET	/api/admin/session categories	session	□	—	—	—
PATCH	/api/admin/session categories	session	□	—	—	description, id, isActive, sortOrder, title
POST	/api/admin/session categories	session	□	—	—	description, title
DELETE	/api/admin/session videos	session	□	—	—	—
GET	/api/admin/session videos	session	□	—	—	—
PATCH	/api/admin/session videos	session	□	—	—	categoryId, id, isActive, sortOrder, title
POST	/api/admin/session videos	session	□	—	—	categoryId, tiktokUrl, tiktokUrls

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
PUT	/api/admin/t session videos	session	□	—	—	—
GET	/api/admin/t session videos	session	□	—	—	—
POST	/api/admin/t session videos	session	□	—	—	action, categoryId, channel- Name, description, duration, id, isActive, sortOrder, thumbnail- Url, title, videos, youtubeld
POST	/api/admin/t session videos/youtube	session	□	—	—	action, maxResults, query, urls
DELETE	/api/admin/t session	session	□	—	—	—
GET	/api/admin/t session	session	□	—	—	—
POST	/api/admin/t session	session	□	—	—	id
GET	/api/admin/ users session	session	□	—	—	—
GET	/api/admin/ users sessionsearch	session	□	—	—	—
POST	/api/admin/ users sessionwithdrawal- limit	session	□	—	—	limit, userId
DELETE	/api/admin/ users session(userId)	session	□	—	userId	—
GET	/api/admin/ users session(userId)	session	□	—	userId	—
PATCH	/api/admin/ users session(userId)	session	□	—	userId	action, amount, banReason, credits, email, image, member- ship, member- shipExpire- sAt, name, newPass- word, phone, pro- fileEffect...
DELETE	/api/admin/v session streams	session	□	—	—	streamId
GET	/api/admin/v session streams	session	□	—	—	—
PATCH	/api/admin/v session streams	session	□	—	—	action, streamId
GET	/api/admin/v session - stats	session	□	—	—	—
GET	/api/admin/w session streams	session	□	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/admin/webinars	session	□	—	—	action, adminNote, requestId

/api/ads (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/ads/active	public	—	—	—	—
POST	/api/ads/reward	dual	—	—	—	—

/api/agency (16 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/agency/apply	apply	—	—	—	contactEmail, contact- Phone, description, name
GET	/api/agency/earnings	earn	—	—	—	—
GET	/api/agency/invoke	invoke	—	—	—	—
POST	/api/agency/invoke	invoke	—	—	—	expiresInDays, maxUses
POST	/api/agency/join	join	—	—	—	inviteCode
GET	/api/agency/publicboard	public	—	—	—	—
DELETE	/api/agency/leave	leave	—	—	—	—
POST	/api/agency/leave	leave	—	—	—	action, reason, requestId, reviewNote
DELETE	/api/agency/members	members	—	—	—	—
GET	/api/agency/members	members	—	—	—	—
POST	/api/agency/members	members	—	—	—	username
GET	/api/agency/myal	myal	—	—	—	—
PATCH	/api/agency/myal	myal	—	—	—	description, name
GET	/api/agency/tasks	tasks	—	—	—	—
GET	/api/agency/withdrawals	withdrawals	—	—	—	—
POST	/api/agency/withdrawals	withdrawals	—	—	—	action, note, requestId

/api/announcements (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/announcements	ann	—	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/announcements	dual	—	—	—	path,
POST	/api/announcements/event	dual	—	—	—	section details, eventType

/api/anonymous (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/anonymous	public	—	—	—	—
POST	/api/anonymous	public	—	—	—	deviceId, username
POST	/api/anonymous/watch-ad	public	—	—	—	deviceId

/api/astrology-panel (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/astrology-panel	dual	—	—	—	—

/api/auth (14 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/auth/change-password	dual	—	—	—	currentPassword, newPass- word
POST	/api/auth/forgot-password	public	—	□	—	email
POST	/api/auth/logout	public	—	—	—	—
POST	/api/auth/mobile-apple	public	—	□	—	fullName, identityTo- ken, referral- Code
POST	/api/auth/mobile-google	public	—	□	—	idToken, re- ferralCode
POST	/api/auth/mobile-login	public	—	□	—	email, password, username
POST	/api/auth/mobile-refresh	public	—	—	—	refreshToken

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/auth/mobile/register	public	—	□	—	birthDate, birthTime, email, name, password, preferred-Language, referral-Code, username
POST	/api/auth/mobile/tiktok	public	—	□	—	code, redirectUri, referral-Code
POST	/api/auth/reset/device	session	—	—	—	—
POST	/api/auth/reset/password	public	—	□	—	password, token
GET	/api/auth/version/device	session	—	—	—	—
GET	/api/auth/{nextauth}	public	—	—	nextauth	—
POST	/api/auth/{nextauth}	public	—	—	nextauth	—

/api/bana-ozel (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/bana-ozel	dual	—	—	—	—
POST	/api/bana-ozel/open	dual	—	—	—	slug

/api/blog (10 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/blog	public	—	—	—	—
GET	/api/blog/categories	public	—	—	—	—
DELETE	/api/blog/comments	□	—	—	—	—
GET	/api/blog/comments	□	—	—	—	—
POST	/api/blog/comments	□	—	—	—	content, parentId, postId
POST	/api/blog/favorites	dual	—	—	—	postId
GET	/api/blog/interactions	dual	—	—	—	—
POST	/api/blog/likes	dual	—	—	—	postId
GET	/api/blog/reports	public	—	—	—	—
GET	/api/blog/zones	public	—	—	—	—

/api/broadcast-images (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/broadcast-images	dual	—	—	—	—

/api/cache (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/cache	dual	□	—	—	—
POST	/api/cache	dual	□	—	—	channel, data, field, key, member, members, message, op, prefix, score, ttl, value...

/api/chat (54 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/chat/broadcast-images	public	—	—	—	—
DELETE	/api/chat/clear	public	—	—	—	—
GET	/api/chat/clear	public	—	—	—	—
POST	/api/chat/clear	public	—	—	—	—
GET	/api/chat/rooms	public	—	—	—	—
GET	/api/chat/rooms/backgrounds	public	—	—	—	—
POST	/api/chat/rooms/create	dual	—	—	—	description, icon, name, payment-Type, roomType
GET	/api/chat/rooms/link-list	public	—	—	—	—
GET	/api/chat/rooms/{roomId}/dj	dual	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/dj	dual	—	—	roomId	action, userId
GET	/api/chat/rooms/{roomId}/gifts	dual	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/gifts	dual	—	—	roomId	battleId, giftTypeId, platform, quantity, receiver-Name, sender-Name, side, streamId
DELETE	/api/chat/rooms/{roomId}/messages	dual	—	—	roomId	—
GET	/api/chat/rooms/{roomId}/messages	dual	—	—	roomId	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/chat/rooms/{roomId}/messages	—	—	—	roomId	content, nickname
GET	/api/chat/rooms/{roomId}/moderation	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/moderation	—	—	—	roomId	action, duration, message, reason, role, target- tUserId, ttl
DELETE	/api/chat/rooms/{roomId}/music	—	—	—	roomId	—
GET	/api/chat/rooms/{roomId}/music	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/music	—	—	—	roomId	duration, title, videoid
GET	/api/chat/rooms/{roomId}/music-queue	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/music/stop	—	—	—	roomId	—
GET	/api/chat/rooms/{roomId}/pk	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/pk	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/pk/score	—	—	—	roomId	amount, battleId, side
DELETE	/api/chat/rooms/{roomId}/presence	—	—	—	roomId	—
GET	/api/chat/rooms/{roomId}/presence	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/presence	—	—	—	roomId	nickname, password, seatIndex
GET	/api/chat/rooms/{roomId}/seats	—	—	—	roomId	—
PATCH	/api/chat/rooms/{roomId}/seats	—	—	—	roomId	forceAssign, forceThrone, seatIndex, target- tUserId
GET	/api/chat/rooms/{roomId}/settings	—	—	—	roomId	—
PATCH	/api/chat/rooms/{roomId}/settings	—	—	—	roomId	backgroundImage, banned- Words, bannerIm- age, descEn, descTr, giftCommis- sionPercent, icon, isActive, isMuted, nameEn, nameTr, password...
GET	/api/chat/rooms/{roomId}/song-request	—	—	—	roomId	—
PATCH	/api/chat/rooms/{roomId}/song-request	—	—	—	roomId	requestId

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/chat/rooms/{roomId}/song-request	—	—	—	roomId	dedication, duration, note, priority, requestType, title, videoid
DELETE	/api/chat/rooms/{roomId}/speak-request	—	—	—	roomId	—
GET	/api/chat/rooms/{roomId}/speak-request	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/speak-request	—	—	—	roomId	message
DELETE	/api/chat/rooms/{roomId}/speak-request/{userId}/block	—	—	—	roomId, userId	—
POST	/api/chat/rooms/{roomId}/speak-request/{userId}/block	—	—	—	roomId, userId	reason
DELETE	/api/chat/rooms/{roomId}/speak-request/{userId}/reject	—	—	—	roomId, userId	—
POST	/api/chat/rooms/{roomId}/speak-request/{userId}/reject	—	—	—	roomId, userId	—
GET	/api/chat/rooms/{roomId}/speak-requests	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/speak-requests/{targetUserId}/approve	—	—	—	roomId, targetUserId	—
GET	/api/chat/rooms/{roomId}/state	—	—	—	roomId	—
GET	/api/chat/rooms/{roomId}/stream	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/transfer-ownership	—	—	—	roomId	newOwnerId
GET	/api/chat/rooms/{roomId}/typing	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/typing	—	—	—	roomId	isTyping
GET	/api/chat/rooms/{roomId}/voice	—	—	—	roomId	—
POST	/api/chat/rooms/{roomId}/voice	—	—	—	roomId	type
GET	/api/chat/yopublic-audio	—	—	—	—	—
POST	/api/chat/yopublic-audio	—	—	—	—	—
GET	/api/chat/yopublic-stream	—	—	—	—	—

/api/compatibility (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/compatibility	public	—	—	—	moonSign1, moonSign2, risingSign1, risingSign2, sign1, sign2

/api/contact (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/contact	public	—	—	—	email, message, name

/api/credit-packages (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/credit-packages	public	—	—	—	—

/api/daily-login (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/daily-login	dual	—	—	—	—
POST	/api/daily-login	dual	—	—	—	—

/api/daily-missions (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/daily-missions	dual	—	—	—	—
POST	/api/daily-missions	dual	—	—	—	taskType

/api/devices (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
DELETE	/api/devices/{deviceId}	dual	—	—	—	token
POST	/api/devices/{deviceId}	dual	—	—	—	appVersion, platform, token

/api/dream-contest (4 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/dream-contest	dual	—	—	—	—
GET	/api/dream-contest/{contestId}/entries	dual	—	—	contestId	—
POST	/api/dream-contest/{contestId}/entries	dual	—	—	contestId	interpretation
POST	/api/dream-contest/{contestId}/vote	dual	—	—	contestId	entryId

/api/dream-diary (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
DELETE	/api/dream-diary	dual	—	—	—	id
GET	/api/dream-diary	dual	—	—	—	—
POST	/api/dream-diary	dual	—	—	—	analyzeWithAI, content, dreamDate, lucidity, mood, symbols, title

/api/dream-stats (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/dream-stats	dual	—	—	—	—

/api/dream-symbols (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/dream-symbols	public	—	—	—	—
GET	/api/dream-symbols/{slug}	public	—	—	slug	—

/api/dreams (14 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/dreams	public	—	—	—	—
GET	/api/dreams/favorites	public	—	—	—	—
POST	/api/dreams/predict	public	—	—	—	query
POST	/api/dreams/interpret	public	—	—	—	dreamText
POST	/api/dreams/publicing-reminder	public	—	—	—	—
GET	/api/dreams/recommendations	public	—	—	—	—
GET	/api/dreams/publics	public	—	—	—	—
GET	/api/dreams/{slug}	public	—	—	slug	—
DELETE	/api/dreams/{slug}/comments	public	—	—	slug	commentId
GET	/api/dreams/{slug}/comments	public	—	—	slug	—
POST	/api/dreams/{slug}/comments	public	—	—	slug	content, did-ComeTrue, experience-Type
GET	/api/dreams/{slug}/favorite	public	—	—	slug	—
POST	/api/dreams/{slug}/favorite	public	—	—	slug	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/dreams/{slug}/view	—	—	—	slug	—

/api/favorite-tellers (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/favorite-tellers	dual	—	—	—	—
POST	/api/favorite-tellers	dual	—	—	—	tellerId

/api/football (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/football	public	—	—	—	—

/api/fortune-access (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/fortunedual access/check	—	—	—	—	adWatched, fortuneType
GET	/api/fortunepublic access/ip- status	—	—	—	—	—

/api/fortune-request-types (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/fortune-request-types	public	—	—	—	—

/api/fortune-tellers (18 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/fortunedual tellers	—	—	—	—	—
POST	/api/fortunedual tellers	—	—	—	—	bio, display- Name, pricePerSes- sion, specialties
POST	/api/fortunedual tellers/apply	—	—	—	—	applicationNote, bio, display- Name, specialties

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/fortunepublic tellers/awards	—	—	—	—	—
GET	/api/fortunepublic tellers/gifts	—	—	—	—	—
GET	/api/fortunedual tellers/my- profile	—	—	—	—	—
GET	/api/fortunedual tellers/session	□	—	—	—	—
POST	/api/fortunedual tellers/session	□	—	—	—	duration, fortuneType, tellerId
GET	/api/fortunedual tellers/sessions	—	—	—	—	—
GET	/api/fortunedual tellers/sessions/stream	—	—	—	—	—
PATCH	/api/fortunedual tellers/sessions/{sessionId}	—	—	—	sessionId	action
GET	/api/fortunedual tellers/toggle- online	—	—	—	—	—
POST	/api/fortunedual tellers/toggle- online	—	—	—	—	isOnline
GET	/api/fortunedual tellers/{tellerId}	□	—	—	tellerId	—
PATCH	/api/fortunedual tellers/{tellerId}	□	—	—	tellerId	avatar, bio, display- Name, isActive, isOnline, isVerified, pricePerSes- sion, specialties
GET	/api/fortunepublic tellers/{tellerId}/reviews	—	—	—	tellerId	—
GET	/api/fortunedual tellers/{tellerId}/session	□	—	—	tellerId	—
POST	/api/fortunedual tellers/{tellerId}/session	□	—	—	tellerId	duration, fortuneType

/api/fortunes (15 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/fortunes/sulak-uyumu	—	—	—	—	language, partner- Name, partnerSign, yourName, yourSign
POST	/api/fortunes/sulra-analizi	—	—	—	—	birthDate, current- Mood, language, name, recentExpe- riences
POST	/api/fortunes/sulrc-yorumu	—	—	—	—	language, zodiacSign
POST	/api/fortunes/sulogum-haritasi	—	—	—	—	birthDate, birthPlace, birthTime, language
POST	/api/fortunes/sul-fali	—	—	—	—	hand, language, palmIm- agePath
POST	/api/fortunes/sulavet-hayir	—	—	—	—	language, question
POST	/api/fortunes/sulstihare	—	—	—	—	language, question, situation
POST	/api/fortunes/sulhve-fali	—	—	—	—	description, language
POST	/api/fortunes/sulhve-fali-image	—	—	—	—	cupImagePath, language, saucerIm- agePath
POST	/api/fortunes/sulstina	—	—	—	—	language, question
POST	/api/fortunes/sulrsundokme	—	—	—	—	—
POST	/api/fortunes/sulelek-kartlari	—	—	—	—	cardCount, language, question
POST	/api/fortunes/sulnumeroloji	—	—	—	—	birthDate, language, name
POST	/api/fortunes/sulaya-yorumu	—	—	—	—	dreamDescription, language
POST	/api/fortunes/sulrot-fali	—	—	—	—	cardCount, language, question

/api/games (40 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/games	public	—	—	—	—
POST	/api/games/actual-match	auth	—	—	—	—
GET	/api/games/daily-reward	daily	—	—	—	—
POST	/api/games/daily-reward	daily	—	—	—	—
POST	/api/games/daily-spin	daily	—	—	—	—
GET	/api/games/gp-public-settings	public	—	—	—	—
GET	/api/games/leaderboard-cini	leaderboard	—	—	—	—
POST	/api/games/leaderboard-cini	leaderboard	—	—	—	chestIndex
GET	/api/games/leaderboard	leaderboard	—	—	—	—
GET	/api/games/lobby	lobby	—	—	—	—
POST	/api/games/play	play	—	—	—	gameSlug, result, score
GET	/api/games/profile	profile	—	—	—	—
GET	/api/games/quests	quests	—	—	—	—
POST	/api/games/quests	quests	—	—	—	questType
GET	/api/games/room	room	—	—	—	—
POST	/api/games/room	room	—	—	—	betAmount, betCur- rency, gameType, gridSize, isAI, turnTimer
DELETE	/api/games/room/{roomId}	room	—	—	roomId	—
GET	/api/games/room/{roomId}	room	—	—	roomId	—
PATCH	/api/games/room/{roomId}	room	—	—	roomId	action, currentTurn, fullState, player1Score, player2Score, state, status, winnerId
POST	/api/games/room/{roomId}	room	—	—	roomId	—
GET	/api/games/room/{roomId}/chat	room	—	—	roomId	—
PATCH	/api/games/room/{roomId}/chat	room	—	—	roomId	chatEnabled
POST	/api/games/room/{roomId}/chat	room	—	—	roomId	message
POST	/api/games/room/{roomId}/replace-ai	room	—	—	roomId	—
DELETE	/api/games/room/{roomId}/viewers	room	—	—	roomId	—
GET	/api/games/room/{roomId}/viewers	room	—	—	roomId	—
POST	/api/games/room/{roomId}/viewers	room	—	—	roomId	—
GET	/api/games/public	public	—	—	—	—
GET	/api/games/social	social	—	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/games/social	dual	—	—	—	betAmount, betCur- rency, gridSize, isAI, turnTimer
DELETE	/api/games/social/{gameId}	dual	□	—	gameId	—
GET	/api/games/social/{gameId}	dual	□	—	gameId	—
PATCH	/api/games/social/{gameId}	dual	□	—	gameId	action, aiMoves, col, letter, row
POST	/api/games/social/{gameId}	dual	□	—	gameId	—
GET	/api/games/social/{gameId}/chat	dual	—	—	gameId	—
PATCH	/api/games/social/{gameId}/chat	dual	—	—	gameId	chatEnabled
POST	/api/games/social/{gameId}/chat	dual	—	—	gameId	message
DELETE	/api/games/social/{gameId}/viewers	dual	—	—	gameId	—
GET	/api/games/social/{gameId}/viewers	dual	—	—	gameId	—
POST	/api/games/social/{gameId}/viewers	dual	—	—	gameId	—

/api/gift-engine (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/gift-engine/finish	dual	—	—	—	—
GET	/api/gift-engine/gifts	public	—	—	—	—
GET	/api/gift-engine/queue	public	—	—	—	—

/api/gifts (27 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/gifts/battles	public	—	—	—	—
POST	/api/gifts/battles	public	—	—	—	participants
GET	/api/gifts/battles/{battleId}	public	—	—	battleId	—
GET	/api/gifts/catalog	public	—	—	—	—
POST	/api/gifts/check-reciprocal	public	—	—	—	recipientId
GET	/api/gifts/gifts	public	—	—	—	—
POST	/api/gifts/gifts	public	—	—	—	—
GET	/api/gifts/insights/album/{userId}	public	—	—	userId	—
GET	/api/gifts/insights/badge/{userId}	public	—	—	userId	—
GET	/api/gifts/insights/collection/{userId}	public	—	—	userId	—
GET	/api/gifts/insights/feed	public	—	—	—	—
GET	/api/gifts/insights/first-gifter/{context}/{contextId}	public	—	—	context, contextId	—
GET	/api/gifts/insights/leaderboard	public	—	—	—	—
GET	/api/gifts/insights/map	public	—	—	—	—
GET	/api/gifts/insights/me/badge	public	—	—	—	—
GET	/api/gifts/insights/me/history	public	—	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/gifts/insights/me/recommendations	public	—	—	—	—
GET	/api/gifts/lookup/config	dual	—	—	—	—
GET	/api/gifts/lookup/history	dual	—	—	—	—
POST	/api/gifts/lookup/send	dual	—	—	—	context, contextId, giftTypeId, quantity
GET	/api/gifts/missions	public	—	—	—	—
GET	/api/gifts/missions/me	public	—	—	—	—
POST	/api/gifts/missions/{missionId}/claim	public	—	—	missionId	—
GET	/api/gifts/public-big	public	—	—	—	—
POST	/api/gifts/send	dual	□	□	—	giftTypeId, jeton- Amount, recipientUsername, type
GET	/api/gifts/types	public	—	—	—	—
GET	/api/gifts/version	public	—	—	—	—

/api/hashtags (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/hashtags/search	public	—	—	—	—
GET	/api/hashtags/trending	public	—	—	—	—
GET	/api/hashtags/{name}	dual	—	—	name	—

/api/homepage-buttons (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/homepage-buttons	public	—	—	—	—

/api/homepage-fortune-cards (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/homepage-fortune-cards	public	—	—	—	—

/api/homepage-ticker (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/homepage-ticker	public	—	—	—	—

/api/horoscope (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/horoscope/daily	dual	—	—	—	—

/api/jeton (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/jeton	dual	—	—	—	—
POST	/api/jeton	dual	—	—	—	action

/api/leaderboards (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/leaderboards	dual	—	—	—	—

/api/legal (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/legal/child-safety	public	—	—	—	—

/api/live (19 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/live/create-room	dual	—	—	—	category, coverUrl, description, thumbnail-Url, title
GET	/api/live/gift-types	dual	—	—	—	—
POST	/api/live/gifts	dual	—	—	—	giftTypeId, quantity, recipientId, roomId, roomType
GET	/api/live/guests	dual	—	—	—	—
POST	/api/live/guests	dual	—	—	—	muted, videoOff
GET	/api/live/guests/artist	dual	—	—	—	—
POST	/api/live/hearts	dual	—	—	—	roomId, roomType
POST	/api/live/join-room	dual	—	—	—	—
POST	/api/live/leave-room	dual	—	—	—	roomId, roomType

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/live/message	public	□	—	—	—
POST	/api/live/message	public	□	—	—	content, roomId, roomType
GET	/api/live/online-users	public	—	—	—	—
GET	/api/live/pkdual	public	—	—	—	—
POST	/api/live/pkdual	public	—	—	—	action, battleId, duration, roomId, tar- getRoomId
GET	/api/live/pkpublic	public	—	—	—	—
POST	/api/live/pkpublic	public	—	—	—	amount, battleId, roomId, side
GET	/api/live/rooms	public	—	—	—	—
GET	/api/live/seats	public	—	—	—	—
POST	/api/live/seats	public	—	—	—	action, roomId, seatIndex, target- tUserId

/api/me (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/me	dual	—	—	—	—
PATCH	/api/me	dual	—	—	—	—

/api/membership (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/membership/plans	public	—	—	—	—

/api/membership-badges (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/membership-badges	public	—	—	—	—

/api/memberships (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/memberships	public	—	—	—	—
GET	/api/memberships/packages	public	—	—	—	—
POST	/api/memberships/purchase	public	—	—	—	paymentMethod, planId

/api/messages (5 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/messages	dual	—	—	—	—
PATCH	/api/messages/{id}	request	—	—	—	action, requestId
POST	/api/messages/{id}	request	—	—	—	message, receiverId
GET	/api/messages/{userId}	public	—	—	userId	—
POST	/api/messages/{userId}	public	—	—	userId	content, imageUrl

/api/mobile (4 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/mobile/public	public	—	—	—	—
GET	/api/mobile/fortune-menu	public	—	—	—	—
GET	/api/mobile/home	public	—	—	—	—
GET	/api/mobile/user-profile/{userId}	user	—	—	userId	—

/api/monitoring (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/monitoring	session	—	—	—	—

/api/music (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/music/history	public	—	—	—	—
GET	/api/music/search	dual	—	—	—	—

/api/notifications (4 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
DELETE	/api/notifications	public	—	—	—	—
GET	/api/notifications	public	—	—	—	—
POST	/api/notifications	public	—	—	—	markAll, notificationIds
GET	/api/notifications/stream	public	—	—	—	—

/api/online-fal (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/online-fal	public	—	—	—	—

/api/payments (7 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/payments/config	public	—	—	—	—
GET	/api/payments/publicMethods	public	—	—	—	—
GET	/api/payments/notify	public	—	—	—	—
POST	/api/payments/notify	public	—	—	—	amount, notes, payment-Method, sender-Name, transactionId
GET	/api/payments/requests	public	—	—	—	—
POST	/api/payments/requests	public	—	—	—	amount, method, notes, senderInfo
GET	/api/payments/publicSettings	public	—	—	—	—

/api/pk (5 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/pk/active	public	—	—	—	—
GET	/api/pk/leaderboard	public	—	—	—	—
GET	/api/pk/me/invites	dual	—	—	—	—
GET	/api/pk/{matchId}	public	—	—	matchId	—
GET	/api/pk/{matchId}/stream	public	—	—	matchId	—

/api/platform (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/platform/commission-rate	public	—	—	—	—

/api/popups (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/popups	dual	—	—	—	—

/api/presence (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/presence	dual	—	—	—	—
POST	/api/presence	dual	—	—	—	isNewSession, path, visitorId
GET	/api/presence/publications	public	—	—	—	—

/api/profile-frames (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/profile-frames	dual	—	—	—	—
POST	/api/profile-frames	dual	—	—	—	frameId

/api/public (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/public/announcement-settings	public	—	—	—	—
GET	/api/public/jeton-price	public	—	—	—	—

/api/public-stats (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/public-stats	public	—	—	—	—

/api/referral (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/referral	dual	—	—	—	—
GET	/api/referral/validate	public	—	—	—	—

/api/room (12 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
DELETE	/api/room/signal	dual	—	—	—	—
GET	/api/room/signal	dual	—	—	—	—
POST	/api/room/signal	dual	—	—	—	receiverId, sessionId, signalData, signalType
GET	/api/room/{sessionId}	dual	□	—	sessionId	—
PATCH	/api/room/{sessionId}	dual	□	—	sessionId	action, minutes
GET	/api/room/{sessionId}/messages	dual	—	—	sessionId	—
POST	/api/room/{sessionId}/messages	dual	—	—	sessionId	message
GET	/api/room/{sessionId}/review	dual	—	—	sessionId	—
POST	/api/room/{sessionId}/review	dual	—	—	sessionId	comment, rating
GET	/api/room/{sessionId}/stream	dual	—	—	sessionId	—
GET	/api/room/{sessionId}/summary	dual	—	—	sessionId	—
POST	/api/room/{sessionId}/tip	dual	□	—	sessionId	amount

/api/room-themes (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/room-themes/catalog	dual	—	—	—	—

/api/search (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/search	public	—	—	—	—
GET	/api/search/advanced	dual	—	—	—	—

/api/seο-settings (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/seο-settings	public	—	—	—	—

/api/settings (4 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/settings/ads	public	—	—	—	—
GET	/api/settings/canlidark-hero	public	—	—	—	—
GET	/api/settings/public	public	—	—	—	—
GET	/api/settings/themes	public	—	—	—	—

/api/share-card (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/share-card	dual	—	—	—	—

/api/short-videos (21 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/short-videos	dual	—	—	—	—
GET	/api/short-videos/explore	dual	—	—	—	—
GET	/api/short-videos/mentions/search	public	—	—	—	—
GET	/api/short-videos/music	public	—	—	—	—
GET	/api/short-videos/profile/{userId}	dual	—	—	userId	—
POST	/api/short-videos/register	dual	—	—	—	—
POST	/api/short-videos/upload	dual	—	—	—	—
POST	/api/short-videos/upload-url	dual	—	—	—	—
GET	/api/short-videos/user/{userId}	dual	—	—	userId	—
DELETE	/api/short-videos/{id}	dual	□	—	id	—
GET	/api/short-videos/{id}	dual	□	—	id	—
GET	/api/short-videos/{id}/comments	dual	—	—	id	—
POST	/api/short-videos/{id}/comments	dual	—	—	id	content, parentId
DELETE	/api/short-videos/{id}/comments/{commentId}	dual	□	—	id, commentId	—
POST	/api/short-videos/{id}/comments/{commentId}/like	dual	—	—	id, commentId	—
POST	/api/short-videos/{id}/comments/{commentId}/pin	dual	□	—	id, commentId	—
GET	/api/short-videos/{id}/duets	dual	—	—	id	—
POST	/api/short-videos/{id}/like	dual	—	—	id	—
POST	/api/short-videos/{id}/save	dual	—	—	id	—
POST	/api/short-videos/{id}/share	dual	—	—	id	—
POST	/api/short-videos/{id}/view	dual	—	—	id	watchedSec

/api/signup (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/signup	public	—	□	—	birthDate, birthTime, email, name, password, preferred- Language, referral- Code, username

/api/site-pages (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/site-pages/{slug}	public	—	—	slug	—

/api/social (9 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/social/posts	—	—	—	—	—
POST	/api/social/posts	—	—	—	—	content, fortuneId, fortuneType, imageUrl, isPublic, postType, youtubeUrl
DELETE	/api/social/posts/{postId}	—	—	—	postId	—
GET	/api/social/posts/{postId}	—	—	—	postId	—
DELETE	/api/social/posts/{postId}/comments	—	—	—	postId	—
GET	/api/social/posts/{postId}/comments	—	—	—	postId	—
POST	/api/social/posts/{postId}/comments	—	—	—	postId	content
POST	/api/social/posts/{postId}/likes	—	—	—	postId	—
POST	/api/social/posts/{postId}/view	—	—	—	postId	—

/api/stories (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
DELETE	/api/storiesdual	—	—	—	—	—
GET	/api/storiesdual	—	—	—	—	—
POST	/api/storiesdual	—	—	—	—	caption, mediaType, mediaUrl

/api/teller (4 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/teller/analytics	dual	—	—	—	—
GET	/api/teller/level	dual	—	—	—	—
GET	/api/teller/verification	dual	—	—	—	—
POST	/api/teller/verification	dual	—	—	—	docUrl

/api/teller-chat (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/teller-dual-chat	—	—	—	—	—
GET	/api/teller-dual-chat/{sessionId}	—	—	—	sessionId	—
POST	/api/teller-dual-chat/{sessionId}	—	—	—	sessionId	content, imageUrl, messageType

/api/tencent (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/tencent-public-hook	public	—	—	—	CallbackTs, Event-GroupId, EventInfo, EventType

/api/tiktok-videos (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/tiktok-videos	public	—	—	—	—
GET	/api/tiktok-videos/oembed	public	—	—	—	—
GET	/api/tiktok-videos/{id}	public	—	—	id	—

/api/tmdb (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/tmdb	public	—	—	—	—

/api/tournaments (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/tournaments	dual	—	—	—	—

/api/translations (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/translations	public	—	—	—	—

/api/trend-videos (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/trend-videos	public	—	—	—	—
POST	/api/trend-videos	public	—	—	—	videoid

/api/trends (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/trends	public	—	—	—	—
GET	/api/trends/{slug}	public	—	—	slug	—
POST	/api/trends/{slug}/like	dual	—	—	slug	—

/api/trtc (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/trtc/token	dual	—	—	—	role, roomId
POST	/api/trtc/usersig	dual	—	—	—	—
POST	/api/trtc/webhook	public	—	—	—	—

/api/upload (3 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/upload/get-url	public	—	—	—	—
POST	/api/upload/get-url	public	—	—	—	cloud_storage_path, isPublic
POST	/api/upload/post-signed	public	—	—	—	contentType, fileName, folder, isPublic

/api/user (32 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/user/achievements	—	—	—	—	—
GET	/api/user/active-sessions	—	—	—	—	—
GET	/api/user/activity	—	—	—	—	—
PATCH	/api/user/activity	—	—	—	—	markAllRead, notification- ids
GET	/api/user/block	—	—	—	—	—
POST	/api/user/block	—	—	—	—	userId
DELETE	/api/user/block	—	—	—	—	id, type
GET	/api/user/block	—	—	—	—	—
GET	/api/user/broadcast-history	—	—	—	—	—
GET	/api/user/codual-broadcast-invites	—	—	—	—	—
GET	/api/user/credits	—	—	—	—	—
GET	/api/user/followers	—	—	—	—	—
GET	/api/user/following	—	—	—	—	—
GET	/api/user/fortunes	—	—	—	—	—
PATCH	/api/user/fortunes/{fortuneId}	—	—	—	fortuneId	action
GET	/api/user/likes	—	—	—	—	—
GET	/api/user/profile	—	—	—	—	—
PATCH	/api/user/profile	—	—	—	—	bio, birthDate, birthTime, email, fa- voriteTeam, hideProfile- Views, image, messagePri- vacy, name, phone, risingSign, username...
GET	/api/user/received-gifts	—	—	—	—	—
POST	/api/user/report	—	—	—	—	details, reason, userId
GET	/api/user/statistics	—	—	—	—	—
GET	/api/user/status	—	—	—	—	—
POST	/api/user/status	—	—	—	—	minutesToAdd
GET	/api/user/theme	—	—	—	—	—
PATCH	/api/user/theme	—	—	—	—	theme
GET	/api/user/watchad	—	—	—	—	—
POST	/api/user/watchad	—	—	—	—	—
GET	/api/user/xpdual	—	—	—	—	—
GET	/api/user/{userId}/achievements	—	—	—	userId	—
DELETE	/api/user/{userId}/follow	—	—	—	userId	—
POST	/api/user/{userId}/follow	—	—	—	userId	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/user/{userId}/follow-status	dual	—	—	userId	—

/api/users (7 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/users/lookup/{username}	dual	—	—	username	—
GET	/api/users/online	public	—	—	—	—
GET	/api/users/search	dual	—	—	—	—
GET	/api/users/{userId}	dual	—	—	userId	—
GET	/api/users/{userId}/follow	dual	—	—	userId	—
POST	/api/users/{userId}/follow	dual	—	—	userId	—
GET	/api/users/{userId}/posts	dual	—	—	userId	—

/api/video-streams (53 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/video-streams	dual	—	—	—	—
POST	/api/video-streams	dual	—	—	—	category, coverUrl, description, tags, thumbnail-Url, title
GET	/api/video-streams/gifts	dual	—	—	—	—
GET	/api/video-streams/pk	dual	□	—	—	—
POST	/api/video-streams/pk	dual	□	—	—	action, battleId, duration, opponentVoice-RoomId, streamId, target-StreamId
GET	/api/video-streams/pk/list	public	—	—	—	—
POST	/api/video-streams/pk/score	public	—	—	—	battleId, points, streamId
DELETE	/api/video-streams/signal	dual	—	—	—	—
GET	/api/video-streams/signal	dual	—	—	—	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/video- dual streams/signal		—	—	—	data, receiverId, streamId, type
GET	/api/video- dual streams/{streamId}		□	—	streamId	—
PATCH	/api/video- dual streams/{streamId}		□	—	streamId	backgroundUrl, broadcast- tImage, description, isImage- Mode, status, title
GET	/api/video- dual streams/{streamId}/auto- close		—	—	streamId	—
POST	/api/video- dual streams/{streamId}/auto- close		—	—	streamId	—
DELETE	/api/video- dual streams/{streamId}/ban		—	—	streamId	—
GET	/api/video- dual streams/{streamId}/ban		—	—	streamId	—
POST	/api/video- dual streams/{streamId}/ban		—	—	streamId	reason, userId
GET	/api/video- dual streams/{streamId}/co- broadcast		—	—	streamId	—
PATCH	/api/video- dual streams/{streamId}/co- broadcast		—	—	streamId	action
POST	/api/video- dual streams/{streamId}/co- broadcast		—	—	streamId	action, userId
POST	/api/video- dual streams/{streamId}/co- broadcast/invite		—	—	streamId	inviteId
GET	/api/video- dual streams/{streamId}/comments		—	—	streamId	—
POST	/api/video- dual streams/{streamId}/comments		—	—	streamId	content, isHidden, nickname
POST	/api/video- dual streams/{streamId}/end		□	—	streamId	—
DELETE	/api/video- dual streams/{streamId}/fortune- requests		□	—	streamId	—
GET	/api/video- dual streams/{streamId}/fortune- requests		□	—	streamId	—
PATCH	/api/video- dual streams/{streamId}/fortune- requests		□	—	streamId	action, requestId

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
POST	/api/video-streams/{streamId}/fortune-requests	dual	□	—	streamId	—
GET	/api/video-streams/{streamId}/fortune-requests/my-status	dual	—	—	streamId	—
GET	/api/video-streams/{streamId}/gifts	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/gifts	dual	—	—	streamId	giftTypeId, quantity
DELETE	/api/video-streams/{streamId}/join	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/join	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/leave	dual	—	—	streamId	viewerId
GET	/api/video-streams/{streamId}/like	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/like	dual	—	—	streamId	count
POST	/api/video-streams/{streamId}/live-started	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/media-heartbeat	dual	—	—	streamId	—
GET	/api/video-streams/{streamId}/messages	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/messages	dual	—	—	streamId	—
DELETE	/api/video-streams/{streamId}/moderators	dual	—	—	streamId	userId
GET	/api/video-streams/{streamId}/moderators	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/moderators	dual	—	—	streamId	userId
DELETE	/api/video-streams/{streamId}/mute	dual	—	—	streamId	viewerId
GET	/api/video-streams/{streamId}/mute	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/mute	dual	—	—	streamId	expiresAt, reason, viewerId
GET	/api/video-streams/{streamId}/pk-battle	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/pk-battle	dual	—	—	streamId	action, battleId, duration, target-StreamId
DELETE	/api/video-streams/{streamId}/signal	dual	—	—	streamId	—

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/video-streams/{streamId}/signal	dual	—	—	streamId	—
POST	/api/video-streams/{streamId}/signal	dual	—	—	streamId	data, receiverId, type
GET	/api/video-streams/{streamId}/stream	dual	—	—	streamId	—
GET	/api/video-streams/{streamId}/viewers	public	—	—	streamId	—

/api/wallet (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/wallet	dual	—	—	—	—

/api/warmup (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/warmup	public	—	—	—	—

/api/weekly-dream-report (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/weekly-dream-report	dual	—	—	—	—
POST	/api/weekly-dream-report	dual	—	—	—	—

/api/withdrawals (2 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/withdrawals	dual	—	—	—	—
POST	/api/withdrawals	dual	—	—	—	accountDetails, amount, method

/api/youtube (1 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
GET	/api/youtube/search	dual	—	—	—	—

/api/{unmatched} (5 handler)

METHOD	PATH	AUTH	ADMIN	RL	PATH PARAMS	BODY FIELDS
DELETE	/api/{unmatched}	public	—	—	unmatched	—
GET	/api/{unmatched}	public	—	—	unmatched	—
PATCH	/api/{unmatched}	public	—	—	unmatched	—
POST	/api/{unmatched}	public	—	—	unmatched	—
PUT	/api/{unmatched}	public	—	—	unmatched	—