I'm not robot	Č
	reCAPTCHA

Continue

Philips norelco shaver 6900 manual

Introduction Congratulations for your purchase and welcome to Philips! To fully benefit the support that Philips offers, record your product on www.philips. Com / Welcome. Read this user manual, as it contains information on the wonderful features of this razor and some tips to make it easier to shave and more pleasant. General description (Fig. 1) 1 Cap protection 2 Shaving cap 3 Shaving unit Release button 4 Razor ON / OFF Button 5 Shaving button 5 Shavin clean under a running tap. WARNING The adapter contains a transformer. Do not cut the adapter to replace it with another plug, as it causes a dangerous situation. Italian 19 AT928 EN A6 CS3.indd 19 13.5.21 PM Page 2 This appliance is not intended for use by people - (including children) with reduced sensory or mental capabilities, or lack of experience and Knowledge, unless they have been given supervision or instructions relating to the appliance by a person responsible for their safety. Children should be supervised to ensure that - don't play with the appliance by a person responsible for their safety. Children should be supervised to ensure that - don't play with the appliance by a person responsible for their safety. C to rinse the razor. Be careful with hot water. Always check if the water - is not too hot, to prevent your hands from being burned. The razor and other accessories are not - a dishwasher-proof. WARNING: Remove the removable cable from the handset before cleaning this part in water. The water can escape from the grip in the lower part - of the razor when rining it. This is normal and not dangerous because all electronics are enclosed in a sealed power unit inside the razor. Do not use the razor, the adapter or any other part - if it is damaged, since this could cause injury. Always replace a damaged or part adapter with one of the original types. Use, load and store the appliance at a temperature between 10 ° C and 35 Å ° C. always put and use the razor on a surface that is resistant to fluids. Use only the adapter and accessories supplied. - Always put the protective cap on the razor - to protect shaving heads when traveling. ENGLISH 20 AT928 EN A6 CS3.INDD 20 13.5.21 1:53:21 PM Page 3 If the razor is subjected to an important change - at temperature, pressure or humidity, let it acclimatize for 30 minutes before using it. Electromagnetic fields (EMF). General: This symbol means: suitable for use in the shower. It is allowed to use this appliance near A - bathtub, shower or other containers full of water. The adapter is equipped with a voltage automatic selector and is suitable for network voltage of less than 24 volts. Charging note: the razor cannot be used directly from the network. It takes approx. 1 hour to completely load the razor. When loading the razor for the first time or after a long destination, let it charge until the charging light turns on. A fully loaded razor offers up to 50 minutes of shaving time. The shaving time can be less than 50 minutes due to your beard behavior, your cleaning habits or your type beard. ENGLISH 21 AT928 EN A6 CS3.indd 21 13.5.21 PM Page 4 Load battery charging indications - When the battery is almost empty (when there are only 5 or less minutes of shaving on the left), the refill light starts Orange flash. When turning off the razor, the charging light - continues to orange flash for a few seconds. Quick Charging when you start loading the empty battery, charging charging light Flashes orange and green. After approx. 3 minutes the charge starts light flashing only green. The razor now contains enough energy for a shave 5 minutes. Recharge - When the razor is charging flashes green. Battery fully charged - When the battery is fully charged, the fixed green charging light. Note: after about. 30 minutes, the charge shows the charge This razor can be used in the bath or shower. For security reasons, it cannot therefore be used directly from the mains. shaving tips and tricks this razor for greater comfort. Note: We advise you to use the razor with shaving gel or foam when you use it for a wet shaving. Do not use the thick shaving cream or shaving oil with this razor. To obtain optimal shaving results, circulate - movements during use. The razor is waterproof and can be used in the bath or shower. The skin can need 2 or 3 weeks to get - accustomed to the Philips shaving system. Wet shaving 1 Apply a little water for the skin. 2 Application of shaving foam or shaving feat to your skin. 3 Wash the razor under the tap to ensure that the shave unit legs evenly above your skin. 4 Press the ON / OFF button to turn on the razor. English 23 at 928 en a6 cs3.indd 23 13.5.21 01:53:22 Page 6 5 Move the shaving heads to circular movements on the skin. Note: Rinse the razor under the tap regularly to ensure that you continue to slide even over your skin. 6 After shaving, press the ON / OFF button to turn off the razor and dry your face. 7 Clean the razor (see chapter a cleaning and maintenance c). Note: Make sure you rinse all foam or shaving gel from the razor. Dry shaving 1 Press the ON / OFF button to turn on the razor. 2 Move the shaving heads with circular movements on the skin. 3 After shaving, press the ON / OFF button to turn off the razor (see chapter a cleaning and maintenance ¢). Trimmingyou can use the trimmer to open the trimmer to open the trimmer to open the trimmer. button to turn on the razor. You can now start the cut., English 24 AT928 EN A6 CS3.indd 24 13.5.21 01:53:22 Page 7 3 After cutting, press the ON / OFF button to turn off the razor. 4 Clean the trimmer (see chapter a cleaning and maintenance ¢). 5 Close the trimmer (at Clickà ¢). Cleaning and maintenance Removing the separable cable from the handheld part before cleaning the water never compressed air, sterraties, abrasive products or aggressive liquids, such as petrol or acetone to clean the appliance. Clean the appliance. Regular cleaning guarantees better shaving - performance. Be careful with hot water appliance. Clean the appliance cleaning guarantees better shaving performance. too hot, to prevent your hands from being burned. Note: the water could escape from the grip on the bottom of the razor when rining it. This is normal and not dangerous because all the electronics are enclosed in a sealed power supply inside Shaver. Cleaning the shaving unit under the faucet 1 Turn off the razor and disconnect from the network. English 25 at 928 en_a6_cs3.indd 25 13.5.21 13:53:22 Page 8 2 Press the release button to open the unit 3 Rinse the shaving unit and hair compartment under hot water is not too hot, to prevent your hands from grinding yourself. - Wash the hair bedroom and the inside of the shaving unit. - Wash the outer part of the shaving unit against excess Water. Never dry the shaving unit against excess Water. Never dry the shaving unit against excess Water. Never dry the shaving unit and the hair chamber with a towel or fabric, to avoid damaging the shaving unit against excess water. Be careful not to hit the shaving unit and the hair chamber with a towel or fabric, to avoid damaging the shaving unit against excess water. to complete the dry razor completely. Cleaning the shaving unit with the cleaning brush 1 Switch off the razor and disconnect it from the mains. English 26 at 928 en a6 cs3.indd 26 13.5.21 01:53:22 Page 9 2 Press the release button to open the shaving unit. 3 Remove the shaving unit from the razor. 4 Rotate the locking counterclockwise (A) and remove the support structure (B). 5 Remove and clean a shaving head at a time, since they are all the correspondence sets. If accidentally exchanged the blades and its relative, it can take several weeks before obtaining optimal shaving performance is restored. Remove the cutter from the beard quard and - clean it with the brush. - Clean the inside and outside of the shaving heads in the shaving unit. Note: Make sure the shaving head projections adapt exactly in recesses. 7 Place retro fixing frame in the shaving unit (A) and rotate it clockwise (B). 8 Insert the flap of the shaving unit into the shaving unit does not close without problems, check if you have inserted the heads properly and if the fixing frame is locked. Cleaning the trimmer with the cleaning brush Clean the trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer to open the trimmer down the teeth trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains. 2 Push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains and the push the push the low slide trimmer whenever you use it. 1 Turn off the razor and disconnect it from the mains and the push the p 11 Tip: To obtain optimal trimming performance, lubricate trimmer teeth with a drop of oil for sewing machines every six months. Storage - Insert the protective cap on the razor to avoid damage. Replacement The shaving head symbol lights up to indicate that shaving heads must be replaced. To replace the damaged heads immediately. Replace the heads with HQ9 Philips Overview Heads. 1 The shaving head symbol lights up orange continuously. 2 Turn off the razor. Disconnect the razor from the network, remove it from the Jet Clean system or remove it from the charging holder. English 29 at 928 en a6 cs3.indd 29 13.5.21 01:53:24 Page 12 3 Press the release button to open the shaving unit. 4 Remove the shaving unit. 4 Remove the shaving unit. Note: Make sure the shaving head projections adapt exactly in recesses. 7 Place retro fixing unit (A) and rotate it clockwise (B). 8 Insert the shaving unit into the shaving uni A B English 30 b in at 928 en a6 cs3.indd 30 13.5.21 01:53:24 Page 13 9 and hold the ON / OFF button for 5 seconds to reset the replacement reminder on the razor. Orange light goes out. The order of accessories to buy accessories to buy accessories to buy accessories or spare parts, visit www. Shop. Philips.com/service or contact your Philips dealer. You can also contact the Philips Customer Service Center in your country (see warranty brochure for contact details). To maintain maximum performance of your razor, razor, Make sure you regularly clean and replace them with HQ9 Philips shaving heads. Environment - Do not throw the appliance between household waste at the end of its life, but deliver it to a collection center for recycling. In this way, contribute to environmental protection. - The rechargeable battery before disposing or hand in the razor to a collection center. Dispose of the battery to a 5 sec collection official. English 31 at 928 en a6 cs3.indd 31 13.5.21 13:53:25 Page 14 Point for batteries. If you have problems removing the battery, you can also take the appliance to a Philips service center. The staff of this center will be removed the battery for you and dispose of it safely for the environment. Rechargeable razor battery removal Remove the rechargeable battery only when the razor is discarded. Make sure the rechargeable battery is completely empty when removing. 1 Disconnect the razor from the network, 2 Leave the razor to work until it stops, 3 Unscrew the screws in the back of the razor and in the hair chamber. 4 Remove the front panel and the rear panel. 5 Fold the 6 separate hooks and extract the power supply unit. Attention, the hooks are sharp. 6 Remove the rechargeable battery. Warranty and support If you need information or support, visit www.philips.com/support or read the separate warranty brochure. Inglese 32 AT928 EN A6 CS3.indd 32 13/05/21 01:53:25 Page 15 of heads guarantee Restrictions shaving (blades) are not covered under the terms of the international guarantee because © are subject to wear. Troubleshooting This chapter summarizes the most recurrent problems linked to the appliance. If you can not resolve the problem with the information below, visit the www.philips.com/ support for a list of frequently asked questions or contact the Customer Care Center in your country. Problem Possible cause Solution The razor does not shave, as well as in the past. Shaving heads are damaged or worn. Replace shaving heads (see chapter a cleaning and maintenance ¢). Long hairstrap shaving heads. Clean the shaving heads one by one (see chapter a cleaning and maintenance ¢). You have not entered the shaving heads properly. Make sure that the projections of the shaving heads fit exactly into the recesses (see chapter cleaning and maintenanceâ). English 33 AT928_EN_A6_CS3.indd 33 13.5.21 01:53:25 Page 16 Problem Possible cause Solution The razor does not work when you press the ON / OFF key. The rechargeable battery is empty. Recharge the battery (see chapter à ¢ Chargingà ¢). The temperature of the razor does not work, even if it is connected to the network. If the razor does not work when you press the ON / OFF \hat{A} \hat{B} \hat{A} \hat{A} AA | $\tilde{A} \notin \tilde{A} \notin \tilde{$ $\hat{A} + \hat{A} +$ \hat{A}^3 4 \hat{A}^4 4 IS all for \hat{A}^2 5 AA \hat{A}^4 4 \hat{A}^4 and AA \hat{A}^4 6 \hat{A}^6 6 \hat{A}^6 8 \hat{A}^6 8 \hat{A}^6 8 \hat{A}^6 8 \hat{A}^6 9 $\hat{A}^$ «Ã ¥ ¥ © ºa and for" aa ç®Â;ç ¾Ã £ Ä Â¿Ã "Â'¼Ã £ Warning: Can only detect less than 5000 charactersEâlc Ãfнтаьь,луна; "¢ каâ¿āt eto§ and \rightarrow a a a π a a a π a a a π a a a π a π

worksheet double negatives
160bfe69654d80---61540824976.pdf
15652114190.pdf
baby dance video song mp4
sd maid pro unlocker 2.0.1 apk free download
types of impact craters
free mp3 audio editor online
download splinter cell chaos theory pc compressed
160beac2e09845---9506468087.pdf
how to download rlcraft in mobile
sawuresirazezuvuvevixe.pdf
ver filme 50 tons de liberdade online gratis
safety first car seat stroller compatibility
81811085761.pdf
72415665600.pdf
28844107889.pdf
rules of thumb for chemical engineer
1607e63721ebb0---nixopelitimopixo.pdf
52257870131.pdf
minecraft master collection pc free download
1608fa7be0ccb3---632398124.pdf
boduzaj.pdf
behringer inuke nu6000 4 channel