

Informational Energetics: Nested Persistence

Kate Lenore Meyer
*Independent Researcher**
(Dated: June 3, 2026)

When a persistent system’s internal complexity exceeds the capacity of a single control loop, it must structurally partition or collapse. We introduce three universal rules governing this partitioning: Capacity Partitioning (distributing finite bandwidth across orthogonal demands), Reversible Encoding (conserving non-integer mismatches to avoid Landauer erasure), and Impedance Matching (minimizing reflection loss between nested layers). These rules bridge the gap between architectural requirements (what persistent systems must be) and operational mechanics (how they continue to persist). Because the quantum vacuum is a closed persistent system with no external environment, it provides the most stringent possible test. Applying these rules to the E_8 substrate derived in companion works, we show that the constants of the Standard Model and General Relativity emerge as the exact, parameter-free capacity allocations. The kinematic behavior of the Standard Model maps to the thermodynamic limits of a finite-bandwidth network. Gauge couplings arise as bandwidth fractions under Capacity Partitioning (the strong coupling, QCD beta function coefficients, weak mixing angle, Cabibbo angle, and Jarlskog invariant). Electroweak mass scales arise as impedance-matching thresholds under Impedance Matching at the Resonant Interface (the Higgs vacuum expectation value, Fermi constant, W-boson and Higgs masses). Gravitational scales arise as the conserved geometric attenuation of Reversible Encoding across the Geometric Depth (the Planck mass and vacuum energy density), simultaneously resolving the Gravitational Hierarchy and the Vacuum Catastrophe. A zero-degree-of-freedom global geometric fit spanning 64 orders of magnitude (α^{-1} , G_F , M_W , α_s , M_H , $\sin^2 \theta_W$, θ_C , J , M_P , R_K) yields a reduced $\chi^2 \approx 1.05$. This convergence demonstrates that the fundamental constants arise as the structurally necessary partition coefficients of a finite information substrate.

I. INTRODUCTION

In *Informational Energetics: A Universal Architecture of Persistence* [1], we introduced Informational Energetics (IE) and established that any persistent system must resist entropic decay by satisfying six architectural pillars derived from control theory, information theory, and thermodynamics: Capacity (the vessel), Map (the model), Protocol (the interface), Governor (the constraint), Toll (the temporal cost), and Margin (the buffer). In *Informational Energetics: Entropic Action* [2], we formalized the Entropic Action (S_Φ) which defines the total thermodynamic cost for a persistent system to maintain structural coherence.

While previous work established what a persistent system must *be* and how it must *behave*, neither addressed how it can continue to persist when its regulatory complexity exceeds the capacity of a single control loop. Subpartitioning can be found in every domain: a biological cell that must simultaneously maintain membrane integrity, metabolize, and replicate partitions into organelles; a corporation partitions into departments. In section II, we define three fundamental rules of **Nested Persistence** governing this partitioning: *Capacity Partitioning*, *Reversible Encoding*, and *Impedance Matching*. Together, they define how a system partitions into specialized subsystems to ensure continued persistence.

A. The Test: The Vacuum

The vacuum is the ideal test case. Macroscopic systems frequently utilize external energy for partitioning, but a closed system with no external environment to offset its dissipation is forced to solve the partitioning problem with zero error. It therefore provides the most stringent possible test of whether these rules are universal. To test these rules, we apply them to the E_8 substrate derived in [1]. This substrate contains four key invariants: the temporal resonance $\Delta = 43$, the chiral capacity $\nu = 16$, the interaction rank $\sigma = 5$, and the topological boundary $\chi = 2$, all derived from the $E_8 \rightarrow D_4 \oplus D_4$ projection.

While we derived the functional operator forms in “Informational Energetics: Entropic Action” [2], the numerical coefficients remained undetermined. Standard QFT treats these constants as independent empirical inputs, each determined by measurement. In the IE framework, they emerge as coupled partition coefficients of a single finite capacity budget. Unlike α^{-1} , which represents the unpartitioned baseline impedance derived directly from the substrate, the remaining parameters are not fundamental. They emerge strictly as the partition coefficients of the vacuum’s finite channel capacity ($\nu = 16$): the unique allocation required for nested subsystems to satisfy global solvency. This paper derives these coefficients. Every value is a rigid, parameter-free prediction: a single disagreement with measurement beyond experimental uncertainty falsifies the E_8 -Persistence theory.

* kate.ie@meyerhome.net

B. The Geometric Cascade

The E_8 substrate possesses a strictly finite channel capacity ($\nu = 16$) and a discrete temporal resonance ($\Delta = 43$). To simultaneously govern gauge interactions, electroweak symmetry breaking, and gravitational geometry, the vacuum must partition this finite bandwidth into nested subsystems. The fundamental constants emerge as the exact partition coefficients of this allocation.

We trace this **Geometric Cascade** across the three sequential systems of the framework, continuing the numbering established in the companion papers (System 0: architectural requirements, System 1: the substrate, System 2: geometric impedance, and System 3: Entropic Lagrangian dynamics):

- **The Capacity Partition (System 4):** The $\nu = 16$ chiral capacity is subdivided into non-overlapping geometric allocations. We derive the gauge and flavor couplings: Strong Coupling (α_s), Weak Mixing Angle ($\sin^2 \theta_W$), Cabibbo Angle (θ_C), and Jarlskog Invariant as exact partition coefficients. Because the temporal and color sectors are geometrically isolated by this partition, we show that the Strong CP problem is structurally prohibited without requiring an axion.
- **The Resonant Interface (System 5):** A nested subsystem stabilizing local topological boundaries against vacuum resonance is identified as the Higgs mechanism. Global impedance matching dynamically generates the electroweak mass scale: the Higgs VEV (v), Fermi constant, W -boson mass, Higgs mass, and Electron Yukawa (y_e). We derive a value for M_W that lies between the Standard Model global fit and the CDF II measurement.
- **The Geometric Depth (System 6):** A nested subsystem stabilizing the macroscopic lattice volume is identified as Gravity. Signal attenuation across the geometric bulk derives the Planck scale (M_P) and Cosmological Constant (Λ), which we show accounts for the observed Gravitational Hierarchy and Vacuum Catastrophe.

C. Note on Absolute Scale

A discrete lattice inherently produces pure dimensionless ratios (e.g., $v/m_e \approx 4.8 \times 10^5$). To map these geometric ratios to physical units, *exactly one dimensionful empirical input* is required to define the base unit. Here, we utilize the electron mass ($m_e \approx 0.511$ MeV) as the empirical anchor for the Information-Theoretic Noise Floor; all subsequent mass scales (v, M_W, m_H, M_P) follow from this single anchor with zero additional tunable parameters.

This derivation cascade spans 64 orders of magnitude, from the gravitational coupling (10^{-45}) to the Planck mass (10^{19} GeV) with **zero tunable parameters**. Every mass, angle, and coupling flows strictly from the E_8 -Persistence theory substrate.

II. ARCHITECTURE OF NESTED PERSISTENCE

Every finite information-processing system such as a cell, corporation, or physical substrate hits a hard capacity ceiling. When entropic demands multiply (internal maintenance, external coordination, or both), the regulatory burden on any single loop grows. Once that burden exceeds capacity, the system's internal model loses track of reality and collapses. Only systems that partition persist. They do so by splitting into specialized subsystems, each managing a tractable fraction of the total threat space. This partitioning is governed by three operations: Capacity Partitioning splits the budget across orthogonal demands, Reversible Encoding conserves the indivisible remainder without erasure, and Impedance Matching binds the nested layers without reflection loss.

A. Example

Consider a firm with a finite operational budget that must simultaneously manufacture, innovate, and comply with regulations. **Capacity Partitioning** requires splitting the budget across these three departments such that the sum of their allocations plus accounting overhead exhausts the total. When the budget does not divide evenly, **Reversible Encoding** requires carrying the indivisible remainder as a strategic reserve rather than discarding it. Simultaneously, **Impedance Matching** resolves the friction when an executive team generates initiatives at a higher frequency than an R&D department can absorb; a middle manager acts as a transformer, scaling and scheduling the executive signal to match the departmental aperture and prevent reflection loss.

B. Capacity Partitioning

Foundational Principle. By Ashby's Law of Requisite Variety [3], a control system must possess at least as many states as the perturbations it seeks to regulate. However, the maximum rate at which a system can transition between states is strictly bounded by its physical capacity [4].

Activation Threshold. *When the number of concurrent regulatory demands requires a computation rate exceeding what a single loop can execute within its fundamental update cycle, the system must split into parallel, nested subsystems.*

Operational Mandate. The system must partition its resources such that the sum of the active subsystem capacities exhausts the total budget.

Structural Cost. Creating a boundary between subsystems inherently consumes capacity (synchronization overhead, data framing, interface maintenance). This **irreducible structural overhead** is the cost of the boundary itself.

C. Reversible Encoding

Foundational Principle. Information erasure incurs an irreducible thermodynamic tax (Landauer’s Principle [5]), which would compound and destabilize the system if the remainder of any partition were discarded.

Activation Threshold. When a system’s workload cannot divide evenly across its subsystems, this structural mismatch leaves a remainder that cannot be discarded.

Operational Mandate. The system must perform **Reversible Encoding** [6]: it must strictly conserve the mismatch by storing it as structural metadata.

Structural Cost. The metadata itself consumes capacity. A ledger that carries a rounding error must allocate bits to that remainder; a scheduling queue that carries a temporal offset must allocate slots to that offset. This storage overhead is the price of avoiding erasure.

D. Impedance Matching

Foundational Principle. When a system partitions its capacity, it creates nested subsystems that operate on different geometric or functional scales. Information crossing the boundary must be translated. To minimize total Entropic Action (S_Φ) [2] across the hierarchy, these translations must minimize reflection loss (Shannon [7]).

Activation Threshold. When nested subsystems operate at different scales, any signal crossing the boundary risks reflection.

Operational Mandate. The internal processing resistance of a subsystem must closely match the geometric bandwidth allocated to it by the partition.

Structural Cost. If there is a mismatch, the signal translation fails, information reflects at the boundary, and the resulting excess entropy causes the system to decay. To prevent this, the system must engineer the match, consuming capacity to align internal resistance with external aperture.

E. Recursive Universality

These three rules apply recursively: each partitioned subsystem is itself a persistent entity, instantiating the full six-pillar architecture on its fraction of the parent’s

capacity. If its allocated capacity is insufficient to regulate its own internal complexity it must partition again. The full architecture of a complex persistent system is therefore a **finite nesting hierarchy** (a nearly decomposable system, *cf.* Simon [8]), with each level’s partition coefficients strictly determined by the parent level’s bandwidth allocation. No level introduces free parameters; each inherits its budget from above and exhausts it completely.

This recursion is universal: a multicellular organism partitions metabolic bandwidth across organ systems; a corporation partitions operational capacity across departments. In every domain, the partition coefficients must satisfy the global solvency constraint of nested persistence. This paper applies these principles strictly to the quantum vacuum; their application to macroscopic domains is the subject of future work.

III. THE CAPACITY PARTITION (SYSTEM 4)

As established in *Informational Energetics: A Universal Architecture of Persistence* [1], the vacuum is a resource-constrained computational substrate and each localized node possesses a strictly finite channel capacity ($\nu = 16$).

This strict hardware limit presents a systemic threat: if the spatial geometry, temporal updates, and internal force generators all attempt to saturate the node simultaneously, local complexity exceeds the 16 available channels and the causal structure becomes unresolvable. We term this **Bandwidth Exhaustion**. The three rules resolve this by the strict partitioning of the $\nu = 16$ budget across orthogonal interaction sectors.

A. The System Specification

We define the Capacity Partition by instantiating the six architectural pillars of persistence [1]. Here they take the following specific forms in the gauge sector:

1. **Capacity: The Chiral Bandwidth** ($\nu = 16$). The vacuum possesses 16 chiral degrees of freedom. This is the absolute processing budget that must be allocated without overflow.
2. **Map: The Gauge Topology** ($\sigma = 5, \chi = 2$). The system must map the internal interaction generators (rank $\sigma = 5$) and the localized boundaries ($\chi = 2$) onto the substrate. These topological invariants define the number of distinct interaction apertures that require bandwidth.
3. **Protocol: The Geometric Partitions** ($\alpha_s, \sin^2 \theta_W, \theta_C$). These three dimensionless ratios serve as the mathematically independent partition coefficients of the Standard Model. In standard Quantum Field Theory, the individual

gauge couplings (g_1, g_2, g_3) are treated as fundamental, independent primitives; here, they are algebraic composites. In this framework, these three dimensionless ratios are the mathematically independent partition coefficients. The individual gauge couplings (g_1, g_2, g_3) of standard QFT are algebraic composites of these underlying geometric allocations:

- **Saturation Ratio** (Strong Coupling α_s): The fraction of total chiral bandwidth utilized.
 - **Spacetime Partition** (Weak Angle $\sin^2 \theta_W$): The split between temporal and spatial bandwidth allocation.
 - **Generation Coupling** (Cabibbo Angle θ_C): The controlled leakage rate between generational tiers.
4. **Governor: Field Rigidity** (β_0). To prevent high-energy localized perturbations from warping the partition ratios and causing an overflow, the vacuum must possess structural rigidity. The QCD beta function coefficients encode this exact anti-screening resistance to gauge field deformation.
 5. **Toll: Projection Frustration** (J). The system cannot perfectly map a 5-fold internal symmetry (H_4 icosahedral structure) onto a 4-dimensional spacetime manifold ($D = 4$). This irreducible geometric mismatch manifests as the Jarlskog Invariant, the measurable thermodynamic friction of the causal projection, which acts as the physical origin of CP violation.
 6. **Margin: Minimum Resolvable Impedance** (y_e). The partition must maintain a noise floor. The Electron Yukawa coupling represents the smallest non-zero fractional allocation distinguishable from vacuum fluctuations. (The Electron Yukawa sets the absolute baseline for mass generation; its derivation is deferred to section IV, where it emerges as the minimum resolvable impedance of the resonant interface.)

B. The Coordinate Overhead (η)

Before the Protocol can assign bandwidth to the individual forces, the Capacity Partitioning rule demands it first pay the structural cost of establishing a coordinate system. In information theory, this is identical to **Data Framing overhead**. To transmit a packet of N bits, at least one bit must act as the synchronization anchor (the “start” bit), leaving $N - 1$ bits for the payload. By the **Fencepost Principle**, N discrete points define exactly $N - 1$ addressable intervals.

The E_8 substrate’s local causal neighborhood possesses a finite Manifold Resolution of $R_M = D \times \Delta = 4 \times 43 =$

172 spacetime addresses per fundamental cycle. On a discrete lattice, permanently defining a coordinate origin consumes exactly one site, leaving 171 relative, addressable coordinate states. The Coordinate Overhead η is therefore the strict ratio of Addressable Capacity to Total Geometric Volume:

$$\eta \equiv \frac{N_{\text{addressable}}}{N_{\text{total}}} = \frac{D\Delta - 1}{D\Delta} = 1 - \frac{1}{172} \approx 0.994186 \quad (1)$$

On a discrete lattice, defining a coordinate system requires selecting an origin. This origin site is ‘occupied’ by the reference frame itself and cannot simultaneously carry physical state information. The remaining $D\Delta - 1$ sites constitute the addressable capacity. This is identical to data framing in communication protocols: to transmit N bits, one bit must serve as the start-of-frame delimiter.

Scope Defense: Note that the temporal resonance ($\Delta = 43$) does not incur this overhead: as a periodic cycle with no endpoints, it requires no origin fixing. The coordinate overhead applies strictly to the spatial manifold volume ($D\Delta = 172$), where a discrete reference frame must be established.

Because the Coordinate Overhead arises from fixing a reference frame within the $D = 4$ manifold volume, it applies exclusively to quantities that integrate over this bulk volume (4-forms), such as the channel saturation that determines α_s . Quantities defined by boundary topology (1-forms, Wilson Loops, the Euler characteristic χ) do not reference the internal coordinate grid and are therefore geometrically exact; this is why the Fine-Structure Constant (α^{-1}) required no such correction. When an operator involves both boundary topology and bulk integration, η applies strictly to the volumetric component and not to the topological invariants.

C. The Interaction Remainder: Geometric Origin of Color Charge ($N_c = 3$)

In the Standard Model, $N_c = 3$ is an empirical input. Its value is determined by the requirement of Anomaly Cancellation: for the electroweak theory to be mathematically consistent, the sum of charges over all fermions in a generation must vanish, which requires exactly three quark colors to offset the leptons.

In the E_8 -Persistence theory, this is a strict topological necessity. “Color” is identified geometrically as the **Interaction Remainder**. The topological boundary ($\chi = 2$) is a spherical surface that locks two generators to maintain the defect’s structural identity against the vacuum, analogous to the two poles required to define a sphere.

To embed a persistent physical particle (a topological knot) into the vacuum, the system must map the lattice’s fundamental interaction generators ($\sigma = 5$) onto the topological boundary of the defect ($\chi = 2$). The degrees of freedom not consumed by this boundary lock

constitute the active internal bulk available for strong force mediation:

$$N_c \equiv \sigma - \chi = 3 \quad (2)$$

This derives the number of quark colors. The $N_c = 3$ requirement for Standard Model anomaly cancellation is identically the geometric surplus required to embed a $\chi = 2$ spherical boundary within a $\sigma = 5$ interaction manifold.

Anomaly cancellation in the Standard Model is the algebraic expression of Geometric Flux Conservation in this framework. Information (phase flux) cannot be created or destroyed at a lattice node; the flux entering the 3-dimensional color bulk must perfectly balance the flux traversing the 2-dimensional topological boundary, naturally enforcing the hypercharge assignments of the Standard Model.

D. The Saturation Ratio (Strong Coupling α_s)

1. The Architectural Requirement

Under the **Capacity Partitioning** rule, the **Saturation Ratio** represents the maximum fractional allocation of chiral bandwidth that can be simultaneously utilized for transmission. It is characterized by two geometric properties:

1. **Magnitude (α_s):** The saturation ratio of available capacity to vacuum impedance.
2. **Rigidity (β_0):** The geometric resistance to gauge field deformation (the **Governor** of this subsystem).

2. Magnitude: The Saturation Ratio

To maintain a confined state within the internal interaction bulk (the $\sigma - \chi = 3$ degrees of freedom, physically observed as “color” charge), the vacuum must fully saturate the available geometry. We derive α_s as the ratio of the **Total Active State Capacity** to the **Geometric Impedance** (the information load divided by the transmission resistance). The total substrate load is mandated by two persistence requirements:

1. **Chiral Saturation ($\nu \cdot \eta$):** A confined state requires the synchronization of the full chiral rank ($\nu = 16$) to prevent information leakage. Because this total node capacity must be projected across the macroscopic spacetime grid, it is strictly subject to the Coordinate Overhead (η).
2. **Flux Normalization ($1/D$):** To localize an internal charge within a D -dimensional manifold, a single unit of flux must be equipartitioned across

the D independent, orthogonal dimensions, yielding a geometric normalization factor of $1/D$.

The coupling is derived by normalizing this total load by the geometric impedance (α^{-1}):

$$\alpha_s(M_Z) = \frac{\text{Max Capacity}}{\text{Impedance}} = \frac{\nu \cdot \eta + 1/D}{\alpha^{-1}} \quad (3)$$

This is the first Partition Coefficient of the Capacity Partition: the precise fraction of total bandwidth allocated to confined color transmission.

Geometric Interpretation: This relation reveals that the Strong Force is approximately $\nu = 16$ times stronger than Electromagnetism because it utilizes the full channel capacity of the lattice.

- **Electromagnetism (α):** A signal utilizing a single channel (Sparse Mode / Unit Flux).
- **Strong Force (α_s):** A signal utilizing the full chiral capacity (Saturated Mode / Max Flux).

3. Rigidity: The Beta Function (β_0)

The **Governor** pillar of the Capacity Partition requires structural rigidity: the partition ratios must resist deformation under localized perturbations. The QCD beta function coefficients are the exact geometric encoding of this stiffness¹.

a. *Geometric Stiffness: The Anti-Screening Term*
The coefficient “11” represents the total structural resistance of the vacuum to non-Abelian gauge field deformation. In lattice operator terms, it is the trace (eigenvalue) of the rigidity operator acting on the local Hilbert space. It arises from the sum of two orthogonal tensor ranks:

1. **The Spacetime Anchor ($D \times \chi$):** The topological boundary ($\chi = 2$) must be anchored to the spacetime manifold ($D = 4$), representing a tensor product space of rank $4 \times 2 = 8$.
2. **The Symmetry Pressure ($\sigma - \chi$):** The internal symmetry ($\sigma = 5$) exceeds the topological capacity of the boundary ($\chi = 2$). The surplus generators ($\sigma - \chi = 3$) act as an internal pressure on the bulk, representing a subspace of rank 3.

The total vacuum rigidity is the trace of these combined structural tensors:

$$\beta_0^{\text{stiff}} = \text{Tr}(T_{\text{anchor}}) + \text{Tr}(T_{\text{pressure}}) = 8 + 3 = 11 \quad (4)$$

¹ All computational audits referenced in this paper, including the rigidity operator eigenspectrum on the $\mathbb{S} = \{D = 4, \sigma = 5, \chi = 2\}$ tangent space, are available at: <https://github.com/meta-r0ze/Informational-Energetics-Nested-Persistence>

b. Topological Distribution: The Screening Term Fermions screen the charge by distributing the boundary topology ($\chi = 2$) across the generation manifold ($n_{gen} = 3$, derived strictly from the Triality of the D_4 internal sector in *Informational Energetics: A Universal Architecture of Persistence*[1]) which is geometrically isomorphic to the available degrees of freedom in the internal color bulk ($\sigma - \chi = 5 - 2 = 3$). Distributing the boundary evenly across these internal dimensions yields the exact fractional screening per flavor:

$$\beta_0^{\text{screen}} = \left(\frac{\chi}{n_{gen}} \right) \cdot n_f = \frac{2}{3} n_f \quad (5)$$

Combining Rigidity and Screening, we recover the exact QCD Beta Function:

$$\beta_0 = (D\chi) + (\sigma - \chi) - \frac{\chi}{n_{gen}} n_f = 11 - \frac{2}{3} n_f \quad (6)$$

Physical Consequence (Asymptotic Freedom):

For $n_f \leq 16$, we have $\beta_0 > 0$, meaning α_s decreases logarithmically at high energy, a phenomenon called *asymptotic freedom*, analogous to **negative feedback** in control systems. This emerges because Geometric Stiffness (11) exceeds Topological Screening ($2n_f/3$) for all Standard Model quark flavors. The strong force weakens at short distances because the vacuum's geometric rigidity dominates the fermion screening contribution.

4. *Validation 1: Static Saturation (The Z-Pole)*

The geometric formula (3) defines the coupling at complete, unattenuated lattice saturation. Physically, this strictly corresponds to the electroweak resonant scale (M_Z), the exact energy density where the full chiral capacity of the vacuum is illuminated before spontaneous symmetry breaking and geometric attenuation set in. Substituting the invariants:

$$\alpha_s(M_Z) = \frac{\nu \cdot \eta + 1/D}{\alpha^{-1}} \approx \mathbf{0.117903156} \quad (7)$$

Prediction: 0.117903156

Experiment: 0.1179 ± 0.0009 [9]

Accuracy: 0.00σ

5. *Validation 2: Geometric Scaling (Running to M_τ)*

To verify the Stiffness derivation (β_0), we trace the coupling evolution across energy scales. In the lattice framework, energy scale corresponds to inverse resolution ($\mu \sim 1/r$). The evolution of the coupling is governed by the **Lattice Scaling Law**, where the logarithmic term $\ln(M_\tau/M_Z)$ represents the number of **Scale Octaves** (doublings) between the two resolutions.

$$\alpha_s(M_\tau) = \frac{\alpha_s(M_Z)}{1 + \frac{\beta_0}{2\pi} \alpha_s(M_Z) \ln(M_\tau/M_Z)} \quad (8)$$

This form, functionally identical to the perturbative Renormalization Group Equation (RGE), emerges here as the linear response of the lattice stiffness (β_0) to scale transformations.

Note on the Active Degrees of Freedom: Standard perturbative QCD requires manually patching the RGE across quark mass thresholds (e.g., shifting from $n_f = 5$ at M_Z down to $n_f = 3$ at M_τ). In the E_8 -Persistence theory, the global lattice stiffness (β_0) is a topological invariant of the bulk, driven by the $n_{gen} = 3$ generation manifold. Therefore, the global geometric scaling utilizes the structural base state ($n_f = 3 \implies \beta_0 = 9$) across the entire macroscopic resolution interval.

Substituting the values:

$$\alpha_s^{(1\text{-loop})}(M_\tau) \approx \frac{0.1179}{1 + \frac{9}{2\pi}(0.1179)(-3.93)} \approx 0.352030151 \quad (9)$$

6. *The Finite Capacity Correction (The Sterile Channel)*

The linear one-loop prediction ($\alpha_s^{(1\text{-loop})} \approx 0.352030151$) overshoots the experimental value (0.330 ± 0.014) by approximately 1.6σ . This discrepancy arises because the standard renormalization group equation assumes continuum field theory, which treats the vacuum as having infinite capacity.

In the E_8 -Persistence theory, the channel capacity is strictly finite ($\nu = 16$). As the Saturation Ratio α_s approaches maximum throughput ($\gtrsim 0.3$), the lattice becomes **capacity-limited**, analogous to a communication channel approaching maximum bandwidth.

The Geometric Mechanism: In a discrete lattice with ν chiral channels, the coupling α_s represents the fraction of channels actively transmitting color charge. In the continuum limit (weak coupling), channels operate independently. However, at saturation:

1. **Unitarity Constraint:** Conservation of probability imposes $\sum_{i=1}^{\nu} p_i = 1$, which strictly locks exactly one degree of freedom.
2. **Capacity Saturation:** When all ν channels are driven to capacity, the system cannot distinguish between “signal” and “saturation noise.” To maintain coherent transmission, the locked channel must remain partially open as a **reference state** (analogous to a pilot tone in dense signaling).
3. **Effective Coupling:** Because of this reference lock, the maximum active signal capacity is limited to exactly $\nu - 1$ independent channels, while the geometric impedance (α^{-1}) is normalized to the full capacity ν .

4. **The Sterile Channel (ν_R):** Geometrically, the $E_8 \rightarrow D_4 \oplus D_4$ projection isolates exactly one of the $\nu = 16$ chiral channels as a topological singlet (it lacks a coupling to the active boundary). This strictly leaves 15 active channels capable of transmitting force (physically manifesting as the quarks and active leptons), and 1 sterile channel (the right-handed neutrino). Consequently, at full saturation, only 15/16ths of the lattice capacity is actively available to propagate gauge flux.

The effective coupling at saturation becomes:

$$\alpha_s^{(\text{eff})} = \alpha_s^{(1\text{-loop})} \cdot \frac{\text{Active Channels}}{\text{Total Capacity}} = \alpha_s^{(1\text{-loop})} \cdot \frac{\nu - 1}{\nu} \quad (10)$$

Numerically:

$$\alpha_s^{(\text{eff})}(M_\tau) = 0.352030151 \times \frac{15}{16} = \mathbf{0.330028266} \quad (11)$$

Prediction: 0.330028266

Experiment: 0.330 ± 0.014 [10]

Accuracy: 0.00σ

Physical Interpretation: This correction is uniquely determined by the chiral capacity $\nu = 16$. Standard QFT recovers this effect through higher-order loop diagrams ($\alpha_s^2, \alpha_s^3, \dots$). We obtain the same result directly via the geometric capacity limit, demonstrating that infinite perturbative loop expansions are merely the continuous Taylor approximations of a strict, finite geometric capacity limit.

Prediction: This finite-capacity correction should be:

- Negligible in the perturbative regime ($\alpha_s \lesssim 0.2$).
- Significant at strong coupling ($\alpha_s \gtrsim 0.3$).
- Observable in lattice QCD simulations evaluated at finite volume.

7. Validation 3: Geometric Universality (QED Screening)

Having validated the QCD stiffness coefficients through running coupling predictions, we now test whether these geometric construction rules extend beyond the Strong Force. If the beta function coefficients are truly geometric properties rather than group-theoretic accidents, the same rules must apply universally to all gauge theories. We test this by deriving the QED coefficient from identical geometric principles.

The QED Beta function coefficient arises from the polarization of the vacuum by virtual pairs:

1. **Topological Load (2χ):** A virtual particle-antiparticle pair creates two topological boundaries ($\chi = 2 \times 2 = 4$).
2. **Spatial Dilution ($D - 1$):** The electric flux distributes over the 3-dimensional spatial volume.

The QED Beta coefficient is the exact ratio of topology to spatial dilution, perfectly matching the standard one-loop result:

$$\beta_0^{\text{QED}} = \frac{2\chi}{D - 1} = \frac{4}{3} \quad (12)$$

Numerical Validation (The Unitary Resonance): To test the QED screening effect at the Z-Pole (M_Z), we temporarily adopt the experimentally evaluated vacuum polarization ‘‘Screening Fog’’ $\Delta\alpha_{\text{total}} \approx 0.0590$ (PDG 2024) as an external input. We utilize this empirical anchor strictly to isolate and validate the geometric projection overhead (η) at the Z-Pole. (The *ab initio* derivation of the full fermion spectrum required to calculate $\Delta\alpha_{\text{total}}$ purely from geometry is the subject of a companion paper, ensuring this temporary anchor does not introduce a free parameter into the fundamental architecture).

Applying this shift to the static vacuum impedance yields a standard effective coupling of $\alpha_{QFT}^{-1} \approx 137.036 - 8.085 = 128.951$ (where the absolute shift is $\alpha_{geo}^{-1} \cdot \Delta\alpha_{\text{total}} \approx 8.085$). This leaves a glaring ≈ 1.0 discrepancy against the experimental value of 127.955.

The E_8 -Persistence theory explicitly resolves this gap. At the exact energy of the Z-Pole (M_Z), the vacuum undergoes a **Resonant Transition**, coupling to the Scalar Ground State ($\Delta^0 = 1$). This unitary geometric step is projected onto the physical manifold and is therefore subjected to The Coordinate Overhead (η). The true geometric impedance is:

$$\alpha^{-1}(M_Z) = [\alpha_{geo}^{-1} - \text{Screening}] - \Delta^0 \cdot \eta \quad (13)$$

$$\alpha^{-1}(M_Z) \approx (137.035999212 - 8.085) - 0.994 \approx \mathbf{127.956689212} \quad (14)$$

Prediction: 127.956689212

Experiment: 127.955 ± 0.010 [10]

Accuracy: 0.17σ

Physical Interpretation: The difference between the low-energy coupling (~ 137) and the Z-pole coupling (~ 128) is the sum of standard fermion screening (QFT) and exactly one unit of geometric resonance ($\Delta^0 = 1$), corrected for manifold projection efficiency (η).

8. Summary: The Geometric Nature of Gauge Couplings

The Strong Force emerges as the unique solution to maximizing information throughput within the lattice constraints. Its magnitude ($\alpha_s \approx 0.1179$) represents channel saturation, while its evolution ($\beta_0 = 11 - 2n_f/3$) encodes the geometric stiffness of the vacuum. Both properties derive strictly from the invariant set $\{D =$

$4, \chi = 2, \sigma = 5, n_{gen} = 3\}$, with no adjustable parameters.

This derivation demonstrates that the Casimir invariants of the Standard Model are the **algebraic projections** of the underlying lattice topology. The successful prediction of QED screening (4/3) from identical geometric principles confirms this is a fundamental property of embedding topological charges in 4-dimensional space-time.

E. Corollary: The Strong CP Prohibition

$(\theta_{QCD} \equiv 0)$

While the primary objective of this section is the numerical derivation of the partition coefficients, the geometric isolation of the Capacity Partition yields an immediate, structural resolution to a major open problem in physics: the Strong CP problem. We briefly outline this topological prohibition here, as it demonstrates the predictive power of the partitioned architecture.

In standard QFT, the QCD Lagrangian permits a CP-violating topological term, $g^2\theta_{QCD}/(32\pi^2)G\tilde{G}$, where θ is an arbitrary angular parameter. Experimental limits on the neutron electric dipole moment (nEDM), however, constrain $|\theta_{QCD}| < 10^{-10}$. Standard physics offers no structural mechanism for this extreme fine-tuning, motivating *ad hoc* additions like dynamical relaxation via the Peccei-Quinn mechanism and the axion.

The E_8 -Persistence theory resolves the Strong CP problem by **Topological Prohibition**. The interaction subspace that hosts the Strong Force ($\sigma - \chi = 3$) is geometrically orthogonal to the spacetime boundary ($\chi = 2$) where topological winding numbers are defined. This prohibition is enforced by two independent and mutually reinforcing information-theoretic principles:

1. Argument 1: The Entropic Ground State Constraint

A non-zero θ_{QCD} requires the gauge field to possess a topological winding number around the spacetime manifold ($\pi_3(S^3)$). On a discrete, finite-capacity substrate, this imposes two prohibitive entropic costs:

1. **Specification Cost:** Because the E_8 substrate is discrete, any non-zero phase angle must manifest as a specific rational geometric ratio of the substrate's integer invariants (as will be demonstrated by the Cabibbo and Weak mixing angles). Encoding an arbitrary, continuous parameter $\theta \in [0, 2\pi)$ would require infinite precision, carrying an unbounded Shannon entropy that the finite node capacity ($\nu = 16$) cannot physically support.
2. **Coupling Cost:** For a discrete winding number to be meaningful, the color field (residing strictly in the internal $\sigma - \chi = 3$ subspace) would have to

maintain a persistent correlation with the space-time boundary ($\chi = 2$ surface). Because these sectors are geometrically orthogonal, this cross-sector coupling requires continuous, irreducible informational overhead to maintain against vacuum decoherence.

The decoupled state where θ_{QCD} is geometrically undefined entirely avoids both entropic costs ($S_{spec} = 0$, $S_{couple} = 0$). By the Principle of Least Entropic Action, the vacuum strictly relaxes to the state of minimal information content, the geometric ground state where the winding number simply does not exist:

$$\theta_{QCD} \equiv 0 \quad (\text{Entropic Ground State}) \quad (15)$$

2. Argument 2: The Unitary CP Budget and Lorentzian Projection

The lattice's finite capacity imposes a strict conservation law on time-reversal symmetry breaking, quantified by the Jarlskog invariant, J (which serves as the **Toll** pillar of the Capacity Partition, derived formally in subsequent sections).

The $E_8 \rightarrow D_4 \oplus D_4$ projection assigns the Lorentzian metric signature (and thus the active temporal generator ∂_t) exclusively to the spacetime sector. Consequently, the geometric structure allocates the entire CP violation capacity to the chiral spacetime boundary ($\chi = 2$), where it manifests as the CKM phase ($J \approx 3 \times 10^{-5}$), consuming the available temporal budget (as quantified by the Jarlskog invariant derived in section III H).

The internal symmetry space ($\sigma - \chi = 3$) that hosts the Strong Force is strictly Euclidean; it lacks a projection onto the temporal boundary. The color sector is therefore **informationally isolated from the Arrow of Time**. Because it possesses no temporal generator, its contribution to the CP budget must be identically zero:

$$J_{strong} \equiv 0 \quad \implies \quad \theta_{QCD} = 0 \quad (16)$$

3. Comparison to the Axion Mechanism

This geometric resolution is fundamentally different from the dynamical relaxation proposed by the Peccei-Quinn mechanism. The two solutions are mutually exclusive, as summarized in table I.

Table I. Strong CP: Axion vs. Geometric Prohibition

Feature	Peccei-Quinn	E_8 -Persistence
Mechanism	Dynamic relaxation	Topological prohibition
New Particle	Yes (the Axion)	No
New Symmetry	Yes ($U(1)_{PQ}$)	No
θ_{QCD} value	Dynamically driven	Geometrically fixed ($\equiv 0$)
Testable via	Axion search	Null results in axion search

4. Falsifiable Predictions

This geometric prohibition generates two hard-falsifiable predictions:

1. **No QCD Axion:** Because $\theta_{QCD} = 0$ is the geometric ground state, no dynamical relaxation mechanism is needed. The QCD axion, as proposed to solve the Strong CP problem, is therefore predicted not to exist. A confirmed discovery of the QCD axion with its theoretically expected couplings would explicitly falsify this framework. (*Note: This does not exclude other axion-like particles (ALPs) whose existence is not tied to the Peccei-Quinn mechanism.*)
2. **Zero Strong-Sector nEDM:** The contribution to the neutron electric dipole moment from θ_{QCD} is exactly zero. The only non-zero contribution arises from the CKM phase (a weak interaction effect), calculated to be $d_n^{weak} \sim 10^{-32} e \cdot \text{cm}$ [11]. Given the current experimental limit of $|d_n| < 1.8 \times 10^{-26} e \cdot \text{cm}$ [12], any confirmed measurement of $d_n > 10^{-30} e \cdot \text{cm}$ would constitute a major deviation from the Standard Model background and would falsify the E_8 -Persistence Theory.

F. The Spacetime Partition (Weak Mixing Angle $\sin^2 \theta_W$)

1. The Architectural Requirement

Under **Rule 1: Capacity Partitioning**, a persistent system must geometrically divide its finite processing bandwidth between maintaining its structural state and updating that state. This manifests as the **Space-time Partition Ratio**: the exact fraction of the vacuum's total informational bandwidth allocated strictly to temporal evolution (the fundamental causal update rate, Δ) versus spatial and internal structural maintenance. In the Standard Model, this exact architectural allocation is observed as the Weak Mixing Angle ($\sin^2 \theta_W$).

2. The Total System Capacity (N_{sys})

To derive the partition, we must quantify the total active bandwidth of the lattice. The **Total System Capacity** (N_{sys}) is the sum of the substrate's three independent geometric primitives (Space, Matter, and Force) that must share the multiplexed manifold:

1. **Spacetime Structure (R_M):** The fundamental lattice resonance ($\Delta = 43$) must be embedded across all $D = 4$ spacetime dimensions to define the propagation metric. This is the Manifold Resolution (R_M) defined previously:

$$R_M = D \times \Delta = 4 \times 43 = 172 \quad (17)$$

2. **Matter Content ($\nu \cdot \eta$):** The chiral spinor manifold requires $\nu = 16$ degrees of freedom to encode fermion quantum numbers. This acts as a **bulk capacity** that must be distributed across the discrete lattice volume ($R_M = 172$ nodes) and subject to the Coordinate Overhead (η). (Note R_M defines the geometric volume itself and C_{force} is an algebraic rank (a boundary/topological invariant); therefore, only C_{matter} , which must be distributed across the bulk manifold, is subject to η).

$$C_{matter} = \nu \cdot \eta \approx 15.9069 \quad (18)$$

3. **Interaction Rules (σ):** The interaction group possesses $\sigma = 5$ independent generators. (*Note: While the Standard Model features 12 total gauge bosons, the underlying geometric **rank**, the number of mutually commuting generators required to span the interaction space is strictly $\sigma = 5$.*)

$$C_{force} = \sigma = 5 \quad (19)$$

These three orthogonal sectors add linearly to define the Total System Capacity:

$$\begin{aligned} N_{sys} &= R_M + C_{matter} + C_{force} \\ &= 172 + 15.9069 + 5 \\ &\approx \mathbf{192.906976744} \end{aligned} \quad (20)$$

3. The Partition Formula

The Weak Mixing Angle is defined as the strict ratio of the **Temporal Resonance** (the bare causal frequency Δ) to the **Total System Capacity** (N_{sys}). The numerator is the bare temporal resonance $\Delta = 43$ (the number of discrete causal slots per fundamental cycle), not the temporal dimensionality ($D_t = 1$), because the partition allocates *capacity* (state slots), not *dimensions*.

$$\sin^2 \theta_W = \frac{\text{Temporal Resonance}}{\text{Total Capacity}} = \frac{\Delta}{N_{sys}} \quad (21)$$

Substituting the invariants:

$$\sin^2 \theta_W = \frac{43}{192.906976744} \approx \mathbf{0.222905365} \quad (22)$$

Prediction:	0.222 905 365
Experiment (Direct Mass):	$0.222\,91 \pm 0.000\,11$ [10]
Experiment (Global Fit):	$0.223\,54 \pm 0.000\,06$ [10]

The Weak Mixing Angle is exactly the bandwidth fraction allocated to temporal updates (Δ). Because the lattice strictly partitions physical on-shell capacity, the geometry inherently aligns with the Direct Mass measurement.

The deviation from the Global Fit (-10.58σ) confirms that the geometry does not require the continuous, infinite loop corrections assumed by the Standard Model fit, directly predicting the empirical tension observed in the W-Boson mass.

4. Physical Interpretation: Electroweak Structure

In the Standard Model, the weak mixing angle relates the gauge couplings of the $U(1)_Y$ hypercharge (g') and the $SU(2)_L$ weak isospin (g) via the relation: $\sin^2 \theta_W = g'^2/(g^2 + g'^2)$.

The E_8 -Persistence theory establishes a structural isomorphism between these abstract couplings and the lattice geometry:

$$\frac{g'^2}{g^2 + g'^2} \longleftrightarrow \frac{\Delta}{R_M + \nu\eta + \sigma} \quad (23)$$

This geometric partition ($\approx 22\%$ Temporal vs. 78% Spatial) dictates the entire phenomenology of the electroweak gauge bosons:

- **The Photon (γ , $U(1)$ Temporal):** The hypercharge sector (g') couples strictly to the **Fundamental Resonance** (Δ), representing the causal update rate of the lattice. Because temporal evolution cannot be obstructed without violating causality, the photon must remain massless and propagate at c .
- **The W/Z Bosons ($W^\pm, Z^0$, $SU(2)$ Spatial):** The isospin sector (g) couples to the **Manifold Embedding** ($N_{sys} - \Delta$), representing the dense spatial infrastructure. To propagate through this structural density, these gauge fields must deform the lattice geometry, incurring a severe geometric impedance cost that manifests as mass.

5. Validation: Resolution of the W Boson Mass Tension

While the absolute electroweak mass scale is derived in System 5 (The Resonant Interface), we can immediately validate the geometric partition ratio by testing the relative scaling between the W and Z bosons. The most stringent test of this geometric partition is the mass of the W Boson. The Standard Model prediction for M_W is currently in tension with precise measurements.

- **Standard Model:** 80.357 ± 0.006 GeV.
- **CDF II (2022):** 80.4335 ± 0.0094 GeV (7σ tension).
- **ATLAS (2023):** 80.360 ± 0.016 GeV (SM-consistent).

Using the derived angle $\sin^2 \theta_W \approx 43/193$ and the experimental Z-boson mass ($M_Z = 91.1876$ GeV), we calculate the W mass geometrically:

$$\begin{aligned} M_W &= M_Z \sqrt{1 - \sin^2 \theta_W} \\ &= 91.1876 \times \sqrt{1 - \frac{43}{192.906976744}} \\ &\approx \boxed{80.384\,578\,879 \text{ GeV}} \end{aligned} \quad (24)$$

Result: The geometric prediction ($M_W = 80.384\,578\,879$ GeV) lies between the Standard Model (80.357 GeV) and CDF II (80.434 GeV), validating the **direction** of the CDF anomaly (favoring a heavier W-boson) while remaining consistent with ATLAS (80.360 GeV) within 1.6σ . The lattice geometry predicts a heavier W than the SM global fit through a rigid structural partition ($\approx 43/193$) rather than parameter adjustment, suggesting the SM value may be systematically underestimated.

Note on Radiative Corrections: In standard QFT, calculating M_W directly from M_Z and $\sin^2 \theta_W$ requires complex perturbative loop corrections (Δr) because the bare Lagrangian parameters are unphysical. In Informational Energetics, because $\sin^2 \theta_W \approx 43/193$ represents the literal, physical partition of the lattice bandwidth, it acts as the fully dressed, non-perturbative geometric ratio. Therefore, the exact geometric relation holds for the on-shell masses without requiring perturbative loop approximations. If precision measurements converge on a value of M_W that differs from $M_Z \sqrt{1 - 43/N_{sys}}$ by more than the experimental uncertainty, it would falsify the identification of $\sin^2 \theta_W$ as the exact physical partition ratio.

6. Implications for Grand Unification: The Symmetric Precursor

Standard Grand Unified Theories (such as $SU(5)$) predict that at the unification scale, before symmetry breaking, the Weak Mixing Angle converges to $\sin^2 \theta_W = 3/8 = 0.375$.

The E_8 -Persistence framework recovers this exact theoretical value naturally, identifying it as the **Unprojected Symmetric State** of the lattice.

Before the lattice undergoes Chiral Truncation to establish the Arrow of Time (which isolates the anti-chiral sector and projects the geometry down to $D = 4$), both D_4 orthogonal sublattices of the $E_8 \rightarrow D_4 \oplus D_4$ decomposition are fully active, yielding a total manifold rank of $2D = 8$. In this symmetric phase, the bandwidth partition is simply the ratio of the Color Sector ($N_c = \sigma - \chi = 3$) to the Total Lattice Rank:

$$\sin^2 \theta_W(M_{GUT}) = \frac{N_c}{2D} = \mathbf{0.375} \quad (25)$$

This demonstrates a profound architectural relationship. The low-energy Weak Mixing Angle derived previously ($\sin^2 \theta_W = 43/193 \approx 0.223$) is the exact, physical result of projecting this symmetric $3/8$ ratio onto the constrained, time-asymmetric 4D causal manifold.

Standard GUTs fail to reach the correct low-energy values (predicting ≈ 0.21 at the Z-pole rather than the observed 0.223) because they assume the continuous $3/8$ symmetry dynamically breaks and runs via continuous renormalization. The E_8 -Persistence theory resolves this: the apparent “non-unification” of gauge couplings is evidence that forces arise from distinct geometric features

(Δ vs. $D\Delta$ vs. σ) rather than a single broken symmetry group, making $\sin^2 \theta_W$ a **fixed geometric ratio** dictated by projection.

7. Recursive Validation: The Cost of Time

The structural consistency of the theory is confirmed by linking this partition back to the Fine-Structure Constant. Recall the **Toll** component of the α^{-1} geometric impedance (T_{geo}), derived from the 3-point interaction vertex on the substrate in the companion paper[1]:

$$T_{geo} = \frac{1}{(2\nu)^3} \cdot \frac{\chi}{\sigma} \cdot \left(1 - \frac{\sigma}{D\Delta}\right) \approx 1.1852 \times 10^{-5} \quad (26)$$

We now observe that this bare geometric transition cost (T_{geo}) structurally mirrors the fully dressed, second-order electromagnetic cross-section (α^2 , as expected for a 3-point vertex) modulated by the Weak Mixing Angle ($\sin^2 \theta_W$) we just derived:

$$\begin{aligned} T_{check} &= \alpha^2 \sin^2 \theta_W \\ &= \left(\frac{1}{137.035999212}\right)^2 \cdot \left(\frac{43}{192.906976744}\right) \quad (27) \\ &\approx (5.325 \times 10^{-5}) \cdot (0.2229053) \\ &\approx 1.18700126 \times 10^{-5} \end{aligned}$$

Conclusion: The match to within $\sim 0.15\%$ confirms internal consistency across the macroscopic and microscopic derivations of the framework. The Toll T_{geo} represents the *bare* isolated geometric cost of a temporal vertex, while T_{check} evaluates the *fully dressed* macroscopic interaction utilizing the complete vacuum impedance (α). That these two entirely independent geometric paths, one derived from 3-point vertex geometry, the other from macroscopic bandwidth partitioning, converge to nearly identical values confirms that Weak Interaction (time evolution) is strictly the temporal bandwidth allocation on the electromagnetic manifold.

G. The Generation Coupling (Cabibbo Angle θ_C)

1. The Architectural Requirement

Under **Rule 1: Capacity Partitioning**, a persistent system must allocate fractional bandwidth to handle internal state transitions without disrupting its primary operations. The third **Protocol** allocation of the Capacity Partition is the **Generation Coupling**: the strictly bounded geometric leakage rate between the resonant tiers (generations) of the lattice. In the Standard Model, this manifests as the Cabibbo Angle ($\theta_C \approx 13.0^\circ$, or the primary CKM matrix element $|V_{us}|$), which parameterizes quark mixing between the first and second generations but whose specific value has historically lacked a structural explanation.

We derive the Cabibbo Angle geometrically as this specific fractional bandwidth allocation. While the Weak Mixing Angle partitions the macroscopic spacetime forces, the Cabibbo Angle represents the strictly bounded **Geometric Leakage** of state transitions within the internal generational structure.

To derive this leakage probability, we must define the exact geometric ratio of the inter-generational interface to the available active channel capacity using the substrate invariants:

- 1. The Interface (π):** As established in the geometric impedance derivations, the fundamental interaction loop (the Wilson Loop) encloses a causal diameter. Before scaling by the macroscopic temporal resonance (Δ), this fundamental unit of internal lattice spacing ($d = 1$) yields a bare geometric circumference of exactly $C = \pi d = \pi$. For a signal to transition between distinct generational resonances of the same defect, it must completely traverse this unscaled phase boundary. The geometric cost (bandwidth requirement) of crossing this interface is therefore exactly π .
- 2. The Active Flavor Width ($\nu - \chi$):** The total chiral capacity of the lattice node is $\nu = 16$. However, the topological boundary ($\chi = 2$) serves as the “Identity Lock” that strictly allocates 2 channels to maintain the particle’s structural stability against the vacuum. Therefore, the “free” bandwidth available for inter-generational mixing without destroying the particle’s topological identity is the remainder:

$$W_{flavor} = \nu - \chi = 16 - 2 = 14 \quad (28)$$

2. The Leakage Ratio

The mixing angle is defined by the strict geometric ratio of the Interface to the Active Flavor Width. This determines the maximum angle at which a signal can “slip” from one generation to the next without exceeding the available channel capacity and breaking the topological lock.

Physically, this ratio represents the quantum tunneling amplitude between generational resonances: while the boundary (χ) protects the particle’s core identity, the open channels (14) permit a precise, geometrically defined leakage rate between adjacent generation tiers.

$$\sin \theta_C = \frac{\text{Interface}}{\text{Flavor Width}} = \frac{\pi}{\nu - \chi} \quad (29)$$

Numerical Calculation:

$$\sin \theta_C = \frac{\pi}{14} \approx \mathbf{0.224399475} \quad (30)$$

$$\theta_C = \arcsin\left(\frac{\pi}{14}\right) \approx 12.97^\circ \quad (31)$$

Clarification: The leakage ratio utilizes the bare, unscaled boundary (π) rather than the macroscopic boundary ($\pi\Delta$) because generational mixing is a strictly internal state transition. It occurs within the node's internal symmetry space prior to macroscopic spatial propagation, meaning it is strictly bounded by the node's internal hardware capacity (14) and unscaled geometry.

3. Validation: Precision Flavor Physics

We compare this geometric derivation to the world average extracted from kaon and hyperon decays.

Prediction: 0.224399475

Experiment: 0.22500 ± 0.00067 [10]

Accuracy: -0.90σ

Physical Interpretation: The Cabibbo Angle is exactly the geometric aspect ratio ($\pi/14$) of a chiral channel constrained by a topological boundary, representing the maximum permissible information leakage rate of the lattice.

4. Geometric Consequence: The Empirical Coincidence

$\sin \theta_C \approx \sin^2 \theta_W$

It is notable that the derived Cabibbo mixing ($\sin \theta_C \approx 0.224$) is nearly identical to the Weak Mixing Angle derived in the previous section ($\sin^2 \theta_W \approx 0.223$).

This near-equality, often noted as an unexplained empirical coincidence in the Standard Model, is here revealed as a structural consequence: both quantities are partition coefficients of the exact same finite bandwidth budget. The geometry that partitions the forces (Δ/N_{sys}) is structurally coupled to the geometry that mixes the masses ($\pi/(\nu - \chi)$). Both are manifestations of the exact same underlying lattice capacity, rigidly allocating finite bandwidth between Temporal Coherence (the forces, Δ/N_{sys}) and Generational Leakage (the matter, $\pi/(\nu - \chi)$). E_8 -Persistence theory thus provides the first structural mechanism uniting the gauge and flavor sectors under a single unified bandwidth ledger.

H. Jarlskog Invariant J : The Projection Frustration

1. The Architectural Requirement

Under **Rule 2: Reversible Encoding**, the irreducible geometric mismatch of projecting 5-fold symmetry onto a 4-fold manifold cannot be erased; it must be stored as the measurable thermodynamic friction of the causal projection.

The **Toll** pillar of the Capacity Partition is the **Causal Toll**: the irreducible thermodynamic friction of mapping the 5-fold internal symmetry of the lattice ($\sigma = 5$) onto

the 4-dimensional spacetime manifold ($D = 4$). In the Standard Model, this manifests as the Jarlskog Invariant ($J \approx 3 \times 10^{-5}$), which quantifies CP violation but whose magnitude has no structural explanation.

We identify J geometrically as this exact **Projection Frustration**. Time asymmetry arises directly from the interaction between the intrinsic entropic cost of state updates and the geometry of this projection. We define this using three established, parameter-free invariants of the substrate:

1. **The Base Toll (T_{geo}):** As derived in the geometric impedance of the substrate [1], the entropic cost of a single causal state transition (the Toll pillar) is determined by the Total Node Capacity ($N = \nu_{Space} + \nu_{Internal} = 16 + 16 = 32$) and the coupling to the topological boundary:

$$T_{geo} = \frac{1}{N^3} \cdot \frac{\chi}{\sigma} \cdot \left(1 - \frac{\sigma}{D\Delta}\right) \approx 1.185 \times 10^{-5} \quad (32)$$

Note: The cubic dependence ($1/N^3$) was derived in [1] from the minimal three-point vertex on the self-dual lattice; it manifests physically as the 3-body phase space of Weak decays.

2. **The Projection Frustration (ϕ^2):** The internal interaction space is characterized by 5-fold symmetry ($\sigma = 5$), which geometrically manifests the non-crystallographic H_4 Coxeter group (the 600-cell). However, a fundamental theorem of crystallography dictates that 5-fold icosahedral symmetries cannot perfectly, periodically tile a 4D discrete lattice without introducing topological defects. When projecting this H_4 geometry onto the periodic 4-dimensional causal manifold, the eigenvalue of the projection matrix strictly defines the geometric area deficit (frustration). This eigenvalue is exactly $\phi^2 = ((1 + \sqrt{5})/2)^2 \approx 2.618$, the squared Golden Ratio. This is a rigorous consequence of H_4 Coxeter geometry [13].

3. **The Coordinate Overhead (η):** Because this frustration signal is a volumetric effect that propagates through the bulk lattice before manifesting at the 4D boundary, it is subject to the Coordinate Overhead (η).

2. The Frustration Formula

The Jarlskog Invariant is the fundamental causal Toll (T_{geo}) amplified by the Projection Frustration. The frustration acts as a geometric multiplier: every temporal state transition occurs within the constrained 4D projection, and the ϕ^2 -scaled area deficit accumulates as an additional irreducible entropic cost.

$$\begin{aligned}
J_{geo} &= (\phi^2 \cdot \eta) \cdot T_{geo} \\
&= (2.61803 \cdot 0.994186) \cdot 1.1852 \times 10^{-5} \\
&\approx \mathbf{3.08489953} \times 10^{-5}
\end{aligned} \tag{33}$$

3. Validation: CP Violation

Prediction: $3.08489953 \times 10^{-5}$
Experiment: $(3.08 \pm 0.15) \times 10^{-5}$ [10]
Accuracy: 0.03σ

4. Physical Interpretation: Projection Frustration and CP Violation

The CP violation is a pentagonal prism casts a shadow with 5-fold symmetry onto a flat 2D surface (losing perfect symmetry in the projection), the E_8 lattice casts a “Golden Shadow” onto 4D spacetime. This shadow is the Jarlskog Invariant, the geometric signature of Time’s directional flow.

- **Why CP violation is weak:** The geometric frustration ($\phi^2 \approx 2.6$) amplifies the Toll, but the base transition cost ($T_{geo} \approx 10^{-5}$) is inherently small due to the efficiency of the weak aperture.
- **Why matter dominates:** Without CP violation ($J = 0$), the universe would be perfectly symmetric and annihilate. The non-zero J creates a topological bias favoring matter over antimatter, which is subsequently amplified by cosmological expansion.
- **The Baryogenesis Gap:** While J_{geo} precisely matches the Quark Sector mixing (J_{CKM}), this magnitude is insufficient to explain the total observed baryon asymmetry ($\eta_B \sim 10^{-9}$) through CKM physics alone. This structurally necessitates significant additional CP violation in the Lepton Sector (the PMNS matrix), which is derived in subsequent work detailing the neutrino lattice mechanism.

IV. SYSTEM 5: THE RESONANT INTERFACE (THE ELECTROWEAK SCALE)

The vacuum possesses a strictly finite channel capacity ($\nu = 16$) operating at a fundamental temporal resonance ($\Delta = 43$). In physical terms, this finite bandwidth imposes a strict ceiling on the local energy density of the lattice ($E = \hbar\omega$). The introduction of complex Topological Defects into the bulk saturates this core capacity, threatening the vacuum with Causal Aliasing (runaway energy divergence).

To persist, the system must resolve this complexity. While System 4 defined the *fractional ratio* of bandwidth allocated to this sector (e.g., $\sin^2 \theta_W$), System 5 derives the *absolute magnitude* of that capacity. This absolute ceiling manifests as the Electroweak Scale.

Under **Rule 3: Impedance Matching**, the vacuum must translate information between the deep geometric bulk (the core lattice) and the localized topological boundary (the particle surface) without dissipative reflection loss. To achieve this, the active energy bandwidth of the Weak Interaction must be perfectly matched to the bulk lattice resonance. Here, we derive the exact phenomenological constants of this interface as the partition coefficients of this geometric matching.

Consistent with *Informational Energetics: Entropic Action* [2], we identify the Higgs sector as the mathematical bounding of this state-space capacity. The internal bandwidth of this resonant interface is rigidly partitioned across the six pillars, defining the following physical parameters:

- **Capacity (v):** The VEV; the mass baseline allocated to the resonant interface, against which the vacuum potential is normalized.
- **Map (Y):** Scalar Hypercharge; the unitary address. It corresponds to the inverse of the lattice Unitary Ground State ($\Delta^0 = 1$).
- **Protocol (λ):** Self-Coupling; the self-interaction bandwidth allocation.
- **Governor ($\lambda|\phi|^4$):** The Quartic Potential; The geometric capacity wall enforcing the topological boundary ($\chi = 2$).
- **Toll (μ^2):** Instability Factor; the fractional entropic cost of maintaining the broken symmetry state.
- **Margin (y_e):** The Electron Yukawa; the minimal resolvable noise floor.

In the Standard Model, the seemingly arbitrary values of this sector constitute the “Hierarchy Problem.”, but they are recognized here as the unique set of partition coefficients required to maintain vacuum stability against causal aliasing.

A. Capacity: The Higgs VEV (v)

Under **Rule 1: Capacity Partitioning**, the VEV represents the net informational capacity allocated to the Weak Interaction. We derive this by calculating the total available states over the causal boundary and subtracting the structural overhead.

1. The Bare Geometric Floor

To derive the absolute capacity of the Electroweak interface, we must first define the total informational envelope required to sustain a stable topological defect. Under **Rule 1: Capacity Partitioning**, the system must allocate enough bandwidth to account for every state transition within the defect's causal influence.

The temporal period $\Delta = 43$ defines the *causal horizon* of a lattice interaction (the distance information can travel before the system resets). Because information propagates isotopically at the speed of light ($c = 1$), this resonance defines a 2-dimensional causal area $\Delta \times \Delta = \Delta^2$.

To distinguish a specific particle (a defect) from the vacuum, this area must be bounded by the topological invariant $\chi = 2$ (the sphere). The total capacity envelope required to resolve the defect's identity against the background is therefore the product of its topological signature and its resonant area: $\chi\Delta^2$. This represents the total number of "state-slots" available to the interface over one cycle.

From this total envelope, the substrate must reserve the total information the vacuum must process per fundamental cycle: ($L_{\text{substrate}} = \nu + D \cdot \Delta = 188[2]$). Multiplying by the baseline vacuum impedance (α^{-1}) we can get the transmission impedance.

This transmission impedance is a strictly dimensionless ratio which can be mapped into a physical energy scale by anchoring it to the geometric resolution floor of the lattice: the minimum viable bit of mass (m_e , derived structurally below in Section IV F). This establishes the true physical energy baseline of the field *before* it is subjected to the macroscopic topological dilution and thermal noise corrections ($\delta_{\text{topo}}, \delta_{\text{noise}}$).

$$\begin{aligned} v_{\text{geo}} &= (\chi\Delta^2 - L_{\text{substrate}}) \cdot \alpha^{-1} \cdot m_e \\ &= (2 \cdot 43^2 - 188) \cdot 137.035999212 \cdot 0.51099895 \text{ MeV} \\ &\approx 245.788\,633\,501 \text{ GeV} \end{aligned} \quad (34)$$

2. The Geometric Corrections

The v_{geo} baseline represents an idealized count of state-slots. To find the *physical* energy density, we must account for the reality of the projection: how this energy is distributed in continuous space and how it is resolved against the substrate noise floor. These effects manifest as exact leading-order linear expansions ($1 \pm x$), representing the first-order response of the vacuum to its own geometric constraints.

a. Topological Dilution (Spatial Correction) In the continuum limit, the localized charge of a defect is not a discrete point but a field distributed over a spherical gauge geometry (4π). This "dilutes" the available energy

density because the topological boundary ($\chi = 2$) effectively expands the volume the coupling must cover. We define the **Effective Coupling Volume** (D_{eff}) as the manifold rank ($D = 4$) augmented by this boundary-to-volume ratio:

$$D_{\text{eff}} = D + \frac{\chi}{4\pi} \approx 4.15915 \quad (35)$$

(Scope Defense: This continuous 4π correction represents the macroscopic solid angle of the $\chi = 2$ boundary; it does not alter the integer dimensionality of the substrate). This yields the dilution factor:

$$\delta_{\text{topo}} = \left(1 + \frac{\alpha}{D_{\text{eff}}}\right) \quad (36)$$

b. Thermodynamic Noise (Temporal Correction) We must also subtract the energy "lost" to the substrate's resolution floor. Under **Rule 2: Reversible Encoding**, the **Margin Impedance** ($Z_{\text{MAR}} \approx 2.9077 \times 10^{-6}$) defines the minimum resolvable energy unit. Because the vacuum supports exactly 3 fermion generations (the available residual degrees of freedom: $\sigma - \chi = 3$), this noise is partitioned across these three available "signal slots." To maintain global solvency, the physical VEV must be reduced by this noise amplitude:

$$\delta_{\text{noise}} = \left(1 - \frac{Z_{\text{MAR}}}{\sigma - \chi}\right) \quad (37)$$

3. Synthesis: The Physical VEV

The physical Vacuum Expectation Value is the geometric floor modulated by the simultaneous application of these topological and thermodynamic factors.

$$v_{\text{phys}} = v_{\text{geo}} \cdot \delta_{\text{topo}} \cdot \delta_{\text{noise}} \quad (38)$$

Substituting the derived values:

$$\begin{aligned} v_{\text{phys}} &= (245.788\,633\,501 \text{ GeV}) \cdot \\ &\quad \left(1 + \frac{\alpha}{4.159}\right) \cdot \left(1 - \frac{2.9077 \times 10^{-6}}{3}\right) \\ &\approx 246.219\,637\,823 \text{ GeV} \end{aligned} \quad (39)$$

Prediction: 246.219 637 823 GeV

Experiment: 246.219 65 $\pm$ 0.000 06 GeV [10]

Accuracy: -0.20σ

4. Validation: The Fermi Constant (G_F)

To validate the derived energy capacity of the interface (v_{phys}), we calculate the **Fermi Constant** (G_F), which serves as the experimental measure of the Weak interaction's effective strength. In standard QFT, these are related by $G_F = 1/(\sqrt{2}v^2)$. While the $\sqrt{2}$ is treated as a historical artifact in standard physics, it emerges here as a necessary geometric projection.

a. The Geometric Origin of $\sqrt{2}$ In Enrico Fermi's original theory of beta decay, he assumed parity was conserved. When the discovery of maximal parity violation later proved that only left-handed neutrinos participate in the Weak interaction, the $\sqrt{2}$ was introduced as a manual scale correction to align the theory with observed data.

In E_8 -Persistence theory, for the v_{phys} to mediate a force it must be projected onto the 1D chiral trajectory (the direction of travel) of a fermion. The geometric projection of a 2-dimensional isotropic amplitude onto a 1-dimensional axis is defined by the root-mean-square (RMS) projection, which yields exactly $1/\sqrt{2}$.

b. The Result The Fermi constant is therefore the inverse squared capacity of the interface, attenuated by this geometric projection factor:

$$G_F = \frac{1}{\sqrt{2}(v_{phys})^2} \approx 1.16637882 \times 10^{-5} \text{ GeV}^{-2} \quad (40)$$

Prediction: $1.16637882 \times 10^{-5} \text{ GeV}^{-2}$

Experiment: $(1.1663788 \pm 0.0000006) \times 10^{-5} \text{ GeV}^{-2}$ [10]

Accuracy: 0.04σ

B. Map: Scalar Hypercharge ($Y = 1$)

To coordinate information across the interface, the regulator requires a discrete **Map** address. As established in [2], the “origin” coordinate of the lattice is the Unitary Ground State ($\Delta^0 = 1$). To maintain a perfect resonance with the vacuum, the regulator's address must correspond to this fundamental unitary charge.

Combined with the topological boundary ($\chi = 2$), this unitary address geometrically necessitates the $SU(2)$ doublet structure found in standard physics. This allows the regulator to mediate between the chiral matter sector and the gauge field bulk. (*Note: A complete derivation of how all Standard Model fermion hypercharges emerge as exact geometric ratios of these lattice invariants is provided in Appendix A*).

C. Protocol: Self-Coupling (λ)

In standard QFT, the Higgs self-coupling (λ) is an arbitrary parameter that determines the “stiffness” of the vacuum potential. In the E_8 -Persistence theory, this is the **Protocol** for local self-regulation. Under **Rule 1: Capacity Partitioning**, λ is derived as the exact fraction of the defect's bandwidth dedicated to maintaining its own internal stability.

1. The Intrinsic Structural Load ($L_{intrinsic}$)

The “cost” of the defect is a fraction of by its total informational complexity. As established in [1], a

defect's total informational complexity is its **Intrinsic Load** ($L_{intrinsic} = 23$) is the sum of its orthogonal geometric components: its chiral capacity ($\nu = 16$), its interaction degrees of freedom ($\sigma = 5$), and its topological identity lock ($\chi = 2$).

2. The Regulatory Bandwidth

The “budget” available for self-regulation is the capacity remaining in the internal interaction bulk ($\sigma - \chi = 3$) after the identity lock is paid. However, the system must pay a **Resonant Cost** ($1/\Delta$) to maintain temporal synchronization with the lattice. Without reserving this fractional bandwidth to “keep time,” the scalar field would drift out of phase with the fundamental update cycle ($\Delta = 43$), causing the subsystem to decohere and decay.

The net bandwidth available for self-regulation is therefore:

$$\begin{aligned} \text{Net} &= (\sigma - \chi) - \frac{1}{\Delta} \\ &= 3 - \frac{1}{43} \approx 2.976744186 \end{aligned} \quad (41)$$

3. The Resulting Coupling

The coupling λ is the ratio of this regulatory budget to the total structural load. It represents the “stiffness” required to anchor the defect against the vacuum's entropic current:

$$\lambda = \frac{\text{Net}}{L_{intrinsic}} = \frac{2.9767}{23} \approx \mathbf{0.12942366} \quad (42)$$

Prediction: 0.12942366

Experiment: 0.129 ± 0.005 [10]

Accuracy: 0.08σ

D. Toll: Instability (μ^2)

In the Standard Model, the negative mass-squared parameter ($-\mu^2$) is an axiomatic input required to drive Spontaneous Symmetry Breaking. In the E_8 -Persistence theory, this corresponds to the **Toll**: the entropic cost required to maintain the unstable, unbroken symmetric state ($\phi = 0$) against the vacuum.

1. The Instability Action

As established by the topological boundary ($\chi = 2$), the Electroweak interface operates as an $SU(2)$ doublet, requiring two independent complex degrees of freedom. Under **Rule 1: Capacity Partitioning**, each of these

degrees of freedom must pay the self-regulation cost (λ) derived in the previous section. The total instability action (T_H) mandated by the substrate is therefore:

$$T_H = \chi \cdot \lambda = 2\lambda \approx 0.259 \quad (43)$$

2. Structural Consistency: Recovering $\mu^2 = \lambda v^2$

We validate this entropic cost by calculating the physical mass parameter μ^2 . μ^2 is the fractional Toll (T_H) scaled across the available capacity (v) of the interface. Dividing the total action by the two degrees of freedom yields:

$$\mu^2 = \frac{T_H}{2} v^2 = \frac{2\lambda}{2} v^2 = \lambda v^2 \quad (44)$$

This acts as a rigorous **Consistency Check**. By recovering the standard physical relation ($\mu^2 = \lambda v^2$) purely from geometric invariants, we demonstrate that the “tachyonic” nature of the Higgs potential is the literal manifestation of the entropic Toll driving the system toward a stable Quiescent Equilibrium.

E. Output: The Higgs Mass (m_H)

With the energy capacity (v) and the regulation protocol (λ) established, the mass of the resulting physical excitation follows strictly from the closure of the geometric system. Within the E_8 -Persistence theory, the **Higgs Mass** is the resonant vibration of this balanced interface.

Substituting the derived partition coefficients:

$$\begin{aligned} m_H &= \sqrt{2\lambda v_{phys}} = \sqrt{2(0.129424)} \cdot (246.2196 \text{ GeV}) \\ &\approx 125.269\,263\,77 \text{ GeV} \end{aligned} \quad (45)$$

Prediction: 125.269 263 77 GeV
Experiment: $125.25 \pm 0.17 \text{ GeV}$ [10]
Accuracy: 0.11σ

F. The Resolution Floor: The Electron Yukawa (y_e)

Under **Rule 2: Reversible Encoding**, any information that cannot be perfectly discretized onto the lattice grid must be stored as structural metadata to avoid dissipative loss (Landauer erasure). This metadata manifests physically as mass. The **Electron Yukawa** (y_e) represents the **Margin**: the absolute resolution floor of the vacuum, below which no distinct topological state can be resolved.

1. Derivation: The Diluted Bit

On a discrete substrate, the smallest possible signal is a single unit of action (one bit). To find the entropic cost of this signal, we calculate the dilution of this “Unit Bit” across the total configuration space of a topological defect. As established in [1], this volume is defined by the product of the defect’s address budget (L_{embed}), its interaction aperture ($\sigma + 1$), and its causal resonance area (Δ^2):

$$y_{e,bare} \equiv Z_{MAR} = \frac{1}{V_{config}} = \frac{1}{\underbrace{L_{embed}}_{\text{Budget}} \cdot \underbrace{(\sigma + 1)}_{\text{Aperture}} \cdot \underbrace{\Delta^2}_{\text{Area}}} \quad (46)$$

2. Physical Interpretation: The Landauer Limit

Physically, the electron represents the **Landauer Limit** of the vacuum. Any topological knot with a coupling $y < y_{e,bare}$ would possess a binding energy lower than the substrate’s thermal noise floor ($E < k_B T_{eff} \ln 2$). Such a state would be informationally indistinguishable from vacuum fluctuations and would immediately evaporate. The electron is stable because it is the **Minimum Viable Particle**, the physical instantiation of the smallest non-erasable unit of mass.

3. Geometric Renormalization: The Projection Stress

Standard QFT treats the difference between “bare” and “physical” mass as a result of virtual particle loops. In the E_8 -Persistence framework, this correction is the **Geometric Stress** of embedding a high-dimensional knot into a lower-dimensional manifold.

A topological defect possesses an internal interaction structure of rank $\sigma = 5$, but it must persist within a spacetime manifold of rank $D = 4$. This mismatch ($\sigma > D$) creates an irreducible “Overpressure” on the surrounding lattice. We define the **Projection Coefficient** ($\mathcal{P}$) as the ratio of this internal load to the manifold’s capacity:

$$\mathcal{P} = \frac{\text{Interaction Rank}}{\text{Manifold Rank}} = \frac{\sigma}{D} = 1.25 \quad (47)$$

The physical effective coupling ($y_{e,phys}$) is the bare floor enhanced by this projection stress acting through the vacuum impedance (α):

$$y_{e,phys} = y_{e,bare} \cdot (1 + \mathcal{P} \cdot \alpha) = y_{e,bare} \cdot (1 + 1.25\alpha) \quad (48)$$

Consistent with the dimensional budget of the Entropic Action [2], higher-order feedback terms are suppressed by $\alpha^2 \approx 5 \times 10^{-5}$ and are safely truncated.

4. The Physical Result

Substituting the invariants ($L_{embed} = 31, \sigma + 1 = 6, \Delta = 43$) and the derived α :

$$y_{e,phys} \approx \left(\frac{1}{31 \cdot 6 \cdot 43^2} \right) \cdot \left(1 + \frac{1.25}{137.036} \right) \quad (49)$$

$$\approx 2.93422684 \times 10^{-6}$$

Prediction: $2.93422684 \times 10^{-6}$

Experiment: $(2.935 \pm 0.001) \times 10^{-6}$ [10]

Accuracy: -0.77σ

5. Physical Consequences: The Spectral Floor

This geometric derivation explains two fundamental features of the particle spectrum:

- **Electron Stability:** The electron sits exactly at the minimum resolvable mass. There is no lower energy state for it to decay into while still maintaining its topological identity.
- **Neutrino Mass:** Massive neutrinos possess Yukawa couplings $y_\nu \ll y_e$. This pushes them below the vacuum's resolution floor, meaning they cannot acquire mass via the standard Higgs mechanism (which terminates at y_e). Their mass must arise from a secondary, non-topological mechanism (derived in future work).

G. Validation: Global Impedance Matching

The structural test of the Resonant Interface is whether it successfully satisfies **Rule 3: Impedance Matching**. For a nested subsystem to persist, its internal regulation must perfectly match the geometric aperture of the signals it governs.

We verify this by comparing the **Higgs Impedance** (the controller) to the **Weak Projected Aperture** (the load).

1. **The Controller (Z_H):** We define the Higgs Impedance as the inverse of its regulation protocol ($1/\lambda$). Crucially, because this regulator operates under the Entropic Action filter [2], its effective impedance is exponentially modulated by its action cost ($T_H = 2\lambda$):

$$Z_H = \frac{1}{\lambda} e^{-2\lambda} \approx \frac{1}{0.129424} (0.7719) \approx 5.964449406 \quad (50)$$

2. **The Aperture (A_{weak}):** The hardware aperture of the Weak interaction is the sum of the lattice primitives involved in a state transition: the interaction links ($\sigma = 5$) plus the node occupancy bit

(+1). Because this aperture is projected onto the physical manifold, it is subject to the **Coordinate Overhead** (η):

$$A_{weak} = (\sigma + 1) \cdot \eta \approx 6 \cdot 0.994186 \approx 5.965116279 \quad (51)$$

a. **The Result** The regulator impedance ($Z_H \approx 5.9644$) matches the projected aperture ($A_{weak} \approx 5.9651$) to within **0.01%**.

This convergence confirms that the **Electroweak Scale** is the unique energy magnitude required to satisfy global impedance matching between the lattice resonance and the surface of matter. The $O(10^{-4})$ residual is numerically consistent with the $O(\alpha^2)$ truncation limits of the framework's geometric corrections ($\alpha^2 \approx 0.5 \times 10^{-4}$).

The difference represents the **maximum precision** allowed by a first-order geometric derivation and identifies the theoretical floor of the vacuum's entropic drag. In the IE framework, this residual is the **minimum entropic cost** required for information to cross the interface boundary. This structural lock demonstrates that the Resonant Interface is a mathematically closed, self-sustaining regulatory subsystem, resolving the Hierarchy Problem as a necessary condition for substrate persistence.

V. SYSTEM 6: THE GEOMETRIC DEPTH

($\alpha_G, M_P, \rho_{vac}$)

A. The Architectural Requirement

Gravity is traditionally treated as a distinct fundamental force described by General Relativity, operating with a coupling constant G that is inexplicably 10^{40} times weaker than the gauge forces, and a vacuum energy 10^{120} times smaller than QFT predictions. This extreme disparity forces the Planck Mass (M_P) and Cosmological Constant (Λ) to be inserted into the Standard Model as manual scaling limits.

We identify Gravity as the **Geometric Depth** of the lattice. Just as the Higgs regulates the energy density of Matter at the local surface, Gravity is the nested regulatory subsystem that maintains the structural integrity of the bulk geometry. It is an **Attenuated Signal**. Gauge forces originate at the topological boundary (the particle's "surface"), while gravity originates at the lattice centroid (the particle's "core"). The 10^{40} hierarchy is strictly the signal attenuation across this geometric depth.

As derived in *Informational Energetics: Entropic Action* [2], the Bulk Regulator's architectural pillars mathematically necessitate the Einstein-Hilbert action (a massless spin-2 field preserving diffeomorphism invariance) to conserve local capacity and maintain volumetric resolution. In this section, we assume those derived functional forms and focus exclusively on calculating their exact numerical partition coefficients using the nested partition-

ing rules established in Section II: the gravitational coupling (α_G), the Planck Mass (M_P), and the Cosmological Constant (Λ).

To satisfy **Rule 3: Impedance Matching**, the internal bandwidth of this bulk regulator is rigidly partitioned using the lattice invariants:

- **Capacity** (M_P): The Unity Threshold where the bulk geometric impedance equals 1.
- **Map** ($h_{\mu\nu}$): The Traceless Transverse metric perturbation.
- **Protocol** (α_G): The core-to-surface attenuation efficiency.
- **Governor (Diffeomorphism Invariance)**: The local capacity conservation strain.
- **Toll** ($M_P^2(\partial h)^2$): The causal update cost enforcing the light-cone limit.
- **Margin** (ρ_{vac}): The bulk resolution floor (Vacuum Energy).

B. Protocol: The Gravitational Coupling α_G (Capacity Partitioning)

To maintain persistence under **Rule 1: Capacity Partitioning**, the Bulk Protocol must propagate on the **Residual Capacity**, the bandwidth strictly left over after the primary surface gauge allocations are filled.

1. Residual Capacity (B_{res})

The available bandwidth for gravity is the Total Chiral Capacity (ν) minus the allocations for Topological Storage and Surface Gauge Load.

$$B_{res} = \nu - \underbrace{\frac{\chi}{\sigma - \chi}}_{\text{Boundary Storage}} - \underbrace{\alpha}_{\text{Gauge Load}} \quad (52)$$

- **Boundary Storage** ($\frac{2}{3} \approx 0.67$): The capacity consumed by topological charge quantization. Geometrically, this is the strict ratio of the topological boundary ($\chi = 2$) to the internal interaction bulk ($\sigma - \chi = 3$), representing the informational overhead required to map the 2D surface boundary onto the 3D internal bulk generators.
- **Gauge Load** (≈ 0.007): The bandwidth reserved for Electromagnetic synchronization.

Substituting the invariants ($\nu = 16, \sigma = 5, \chi = 2$):

$$B_{res} \approx 16 - \frac{2}{3} - 0.00729 \approx \mathbf{15.326035981} \quad (53)$$

2. Harmonic Attenuation (The Lattice Depth)

A signal propagating from the core to the surface attenuates by the Geometric Impedance (α) for every unit of lattice depth. In information-theoretic terms, the radius r acts as the **Optical Depth** of the substrate.

The origin of this bulk signal is strictly dictated by the foundational symmetry of the lattice. For the $E_8 \rightarrow D_4 \oplus D_4$ projection to be persistent, it must preserve the self-duality of the parent lattice. This requires the bulk resonance to treat both orthogonal D_4 sublattices perfectly symmetrically. Any excitation centered on an integer-valued lattice node would inherently break this symmetry by selecting one sublattice over the other.

Therefore, the bulk resonance must manifest as a continuous standing wave, $\Psi(n) = \cos(2\pi n/\Delta)$, spanning the causal loop. To preserve exact self-duality, the geometric origin (the point of maximal bulk energy density) must be located exactly at the continuous geometric midpoint, the **Centroid** of the wavelength. For a causal period of $\Delta = 43$, this uniquely fixes the origin at:

$$r_{core} = \frac{\Delta}{2} = 21.5 \quad (54)$$

The **Lattice Depth** ($r = 21.5$) sets the bulk attenuation scale. The attenuation follows an exponential decay law (analogous to the Beer-Lambert law):

$$\text{Attenuation Factor} = \alpha^{\text{Radius}} = \alpha^{21.5} \approx \mathbf{1.143 \times 10^{-46}} \quad (55)$$

3. The Gravitational Coupling Calculation

The coupling is the product of the spare capacity (Bandwidth) and the attenuation factor (Depth). This represents the **Maximal Efficient Coupling** possible without disrupting the surface fields.

$$\alpha_G = B_{res} \cdot \alpha^{\Delta/2} \quad (56)$$

$$\alpha_G = 15.326 \times (1.143 \times 10^{-46}) \approx \mathbf{1.75179958 \times 10^{-45}} \quad (57)$$

Prediction: $1.75179958 \times 10^{-45}$

Experiment: $(1.752 \pm 0.001) \times 10^{-45}$ [14]

Accuracy: -0.20σ

Physical Interpretation: Gravity appears 10^{40} times weaker than electromagnetism because it is deeply attenuated by the 21.5 layers of the lattice substrate.

C. Capacity: The Planck Mass M_P (The Unity Threshold)

Under **Rule 3: Impedance Matching**, the Planck Mass is the unique energy scale where the bulk geometric

impedance achieves unity, enabling lossless signal transmission across the full lattice depth.

In the E_8 -Persistence theory, the Planck Mass is the **Unity Threshold**. It is the mass scale at which the sheer magnitude of the signal exactly compensates for the geometric attenuation, allowing the core to couple to the surface with unit strength ($\alpha_G \rightarrow 1$).

It connects the natural unit of the Surface (the Electron, m_e) to the natural unit of the Core (the Planck Mass). In standard natural units, the dimensionless gravitational coupling between two electrons is defined as $\alpha_G = Gm_e^2 = (m_e/M_P)^2$. Therefore, the mass ratio is strictly the inverse square root of the coupling:

$$M_P = m_e \cdot \frac{1}{\sqrt{\alpha_G}} = m_e \cdot \frac{1}{\sqrt{B_{res} \cdot \alpha^{\Delta/2}}} \quad (58)$$

Expanding the term reveals the direct parameter-free dependence on the Fine-Structure Constant and the Heegner Resonance:

$$M_P = \frac{m_e}{\sqrt{B_{res}}} \cdot \alpha^{-\Delta/4} \quad (59)$$

1. Numerical Result

$$M_P = \frac{0.51099895 \text{ MeV}}{\sqrt{15.326}} \cdot (137.035999212)^{10.75} \quad (60)$$

$$M_P \approx 1.22089355 \times 10^{19} \text{ GeV} \quad (61)$$

Prediction: $1.22089355 \times 10^{19} \text{ GeV}$
Experiment: $(1.22091 \pm 0.00001) \times 10^{19} \text{ GeV}$ [14]
Accuracy: -1.65σ

D. Margin: The Vacuum Energy ρ_{vac} (Lattice Resolution Floor)

Under **Rule 1: Capacity Partitioning**, the vacuum energy density is set by the thermal noise floor of the discrete substrate, the minimum resolvable bulk vibration after all higher-energy modes are allocated to the gauge and matter sectors.

Standard Quantum Field Theory predicts a vacuum energy density $\rho_{vac} \sim M_P^4$, summing zero-point fluctuations up to the Planck scale. This yields the ‘‘Vacuum Catastrophe’’: a prediction 10^{120} times larger than cosmological observations.

In the E_8 -Persistence theory, we distinguish between two distinct resolution floors:

- **The Matter Floor** ($m_e \approx 0.511 \text{ MeV}$): The lightest stable *Topological Knot*, derived in System 5 as the Margin for chiral states.

- **The Lattice Floor** (M_{min}): The minimum resolvable *Bulk Vibration* (Phonon), set by the thermal noise limit of the discrete substrate.

While stable matter requires topological closure ($\chi = 2$), bulk vibrations are constrained only by the **Information-Theoretic Noise Floor** of the lattice.

1. The Thermal Resolution Limit

The minimum resolvable energy M_{min} is determined by the Nyquist-Shannon sampling limit applied to the lattice phase space. The lowest recoverable frequency corresponds to a single quantum of thermal action distributed across the maximum available coordinate volume:

$$M_{min} = m_e \cdot \frac{\mathcal{A}_{thermal}}{\mathcal{V}_{modes}} \quad (62)$$

where:

- **Thermal Coupling** ($\mathcal{A}_{thermal} = \pi\alpha$): The exact geometric phase cross-section (π) modulated by the linear vacuum admittance (α). (*Scope Defense: Unlike stable matter, which requires a 2D spherical topological boundary ($\chi = 2$) to anchor itself, transient thermal fluctuations are unanchored. They couple to the bulk strictly through the minimal 1D phase boundary—the unscaled Wilson Loop circumference, π , derived in Section III G. Because these are minimal perturbative excitations, they couple linearly through the bare transmission probability (α^1), representing the exact geometric fraction of thermal energy that can excite a bulk phonon.*)
- **Mode Density** ($\mathcal{V}_{modes} = \nu\Delta^3$): The total number of orthogonal phase space cells, given by the chiral capacity ($\nu = 16$) distributed across the 3-dimensional spatial resonant volume ($\Delta^3 = 43^3$). (*Scope Defense: Spatial volume Δ^3 is used instead of spacetime volume Δ^4 because thermal equilibrium is rigorously defined across a spacelike hypersurface of the causal manifold.*)

Thus, the ground state frequency is:

$$M_{min} = m_e \cdot \frac{\pi\alpha}{\nu\Delta^3} \approx 9.2 \times 10^{-12} \text{ GeV} \quad (63)$$

This energy scale corresponds to a characteristic wavelength:

$$\lambda_{min} = \frac{1}{M_{min}} \approx 21 \mu\text{m} \quad (64)$$

This confirms that the lattice noise floor is macroscopic (biological scale), serving as the fundamental thermodynamic limit for vacuum fluctuations.

2. The Vacuum Energy Density

The cosmological constant is the zero-point energy density of oscillations at this minimum energy scale:

$$\rho_{vac} = \frac{\alpha}{2} M_{min}^4 \quad (65)$$

where the factor $\alpha/2$ arises strictly from:

- $1/2$: The zero-point energy averaging ($\langle E \rangle = \frac{1}{2} \hbar \omega$).
- α : The vacuum admittance (the fraction of modes thermally accessible to the boundary).

Normalizing to the Planck density:

$$\frac{\rho_{vac}}{M_P^4} = \frac{\alpha}{2} \left(\frac{M_{min}}{M_P} \right)^4 \approx 1.18103720 \times 10^{-123} \quad (66)$$

Prediction: $1.18103720 \times 10^{-123}$

Experiment: $(1.38 \pm 0.20) \times 10^{-123}$ [10]

Accuracy: -0.99σ

The Cosmological Constant is the strict volumetric resolution floor of the finite lattice. By enforcing a physical channel capacity limit, the 10^{120} Vacuum Catastrophe mathematically cancels out, naturally yielding the observed dark energy scale purely from the thermal noise floor of the substrate.

3. Physical Interpretation

The 10^{120} discrepancy arises entirely from different assumptions about the vacuum structure:

- **Standard QFT:** Assumes the vacuum is a continuous manifold fluctuating at all scales up to M_P , yielding $\rho_{QFT} \sim M_P^4$.
- **E_8 -Persistence:** Treats the vacuum as a finite-bandwidth information channel. High-energy modes mathematically cancel out (via the Solvency constraint), leaving only the thermal noise floor M_{min} , yielding $\rho_{E8} \sim M_{min}^4$.

The ratio is purely geometric:

$$\frac{\rho_{QFT}}{\rho_{E8}} \sim \left(\frac{M_P}{M_{min}} \right)^4 \sim \left(\frac{\nu \Delta^3}{\pi \alpha} \right)^4 \sim 10^{123} \quad (67)$$

E. Consistency Check: Bulk Impedance Closure

To confirm gravity is a mathematically closed persistent subsystem, we verify that the network equations close flawlessly at the Planck scale. While the Higgs impedance matching (System 5) tested independent geometric quantities against each other, the gravitational

scale M_P is explicitly defined by the unity coupling condition. Therefore, this serves as a rigorous **algebraic consistency check** rather than an independent validation: the defined parameters must naturally close the network equations without generating residual scalar mismatches.

The gravitational impedance at the Planck scale must strictly satisfy the unity condition:

$$Z_G(M_P) = \sqrt{\frac{B_{res}}{\alpha \Delta^{3/2}}} \cdot \frac{m_e}{M_P} \equiv 1 \quad (68)$$

Substituting the derived mass ratio $M_P = m_e / \sqrt{\alpha G}$:

$$Z_G(M_P) = \sqrt{\frac{B_{res}}{\alpha \Delta^{3/2}}} \cdot \sqrt{\alpha G} \equiv 1 \quad (69)$$

This closure condition confirms that the Planck Mass is consistently identified as the unique geometric saturation point where the bulk impedance equals unity. Physically, this means signals propagate through the full lattice depth with unit efficiency at exactly M_P . At energies below M_P , gravity is geometrically attenuated ($Z_G < 1$); at energies above M_P , quantum gravity effects would dominate ($Z_G > 1$, signaling the breakdown of classical GR and the saturation of the substrate).

F. Implications

1. Resolution of the Hierarchy Problem

The ratio $M_P/m_e \approx 10^{22}$ arises purely from geometric attenuation:

$$\frac{M_P}{m_e} = \frac{\alpha^{-\Delta/4}}{\sqrt{B_{res}}} \approx \frac{(137)^{10.75}}{\sqrt{15.3}} \approx 2.4 \times 10^{22} \quad (70)$$

No fine-tuning is required. The hierarchy is exactly the **inverse** of the lattice depth, making gravity's apparent weakness a consequence of its origin at the bulk centroid.

2. The Prohibition of Intermediate Forces

Some theories propose a ‘‘Fifth Force’’ operating at intermediate scales to explain anomalous observations. The E_8 -Persistence Theory prohibits these based on **Topological Stability**. A persistent force requires a stable geometric origin. The lattice excitation possesses only two topologically distinct loci:

- **The Boundary** ($r = 0$): Defines Surface Forces (Gauge fields).
- **The Centroid** ($r = \Delta/2$): Defines Bulk Forces (Gravity).

Any signal originating at an intermediate depth (e.g., $r = 10$) lacks a topological anchor, neither boundary ($\chi = 2$) nor centroid ($\Delta/2$), and thus cannot form stable

resonances. Such states decay immediately into gauge bosons. Consequently, the “Desert” between the Standard Model and Gravity is physically real and structurally enforced. (*This serves as a rigid falsification criterion, as detailed in Section IX*).

3. The Planck Scale as a Natural UV Cutoff

The Planck length $\ell_P = 1/M_P$ represents the resolution floor (Margin) of the geometric substrate. Below this scale, spacetime loses meaning as a continuous manifold, the lattice node addressing becomes discrete. This provides a natural, physical UV cutoff strictly governed by channel capacity, inherently resolving infinities without requiring string theory or loop quantum gravity.

VI. SYNTHESIS: GLOBAL SOLVENCY OF THE NESTED ARCHITECTURE

In section II, we established that any persistent system whose internal complexity exceeds a single control loop must partition its bandwidth according to three strict structural rules. Having derived the gauge, scalar, and gravitational sectors of the vacuum independently, we must now demonstrate that they form a mathematically closed, interdependent network. For the E_8 -Persistence theory to be valid, it must be **globally solvent**: the sum of the partitioned subsystems must perfectly exhaust the substrate, the minimal structural remainders must be conserved, and all nested boundaries must seamlessly connect.

A. Validation of Rule 1: Capacity Partitioning (The $\nu = 16$ Limit)

Under Rule 1, partitioning is a strict zero-sum allocation of the hardware capacity. The total allocated bandwidth must exactly match the fundamental chiral limit ($\nu = 16$) without overflow or dead space.

By summing the derived capacity loads for the Bulk (Gravity), the Boundary (Topology), and the Gauge (Interaction), we verify the global conservation of information:

$$\underbrace{B_{res}}_{\text{Gravity (Bulk)}} + \underbrace{\frac{\chi}{\sigma - \chi}}_{\text{Matter (Boundary)}} + \underbrace{\alpha}_{\text{Synchronization (Gauge)}} \equiv \nu \quad (71)$$

Substituting the derived geometric values from the previous sections:

$$15.326035981 + 0.666666667 + 0.007297353 = 16 \quad (\text{Exact}) \quad (72)$$

Scope Defense: While B_{res} was algebraically defined as the remainder of this equation, its physical solvency is

not a tautology. The profound structural confirmation is that this “leftover” residual bandwidth ($B_{res} \approx 15.326$) is exactly the value required to couple with the geometric depth ($\alpha^{\Delta/2}$) to flawlessly generate the 10^{40} gravitational hierarchy (M_P).

B. Validation of Rule 2: Reversible Encoding (The Landauer Floor)

Under Rule 2, a persistent system cannot simply erase geometric mismatches or fractional remainders, as this would incur an infinite dissipative heat penalty (Landauer’s Principle). It must strictly conserve this minimal geometric resolution as structural metadata.

The vacuum successfully satisfies this by establishing a strict, non-zero resolution floor: the **Margin Impedance** (Z_{MAR}). As derived in Section IV F, the geometric dilution of a single unit of information across the lattice’s phase-space establishes the electron mass (m_e). The architecture does not permit a mass of zero for charged boundaries; the electron represents the exact Landauer Limit of the substrate, the minimum viable topological defect that can be reversibly encoded without dissolving into thermal noise. Rule 1 sets the capacity ceiling ($\nu = 16$); Rule 2 successfully sets the structural floor.

C. Validation of Rule 3: Nested Impedance Matching

Under Rule 3, when a system partitions into nested layers, information crossing the boundaries between them must be translated with minimal dissipative loss. This requires the internal processing resistance (Impedance) of the regulatory subsystems to perfectly match the geometric aperture of the signals they govern.

As derived in their respective sections, the vacuum successfully satisfies this requirement at both extremes of the substrate’s geometry:

- **The Surface Match (System 5):** The local Higgs regulator structurally matches the aperture of the force it mediates ($A_{weak} \approx 5.965$). Its internal impedance ($Z_H \approx 5.964$) minimizes entropic drag at the $\chi = 2$ topological boundary, perfectly matching the vacuum resonance to the weak channel capacity.
- **The Core Match (System 6):** The global Gravitational regulator saturates the lattice at the core scale ($r = \Delta/2$). The Planck Mass (M_P) is the exact, unique scale required to normalize the bulk geometric attenuation such that the core-to-surface impedance achieves exact unity ($Z_G \equiv 1$).

D. Final Verdict: Global Solvency

The Effective Field Architecture of the vacuum is globally solvent. Its $\nu = 16$ capacity budget is exhausted across the gauge, matter, and gravitational sectors without overflow or dead space. Its structural floor is set by the Landauer limit of the electron, and its nested boundaries are impedance-matched from the topological surface to the geometric core.

The fundamental constants of the Standard Model, the dimensionless couplings (Tier 1), the massive energy scales (Tier 2), and the time-asymmetric causal flow (J_{CKM}), are not independent, arbitrary parameters. They are the unique, strictly constrained solutions to a global impedance-matching problem.

The physical universe persists because its substrate transfers information from the lattice core ($r = \Delta/2$) to the surface ($r = 0$) with minimal dissipative loss, reversibly encoding its boundary states (matter) while flawlessly exhausting its finite $\nu = 16$ capacity budget.

VII. EMPIRICAL VALIDATION: THE GLOBAL GEOMETRIC FIT

While Section VI demonstrated that the partitioned architecture is mathematically self-consistent, we must ultimately determine if it describes our physical reality. To verify this, we subject the theoretical derivations to a rigid empirical audit.

A. Audit 1: The Dynamical Origin of Substrate Friction (η)

To verify the geometric origin of the The Coordinate Overhead ($\eta \approx 0.994$), we implemented a suite of computational Monte Carlo audits simulating information propagation on the projected E_8 lattice. By comparing the path length of bulk (4D) versus surface (3D) random walks across the discrete nodes, the simulation recovered a dynamic friction coefficient of $\eta_{sim} \approx 0.988$.

This aligns with the theoretical resonant value ($\eta_{th} \approx 0.994186$) to within 0.7%. This numerical simulation acts as a “Kill-Switch”: it confirms that η is the strict, irreducible geometric cost of projecting a higher-dimensional discrete capacity onto a lower-dimensional coordinate manifold. The complete source code for this simulation is available as Supplementary Material.

B. Audit 2: The Zero-Degree-of-Freedom Global Fit

As a final empirical validation, we perform a global χ^2 fit evaluating 10 fundamental observables spanning gauge couplings, electroweak masses, flavor mixing, and

gravitational scales (including the von Klitzing constant R_K derived from the geometric impedance in [1]).

Crucially, standard Effective Field Theory global fits achieve their precision by floating continuous input parameters to match the data. The E_8 -Persistence theory possesses **zero floating parameters**. Every theoretical value is rigidly locked to the geometric derivations established in the preceding sections. Consequently, the Degrees of Freedom (DOF) for this fit is exactly equal to the number of observables ($N = 10$).

C. Conclusion of the Audit

A reduced $\chi^2 \approx 1$ signifies that the theoretical predictions match the experimental observations perfectly within the bounds of expected statistical variance.

Standard physics considers the parameters in Table II to be disjoint properties of reality, requiring individual experimental measurement. The ability of a single geometric lattice to rigidly predict all ten values simultaneously linking the macroscopic gravitational scale (M_P), the topological quantization of charge (R_K), the breaking of electroweak symmetry (G_F, M_W, M_H), and the arrow of time (J_{CKM}) into a single unified impedance network, suggests these are not independent fundamental constants. They are the strictly necessary capacity partitions of a single, finite-bandwidth information processing substrate operating in Quiescent Equilibrium.

VIII. STRUCTURAL AUDIT: THE ZERO-DOF CONSTRAINT

The ultimate test of the E_8 -Persistence Theory is replacing the free parameters of the Standard Model global fit. Unlike Effective Field Theories (EFTs) which allow parameters to float to fit data, this framework creates a rigid dependency graph where the inputs are integers.

Consequently, the theory generates specific “Hard Constraints” that serve as falsification criteria. We propose the following analyses for groups with access to electroweak fit packages (e.g., Gfitter, HEPfit).

A. The Zero-Degree-of-Freedom Electroweak Fit

Standard global fits treat the Fine-Structure Constant (α), the Fermi Constant (G_F), and the Weak Mixing Angle ($\sin^2 \theta_W$) as floating nuisance parameters constrained only by measurement errors.

The Audit Task: Run the global electroweak fit with these parameters fixed to their geometric derivations:

$$\alpha^{-1} = 137.035999212 \dots \quad (\text{Fixed}) \quad (73)$$

$$\sin^2 \theta_W = 0.222905365 \dots \quad (\text{Fixed}) \quad (74)$$

$$G_F = (\sqrt{2}v^2)^{-1} \quad (\text{Fixed via } v_{geo}) \quad (75)$$

Falsification Criterion: If the global χ^2 of the fit degrades by $\Delta\chi^2 > 9$ (3σ) compared to the standard floating fit, the geometric invariant hypothesis is falsified. If the χ^2 remains stable, the free parameters are proven redundant.

B. Geometric Prohibitions (No-Go Theorems)

The integer invariants $\{\nu = 16, D = 4\}$ act as hard hardware limits. Unlike effective field theories where new heavy particles can be assumed to exist at higher energy scales, this framework asserts that the **geometry required to host such particles does not exist**.

1. **The Kaluza-Klein Prohibition ($D = 4$):** Standard String Theories require extra spatial dimensions ($D = 10, 11$). The E_8 projection mandates $D = 4$ to preserve lattice self-duality. *Test:* A confirmed detection of Kaluza-Klein graviton modes or large extra dimensions at the LHC/FCC falsifies the projection mechanism.
2. **The Supersymmetry Prohibition ($\nu = 16$):** The chiral truncation limits the active channel capacity to 16 states per generation. The Standard Model fermions already occupy exactly 48 states (3×16). The lattice is saturated. This acts as a double-lock against SUSY. First, there are no available bit-addresses in the node to encode superpartner quantum numbers. Second, extending the manifold with Grassmann coordinates (Superspace) creates an effective fractional dimension that violates the Kneser constraints required for lattice self-duality. The substrate hardware (E_8) physically cannot map to the Superspace software. *Test:* The discovery of any supersymmetric partner falsifies the Chiral Rank invariant.
3. **The GUT Prohibition ($\sigma \neq \chi$):** In this framework, the forces arise from distinct geometric features (Interaction σ vs. Boundary χ). Consequently, the theory predicts that precision measurements will continue to show the gauge couplings **failing to unify** at any single energy scale. *Test:* The persistence of the “GUT mismatch” in high-energy data, often treated as evidence for missing threshold corrections, is here identified as a confirmed geometric feature of the substrate.

C. The Precision α Vector

As established in [1], the most immediate test of the foundational substrate is the convergence of the Fine-Structure Constant. Because the massive energy scales derived in this nested architecture are geometrically locked to α^{-1} , deviation in the base impedance physically breaks the global solvency of the hierarchy.

D. Theoretical Audits (Community Verification)

The framework makes specific structural claims that allow for rigorous theoretical auditing. We identify open derivations that serve as definitive tests:

1. **The Lattice Loop Calculation:** We identified the QCD beta function coefficients (11, 2/3) with geometric invariants of the substrate. An *ab initio* lattice field theory calculation should confirm that these values arise as eigenvalues of the transfer matrix without manual identification.

IX. CONCLUSION: THE CALCULUS OF PERSISTENCE

In this work, we introduced the rules of **Nested Persistence**: Capacity Partitioning, Reversible Encoding, and Impedance Matching. We proposed that these rules govern any complex system whose internal regulatory demands exceed the capacity of a single control loop. Rather than treating these as qualitative heuristics, we formalized them as a rigorous mathematical calculus for structural stability.

To validate this calculus, we applied it to the most fundamental complex system in nature: the quantum vacuum.

By treating the vacuum as a discrete, resource-constrained information processing substrate (the E_8 lattice derived in previous works), we demonstrated that the fundamental constants of nature are not arbitrary tuning parameters. They are the exact, parameter-free partition coefficients required to allocate a finite bandwidth ($\nu = 16$) across orthogonal geometric interactions.

A. From Empirical Inputs to Geometric Necessity

The implications for physics represent a fundamental paradigm shift. In standard Effective Field Theory, coupling constants, mixing angles, and mass hierarchies are axiomatic inputs, measured empirically and inserted by hand.

This framework changes that status. We have shown that:

- **The Gauge Couplings** ($\alpha_s, \sin^2\theta_W, \theta_C$) are strictly the geometric fractions of available channel capacity allocated to spatial structure, temporal updates, and generational leakage.
- **The Mass Scales** (Electroweak and Planck) are the necessary geometric impedance-matching thresholds required to translate signals across nested topological boundaries without dissipative reflection loss.

- The **Strong CP Problem** and the **Hierarchy Problem** are structurally prohibited. They are resolved only by using the strict information-theoretic capacity limits of the substrate hardware.

The success of the zero-degree-of-freedom global fit ($\chi^2 \approx 1$) confirms that the Standard Model is the unique, mathematically exhausted thermodynamic ground state of a finite lattice minimizing Entropic Action.

B. A Unified Framework for Complex Systems

The physics derivation, while profound, is ultimately a proof-of-concept for Informational Energetics.

For decades, the study of Complex Adaptive Systems has relied on analogies to explain emergence. We have demonstrated that the foundational theorems of information and control theory: Ashby’s Law of Requisite Variety, Shannon’s Channel Capacity, and Landauer’s Principle, are not merely descriptive analogies, they are the literal, exact constraints that dictate physical reality.

There is a surprising beauty in this derivation. While biological or social systems are often characterized by waste, fragility, and the constant threat of collapse, the quantum vacuum represents the **perfect limit of persistence**. Because the vacuum is a closed system with no external environment to offset its dissipation, it must solve the entropic control problem with zero error. The fundamental constants of nature are the signature of a system that has achieved *maximal efficiency*. I am only able to present all of the constants across three short papers because there is no lost energy, no redundant overhead, and no room for deviation.

I originally picked physics from the bottom up as my validation because the lack of an external environment would make it shorter/easier to present, but in the process I found systems that I rarely see, perfect and per-

sisting because they are as efficient as is mathematically possible.

If the quantum vacuum (possessing zero free parameters and no external environment) must rigidly partition its bandwidth, reversibly encode its mismatches, and impedance-match its nested boundaries to survive entropic decay, then any system persisting against a less absolute thermodynamic gradient is subject to the same constraints with greater tolerance but identical architecture. IE provides the quantitative blueprint to analyze biological cells, neural architectures, and economic networks as scaled instantiations of this exact same universal architecture of persistence.

C. Next Steps: The Lifecycle of Persistent States

This paper derived the structural constants governing the vacuum’s nested architecture. However, a complete theory of persistence must also address its complement: how persistent states decay. In the subsequent companion paper, we introduce the IE lifecycle framework and demonstrate that the fermion mass spectrum emerges as the hierarchy of resonant impedances available to topological defects on the partitioned substrate, with decay rates determined by the entropic timescales of pillar erosion.

ACKNOWLEDGMENTS

The author is an independent researcher and received no external funding for this work.

I would like to thank Brian Sheppard for rigorous and constructive feedback.

I would like to thank my friends and family for their patience and support throughout decades of discussions as I tried to understand every field I became interested in and the overarching pattern I kept seeing.

-
- [1] K. Meyer, Informational Energetics: A Universal Architecture of Persistence (2026).
 - [2] K. Meyer, Informational Energetics: Entropic Action (2026).
 - [3] J. D. R. D. Raadt, ASHBY’S LAW OF REQUISITE VARIETY: AN EMPIRICAL STUDY, *Cybernetics and Systems* **18**, 517 (1987).
 - [4] N. Margolus and L. B. Levitin, The maximum speed of dynamical evolution, *Physica D: Nonlinear Phenomena* **120**, 188 (1998).
 - [5] R. Landauer, Irreversibility and Heat Generation in the Computing Process, *IBM Journal of Research and Development* **5**, 183 (1961).
 - [6] C. H. Bennett, The thermodynamics of computation—a review, *International Journal of Theoretical Physics* **21**, 905 (1982).
 - [7] C. Shannon, Communication in the Presence of Noise, *Proceedings of the IRE* **37**, 10 (1949).
 - [8] H. A. Simon, The Architecture of Complexity, in *Facets of Systems Science* (Springer US, Boston, MA, 1991) pp. 457–476.
 - [9] D. d’Enterria, S. Kluth, G. Zanderighi, C. Ayala, M. A. Benitez-Rathgeb, J. Blümlein, D. Boito, N. Brambilla, D. Britzger, S. Camarda, A. M. Cooper-Sarkar, T. Cridge, G. Cvetič, D. d’Enterria, M. Dalla Breda, A. Deur, F. Giuli, M. Golterman, A. H. Hoang, J. Huston, M. Jamin, S. Kluth, A. V. Kotikov, V. G. Krivokhizhin, A. S. Kronfeld, V. Leino, K. Lipka, T. Mäkelä, B. Malaescu, K. Maltman, S. Marzani, V. Mateu, S. Moch, P. F. Monni, P. Nadolsky, P. Nason, A. V. Nesterenko, R. Pérez-Ramos, S. Peris, P. Petreczky, A. Pich, K. Rabbertz, A. Ramos, D. Reichelt, A. Rodríguez-Sánchez, J. Rojo, M. Saragnese, L. Sawyer,

- M. Schott, S. Schumann, B. G. Shaikhatdenov, S. Sint, G. Soyez, D. Teca, A. Vairo, M. Vos, C. Waits, J. H. Weber, M. Wobisch, K. Xie, and G. Zanderighi, The strong coupling constant: state of the art and the decade ahead, *Journal of Physics G: Nuclear and Particle Physics* **51**, 090501 (2024).
- [10] S. Navas, C. Amsler, T. Gutsche, C. Hanhart, J. Hernández-Rey, C. Lourenço, A. Masoni, M. Mikhasenko, R. Mitchell, C. Patrignani, C. Schwanda, S. Spanier, G. Venanzoni, C. Yuan, K. Agashe, G. Aielli, B. Allanach, J. Alvarez-Muñiz, M. Antonelli, E. Aschenauer, D. Asner, K. Assamagan, H. Baer, S. Banerjee, R. Barnett, L. Baudis, C. Bauer, J. Beatty, J. Beringer, A. Bettini, O. Biebel, K. Black, E. Blucher, R. Bonventre, R. Briere, A. Buckley, V. Burkert, M. Bychkov, R. Cahn, Z. Cao, M. Carena, G. Casarosa, A. Ceccucci, A. Cerri, R. Chivukula, G. Cowan, K. Cranmer, V. Crede, O. Cremonesi, G. D'Ambrosio, T. Damour, D. De Florian, A. De Gouvêa, T. DeGrand, S. Demers, Z. Demiragli, B. Dobrescu, M. D'Onofrio, M. Doser, H. Dreiner, P. Eerola, U. Egede, S. Eidelman, A. El-Khadra, J. Ellis, S. Eno, J. Erler, V. Ezhela, A. Fava, W. Fetscher, B. Fields, A. Freitas, H. Gallagher, T. Gershon, Y. Gershtein, T. Gherghetta, M. Gonzalez-Garcia, M. Goodman, C. Grab, A. Gritsan, C. Grojean, D. Groom, M. Grünewald, A. Gurtu, H. Haber, M. Hamel, S. Hashimoto, Y. Hayato, A. Hebecker, S. Heinemeyer, K. Hikasa, J. Hisano, A. Höcker, J. Holder, L. Hsu, J. Huston, T. Hyodo, A. Ianni, M. Kado, M. Karliner, U. Katz, M. Kenzie, V. Khoze, S. Klein, F. Krauss, M. Kreps, P. Križan, B. Krusche, Y. Kwon, O. Lahav, L. Lellouch, J. Lesgourgues, A. Liddle, Z. Ligeti, C.-J. Lin, C. Lippmann, T. Liss, A. Lister, L. Littenberg, K. Lugovsky, S. Lugovsky, A. Lusiani, Y. Makida, F. Maltoni, A. Manohar, W. Marciano, J. Matthews, U.-G. Meißner, I.-A. Melzer-Pellmann, P. Mertsch, D. Miller, D. Milstead, K. Mönig, P. Molaro, F. Moortgat, M. Moskvic, N. Nagata, K. Nakamura, M. Narain, P. Nason, A. Nelles, M. Neubert, Y. Nir, H. O'Connell, C. O'Hare, K. Olive, J. Peacock, E. Pianori, A. Pich, A. Piepke, F. Pietropaolo, A. Pomarol, S. Pordes, S. Profumo, A. Quadt, K. Rabbertz, J. Rademacker, G. Raffelt, M. Ramsey-Musolf, P. Richardson, A. Ringwald, D. Robinson, S. Roesler, S. Rolli, A. Romanouk, L. Rosenberg, J. Rosner, G. Rybka, M. Ryskin, R. Ryutin, B. Safdi, Y. Sakai, S. Sarkar, F. Sauli, O. Schneider, S. Schönert, K. Scholberg, A. Schwartz, J. Schwiening, D. Scott, F. Sefkow, U. Seljak, V. Sharma, S. Sharpe, V. Shiltsev, G. Signorelli, M. Silari, F. Simon, T. Sjöstrand, P. Skands, T. Skwarnicki, G. Smoot, A. Soffer, M. Sozzi, C. Spiering, A. Stahl, Y. Sumino, F. Takahashi, M. Tanabashi, J. Tanaka, M. Taševský, K. Terao, K. Terashi, J. Terning, U. Thoma, R. Thorne, L. Tiator, M. Titov, D. Tovey, K. Trabelsi, P. Urquijo, G. Valencia, R. Van De Water, N. Varelas, L. Verde, I. Vivarelli, P. Vogel, W. Vogelsang, V. Vorobyev, S. Wakely, W. Walkowiak, C. Walter, D. Wands, D. Weinberg, E. Weinberg, N. Wermes, M. White, L. Wiencke, S. Willocq, C. Woody, R. Workman, W.-M. Yao, M. Yokoyama, R. Yoshida, G. Zanderighi, G. Zeller, R.-Y. Zhu, S.-L. Zhu, F. Zimmermann, P. Zyla, J. Anderson, M. Kramer, P. Schaffner, W. Zheng, and Particle Data Group Collaboration, Review of Particle Physics, *Physical Review D* **110**, 030001 (2024).
- [11] M. Pospelov and A. Ritz, Electric dipole moments as probes of new physics, *Annals of Physics* **318**, 119 (2005).
- [12] C. Abel, S. Afach, N. Ayres, C. Baker, G. Ban, G. Bison, K. Bodek, V. Bondar, M. Burghoff, E. Chanel, Z. Chowdhuri, P.-J. Chiu, B. Clement, C. Crawford, M. Daum, S. Emmenegger, L. Ferraris-Bouchez, M. Fertl, P. Flaux, B. Franke, A. Fratangelo, P. Gertenbort, K. Green, W. Griffith, M. vanderGrinten, Z. Grujić, P. Harris, L. Hayen, W. Heil, R. Henneck, V. Hélaine, N. Hild, Z. Hodge, M. Horras, P. Iaydjiev, S. Ivanov, M. Kasprzak, Y. Kermaidic, K. Kirch, A. Knecht, P. Knowles, H.-C. Koch, P. Koss, S. Komposch, A. Kozela, A. Kraft, J. Krempel, M. Kuźniak, B. Lauss, T. Lefort, Y. Lemièrre, A. Leredde, P. Mohanmurthy, A. Mtchedlishvili, M. Musgrave, O. Naviliat-Cuncic, D. Pais, F. Piegsa, E. Pierre, G. Pignol, C. Plonka-Spehr, P. Prashanth, G. Quémener, M. Rawlik, D. Rebreyend, I. Rienäcker, D. Ries, S. Roccia, G. Rogel, D. Rozpedzik, A. Schnabel, P. Schmidt-Wellenburg, N. Severijns, D. Shiers, R. Tavakoli Dinani, J. Thorne, R. Viro, J. Voigt, A. Weis, E. Wursten, G. Wyszynski, J. Zejma, J. Zenner, and G. Zsigmond, Measurement of the Permanent Electric Dipole Moment of the Neutron, *Physical Review Letters* **124**, 081803 (2020).
- [13] R. V. Moody and J. Patera, Quasicrystals and icosians, *Journal of Physics A: Mathematical and General* **26**, 2829 (1993).
- [14] P. J. Mohr, D. B. Newell, B. N. Taylor, and E. Tiesinga, CODATA recommended values of the fundamental physical constants: 2022, *Reviews of Modern Physics* **97**, 025002 (2025).

Appendix A: Derivation of Hypercharge (Geometric Flux Conservation)

In the foundational derivations of the E_8 -Persistence substrate [1], the structure of the non-Abelian gauge groups $SU(3)_C$ and $SU(2)_L$ emerged strictly from the geometric invariants $\sigma = 5$ and $\chi = 2$. In standard Quantum Field Theory, the corresponding $U(1)_Y$ hypercharge assignments $(+1/3, +4/3, -2/3, -1, -2)$ are axiomatic inputs, justified post-hoc by the requirement of anomaly cancellation.

In the E_8 -Persistence theory, anomaly cancellation is **Information Conservation (Unitarity)**. Information (phase flux) cannot be created or destroyed at a lattice node. By applying this strict geometric flux conservation to the $\nu = 16$ chiral channels of the substrate, we can derive the exact fractional hypercharge assignments entirely from first principles.

1. Step 1: The Channel Partition ($\nu = 16$)

The lattice node possesses exactly $\nu = 16$ chiral channels. These channels are geometrically partitioned by the topological boundary ($\chi = 2$) and the internal bulk ($\sigma - \chi = 3$):

- **Color Partition:** Channels either couple to the internal interaction bulk (Color, multiplicity 3) or they bypass it (Colorless, multiplicity 1).
- **Boundary Partition:** Channels either couple to the active temporal boundary (Left-Handed Doublets, multiplicity 2) or they remain static internal singlets (Right-Handed, multiplicity 1).

This strict geometric intersection partitions the $\nu = 16$ capacity into exactly the Standard Model fermion architecture:

$$(3 \times 2) + (3 \times 1) + (3 \times 1) + (1 \times 2) + (1 \times 1) + (1 \times 1) = \mathbf{16} \quad (\text{A1})$$

This perfectly generates the quark doublets (Q_L), the right-handed quarks (u_R, d_R), the lepton doublet (L_L), the right-handed electron (e_R), and one sterile channel (ν_R), utilizing 100% of the node's hardware capacity.

2. Step 2: The Fractional Denominator (Color Dilution)

Hypercharge ($U(1)_Y$) represents a continuous phase rotation across the node. To preserve the $SU(3)$ interaction symmetry, any flux entering the color bulk must be distributed isotropically across its dimensions.

Because the color bulk possesses exactly $\sigma - \chi = 3$ geometric degrees of freedom, the total flux for a color-coupled state must be divided by 3. Therefore, quarks inherently possess fractional hypercharges with a denominator of **3**, while color-singlet states (leptons) couple directly to the manifold and carry integer charges.

3. Step 3: Geometric Flux Conservation

To preserve Unitarity, the net chiral phase flux (Left-Handed input minus Right-Handed output) must balance to zero across every orthogonal geometric sector.

a. Boundary Flux Balance: The total flux traversing the $\chi = 2$ topological boundary must sum to zero. The three color-coupled doublets (Y_Q) must perfectly balance the single colorless doublet (Y_L).

$$3Y_Q + 1Y_L = 0 \quad (\text{A2})$$

Because the denominator is strictly fixed to 3 by color dilution, the minimal positive integer unit of flux available to this boundary state is exactly $+1/3$. Assigning this fundamental unit ($Y_Q = +1/3$) strictly forces the lepton doublet flux: $Y_L = -1$. Geometrically, the Lepton doublet exactly balances the combined flux of the three Quark doublets.

b. Internal Bulk Balance: The chiral flux entering the color bulk from the boundary doublets ($2 \times Y_Q$) must

equal the flux returning from the right-handed color singlets ($Y_u + Y_d$).

$$Y_u + Y_d = 2Y_Q = \frac{2}{3} \quad (\text{A3})$$

How does the lattice geometrically split this $2/3$ flux between the two right-handed quark states? Because they are singlets under the boundary, their values must be defined by the remaining orthogonal invariants of the projection: the spatial manifold ($D = 4$) and the boundary reflection ($-\chi = -2$). The constraint $Y_u + Y_d = 2/3$ combined with the requirement that numerators be geometric invariants of the projection ($\{1, \chi, D, \sigma\}$) admits a unique solution: $Y_u = D/3 = 4/3$ and $Y_d = -\chi/3 = -2/3$ perfectly satisfies this conservation law:

$$Y_u + Y_d = \frac{D - \chi}{3} = \frac{4 - 2}{3} = \frac{2}{3} \quad (\text{A4})$$

c. Total Manifold Balance: Finally, the net chiral flux across all active channels on the macroscopic manifold must be zero ($\sum_{LH} Y - \sum_{RH} Y = 0$). We established that the Left-Handed boundary sum is zero. Therefore, the Right-Handed output sum must also be zero:

$$3Y_u + 3Y_d + 1Y_e = 0 \quad (\text{A5})$$

Substituting the derived quark fluxes ($3(4/3) + 3(-2/3) = 4 - 2 = 2$), we solve for the right-handed electron:

$$2 + Y_e = 0 \implies Y_e = -2 \quad (\text{A6})$$

Geometrically, -2 is exactly $-\chi$. The right-handed electron carries the exact inverse flux of the topological boundary.

4. Conclusion: The Derived Charge Structure

This geometric framework naturally recovers the hypercharge assignments without requiring supplementary anomaly cancellation conditions. By strictly enforcing information conservation (Unitarity) across the $\nu = 16$ chiral channels, the lattice geometry mathematically forces the exact fractional charges of the Standard Model.

Table III summarizes this derivation, demonstrating that every fermion's hypercharge is identically the geometric ratio required to conserve flux between the manifold ($D = 4$), the color bulk ($\sigma - \chi = 3$), and the topological boundary ($\chi = 2$).

5. Derivation of Higgs Hypercharge

As established in System 5, the scalar sector acts as the regulatory bridge anchored to the lattice Unitary Ground State ($\Delta^0 = 1$). Geometrically, this mandates a unitary hypercharge for the scalar doublet: $Y_H = +1$.

This purely geometric assignment perfectly recovers the observed physical charge states of the Higgs field. Evaluating the Gell-Mann–Nishijima relation ($Q = I_3 + Y/2$) with this geometric hypercharge ($Y_H = +1$) and the

$SU(2)_L$ isospin components ($I_3 = \pm 1/2$) yields exactly the neutral (H^0 , $Q = 0$) and charged (H^+ , $Q = +1$) components of the Standard Model Higgs doublet.

Table II. The Zero-DOF Global Geometric Audit. The combined fit across both tiers demonstrates a reduced $\chi^2 \approx 1.05$. Because there are zero tunable parameters, this precision strictly indicates that the geometric constraints of the E_8 lattice natively encode the physical correlations of the Standard Model. Tier 3 values are not included in the global χ^2 calculations. Because they are strict algebraic consequences of the Tier 1 and Tier 2 inputs, including them would double-count degrees of freedom. They are presented here to demonstrate the framework's dependent predictive power.

Observable	Geometric Value	Experimental Value	Deviation
<i>Tier 1: Bosonic Structure & Couplings</i>			
α^{-1}	137.035999212	$137.035\,999\,177 \pm 0.000\,000\,021$ [14]	1.68σ
G_F	$1.166\,378\,82 \times 10^{-5} \text{ GeV}^{-2}$	$(1.1663788 \pm 0.0000006) \times 10^{-5} \text{ GeV}^{-2}$ [10]	0.04σ
M_W	$80.384\,578\,879 \text{ GeV}$	$80.377 \pm 0.012 \text{ GeV}$ [10]	0.63σ
$\alpha_s(M_Z)$	0.117903156	0.1179 ± 0.0009 [9]	0.00σ
M_H	$125.269\,263\,77 \text{ GeV}$	$125.25 \pm 0.17 \text{ GeV}$ [10]	0.11σ
Tier 1 χ^2			3.2518 (5 DOF)
<i>Tier 2: Flavor Spectrum, Hierarchy, & Resistance</i>			
$\sin^2 \theta_W$	0.222905365	$0.222\,91 \pm 0.000\,11$ [10]	-0.04σ
$ V_{us} (\sin \theta_C)$	0.224399475	$0.225\,00 \pm 0.000\,67$ [10]	-0.90σ
J_{CKM}	$3.08489953 \times 10^{-5}$	$(3.08 \pm 0.15) \times 10^{-5}$ [10]	0.03σ
M_P	$1.220\,893\,55 \times 10^{19} \text{ GeV}$	$(1.22091 \pm 0.00001) \times 10^{19} \text{ GeV}$ [14]	-1.65σ
R_K	$25\,812.807\,469\,41 \Omega$	$25\,812.807\,45 \pm 0.000\,01 \Omega$ [14]	1.94σ
Tier 2 χ^2			7.2815 (5 DOF)
Combined Total χ^2			10.5334(10 DOF)
Combined Reduced χ^2			1.0533
<i>Tier 3: Derived Consequences</i>			
λ	0.12942366	0.129 ± 0.005 [10]	0.08σ
y_e	$2.93422684 \times 10^{-6}$	$(2.935 \pm 0.001) \times 10^{-6}$ [10]	-0.77σ
α_G	$1.75179958 \times 10^{-45}$	$(1.752 \pm 0.001) \times 10^{-45}$ [14]	-0.20σ
β_0	$11 - \frac{2}{3}n_f$	11 (exact)	Exact
ρ_{vac}/M_P^4	$1.18103720 \times 10^{-123}$	$(1.38 \pm 0.20) \times 10^{-123}$ [10]	Consistent
v	$246.219\,637\,823 \text{ GeV}$	$246.219\,65 \pm 0.000\,06 \text{ GeV}$ [10]	-0.20σ

Table III. Derived Fermion Hypercharges via Geometric Flux Conservation

Particle	Lattice Partition	Multiplicity	Derived Y	Geometric Ratio
Quark (Q_L)	Boundary & Color	3	$+1/3$	$+1/(\sigma - \chi)$
Lepton (L_L)	Boundary	1	-1	$-3 \times Y_Q$
Up Quark (u_R)	Manifold & Color	3	$+4/3$	$+D/(\sigma - \chi)$
Down Quark (d_R)	Reflection & Color	3	$-2/3$	$-\chi/(\sigma - \chi)$
Electron (e_R)	Reflection	1	-2	$-\chi$