

Informational Energetics: A Universal Architecture of Persistence

Kate Lenore Meyer
Independent Researcher*
(Dated: May 30, 2026)

Any system that persists must solve a universal control problem. We present Informational Energetics, a framework modeling the persistence of complex systems against entropy, and validate it by deriving the fine-structure constant from first principles. By reinterpreting robust control theory through information theory and thermodynamics, we synthesize the Universal Architecture of Persistence: a recursive six-pillar structure (Capacity, Map, Protocol, Governor, Toll, and Margin). To validate the framework, we apply it to the vacuum. While standard physics parameterizes vacuum properties through measurement, we show that these same parameters emerge as the unique geometric solutions to a persistence problem: maintaining coherence with zero external energy. This paper establishes the theoretical foundation for the E_8 -Persistence Theory by deriving its core architectural requirements: Finiteness, Unitarity, and Causality. These constraints mandate a substrate that is positive-definite, even, and self-dual; an E_8 lattice projected onto $D = 4$ spacetime is the unique geometric substrate solution. This geometry is characterized by the derived invariant integers $\mathbb{S} = \{\Delta=43$ (temporal), $\nu=16$ (chiral), $\sigma=5$ (interaction), $\chi=2$ (topological) $\}$. The theory makes a falsifiable prediction for all physical constants with no continuous free parameters; all coefficients are fixed by the characteristic integers of the substrate. We validate this by deriving the Fine-Structure Constant (α^{-1}) as the Geometric Impedance of the substrate:

$$\alpha^{-1} = \underbrace{\frac{\pi\Delta}{\text{Capacity}}}_{\text{Capacity}} + \underbrace{\frac{\chi}{\text{Map}}}_{\text{Map}} - \underbrace{\frac{1}{R_M - \sigma}}_{\text{Protocol}} - \underbrace{\frac{\chi}{\Delta}}_{\text{Governor}} + \underbrace{\frac{1 \cdot \chi \cdot (R_M - \sigma)}{N^3 \cdot \sigma \cdot R_M}}_{\text{Toll}} + \underbrace{\frac{1}{L_{\text{embed}} \cdot (\sigma + 1) \cdot \Delta^2}}_{\text{Margin}}$$

where $R_M = D\Delta$ is manifold resolution, $N = 2 \cdot \nu$ is node capacity, and $L_{\text{embed}} = \nu + \sigma + \chi + 2D$ is embedding load. This calculation yields $\alpha^{-1} = 137.035999212\dots$, agreeing with Morel (2020) within 0.58σ and CODATA (2022) within 1.68σ . The Von Klitzing Constant (R_K) and Elementary Charge (e) follow as geometric consequences.

I. INTRODUCTION

The structures of the observable universe, from biological cells to the quantum vacuum, share a defining property: they *persist* against the thermodynamic current that erases distinction. Control theory describes how systems regulate against fluctuations, while treating the regulation target (setpoint) as an externally specified boundary condition. Information theory quantifies the cost of information processing, but treats the processor as given. Thermodynamics establishes the arrow of time, but treats entropy as a property of *states*, not of *processing*.

To model persistence, in section II we synthesize **Informational Energetics** (IE): the study of how systems convert energy into structural information to resist entropic decay. This yields the **Universal Architecture of Persistence**: six existential constraints (Capacity, Map, Protocol, Governor, Toll, Margin) that define the lifetime of any persistent entity. This paper validates IE through its most demanding application, fundamental physics, but the framework applies to any persistent system.

Standard models of particle physics treat the dimensions, symmetries, and constants of the vacuum as empir-

ically measured parameters. Here, we derive these same quantities as emergent, optimal solutions to a systemic control problem aimed at maintaining structural coherence with zero external energy flux.

A. Information Theoretical Context of Physics

The concept that physical reality is fundamentally constrained by information processing costs is rooted in Landauer's principle [1] and discussed by Wheeler ("It from Bit") [2]. More recently, Verlinde [3] proposed that gravity is an entropic phenomenon emerging from information gradients and Bianconi [4] proposed that gravity arises from quantum entropy coupling matter with geometry. While concordant with Landauer, IE applies this logic broadly to all persistent systems, treating the minimization of Entropic Action as the primary driver of their dynamics. All derivations follow from applying this principle.

B. Testing the Framework: Deriving the Vacuum

The vacuum possessing zero free parameters and no external environment is the ideal test case for IE. We apply IE in three strict derivation layers, where each builds only upon the previous, with no appeal to phenomena

* kate.ie@meyerhome.net

not yet derived.

1. **System 0: Requirements.** We map the six pillars to physics, deriving Finiteness, Unitarity, and Causality as existential necessities (Section III).
2. **System 1: Substrate.** System 0's requirements uniquely specify an E_8 lattice projected to $D = 4$ spacetime, yielding the characteristic integers $\mathbb{S} = \{\Delta = 43, \nu = 16, \sigma = 5, \chi = 2\}$ (Section IV).
3. **System 2: Impedance.** We derive the fine-structure constant (α^{-1}) as a geometric consequence of this substrate (Section V). We further identify a predicted *Quantization Gap* between kinematic and high-loop QED extractions, consistent with the substrate's finite channel capacity, and propose a falsification criterion.

We stress that α^{-1} is constrained through an eliminative filter: IE, the substrate geometry, and the characteristic integers jointly select a unique value with zero tuning parameters.

1. The E_8 Lattice: Substrate vs. Algebra

The exceptional Lie group E_8 has long been explored as a candidate for unification because it is the smallest simple Lie group large enough to contain the Standard Model gauge group. Most famously, Garrett Lisi proposed embedding the Standard Model directly into the E_8 algebra [5]. However, the Distler-Garibaldi theorem [6] established a rigorous no-go result: any signature-preserving algebraic embedding of the Standard Model into E_8 cannot yield chiral fermions without also producing unobserved mirror partners. This theorem remains the principal obstruction to E_8 *algebraic* unification.

Here we do not employ E_8 as a gauge algebra (the effective symmetry of a quantum field theory). We instead treat the E_8 lattice as the **Geometric Substrate**, the fundamental discrete hardware on which effective dynamics emerge. This geometric projection dynamically assigns the Lorentzian signature (1,3) to spacetime while the internal symmetry sector retains the original Euclidean signature (4,0). Mirror states therefore reside in an internal space with no timelike generator and do not propagate on the observable manifold. As detailed in appendix A, chirality emerges strictly from this geometric projection as a kinematic consequence, not as an algebraic input requiring mirror cancellation.

C. Distinction From Physics-First Approaches

Several research programs explore discrete spacetime structures (Causal Set Theory [7], Loop Quantum Gravity [8]) or emergent gravity (Verlinde [3], Jacobson [9]).

While many research approaches treat spacetime or gravity as fundamental starting points, this work explores a *systems-first* methodology (deriving physical structure from universal persistence requirements rather than postulating dynamical laws). We derive universal persistence requirements from Informational Energetics and evaluate candidate substrates. We demonstrate that the E_8 lattice emerges as the optimal geometric candidate rather than an *a priori* assumption. This yields predictions that physics-first approaches do not address, while simultaneously establishing a structural rationale: the Standard Model's specific configuration (gauge groups, generation count, chirality, etc.) emerges as a consequence of persistence requirements rather than accepted as phenomenological input.

II. THEORETICAL CONTEXT: INFORMATIONAL ENERGETICS

Any system that persists, from a biological cell to the universe itself, must solve the same fundamental problem: how to maintain structural coherence against the constant pressure of environmental entropy. IE is a theoretical framework designed to derive the universal architecture required to solve this problem. It unifies insights from non-equilibrium thermodynamics, algorithmic information theory, and control theory into a single, predictive model of persistence.

A. The Selection Principle

Configurations populate state space transiently; not all persist. For any given level of structural complexity, those configurations that minimize their Entropic Action (S_Φ) remain observable at timescales longer than those that don't. Configurations do not *seek* minimization. The selection principle is an eliminative filter; what fails to minimize S_Φ leaves no detectable signal, and what remains constitutes the observable universe. We formalize this as:

The Selection Principle: Among all configurations capable of encoding a given structural complexity, only those possessing the minimal possible **Entropic Action** (S_Φ) remain observable.

The **Entropic Action** S_Φ quantifies the total thermodynamic cost for a system to maintain structural coherence against environmental entropy over its persistence lifetime. Formally, it is the time-integrated Net Entropic Impedance:

$$S_\Phi \equiv \int_0^\tau Z_{IE}(t) dt \quad (1)$$

where τ is the system's lifetime and $Z_{IE}(t)$ is the instantaneous Net Entropic Impedance, the time-dependent

generalization of the static pillar sum (equation (2)). For spatially distributed systems, $Z_{IE}(t)$ integrates the local dissipation density. In **Quiescent Equilibrium**, Z_{IE} is constant and $S_\Phi = Z_{IE} \cdot \tau$ is a strictly dimensionless count of elementary state transitions. **Note:** The full dynamic variational principle is deferred to the companion paper, *Informational Energetics: Entropic Action*.

Open systems (e.g., biological organisms) offset dissipation through external energy flux; closed systems minimize entropic action directly, as there is no external source to offset it.

B. The Universal Architecture: Derivation from First Principles

To persist, any system must implement a specific architecture comprising four pillars for information management and two pillars for the thermodynamic overhead of operating on its substrate.

To rigorously derive this architecture, we model a persistent entity as a **dynamic control system** that must regulate its internal state against external fluctuations (entropy).

1. The Necessary Components of Control

From control theory, any stable feedback loop requires specific functional components [10]: the Plant (the system to be controlled), the Sensor (measuring the output), the Controller (computing the correction), and the Actuator (implementing the correction), with the desired behavior specified by a Reference Signal (Setpoint).

For *robust* operation under uncertainty, control systems must additionally implement gain and phase margins to prevent instability from perturbations [11]. These margins are typically treated as tunable parameters rather than structural requirements.

Implicit in physical implementations is the irreducible energetic and temporal cost of state transitions (Landauer’s Principle [1]; Margolus-Levitin limit [12]). This “Toll” is typically treated as a constraint rather than a required component.

2. The Universal Architecture of Persistence

IE reframes the control elements into six **existential pillars**, the complete, minimal set required for persistence, recontextualizing control components as survival requirements within a predictive, quantitative model. Performance comes secondary to persistence; thermodynamic and information-theoretic imperatives are elevated, necessitating a new primary unit of measure: the **Entropic Burden**. The pillars represent the synthesis of isolated foundational theorems discovered across inde-

pendent disciplines and the removal of any pillar leads to catastrophic system failure (section II C).

1. **The Capacity (CAP): The Vessel.** The physical infrastructure required to acquire resources, process energy, and perform work. It defines the system’s kinetic potential and its ability to act on the environment. (The Plant/Actuator). *Foundational Theorem (The Bekenstein Bound [13]):* Bekenstein established that a finite region of space can contain at most a finite amount of information, providing the physical basis for the strict **Finiteness** requirement of the Capacity pillar. A persistent system cannot rely on infinite state-space. Furthermore, the Margolus-Levitin limit [12] establishes that the rate at which this capacity can process state transitions is strictly bounded by its available energy.
2. **The Map (MAP): The Model.** The internal logic, topological structure, or compressed representation of environmental regularities that distinguishes the system from the environment. It functions as a predictive engine that reduces uncertainty (Surprisal), allowing the system to steer towards high-utility states. (The Reference Signal/Setpoint). *Foundational Theorem (The Good-Regulator Theorem [14]):* Conant and Ashby proved mathematically that “every good regulator of a system must be a model of that system.” A system cannot persistently regulate against environmental entropy without encoding a structural map of its environment.
3. **The Protocol (PRO): The Interface.** The communicative glue regulating information flow between the Capacity and the Map. It ensures internal coherence, standardizes interfaces, and minimizes signal decay across the system’s internal boundaries. (The Feedback Network/Sensor Path). *Foundational Theorem (Shannon’s Source-Channel Separation Theorem [15]):* Shannon established that optimal communication over a noisy channel requires decoupling the source data (the Map) from the error-correcting transmission encoding (the Protocol). Systemic coherence demands an independent protocol layer.
4. **The Governor (GOV): The Constraint.** The non-linear constraint mechanism that prevents unbounded divergence or ‘runaway’ loops. It enforces operational boundaries (e.g., apoptosis, budget limits) to protect the substrate from exhaustion. (Controller/Limiter). *Foundational Theorem (Ashby’s Law of Requisite Variety [16]):* “Only variety can destroy variety.” For a system to remain stable, its active constraint mechanism (Governor) must possess a number of states equal to or greater than the number of perturbations threatening the system.
5. **The Toll (TOL): The Temporal Cost.** The irreducible energy cost of state transitions and in-

formation erasure. (Processing Latency). *Foundational Theorem (Landauer's Principle [1])*: Any irreversible logical operation, such as erasing a bit, must dissipate at least $k_B T \ln 2$ of energy to the environment. State transitions carry an inescapable thermodynamic toll.

6. **The Margin (MAR): The Buffer.** The structural and energetic reserves held to absorb stochastic shocks. It defines the system's 'Safe Operating Area,' providing the buffer required to survive environmental variance without terminal failure. (The gain and phase margin). *Foundational Theorem (Nyquist-Bode Stability Margins [17])*: A feedback system operating at theoretical criticality has zero tolerance for variance. Nyquist proved that physical control loops must maintain strict gain and phase margins away from the critical threshold, or the first stochastic environmental fluctuation will cause terminal divergence.

Every system operates upon a **Substrate**: the physical medium imposing the immutable limits (bandwidth, latency, noise floor) within which the six pillars must function.

IE reframes control systems not as devices that execute instructions, but as structures that persist. An open-loop system merely "does": it follows a predetermined path regardless of environment. A closed-loop system "remains": it possesses the structural capacity to maintain coherence against entropic pressure. This persistence is not agency in any teleological sense; it is a **structural filter**. In a high-entropy environment, only configurations implementing the six-pillar architecture survive observation; all others dissipate.

The mapping of IE to specific physical domains is inherently adaptive. While the present work demonstrates this on the substrate of the vacuum, the IE framework states that all systems that persist are specific solutions to this same universal architecture.

3. The Entropic Balance Sheet

To quantify persistence, we distinguish between dissipation and coordination: structural burdens increase the system's entropic footprint (positive contributions to Z_{IE}), while organizational mechanisms reduce net dissipation relative to the uncoordinated baseline (negative contributions). This parallels the negative feedback signal in control theory, where the error $\epsilon = R - F$ is reduced by the feedback term.

- **Structural Costs (+)**: The energetic overhead of existence. This includes maintaining boundaries (Z_{CAP} , Z_{MAR}), storing internal models (Z_{MAP}), and the irreversible cost of state updates (Z_{TOL}). These terms increase impedance.

- **Organizational Gains (−)**: The reduction in dissipation achieved through coordination. The Protocol (Z_{PRO}) minimizes friction by standardizing interfaces; in control theory, this is analogous to the negative feedback signal subtracted from the setpoint ($\epsilon = R - F$). The Governor (Z_{GOV}) prevents wasteful divergence. These represent structural optimizations: the measurable difference in dissipation between a disorganized system and an organized one.

The **Net Entropic Impedance** (Z_{IE}) is the algebraic sum of these contributions:

$$Z_{IE} = \underbrace{(Z_{CAP} + Z_{MAP} + Z_{TOL} + Z_{MAR})}_{\text{Structural Costs}} - \underbrace{(Z_{PRO} + Z_{GOV})}_{\text{Organizational Gains}} \quad (2)$$

C. Necessity Argument: The Failure Modes

We demonstrate the necessity of the set of pillars $\mathbb{P} = \{\text{CAP, MAP, PRO, GOV, TOL, MAR}\}$ by analyzing the **Counterfactual Failure Mode** of a system whose architecture lacks exactly one pillar ($\mathbb{P}' = \mathbb{P} \setminus \{x\}$). In every case, the expected lifetime of the system τ tends to zero.

- **No Capacity: Starvation.** Detects threats but lacks energy to respond. ($\tau \rightarrow 0$ via Equilibrium).
- **No Map: Dissolution.** Lacks self-definition; random capacity activation maximizes internal entropy. ($\tau \rightarrow 0$ via Boundary Loss).
- **No Protocol: Decoherence.** Components decouple; actions are based on statistically independent, outdated states. ($\tau \rightarrow 0$ via Fragmentation).
- **No Governor: Divergence.** Unconstrained positive feedback loops exceeds structural limits. ($\tau \rightarrow 0$ via Explosion).
- **No Toll: Zeno Collapse.** State transitions require irreducible time and energy; the Margolus-Levitin limit establishes a strict minimum time per orthogonal state transition[12]. Without this temporal cost, updates occur instantaneously, requiring infinite bandwidth and collapsing the discrete causal sequence. ($\tau \rightarrow 0$ via Causal Collapse).
- **No Margin: Fragility.** Operating at theoretical criticality leaves zero buffer for environmental variance; the first fluctuation causes failure. ($\tau \rightarrow 0$ via Random Shock).

Since the removal of any component results in termination, the set $\mathbb{P}$ is **Minimally Necessary**.

D. Scope of the Architecture

The six pillars map onto the canonical components of a control loop, augmented by constraints from information theory and thermodynamics that standard control theory treats as external parameters. Advanced topologies (feedforward networks, state observers) extend this basic structure but do not introduce new primitive requirements for persistence.

We conjecture that the six pillars are sufficient for the systems analyzed here. Complex functions often cited as distinct requirements such as Memory (persistence of *MAP* over time, *MAR*) or Prediction (*MAP* operation via *PRO*) are treated as emergent properties of the fundamental set. Whether this set is mathematically minimal across all possible persistent systems remains an open question; the framework’s predictive power provides empirical support for its sufficiency in the domain of fundamental physics.

E. Domain of Application and Boundary Limits

Complex Adaptive Systems (CAS) research has historically yielded rich qualitative taxonomies. IE introduces a falsifiable paradigm shift: by applying the rigorous constraints of robust control theory to CAS, and strictly isolating systems that successfully **persist** against entropy, open-ended qualitative observation is replaced by exact structural requirements.

While macroscopic domains (biological, ecological, economic) must manage these six existential pillars probabilistically within chaotic, open environments, this work deliberately operationalizes the framework at the absolute boundary limit of fundamental physics. The vacuum serves as the ultimate zero-external-flux baseline, a sterile analytical control environment required to prove the architecture’s exact mathematical validity before evaluating the time-varying, statistical distributions of capacity and margin found in open macroscopic systems.

III. SYSTEM 0: ARCHITECTURAL REQUIREMENTS FOR PERSISTENCE: FINITENESS, UNITARITY, CAUSALITY

If the principles of IE are truly universal they must apply to the most fundamental layer of reality, the vacuum itself. In this section we will map IE’s six universal pillars to this specific domain resulting in three non-negotiable requirements for the substrate of reality:

- **Finiteness:** (CAP, MAR) To prevent energetic and informational divergence.
- **Unitarity:** (MAP, PRO) To ensure the lossless conservation of information.
- **Causality:** (GOV, TOL) To enforce a well-defined temporal evolution.

A. The Closure Constraint

Unlike open systems, the vacuum admits no external environment by definition. It possesses no external environment to provide initial conditions, offload entropy, or store structural memory. IE therefore imposes the **Closure Constraint**: the substrate of reality must be entirely self-defining. Because the vacuum possesses no external environment, it has no source from which to obtain initial conditions, boundary data, or selection parameters. Its geometry must follow necessarily from its own architectural requirements. *Any candidate substrate requiring outside data to specify its initial conditions is not a fundamental ground state.*

B. Persistence Requires CAP, MAR via Finiteness

For the vacuum to persist, its definition must be self-consistent. A system defined by infinite properties contains no information and cannot maintain a stable structure. In physics, such inconsistencies manifest as energetic divergences, as exemplified by the Ultraviolet (UV) Catastrophe in standard Quantum Field Theory. IE resolves this by enforcing **Finiteness** as a primary requirement of existence, corresponding to the Capacity and Margin pillars. This requirement imposes three structural properties on the substrate:

1. Discrete (Indivisible Unit)

A continuous volume admits infinite descriptive complexity. Under the Closure Constraint, no external algorithm exists to compress this to finite Kolmogorov complexity, so the substrate cannot be self-defining. Therefore, the substrate must be **Discrete**: there must exist a fundamental, indivisible unit of information that sets a maximum density.

2. Homogeneous (Direction-Independent)

To minimize algorithmic complexity, the substrate must be **Homogeneous**. In Algorithmic Information Theory, the structural complexity of a random graph scales with its size ($K(S) \propto N$). For the universe to be scalable without additional processing overhead, its Kolmogorov Complexity must be $O(1)$, independent of size (Closure Constraint). This requires that the local topology be the same regardless of location and direction.

3. Lattice (Discrete + Homogeneous)

A structure that is both discrete (finite information density) and homogeneous (constant structure in ev-

ery direction) is a **Lattice**. This excludes continuous manifolds (infinite description) and random graphs (non-constant complexity).

C. Persistence Requires MAP, PRO via Unitarity

For the vacuum to persist, it must maintain a stable Map over time. This requires that information is perfectly conserved. By the Closure Constraint (section III A), the vacuum must be a perfectly closed and lossless information network, making Unitarity a structural necessity, corresponding to the Map and Protocol pillars. This requirement imposes four structural properties on the substrate:

1. Lattice Must Be Positive Definite

Information-Theoretic Justification: In a metric space, the norm $|\mathbf{v}|^2 = g_{\mu\nu}v^\mu v^\nu$ represents the information distance from the origin (reference state). For the system to have a well-defined minimum energy configuration (stable ground state), this distance must satisfy:

$$|\mathbf{v}|^2 \geq 0 \quad \forall \mathbf{v} \neq 0 \quad (3)$$

A metric with negative eigenvalues (Lorentzian) allows $|\mathbf{v}|^2 < 0$, implying an imaginary “distance” from the reference state and preventing the definition of a stable ground state. Furthermore, a Lorentzian metric admits non-trivial null vectors ($|\mathbf{v}|^2 = 0$ where $\mathbf{v} \neq 0$), allowing for the creation of infinite information density without exceeding the capacity budget ($|k\mathbf{v}|^2 = 0$ for any scalar amplitude k), which violates the **Finiteness** pillar. Therefore, the **substrate** must be Euclidean.

Epistemic Note (Substrate vs. Projection):

This Euclidean positive-definiteness applies strictly to the substrate lattice. The observed Lorentzian signature $(-, +, +, +)$ emerges dynamically from the causal projection derived later in section IV D. The substrate memory is a static definite metric, while the active processor operates with an indefinite metric.

2. Lattice Must Be Mappable to a Torus

To satisfy **Finiteness**, the system must be spatially bounded. To satisfy **Protocol** (Unitarity), it must be closed (no edges). By the combinatorial Gauss-Bonnet theorem, a regular lattice of fixed vertex coordination tiled on a closed surface of Euler characteristic χ requires topological defects if $\chi \neq 0$. The sphere ($\chi = 2$) therefore requires defects that break translational invariance. The **Torus** (T^n , $\chi = 0$) provides the unique flat, closed topology with periodic boundary conditions that admits a homogeneous, defect-free lattice structure, simultaneously satisfying Finiteness (bounded), Unitarity (closed), and Homogeneity (flat).

Consequently, the statistical evolution of the vacuum is defined by the Partition Function on a torus¹:

$$Z(\beta) = \sum_{\text{states}} e^{-S_{\text{config}}} = \text{Tr}(e^{-\beta H}) \quad (4)$$

3. Lattice Must Be Even

A stable Map requires path independence, which in turn requires evenness. A persistent system demands a unique, unambiguous equilibrium state. If the state count Z depended on the path taken through moduli space (parameterization) rather than the configuration itself, the vacuum would lack a stable **Map**.

This requires $Z(\beta)$ to be single-valued under the modular transformation $T : z \rightarrow z + 1$. The Jacobi Theta Function, $\Theta_\Lambda(z) = \sum e^{i\pi z|\mathbf{v}|^2}$, counts these states. For **Even** lattices ($|\mathbf{v}|^2 = 2n$), the exponent $2\pi i n z$ is invariant under the shift. However, any odd-norm vector ($|\mathbf{v}|^2 = 2n + 1$) introduces a sign inversion ($\Theta \rightarrow -\Theta$), rendering the Map multi-valued. Thus, the lattice must be **Even**.

4. Lattice Must Be Self-Dual and Unimodular (Read/Write Symmetry)

To prevent information loss via destructive interference or Landauer erasure, the encoding operation (write) and the decoding operation (read) must be informationally equivalent. This is enforced by the modular transformation $\mathcal{S} : z \rightarrow -1/z$, which maps the lattice to its reciprocal (Fourier dual).

By the Poisson Summation formula, the partition function transforms as:

$$\Theta_\Lambda(-1/z) \propto \frac{1}{\text{vol}(\Lambda)} \Theta_{\Lambda^*}(z) \quad (5)$$

For the Map to remain invariant ($Z_\Lambda = Z_{\Lambda^*}$), the lattice must be **Self-Dual** ($\Lambda = \Lambda^*$). This strictly enforces **Unimodularity** ($\text{vol}(\Lambda) = 1$), as the only scalar satisfying $V = 1/V$ is 1. Any other volume introduces an irreversible scaling factor, violating Unitarity.

Requirements: The lattice of the vacuum must be **Positive Definite, Unimodular, Even, and Self-Dual**.

D. Persistence Requires GOV, TOL via Causality

For the vacuum to persist, it must exist stably and *evolve* in a well-defined manner. This creates a funda-

¹ Here, β is the formal periodicity parameter of the imaginary time cycle. We use the partition function formalism for state enumeration on a torus, not to claim the vacuum has a literal temperature.

mental information-theoretic challenge: how to project the vast state space of a lattice node onto a single, linear temporal axis without ambiguity.

The Serialization Problem: From the **Capacity** pillar, we establish that any persistent system must possess a finite state-space cardinality, denoted N (the number of distinct, orthogonal degrees of freedom, or basis states, that comprise the node's total informational payload). To evolve, the system must serialize these N potential states onto a discrete timeline defined by the **Temporal Modulus** (Δ), representing the number of available temporal slots in one fundamental causal cycle.

Causal Aliasing: To express its full informational capacity, the system must serialize all N potential states into Δ discrete temporal slots per fundamental cycle. By the Pigeonhole Principle, if $N > \Delta$, the number of states exceeds the available temporal slots. Consequently, at least one temporal coordinate must simultaneously host multiple distinct states. This results in **Causal Aliasing**: distinct information states become concurrently superimposed in time, destroying the system's ability to maintain a well-defined serial history.

The Persistence Inequality: To enforce a strict arrow of time and satisfy the Causality requirement, the projection must satisfy the Persistence Inequality: $\Delta \geq N$. The temporal container must meet or exceed the information content it holds. The inequality $\Delta \geq N$ allows $\Delta > N$, but any excess capacity represents unutilized structure. Under the Closure Constraint, the substrate admits no inert auxiliary overhead; the minimal self-consistent solution therefore saturates the bound.

E. Summary: The Architectural Requirement of the Vacuum

Through the rigorous application of Informational Energetics, we have fully specified the architectural requirements for the substrate of reality:

1. (CAP, MAR) **Finite Lattice**, required by Finiteness.
2. (MAP, PRO) **Positive Definite, Unimodular, Even, and Self-Dual**, required by Unitarity.
3. (GOV, TOL) Any causal system must satisfy a **Causal Projection**: a serialization of its N -dimensional state-space onto a discrete timeline of length $\Delta \geq N$.

With this specification complete, the physical substrate is a constrained mathematical problem: find the unique geometric object that satisfies all of these requirements simultaneously.

IV. SYSTEM 1: THE PROJECTION, THE $E_8 \rightarrow D_4 \oplus D_4$ GEOMETRIC PROJECTION THAT UNIQUELY SATISFIES THE SYSTEM 0 REQUIREMENTS

Having established the requirements of the substrate we now identify the unique mathematical structure that satisfies these constraints.

A. The Lattice Selection (E_8)

We will begin by determining the possible dimensions of the lattice, then identify a unique lattice, and finally determine its projection into spacetime.

1. The $n \equiv 0 \pmod{8}$ Constraint

The requirement of an even, self-dual lattice is remarkably restrictive. A fundamental constraint from the theory of modular forms and lattices[18], states that even, self-dual lattices only exist in dimensions that are multiples of 8. This immediately eliminates the majority of dimensionalities leaving only:

$$n \in \{8, 16, 24, \dots\}$$

This strictly eliminates any lattice solution in dimensions $n < 8$. This yields a profound physical consequence: the observed $n = 4$ spacetime cannot mathematically host a unitary, self-dual information substrate. The universe we observe cannot be the fundamental hardware; it must be an emergent projection of a higher-dimensional structure.

Furthermore, this excludes $n = 10$ as a standalone geometric substrate. Because $10 \not\equiv 0 \pmod{8}$, a 10-dimensional lattice cannot intrinsically satisfy *Unitarity* (the requirement for an even, self-dual lattice). While continuous theories can recover Unitarity via auxiliary structures (e.g., Calabi-Yau compactifications), selecting a specific manifold requires external configuration memory, which is prohibited by the strictly self-defining Closure Constraint (section III A).

2. The Principle of Algorithmic Determinism

To satisfy **Map** and **Unitarity**, the substrate geometry must be intrinsic and self-defining. It cannot depend on arbitrary selection parameters or external boundary conditions. We demonstrate that the constraints on the possible dimensions eliminate all but one unique option:

1. **Unitarity** mandates even, self-dual, unimodular lattices. By Kneser's theorem, such lattices exist only for $n \equiv 0 \pmod{8}$.

2. By the **Closure Constraint** (section III A), the vacuum admits no external configuration memory. Formally, the Information/Closure constraint acts as an exact Kolmogorov complexity filter. The Specification Complexity for the substrate must satisfy $K(\text{Geometry} \mid \text{IE constraints}) = 0$ additional bits.
3. At $n = 8$: The E_8 lattice is the **unique** even self-dual lattice [18]. Selecting this geometry from the set of valid $n = 8$ solutions requires $\log_2(1) = 0$ bits of external selection information.
4. At $n = 16$: Two non-isomorphic solutions exist ($E_8 \oplus E_8$ and D_{16}^+). Selecting between them requires $\log_2(2) = 1$ bit of information. Because the vacuum admits 0 bits of external configuration memory (Closure Constraint), this 1-bit selection cannot be realized: no physical mechanism exists within the substrate to source this information.
5. At $n = 24$: Twenty-four distinct Niemeier lattices exist, requiring $\log_2(24) \approx 4.58$ bits of selection information, similarly violating the Closure Constraint.
6. The number of distinct even self-dual lattices grows extremely rapidly with dimension. For example, in dimension 32, there are more than 80 million such lattices.

The E_8 lattice is selected not merely for its low dimensionality, but because it is the **only self-dual geometry that requires zero bits of selection information**. It is uniquely self-defining. This differs from the Δ derivation, where surjection and continuum limit are forced by causal continuity and atomicity (physical requirements) not arbitrary choices between equivalents.

This unique self-consistent solution is selected prior to the emergence of time, eliminating any argument of spontaneous symmetry breaking which would require fluctuations, transition rates, and a dynamical framework that does not yet exist and which the substrate must first generate.

The optimality of the E_8 lattice extends beyond self-duality: Viazovska's proof establishes it as the densest sphere packing in eight dimensions [19], the unique solution to a geometric extremization problem. This reinforces its status as the substrate requiring zero selection information. E_8 is self-defining and geometrically optimal.

B. The Projection ($D = 4$ and $\nu = 16$)

The E_8 lattice cannot process information by itself. Processing requires a flow (Input vs. Output). The projection must break the E_8 symmetry to distinguish the "Observer" (Spacetime) from the "System" (Internal States).

1. The Symmetric Decomposition (External Spacetime vs. Internal Symmetry)

The projection must be compatible with the self-duality of the parent E_8 lattice to maintain local probability conservation. Because E_8 is self-dual ($\Lambda = \Lambda^*$), any symmetric decomposition into orthogonal sublattices ($E_8 \rightarrow L_4 \oplus L_4$) must admit a specific glue group whose coset structure exactly reconstructs the self-dual parent. To avoid unbalancing the Unitarity requirement, the state space must be partitioned into two symmetric sectors that can support this exact quotient structure.

Candidate Rank-4 Subsectors. We evaluate rank-4 root sublattices that can symmetrically embed in E_8 . The irreducible rank-4 root systems are A_4 , B_4 , C_4 , D_4 , and F_4 . We restrict our search to sublattices admitting a symmetric embedding $E_8 \rightarrow L_4 \oplus L_4$. B_4 and C_4 violate the Evenness requirement because their root lattices contain roots of two distinct lengths. F_4 , while even, is not self-dual. This leaves $A_4 \oplus A_4$ and $D_4 \oplus D_4$ as the mathematically viable candidates for the symmetric decomposition of the substrate.

- **The A_4 No-Go (Closure Mismatch):** The $A_4 \oplus A_4$ orthogonal decomposition has an index of 5 in E_8 , yielding a cyclic glue group $\mathbb{Z}_5$. Under the **Closure Constraint** (Section III A), the substrate admits no extraneous structural data. Because $\mathbb{Z}_5$ is cyclic of prime order, its states cannot be partitioned into a symmetric, self-contained addressing scheme; resolving the quotient structure would require an externally specified translation table, violating the requirement that the vacuum be entirely self-defining.
- **The D_4 Solution (The Unitary Partition):** The $D_4 \oplus D_4$ orthogonal decomposition has an index of 4 in E_8 , yielding a glue group ($\mathbb{Z}_2 \times \mathbb{Z}_2$) composed of involutions. This structure supports a symmetric, self-contained addressing scheme with zero external specification, satisfying the Closure Constraint. Furthermore, D_4 is the unique rank-4 even lattice that supports **Triality**, providing the exact geometric symmetry required to construct the Map and Causality pillars (section IV B 2).

Therefore, $E_8 \rightarrow D_4 \oplus D_4$ is the **strictly unique symmetric decomposition** that preserves global Unitarity while naturally generating the chiral structure required for information processing.

This unique decomposition partitions the 8 dimensions into two orthogonal sectors with distinct roles:

1. **Sector A (External Spacetime):** The first D_4 lattice defines the coordinate addresses of the lattice nodes. Since the D_4 root system has rank 4 (four linearly independent simple roots), it naturally projects onto a 4-dimensional coordinate manifold, fixing $\mathbf{D}=4$ for spacetime. The rank

equals the number of independent Cartan generators, which specify the coordinate addresses; hence rank 4 implies $D = 4$.

2. **Sector B (Internal Symmetry):** The second D_4 lattice encodes the internal configuration of each node, its state within the substrate's symmetry structure. These four dimensions are internal degrees of freedom and not spatial directions.

This structural partition explains why the substrate must eventually appear 4-dimensional while possessing complex internal forces, without requiring the hidden spatial dimensions of Kaluza-Klein theory.

2. The Bit-Depth of the Node ($\nu = 16$)

To determine the information capacity (Bit-Depth) of the lattice nodes we ask: what is the minimal geometric structure required to define a persistent, distinguishable signal on the lattice?

Geometric Translation: In a lattice, information states are encoded as **orientations**, directional configurations that can be rotated and transformed.

The mathematical structure governing these rotations in an n -dimensional space is the **Spin group** $Spin(n)$, which describes how states change under geometric transformations while preserving their essential properties.

The D_4 lattice spans 4 spatial dimensions, but its associated Lie algebra ($\mathfrak{so}(8)$) acts on 8-dimensional fundamental and spinor representations. As established in section IV B, each D_4 factor in the $E_8 \rightarrow D_4 \oplus D_4$ decomposition therefore gives a local continuous rotation symmetry of $Spin(8)$. However, this structure faces critical information-theoretic limitations that prevent it from satisfying the **Map** and **Causality** pillars.

1. **The Map Constraint (Complex Phase):** While $Spin(8)$ possesses chiral spinors (Left and Right), they are mathematically **Real** (Majorana-Weyl). In signal processing terms, this means a state vector is identical to its conjugate ($\psi = \bar{\psi}$). A system built on this logic cannot distinguish a signal from its inverse (Phase Ambiguity) because it lacks complex phase information. To support a stable Map, the system requires **Complex Representations** ($\psi \neq \bar{\psi}$), allowing for the encoding of phase distinct from amplitude.
2. **The Causality Constraint (Chirality):** To support the **Causality** pillar (Arrow of Time), the system must distinguish "Input" from "Output." Geometrically, this requires **Chirality**, the ability to distinguish Left-handed projections from Right-handed projections. Odd-dimensional rotation groups (such as $Spin(9)$) admit complex representations but are inherently achiral, failing this requirement.

3. **The Minimal Geometric Group:** We seek the minimal geometric group rank that satisfies both existential conditions:

- **Complex** (to encode Phase/Map)
- **Chiral** (to encode Flow/Causality)

Because the $Spin(8)$ chiral spinors lack complex structure, and $Spin(9)$ complex spinors lack chirality, the unique minimal extension that simultaneously supports Complex, Chiral representations (Weyl-Dirac spinors) is $Spin(10)$. Crucially, this does not imply that the D_4 substrate geometrically embeds a $Spin(10)$ gauge group. The substrate system strictly prohibits this, as $Spin(10)$ (rank 5) exceeds the structural capacity of the internal D_4 sector (rank 4). Rather, $Spin(10)$ defines the minimal **informational payload size** required to encode a persistent signal with both complex phase and chiral flow. The size of this data packet is given by the Weyl spinor dimension formula $\nu = 2^{n/2-1}$ for n -dimensional chiral spinors:

$$\nu = 2^{\frac{10}{2}-1} = 2^4 = 16 \quad (6)$$

To transmit this 16-channel payload without exceeding the rank-4 internal budget, the node utilizes the representations natively available to its D_4 ($\mathfrak{so}(8)$) geometry. Because D_4 possesses Triality, it supports independent 8-dimensional representations (e.g., 8_L and 8_R). A single node's **internal symmetry sector** provides exactly $8 + 8 = 16$ channels of hardware capacity, perfectly matching the payload requirement.

Thus, $\nu = 16$ is established as the bit-depth of the vacuum's hardware; it is the minimal capacity necessary to resolve phase ambiguity and enforce causality, an architectural requirement satisfied by the $Spin(10)$ spinor dimensions.

C. The Total Node Capacity (N)

We derive the total information capacity of a single lattice node, which constrains the state space of all subsequent derivations.

The projection $E_8 \rightarrow D_4 \oplus D_4$ creates two orthogonal, symmetric subsystems. As derived above, the internal sector requires a bit-depth of $\nu = 16$. Because the projection must be compatible with the **Self-Duality** of the parent E_8 substrate, the Spacetime sector must remain informationally symmetric to the Internal sector. Because the parent E_8 substrate is exactly self-dual ($\Lambda = \Lambda^*$), the projection cannot introduce an informational asymmetry between the spacetime manifold and the internal state space without violating local probability conservation. Therefore, the maximal channel capacity supported by the geometric structure of Sector B

strictly dictates the required reciprocal capacity of Sector A. Because information capacity (bit-depth) is additive across independent orthogonal sub-spaces, the total channel capacity N is simply the sum of the two sectors:

$$N = \nu_{\text{Sector A}} + \nu_{\text{Sector B}} = 16 + 16 = \mathbf{32} \quad (7)$$

This integer $N = 32$ represents the total number of distinct state channels available for encoding information on the lattice substrate.

D. Dimensional Reduction: Geometric Origin of The Metric Signature and Causality

1. The Requirements

To map the 16-channel signal onto a 4-dimensional manifold without loss or ambiguity, the metric algebra must satisfy two strict encoding constraints:

1. **Complex Compression (Map):** The 16 real channels must be compressed into 8 complex degrees of freedom ($16\mathbb{R} \rightarrow 8\mathbb{C}$). This requires the algebra to naturally generate a geometric imaginary unit (i) to encode phase information.
2. **Chiral Sorting (Causality):** The system must distinguish “Input” from “Output” to enforce the arrow of time. This requires the algebra to support orthogonal projectors (P_L, P_R) that split the signal into directed halves ($8\mathbb{C} \rightarrow 4\mathbb{C}_L + 4\mathbb{C}_R$).

2. The Search Space

A 4-dimensional manifold admits two metric signatures. We test each against the requirements:

- **Option A: Euclidean Metric** $(+, +, +, +)$. In a space where all dimensions are spatial, the volume element (pseudoscalar ω) squares to positive unity ($\omega^2 = +1$).
- **Option B: Lorentzian Metric** $(-, +, +, +)$. In a space with one temporal dimension, the Clifford algebra volume element (the pseudoscalar ω) squares to negative unity ($\omega^2 = -1$).

3. The Unique Solution

The Euclidean metric fails the encoding test. Because $\omega^2 = +1$, the center of the Clifford algebra is strictly real ($\mathbb{R} \oplus \mathbb{R}$). It cannot generate the global geometric imaginary unit i required for complex phase compression, nor can it support complex chiral projectors. A universe with this signature would be a static, real-valued block with no capacity for phase or flow.

The **Lorentzian Metric** is the unique valid solution: $(1, 3)$ is equivalent to $(3, 1)$ by reordering, and $(2, 2)$ fails because $\omega^2 = +1$ in split signature, restoring the real algebra. Because $\omega^2 = -1$, the Clifford volume element functions identically as the geometric imaginary unit ($i \equiv \omega$). This naturally generates the complex structure required to compress the signal ($\nu = 16$) and the chiral structure required to sort it.

Crucially, the metric projection assigns the Lorentzian signature $(-, +, +, +)$ exclusively to Sector A (Space-time). Sector B (Internal Symmetry) retains the original Euclidean signature $(+, +, +, +)$ of the E_8 algebra. This asymmetry is the direct consequence of the Causality requirement: only one D_4 factor can support a timelike generator, and that assignment uniquely distinguishes the spacetime sector from the internal sector.

Conclusion: The signature $(-, +, +, +)$ is the only algebraic structure capable of processing the system’s information content and is not an arbitrary choice. Physically, the negative sign of Time ($dt^2 < 0$) is the geometric cost required to generate the imaginary unit i .

a. Physical Consequence: Once these algebraic structures are established to satisfy the encoding requirement, they manifest in physics as fundamental properties of matter. The **Matter/Antimatter** distinction emerges from the complex conjugation ($\psi \leftrightarrow \bar{\psi}$) enabled by the imaginary unit. **Chirality** emerges from the orthogonal projectors. These are unavoidable consequences of encoding a 16-channels onto a 4-dimensional Lorentzian manifold.

E. The System Logic ($\sigma=5$ and $\chi=2$)

The **Finiteness** and **Unitarity** pillars require the vacuum to be homogeneous (no preferred positions) and self-dual (informationally symmetric). For a node to possess both a **coordinate address** and a **distinguishable Map** while satisfying these constraints, the two specifications must be **orthogonal**: independent, yet simultaneously well-defined. Geometrically, this requires the substrate to support a *topological defect*, a localized boundary structure capable of separating a region from the vacuum, without specifying what occupies that region. The minimal embedding dimension for this orthogonal decomposition sets the rank of the interaction symmetry (σ), the geometric degrees of freedom available for force mediation.

1. The Topological Boundary ($\chi = 2$)

To satisfy the **Binary Partition Constraint**, we propose modeling the topological boundary of a persistent defect as a sphere ($S^2, \chi = 2$). Because the sphere is the unique simply-connected closed surface ($g = 0$), it provides the exact topological structure required to rigorously separate the “Inside” (The System) and “Outside”

(The Environment) without ambiguity.

We derive this by analyzing the Euler Characteristic for closed, orientable surfaces:

$$\chi = 2 - 2g \quad (8)$$

where g is the genus (number of holes).

- **The Exclusion of $g \geq 1$ (The Leaky Partition):** Any topology with one or more holes (Torus $g = 1$, Double Torus $g = 2$, etc.) fails to define a strict binary separation.

- *Information-Theoretic Failure:* A genus $g \geq 1$ surface is not simply connected. It supports non-contractible loops, closed paths that thread through the holes without intersecting the surface. This creates informational ambiguity: information flux can traverse the topology without being strictly partitioned into “Inside” or “Outside,” rendering the total conserved quantity associated with the boundary ill-defined.
- *Thermodynamic Failure:* By the Gauss-Bonnet theorem ($\int_M K dA = 2\pi\chi$), any surface with $g \geq 1$ has $\chi \leq 0$, implying neutral or negative total curvature. Such a surface cannot support net positive entropic pressure (information density) against the bulk substrate: it would structurally collapse.

- **The Uniqueness of $g = 0$ (The Sphere):** The sphere is the unique closed surface with $g = 0$, yielding $\chi = 2$, the maximum possible value. It is the only simply connected topology, ensuring that all loops contract to a point. This forces all information flux to be explicitly either contained or excluded, enabling the perfect binary partition of state required for a persistent, distinguishable topological defect.

a. Forward Implication (System 2 Consequence): The invariant $\chi = 2$ is the *necessary and sufficient* condition for **charge quantization**. Because χ must be an integer and $\chi = 2$ is the unique maximum for closed surfaces, the charge associated with this topology is discrete. You can have 1 sphere or 2 spheres, but not 1.5 spheres. This geometric constraint allows the continuous lattice field to support discrete, countable units of charge.

2. The Embedding Invariant ($\sigma = 5$)

We derive σ as the minimal coordinate set required to fully specify a persistent entity on the lattice. A localized state requires two independent pieces of information: its **spatial address** (where it is) and its **topological boundary** (what it is). These sectors are orthogonal, one describes position in the manifold, the other describes the internal boundary structure, and together they define the minimal embedding dimension:

- **Spatial Freedom ($D_{space} = 3$):** The **Causality** pillar requires that one dimension of the $D = 4$ manifold be allocated to the update stream (Time). This leaves $D - 1 = 3$ dimensions for spatial configuration.

This value $D_{space} = 3$ is strictly required by the **Topological Boundary Constraint**. As derived in section IV E 1, the persistent defect must possess an S^2 boundary ($\chi = 2$). A 2-dimensional spherical boundary cannot be geometrically embedded in a spatial manifold of fewer than 3 dimensions. Therefore, 3D space is the minimal spatial dimension capable of supporting the exact topological defect required for persistence. (In 3D, the second homotopy group $\pi_2(S^2) = \mathbb{Z}$ classifies these stable localized topological defects).

- **Topological Boundary ($D_{boundary} = 2$):** The **Map** pillar requires the topological defect to be distinguished from the vacuum by a closed boundary. As derived in section IV E 1, the unique simply-connected solution is the sphere (S^2). Regardless of its location in the 3D spatial bulk, specifying the internal state of this boundary requires 2 intrinsic coordinate parameters (e.g., θ, ϕ). Because this definition is independent of the defect’s spatial position, these 2 degrees of freedom are informationally orthogonal to D_{space} .

The Orthogonality Condition: A fundamental requirement of the **Homogeneity** defined in System 0 is that the internal definition of a topological defect (its boundary topology) must be independent of its location.

Mathematically, this requires the total state space to be a **Direct Product** of the spatial manifold and the internal boundary manifold ($V_{total} = V_{space} \times V_{boundary}$). Because the boundary definition does not depend on position, their vector spaces are orthogonal.

The dimension of the minimal interaction embedding is the sum of these independent sectors:

$$\sigma = \dim(V_{space}) + \dim(V_{boundary}) = 3 + 2 = 5 \quad (9)$$

Note: $\sigma = 5$ is the minimal *geometric embedding* dimension for a persistent defect (spatial address plus boundary coordinates), not the gauge-group rank of an effective quantum field theory. The mapping from this geometric embedding to observed force quantum numbers is derived dynamically in the companion paper on Entropic Action.

F. The Fundamental Resonance ($\Delta = 43$)

To derive the fundamental resonance of the lattice three independent constraints must be simultaneously satisfied.

1. Unitarity and The Unique Factorization Domain Constraint

To apply this Unitarity constraint, we must map the physical period Δ to the algebraic structure of the causal loop. For a sequence of discrete causal events to be uniquely reconstructable (Unitary), the underlying algebra must prohibit ambiguous factorization, meaning multiple histories cannot blend into identical outcomes. As proven formally in appendix B, a $(1+1)D$ causal sequence on a self-dual lattice forms an elliptic curve. For the evolution operator to be uniquely invertible (Unitary), this curve must possess Complex Multiplication (CM) with a class number of $h = 1$ (a Principal Ideal Domain ensuring unique factorization). The self-duality of the substrate mandates that the geometric period of the loop (Δ) must equal the algebraic CM discriminant (D). Consequently, the Unitarity requirement restricts the temporal period Δ strictly to the imaginary quadratic fields of class number one. These are defined by the nine Stark-Heegner radicands $d \in \{1, 2, 3, 7, 11, 19, 43, 67, 163\}$. For the candidates capable of satisfying the Causality bound ($\Delta \geq 32$), the radicand and the discriminant magnitude strictly coincide ($|D| = \Delta = d$ because $43, 67, 163 \equiv 3 \pmod{4}$).

2. Causality (The “Bandwidth”) Constraint

To satisfy Causality we apply the constraint $\Delta \geq N = 32$ (established in section III D) leaving: $\Delta \in \{43, 67, 163\}$

3. The Self-Clocking Constraint (Causal Continuity)

This constraint imposes a strict upper bound on the cycle length by addressing how the vacuum maintains temporal synchronization.

- **The Mechanism (Signal vs. Overhead):** The fundamental cycle Δ is a periodic causal loop composed of Δ discrete, atomic temporal steps. These steps partition into $N = 32$ active signal states (the informational payload) and $M = \Delta - N$ overhead intervals (structural processing latency where the metric advances but state is static).
- **The Self-Clocking Requirement:** By the **Closure Constraint** (section III A), the vacuum possesses no external reference clock. The progression of time must therefore be maintained intrinsically by the lattice’s own state transitions. In information theory, a data stream without an external reference is a **Self-Clocking Signal**.
- **The Phase-Lock Limit:** Because the vacuum has no external reference clock (Closure Constraint),

temporal synchronization must be maintained intrinsically. In a discrete self-clocking protocol, empty overhead intervals (M) must be informationally anchored by active state transitions (N). If the number of empty steps exceeds the signal states ($M > N$), the Pigeonhole Principle forces the sequence to contain un-anchored consecutive empty steps. This creates a k -fold ambiguity in the elapsed time for any run of k consecutive empty slots.

To resolve this ambiguity, the local node would be required to store an internal counter, an auxiliary memory resource strictly forbidden by the Closure Constraint. Furthermore, the node cannot rely on its spatial neighbors to act as a clock; because the lattice is translationally homogeneous, all neighboring nodes are geometrically identical during a static interval and provide no differential information to break the temporal ambiguity.

Therefore, to prevent causal drift (Acausal Gaps), the maximum run of empty slots must be strictly bounded to 1. The Beatty/Fraenkel theorem guarantees that enforcing this limit on the periodic sequence mathematically equates to an RLL(0,1) (run-length limited) constraint[20], which forces the global density bound:

$$N \geq M \implies N \geq (\Delta - N) \implies \Delta \leq 2N \quad (10)$$

Result: With $N = 32$, the upper limit for a self-clocking fundamental cycle is $\Delta \leq 64$. This rigorously eliminates the remaining Stark-Heegner candidates 67 and 163, leaving $\Delta = 43$ as the strictly unique geometric solution for the temporal period.

G. Manifold Resolution

Given that the substrate is a $D = 4$ dimensional manifold with fundamental temporal cycle $\Delta = 43$, the theoretical maximum number of distinct spacetime slots the local geometry can support per fundamental update cycle is the product:

$$R_M = D\Delta = 4 \times 43 = 172 \quad (11)$$

Persistent topological defects occupy subsets of this address space; their operational costs in System 2 scale with the fraction of R_M utilized.

This completes the substrate’s information geometry: $\nu = 16$ encodes what a single spinor holds, $N = 32$ the total channels at a node, and $R_M = 172$ the spacetime addresses available per cycle.

H. The Entropic Loads: Resolution Limits of the Vacuum

The vacuum's persistence depends on three hierarchical scales of informational complexity. Each scale defines a resolution limit, a threshold below which signals dissolve into the substrate.

1. The Intrinsic Load ($L_{intrinsic} = 23$): Internal Specification

The information required to specify a topological defect's internal state comprises three orthogonal components. The chiral configuration ($\nu = 16$) encodes phase and handedness. The interaction embedding ($\sigma = 5$) encodes the coordinate degrees of freedom: spatial address ($D_{space} = 3$) and boundary coordinates ($D_{boundary} = 2$, the continuous parameters required to specify a point on the boundary surface). The topological invariant ($\chi = 2$) encodes the global identity of the boundary, the discrete classification that distinguishes the sphere ($\chi = 2$) from all other closed surfaces, independent of local coordinates. Together these three orthogonal components set the internal resolution limit: the precision with which the vacuum can distinguish *what* a defect is (internal state) from *where* it is (spatial position).

$$L_{intrinsic} = \nu + \sigma + \chi = 16 + 5 + 2 = \mathbf{23} \quad (12)$$

2. The Embedding Load ($L_{embed} = 31$): Manifold Address

The total information to specify a defect's complete configuration: internal state plus spatial address.

Because the chiral signal states are dynamic entities within the $D = 4$ manifold, specifying their complete state address requires more than just spatial coordinates. In discrete control theory and state-space representations, uniquely specifying a dynamic state's full trajectory requires establishing both its position vector (D dimensions) and its transition rate or orientation vector (D dimensions). This necessitates a total embedding cost of $2D = 8$ independent degrees of freedom to uniquely specify the dynamic state address on the manifold. (We note that this purely information-theoretic requirement emerges in higher-level physics as Hamiltonian Phase Space and conjugate momentum, though we rely only on the geometric state-space bound here).

$$L_{embed} = L_{intrinsic} + 2D = 23 + 8 = \mathbf{31} \quad (13)$$

3. The Substrate Load ($L_{substrate} = 188$)

The vacuum's intrinsic structural complexity. This sets the substrate capacity, the total information the vacuum must process per fundamental cycle.

- $\nu = 16$: Channel infrastructure. The spinor information at each site.
- $R_M(D \cdot \Delta) = 172$: Manifold Resolution.

$$L_{substrate} = (R_M) + \nu = (4 \times 43) + 16 = \mathbf{188} \quad (14)$$

I. The E_8 -Persistence System Specification

We have now identified a unique solution that satisfies the architectural requirements of System 0.

Substrate: The E_8 Manifold. The $D_4 \oplus D_4$ decomposition of E_8 fixes $D = 4$ as the unique dimensionality supporting Finiteness and Causality.

- **Capacity: The Operational Envelope** ($N = 32$). The $N = 32$ chiral channels within each $\Delta = 43$ cycle define the total state-transition budget. The clock period sets the envelope; the channel count determines what fills it.
- **Map: The Persistent Embedding** ($\sigma = 5$). The sum of spatial ($D_{space} = 3$) and topological ($D_{boundary} = 2$) degrees of freedom required to uniquely embed a persistent entity in the manifold.
- **Protocol: The Chiral Bit-Depth** ($\nu = 16$). The minimal spinor dimension admitting complex structure and chirality, enabling lossless information propagation. Required by Unitarity for read/write symmetry.
- **Governor: The Topological Boundary** ($\chi = 2$). The sphere (S^2), unique simply-connected closed surface, enforcing binary partition of state and preventing field divergence. Required by Finiteness.
- **Toll: The causal cost of persistence** ($\tau = -1$, $M = 11$). Structurally, the Lorentzian metric ($\tau = -1$) encodes time by sacrificing one spatial dimension's definiteness. Operationally, the $M = \Delta - N = 11$ overhead intervals in the fundamental cycle provide the temporal slack required for lossless state transitions.
- **Margin: The Resolution Floor** ($L_{embed} = 31$). The total embedding dimension sets the geometric noise floor below which signals dissolve into the substrate. In Quiescent Equilibrium, this floor is **saturated**: the minimal resolvable signal (derived in Section V as the resolution-limited coupling), is the proof of solvency. The vacuum persists because its resolution limit is exactly minimally sufficient.

J. Conclusion: E_8 -Persistence theory

The constraints of **Finiteness**, **Unitarity**, and **Causality** converge on a **unique** geometric structure: the E_8 lattice projected onto a causal $D = 4$ manifold accompanied by the set of Characteristic Integers: $\mathbb{S} = \{\Delta=43, \nu=16, \sigma=5, \chi=2\}$. Together these established a substrate on which other systems can persist.

V. SYSTEM 2: THE GEOMETRIC IMPEDANCE (α^{-1}), THE COST OF SUSTAINING TOPOLOGICAL CHARGE AGAINST THE LATTICE FLUX

The Fine-Structure Constant ($\alpha^{-1} \approx 137$) is one of the most precisely measured couplings in physics. Because standard quantum field theory treats it as an empirically measured parameter, its specific magnitude lacks a first-principles derivation.

In the E_8 -Persistence theory, the vacuum substrate presents a natural impedance to sustaining topological structure, measured in elementary operations per unit charge. We define this as the **Geometric Impedance** (Z_{geo}) and identify it physically with α^{-1} .

Scope of Derivation: In standard Quantum Field Theory, coupling constants “run” with the energy scale. This section exclusively derives the *bare geometric impedance* of the vacuum substrate at its fundamental resolution floor (Quiescent Equilibrium). This invariant baseline represents the fixed structural limit of the geometry at absolute minimal entropy. We do not attempt to derive scale-dependent dynamical scattering in this text; the emergence of running couplings and renormalization from this geometric baseline is the subject of subsequent papers in this series.

In Quiescent Equilibrium, the time-integrated Entropic Action (equation (1)) reduces from a continuous dynamic integral to a static discrete sum. For a persistent topological defect evaluated over a single fundamental temporal cycle ($\tau = 1$ in lattice units), the Entropic Action $S_{\Phi, defect}$ counts the minimum number of elementary operations required to sustain the configuration:

$$\alpha^{-1} \equiv Z_{geo} = \frac{S_{\Phi, defect}}{Q_{top}} \quad (15)$$

where $S_{\Phi, defect}$ is the Entropic Action required to sustain the localized defect, and $Q_{top} = \chi/2 = 1$ is the unit topological charge (section IVE 1, $\chi = 2$ for the sphere).

On a discrete lattice substrate, Entropic Action is dimensionless: it counts the minimum number of elementary operations (lattice updates, link traversals, or symmetry transformations) required to sustain a field configuration against the vacuum’s entropic flux.²

² An intuitive analogy: a communications channel has a maximum

Since electromagnetic charge is quantized by the boundary condition $\chi = 2$, a charge-bearing defect can only **persist** if it pays the operational cost across all six pillars of the Universal Architecture.

A. The Geometric Impedance Equation

Each term is derived below with zero empirical tuning parameters; the sole non-integer coefficient, π , is the unique topological constant. The framework’s strict architectural limits: exhausting the independent invariants of the $E_8 \rightarrow D_4 \oplus D_4$ projection, forbidding cross-terms via geometric orthogonality, and fixing signs via the Entropic Balance Sheet (section IIB 3), strongly constrain the valid functional forms, yielding the following summation:

$$\alpha^{-1} \equiv Z_{geo} = \underbrace{\frac{\pi\Delta}{CAP}}_{CAP} + \underbrace{\frac{\chi}{MAP}}_{MAP} - \underbrace{\frac{1}{R_M - \sigma}}_{PRO} - \underbrace{\frac{\chi}{\Delta}}_{GOV} + \underbrace{\frac{1 \cdot \chi \cdot (R_M - \sigma)}{N^3 \cdot \sigma \cdot R_M}}_{TOL} + \underbrace{\frac{1}{L_{embed} \cdot (\sigma + 1) \cdot \Delta^2}}_{MAR} \quad (16)$$

B. Wilson Loop

The dominant contribution to the vacuum impedance ($\approx 99.9\%$) comes from the fundamental geometry of the interaction circuit. In gauge theory, this closed path is known as the **Wilson Loop**.

For a topological defect to persist in the lattice, it must complete a closed geometric cycle. We derive the impedance of this loop as the sum of the **Resonant Circumference** and the **Topological Boundary**.

C. The Resonant Circumference (Capacity)

Form: The geometric action of the causal bounding horizon.

Capacity measures the entropic footprint required for a topological defect to maintain structural coherence across its fundamental cycle. Without this propagation cost, a topological defect would instantly delocalize and propagate eternally at the maximum bandwidth limit ($c = 1$).

Derivation: Because the causal cycle restricts propagation to a $(1 + 1)$ D plane (one spatial dimension, one

data rate set by its bandwidth and noise floor. For a signal to propagate, it must match the channel’s impedance and exceed the noise floor. The Geometric Impedance is the total set of structural requirements a signal must meet to propagate losslessly on the physical substrate.

temporal), the defect's maximal influence region is geometrically represented as a 2D disk. The temporal period Δ sets the diameter of this disk (representing the maximum spatial separation across the causal horizon), and the isotropic boundary is the continuous circumference enclosing it.

The boundary must therefore be perfectly isotropic, the geometric analogue of Nyquist-Shannon anti-aliasing: a discrete substrate must be isotropically averaged to prevent directional artifacts that would break rotational invariance. The entropic cost of this bounding horizon is its circumference:

$$Z_{CAP} = \pi\Delta \approx 135.08848 \quad (17)$$

D. Topological Boundary (Map)

Form: The integer topological invariant of the boundary constraint.

The Map is the boundary constraint required to prevent internal state data from dissolving into the background substrate. Without this topological cost, the substrate could not distinguish the system's inside from its outside, causing information to leak into the unquantized background.

Derivation: As established in section IVE by the Gauss-Bonnet theorem, any closed, regular surface must satisfy a topological boundary condition. To prevent boundaries with holes ($g \geq 1$), where non-contractible loops destroy the strict binary partition of 'Inside' versus 'Outside' and permit unquantized information flux, the boundary must be simply-connected. The unique simply-connected, closed 2D surface is the sphere (S^2), which is characterized by the unique maximum Euler characteristic:

$$Z_{MAP} = +\chi = 2 \quad (18)$$

Because χ , the Euler characteristic is a pure topological invariant, it is an exact, indivisible integer. It is structurally forbidden from scaling, running, or acquiring continuous corrections.

E. Alignment Efficiency (Protocol)

Form: The negative reciprocal of the residual coordination capacity.

The Protocol mediates the flow of phase information across the orthogonal spacetime (Sector A) and internal symmetry (Sector B) channels. Without this alignment cost, these channels would completely decouple, fragmenting the vacuum into isolated, unrelated subspaces.

Derivation: The manifold resolution $R_M = D\Delta = 172$ is the total available coordination capacity, the maximum distinct spacetime addresses per fundamental cycle. A localized defect consumes exactly $\sigma = 5$ degrees of

freedom to define its geometric embedding, leaving residual capacity:

$$C_{res} = R_M - \sigma = (4 \cdot 43) - 5 = 167 \quad (19)$$

Entropic impedance is the inverse of flow capacity. The greater the residual capacity, the lower the resistance to phase transport and because efficient coordination reduces net dissipation, this contribution is an organizational gain, strictly negative per the Entropic Balance Sheet (section IIB 3):

$$Z_{PRO} = -\frac{1}{C_{res}} = -\frac{1}{167} \approx -0.00599 \quad (20)$$

The linear form is mandated by statelessness: the Protocol coordinates instantaneously, with no recursive memory that would permit higher-order couplings.

F. Stabilizing Potential (Governor)

Form: The negative ratio of the topological boundary to the causal cycle.

The Governor prevents runaway entropic divergence by constraining the resonant excitation across the temporal cycle. Without this stabilizing cost, local phase excitations on the causal loop would undergo unbounded, runaway feedback, overflowing the local node capacity.

Derivation: To satisfy the Homogeneity constraint, this boundary constraint cannot be anchored to any preferred temporal coordinate; it must be distributed maximally uniformly across the fundamental causal loop of length $\Delta = 43$.

Because the loop is closed and periodic, it possesses no endpoint boundaries (no "fencepost" corrections). To prevent non-linear self-interactions which would violate the vacuum's minimal interaction rule (the Toll constraint), the geometric coupling must be strictly first-order (linear). The exact stabilizing potential density per step is therefore the linear ratio of the boundary ($\chi = 2$) to the loop length ($\Delta = 43$). As an organizational gain that prevents entropic divergence, its contribution is negative:

$$Z_{GOV} = -\frac{\chi}{\Delta} = -\frac{2}{43} \approx -0.04651 \quad (21)$$

G. Entropic Transition (Toll)

Form: The ratio of persistence-preserving states to total interaction states.

The Toll is the entropic cost of executing a state transition. Without this update cost, the network's logical transitions would execute without a sequential causal history.

On a self-dual lattice, the minimal nontrivial interaction is a 3-point vertex (a logic gate). Two-point interactions are trivial (propagation only); four-point interactions require asymmetric centers violating homogeneity (section III B).

Derivation: A 3-point vertex has three independent legs. By the homogeneity requirement, each leg independently selects from the node's $N = 32$ available channels. The total unconstrained configuration space for the vertex's channel combinations is therefore $N \cdot N \cdot N = N^3$.

The total phase space Ω_{total} for a local 3-point event is the product of three orthogonal combinatorial factors: the N^3 channel combinations, the $\sigma = 5$ active interaction degrees of freedom, and the R_M manifold coordinate addresses:

$$\Omega_{total} = N^3 \cdot \sigma \cdot R_M \quad (22)$$

The valid persistence subset is defined by the intersection of three geometric constraints. Because these constraints operate on disjoint subspaces, the cardinality of their intersection is the exact product of their invariant limits:

1. **State Identity Projection (1):** The interaction must act as the identity operator on the state's internal channel configuration, yielding exactly 1 valid mapping to preserve state stability.
2. **Topological Flux Invariant ($\chi = 2$):** The interaction boundary is constrained by the topological manifold. The number of independent, non-vanishing flux orientations through this closed boundary is defined strictly by its Euler characteristic ($\chi = 2$).
3. **Coordinate Non-Degeneracy ($R_M - \sigma$):** To avoid causal aliasing, the transition target cannot project onto the σ coordinates already occupied by the interaction's own geometric embedding. The valid output is strictly restricted to the orthogonal residual subspace, which has exactly $(R_M - \sigma)$ coordinates.

$$\Omega_{valid} = 1 \cdot \chi \cdot (R_M - \sigma) \quad (23)$$

The entropic cost (Toll) of a state transition is exactly the phase-space ratio of finding a valid persistence configuration within the total interaction space:

$$Z_{TOL} = \frac{\Omega_{valid}}{\Omega_{total}} = \frac{1 \cdot \chi \cdot (R_M - \sigma)}{N^3 \cdot \sigma \cdot R_M} \approx 1.1852 \times 10^{-5} \quad (24)$$

H. Resolution Floor (Margin)

Form: The reciprocal of the orthogonal configuration phase-space volume.

The Margin defines the absolute resolution floor of the discrete substrate. Below this margin the system is unable to distinguish structured state information from ambient background fluctuations.

Derivation: The minimum resolvable signal is exactly 1 quantum of information diluted across the total configuration volume (V_{config}). Because the $E_8 \rightarrow D_4 \oplus D_4$ projection partitions the lattice into strictly orthogonal sectors, these sectors are statistically independent, meaning their configuration volumes combine via their Cartesian product.

This total joint configuration phase space is the product of three independent, mathematically forced factors:

$$V_{config} = L_{embed} \cdot (\sigma + 1) \cdot \Delta^2 \quad (25)$$

where:

1. **The State Vector ($L_{embed} = 31$):** The total description length of a dynamic defect. Because its defining properties are strictly orthogonal information channels—internal identity ($\nu = 16$, $\chi = 2$), geometric anchor ($\sigma = 5$), and kinematic phase space ($2D = 8$, specifying position and transition rate), their data capacities combine via direct sum: $L_{embed} = \nu + \sigma + \chi + 2D = 31$.
2. **The Interaction Aperture ($(\sigma + 1) = 6$):** The exact cardinality of the active closed neighborhood on the discrete lattice. A localized interaction operator must span the $\sigma = 5$ active links mediating the flow, plus exactly 1 central vertex hosting the state's occupancy.
3. **The Causal Area (Δ^2):** Because causality restricts information propagation to a $(1+1)D$ plane at the maximum speed limit $c \equiv 1$, a fundamental cycle of temporal duration Δ sweeps a spatial horizon of length Δ . The resulting macroscopic space-time area is strictly $\Delta \cdot \Delta = \Delta^2$.

The Margin impedance is the reciprocal, the exact informational resolution limit of a single localized quantum:

$$\begin{aligned} Z_{MAR} &= \frac{1}{V_{config}} = \frac{1}{L_{embed} \cdot (\sigma + 1) \cdot \Delta^2} \\ &= \frac{1}{31 \cdot (5 + 1) \cdot 43^2} \approx 2.9077 \times 10^{-6} \end{aligned} \quad (26)$$

1. *Physical Consequence: Electron Mass as Resolution Floor.*

Z_{MAR} establishes the electron as the *minimum resolvable coupling* of the substrate: any charged configuration with coupling lighter than this threshold cannot maintain a stable topological boundary against the vacuum flux. This fixes the mass *ratio*:

$$\frac{m_e}{M_P} \propto \frac{Z_{MAR}}{Z_{geo}} \quad (27)$$

The Planck/electron mass hierarchy is therefore a geometric consequence of the substrate’s signal-to-noise ratio.

2. Physical Consequence: The Scale of Matter (Atomic Length).

This resolution floor simultaneously determines the spatial scale of the periodic table. The Bohr Radius (a_0) emerges as the ratio of the vacuum’s geometric impedance (signal strength) to the electron’s mass resolution (noise floor).

The fine-structure constant is the inverse geometric impedance ($\alpha = 1/Z_{geo}$). Substituting these structural definitions into the Bohr radius formula reveals the vacuum’s **Dynamic Range**, the signal-to-noise ratio of the lattice:

$$a_0 = \frac{\hbar}{c} \cdot \frac{Z_{geo}}{m_e} \propto \frac{Z_{geo}}{Z_{MAR}} \quad (28)$$

(In natural units $\hbar = c = 1$, we have $a_0 = Z_{geo}/Z_{MAR}$.)

Because the electron mass is fixed by the persistence margin (MAR) and the coupling is fixed by the lattice topology, the **fundamental scale of chemistry** is structurally locked: the Angstrom scale (10^{-10} m) is the immutable theater of atomic interaction. While complex atoms vary in effective radius, the underlying unit of atomic architecture is fixed by the lattice resolution.

I. Substrate Orthogonality and the Additive Baseline

While macroscopic control systems exhibit non-linear cross-coupling due to shared, continuous state spaces, the vacuum substrate at the absolute resolution floor (Quiescent Equilibrium) strictly diagonalizes the lowest-order action. Because the six pillars operate on geometrically orthogonal subspaces within the $E_8 \rightarrow D_4 \oplus D_4$ projection, their existential constraints are statistically independent. Consequently, by the principles of algorithmic information theory, their joint entropic impedance is strictly additive:

$$Z_{geo} = \sum_{i=1}^6 Z_i \quad (29)$$

These degrees of freedom map to disjoint geometric domains: Capacity and Margin to metric volume, Map to topological boundaries, Governor to temporal constraint density, and Toll to combinatorial channel selection. The interaction term Z_{PRO} mediates between the $D_4 \oplus D_4$ sectors by operating on the residual coordination capacity ($R_M - \sigma$) that spans the boundary, quantifying the interface alignment cost without violating sector disjointness.

Truncation of Non-Linear Cross-Terms: Macroscopic network theory would predict higher-order recursive loops to generate non-linear cross-terms in this summation. In this framework, such recursive interactions do exist, but they manifest dynamically as the scale-dependent *running* of the coupling constant (renormalization).

The value derived herein is exclusively the *bare* geometric impedance—the atomic, lowest-order resolution limit of the lattice. At this indivisible structural floor, operations are discrete and minimal. Because the substrate lacks the local hardware capacity to resolve sub-steps beneath the fundamental cycle Δ , sub-step interference cross-terms are physically forbidden by finite bit-depth, rigidly locking the baseline evaluation to strict linearity.

J. Completeness and Uniqueness of the Finite Sum

Standard QFT requires the bare α as an empirically measured input. The E_8 -Persistence theory instead derives it as a strictly finite, parameter-free structural sum at Quiescent Equilibrium. The six terms are a structural requirement, not a truncation of a series.

Two constraints uniquely determine the equation. First, the six pillars exhaust the architectural degrees of freedom: each term corresponds one-to-one with a component of the Universal Architecture, and the functional form of each is forced by the geometric and information-theoretic requirements derived in section III. Second, the characteristic integers $\mathbb{S} = \{\Delta = 43, \nu = 16, \sigma = 5, \chi = 2\}$ exhaust the independent invariants of the $E_8 \rightarrow D_4 \oplus D_4$ projection. Note that $\nu = 16$ enters only through $N = 2\nu = 32$; no term involves ν independently because the chiral bit-depth is fully allocated to the channel structure (section IV C).

Because the pillars operate on orthogonal degrees of freedom, there are no geometric cross-terms and no additional invariants from which to construct further terms. The summation $\alpha^{-1} = \sum_{i=1}^6 Z_i$ is therefore the unique, minimal, and complete persistence basis consistent with the substrate geometry.

K. Numerical Validation

Summing the geometric components:

$$\alpha_{calc}^{-1} = 137.035999212 \dots \quad (30)$$

Because π is the sole non-integer constant, all other terms being exact rational combinations of the characteristic integers, the precision of the prediction is limited only by the evaluation of π .

Recent experimental values (Table I) do not form a simple consensus and reflect ongoing metrological tension. Morel (2020) and Parker (2018) measure α^{-1} kinematically using photon recoil (Rubidium and Cesium, respectively). Fan (2023) determines α^{-1} via the electron

anomalous magnetic moment ($g - 2$). That these independent measurements are mutually exclusive is an open problem in standard metrology. CODATA (2022) synthesizes these conflicting inputs and its uncertainty reflects this tension.

Source	Value (α^{-1})	Dev.
Morel (2020)	$137.035\,999\,206 \pm 0.000\,000\,011$ [21]	0.58σ
Fan (2023)	$137.035\,999\,166 \pm 0.000\,000\,015$ [22]	3.09σ
Parker (2018)	$137.035\,999\,046 \pm 0.000\,000\,027$ [23]	6.16σ
CODATA (2022)	$137.035\,999\,177 \pm 0.000\,000\,021$ [24]	1.68σ

Table I. Comparison of the E_8 -Persistence Theory theoretical derivation against experimental values. Deviation is computed as $|\alpha_{calc}^{-1} - \alpha_{exp}^{-1}|/\sigma_{exp}$.

a. The QED Extraction Tension and the Quantization Gap: E_8 -Persistence predicts the *Quantization Gap* between kinematic measurements and high-order perturbative QED extractions when loop complexity approaches the substrate's finite channel capacity. The 3.09σ deviation observed in Fan (2023) is consistent with this predicted threshold.

Morel (2020) measures α kinematically. This would be a direct macroscopic probe of the geometric impedance that does not rely on quantum loop corrections. Fan (2023), however, extracts α by fitting experimental data to a 10th-order (5-loop) QED perturbative expansion.

Standard QED calculates this expansion utilizing dimensional regularization, which implicitly assumes continuous spacetime and infinite resolution. In the E_8 -Persistence theory, spacetime is a discrete lattice with finite channel capacity ($\nu = 16$). While the continuous QED approximation is extraordinarily successful at lower loop orders, 5-loop QED achieves a fractional precision of $\sim (\alpha/\pi)^5 \sim 10^{-10}$. At this extreme threshold, the continuous-spacetime assumption underlying dimensional regularization may introduce systematic bias when the loop-order complexity approaches the substrate's finite channel capacity.

We term this $\sim 3 \times 10^{-10}$ threshold the **Quantization Gap**. This resonates with Freeman Dyson's 1952 observation[25] that the QED perturbative series is asymptotic rather than convergent, though the mechanism here is distinct: finite substrate capacity rather than vacuum instability. Our framework provides a structural hardware mechanism for this divergence: the continuous mathematical expansion breaks down when the computational complexity of the field interaction exceeds the finite bit-depth of the vacuum.

This breakdown scale can be heuristically estimated by comparing Feynman diagram multiplicity to the substrate's channel capacity. The number of QED diagrams grows factorially with loop order; at 5-loop precision, the electron anomalous magnetic moment calculation requires evaluating 12,672 distinct diagrams. Simultaneously, the available combinatorial state space of the fundamental causal loop scales as $\nu^n = 16^n$. At

$n = 4$ to $n = 5$, the factorial diagram complexity ($\sim 10^4$) reaches parity with the hardware phase-space limit ($16^4 = 65,536$), marking the threshold where the continuous expansion saturates the substrate's discrete bit-depth.

Falsification criterion: If pure kinematic measurements continue to converge to $\alpha^{-1} \approx 137.035999212$ while 6+ loop QED extractions systematically diverge from this value, the Quantization Gap is confirmed. Conversely, the convergence of both methods to a single, identical value differing from our geometric prediction by $> 5\sigma$ would decisively falsify the E_8 -Persistence theory.

L. Corollary: Charge from Geometric Impedance

Because the geometric impedance Z_{geo} is identified with α^{-1} , the standard electrodynamic definitions of e and R_K become consistency constraints on the substrate. By the standard definition $\alpha = e^2/(4\pi\epsilon_0\hbar c)$, the elementary charge is:

$$e = \sqrt{\frac{4\pi\epsilon_0\hbar c}{Z_{geo}}} \quad (31)$$

Charge is a *flow constraint*: the geometric impedance restricts information flux through a $\chi = 2$ topological defect to discrete values. Quantization follows from integer invariants; no additional gauge-theoretic mechanism is required.

M. The Von Klitzing Constant (R_K)

While the relation $R_K = Z_0/2\alpha$ is a known algebraic identity in standard electromagnetism, the E_8 -Persistence theory provides a novel structural interpretation for its components. Specifically, the factor of 2 emerges geometrically from the Spinor Double Cover; it corresponds to the winding number required for a spinor to return to its initial phase after traversing the manifold.

A geometric impedance should manifest as a measurable physical resistance. The Quantum Hall Effect provides exactly this test: it measures the resistance of a single quantum channel with parts-per-billion precision, independently of α^{-1} . Three structural facts of the substrate yield R_K directly:

- 1. Single Channel Limit:** The vacuum substrate supports discrete transmission channels. One channel has impedance $Z_{channel}$.
- 2. Spinor Double Cover:** Fermions are spinors. To complete a closed circuit and return to initial phase, the carrier traverses the manifold twice (720°). The measured resistance is the vacuum impedance shared across two windings: $R_K = Z_{channel}/2$.

3. Geometric Coupling: The Characteristic Impedance of Free Space Z_0 is the macroscopic transmission resistance of the lattice substrate itself. The framework derives the dimensionless scaling between a single channel and the bulk medium as $Z_{\text{channel}}/Z_0 = \alpha_{\text{geo}}^{-1}$.

Combining these yields the strict geometric relationship $R_K/Z_0 = \alpha_{\text{geo}}^{-1}/2$. We evaluate it in the SI unit system by applying the macroscopic vacuum impedance isomorphism ($Z_0 = \mu_0 c \approx 376.73 \Omega$) to compare our dimensionless geometric ratio with laboratory measurements:

$$R_K = \frac{Z_0}{2} \cdot \alpha_{\text{geo}}^{-1} \approx 25\,812.807\,469\,41\,\Omega \quad (32)$$

• **Experimental Value (CODATA 2022):** $25\,812.807\,45 \pm 0.000\,01\,\Omega$ [24]

• **Precision:** The geometric prediction lies within 1.94σ of the Quantum Hall resistance.

Physical consequence: The flatness of QHE plateaus. $R = R_K/n$, regardless of impurities, reflects the lattice's discrete bit-depth: resistance is quantized by channel count, offering a structural origin for the topological protection traditionally attributed to electron wavefunction topology (Chern numbers) [26, 27].

N. The Planck Charge Ratio

The ratio $e/q_P \approx 0.085$ is a known numerical identity but has lacked structural explanation: why should the electromagnetic coupling set the attenuation between natural and observed charge? In the E_8 -Persistence framework, this acts as a structural necessity: the geometric impedance Z_{geo} enforces a safety margin between the operating charge and substrate breakdown.

The elementary charge appears as the Planck charge attenuated by the square root of the lattice impedance:

$$e = \frac{q_P}{\sqrt{Z_{\text{geo}}}} \approx \frac{q_P}{11.7} \quad (33)$$

1. Physical consequence: Safe Load Limit.

The electron represents the **safe operating limit** of the vacuum. While the substrate can theoretically support a unitary charge (q_P), the geometric impedance restricts propagating charge to $\approx 8.5\%$ of this maximum.

2. Physical consequence: Vacuum Breakdown as Capacity Limit (Schwinger Limit).

The Schwinger critical field $E_c = m_e^2 c^3 / e \hbar$ marks the threshold where external electric fields spontaneously

produce e^+e^- pairs [28]. The Coulomb field of an elementary charge, evaluated at the reduced Compton wavelength $\lambda = \hbar/m_e c$, scales with this critical value by exactly the fine-structure constant α :

$$\frac{e}{4\pi\epsilon_0\lambda^2} = \alpha E_c = \frac{E_c}{Z_{\text{geo}}} \quad (34)$$

The dimensionless geometric impedance factor $Z_{\text{geo}} \approx 137$ therefore represents the **safety factor** between the characteristic field of an isolated fundamental charge and the vacuum breakdown threshold. Any localized excitation attempting to concentrate flux beyond this margin hits the non-linear Schwinger ceiling, resolving into particle-antiparticle pairs and enforcing the substrate's ultimate capacity limit.

VI. CONCLUSION

This work introduced *Informational Energetics*, a framework deriving the minimal architecture of persistence from control theory, information theory, and thermodynamics. We established that any system resisting entropic decay requires six irreducible components (Capacity, Map, Protocol, Governor, Toll, Margin), each demonstrated by its catastrophic failure mode when removed.

We tested IE in its most demanding domain: fundamental physics. We proposed that the fundamental structures of reality are the emergent consequences of a universe optimized for persistence. Translating the six pillars to physical requirements (Finiteness, Unitarity, Causality) strictly constrained the viable vacuum substrate to the E_8 lattice projected onto a causal 4D manifold. This projection intrinsically generates the Lorentzian metric signature, operating outside the assumptions of the Distler-Garibaldi no-go theorem, yielding the Characteristic Integers $\mathbb{S} = \{\Delta = 43, \nu = 16, \sigma = 5, \chi = 2\}$ with no free parameters.

The derivation was a sequence of constraints isolating the optimal substrate, not an open search over possibilities. This provides a stark contrast to predominant unification programs. Frameworks such as 10D Superstring Theory, in their current formulations, yield a vast landscape of potential vacua, requiring external compactification manifolds and auxiliary parameters to match observable reality. The Closure Constraint demands a strictly self-defining substrate requiring zero bits of external selection information. The dimensional constraint $n \equiv 0 \pmod{8}$ then dictates that the observed 4D space-time is an emergent projection of this optimal hardware. The fine-structure constant emerges as the unavoidable thermodynamic tax required to maintain structural coherence on this specific substrate.

The ultimate test of this static architecture is falsifiable contact with experiment. The geometric impedance Z_{geo} yields a parameter-free prediction for the fine-structure constant ($\alpha^{-1} = 137.035999212$). This value structurally

aligns with the kinematic recoil measurement of Morel (2020) at 0.58σ and CODATA (2022) at 1.68σ , while predicting a strict *Quantization Gap* where continuous, high-loop QED extractions must systematically diverge due to the substrate’s finite channel capacity. The same impedance determines R_K to 0.08 parts per billion and the elementary charge $e = q_P/\sqrt{Z_{geo}}$, which emerges strictly as a flow constraint enforcing the Schwinger vacuum breakdown limit. The Bohr radius emerges as $a_0 \propto Z_{geo}/Z_{MAR}$, locking the scale of chemistry to the lattice resolution.

Because this framework derives α^{-1} from first principles, a conventional expectation is the immediate introduction of a dynamic action principle. However, we emphasize a strict epistemological separation: the IE architecture established here is entirely static, solving the foundational boundary value problem of the vacuum. Just as the geometric impedance of a macroscopic transmission line is fixed by its physical dimensions independent of the specific signals traversing it, Z_{geo} is uniquely locked by the rigid topological invariants $(\Delta, \nu, \sigma, \chi)$ of the substrate. Consequently, the α^{-1} derivation is completely decoupled from the dynamic equations of motion; it stands alone as an independent, falsifiable prediction of the kinematic hardware. Rather than an missing dynamic component, this static impedance establishes the mandatory geometric floor, the exact boundary conditions to which the variational principles formalized in our companion work, *Informational Energetics: Entropic Action*, must conform.

The companion paper *Informational Energetics: Entropic Action* formalizes Entropic Action as the universal variational principle governing system evolution. It demonstrates that minimizing entropic action on this static E_8 lattice uniquely yields the exact functional operators of the Standard Model and General Relativity. This provides a powerful cross-validation: the substrate derived here from static geometric constraints, and the dynamics derived independently from thermodynamic minimization, converge on the exact same physics.

Subsequent companion papers, including *Informational Energetics: Nested Persistence*, define the rules for

how systems partition themselves when internal complexity exceeds the capacity of a single control loop. Applying these rules to the E_8 substrate derives many more of the remaining Standard Model constants. Future works include deriving the CKM/PMNS matrices from the minimal entropic cost of flavor transition, the Yang-Mills Mass Gap from the finite lifetime of gauge bosons on the lattice, and Cosmological Tensions from the lifetime of the E_8 lattice itself.

The derivation of the vacuum substrate and its geometric impedance is a proof of concept, not the endpoint. Informational Energetics proposes that persistence is the primary organizing principle of reality at every scale. While macroscopic entities from biological cells to global economic networks must navigate their existential constraints probabilistically against chaotic environments, the vacuum serves as the absolute, zero-flux baseline.

If the fundamental vacuum is uniquely determined by the strict constraints of persistence, then by the Selection Principle, any persistent macroscopic system is solving the exact same architectural problem, differing only in substrate material and environmental openness. Ultimately, the fabric of physical reality is not the foundation of this framework; it is merely its cleanest, most rigorous first test. The static geometric impedance derived herein establishes the immutable kinematic floor—the mandatory boundary conditions—upon which all subsequent dynamic, macroscopic, and entropic actions must be built.

ACKNOWLEDGMENTS

The author is an independent researcher and received no external funding for this work.

I would like to thank Brian Sheppard for rigorous and constructive feedback.

I would like to thank my friends and family for their patience and support throughout decades of discussions as I tried to understand every field I became interested in and the recurring, overarching patterns I saw.

-
- [1] R. Landauer, Irreversibility and Heat Generation in the Computing Process, *IBM Journal of Research and Development* **5**, 183 (1961).
 - [2] J. A. Wheeler, Information, Physics, Quantum: The Search for Links, in *Proceedings III International Symposium on Foundations of Quantum Mechanics*, edited by W. J. Archibald (Physical Society of Japan, 1989) pp. 354–358.
 - [3] E. Verlinde, On the origin of gravity and the laws of Newton, *Journal of High Energy Physics* **2011**, 29 (2011).
 - [4] G. Bianconi, The Thermodynamics of the Gravity from Entropy Theory (2025), version Number: 2.
 - [5] A. G. Lisi, An Exceptionally Simple Theory of Everything (2007), arXiv:0711.0770 [hep-th].
 - [6] J. Distler and S. Garibaldi, There is No “Theory of Everything” Inside E_8 , *Communications in Mathematical Physics* **298**, 419 (2010).
 - [7] L. Bombelli, J. Lee, D. Meyer, and R. D. Sorkin, Space-time as a causal set, *Physical Review Letters* **59**, 521 (1987).
 - [8] C. Rovelli, *Quantum Gravity*, 1st ed. (Cambridge University Press, 2004).
 - [9] T. Jacobson, Thermodynamics of Spacetime: The Einstein Equation of State, *Physical Review Letters* **75**, 1260 (1995).
 - [10] R. C. Dorf and R. H. Bishop, *Modern Control Systems*, 13th ed. (Pearson, 2017).
 - [11] K. J. Åström and R. M. Murray, *Feedback systems: an*

- introduction for scientists and engineers* (Princeton University Press, Princeton, 2008).
- [12] N. Margolus and L. B. Levitin, The maximum speed of dynamical evolution, *Physica D: Nonlinear Phenomena* **120**, 188 (1998).
 - [13] J. D. Bekenstein, Universal upper bound on the entropy-to-energy ratio for bounded systems, *Physical Review D* **23**, 287 (1981).
 - [14] R. C. Conant and W. Ross Ashby, Every good regulator of a system must be a model of that system †, *International Journal of Systems Science* **1**, 89 (1970).
 - [15] C. Shannon, Communication in the Presence of Noise, *Proceedings of the IRE* **37**, 10 (1949).
 - [16] J. D. R. D. Raadt, ASHBY’S LAW OF REQUISITE VARIETY: AN EMPIRICAL STUDY, *Cybernetics and Systems* **18**, 517 (1987).
 - [17] H. Nyquist, Regeneration Theory, *Bell System Technical Journal* **11**, 126 (1932).
 - [18] J. H. Conway and N. J. A. Sloane, *Sphere Packings, Lattices and Groups*, edited by M. Artin, S. S. Chern, J. M. Fröhlich, E. Heinz, H. Hironaka, F. Hirzebruch, L. Hörmander, S. Mac Lane, C. C. Moore, J. K. Moser, M. Nagata, W. Schmidt, D. S. Scott, Y. G. Sinai, J. Tits, B. L. Van Der Waerden, M. Waldschmidt, S. Watanabe, M. Berger, B. Eckmann, and S. R. S. Varadhan, *Grundlehren der mathematischen Wissenschaften*, Vol. 290 (Springer New York, New York, NY, 1988).
 - [19] M. Viazovska, The sphere packing problem in dimension 8, *Annals of Mathematics* **185**, 10.4007/annals.2017.185.3.7 (2017).
 - [20] K. Immink, Runlength-limited sequences, *Proceedings of the IEEE* **78**, 1745 (1990).
 - [21] L. Morel, Z. Yao, P. Cladé, and S. Guellati-Khélifa, Determination of the fine-structure constant with an accuracy of 81 parts per trillion, *Nature* **588**, 61 (2020).
 - [22] X. Fan, T. Myers, B. Sukra, and G. Gabrielse, Measurement of the Electron Magnetic Moment, *Physical Review Letters* **130**, 071801 (2023).
 - [23] R. H. Parker, C. Yu, W. Zhong, B. Estey, and H. Müller, Measurement of the fine-structure constant as a test of the Standard Model, *Science* **360**, 191 (2018).
 - [24] P. J. Mohr, D. B. Newell, B. N. Taylor, and E. Tiesinga, CODATA recommended values of the fundamental physical constants: 2022, *Reviews of Modern Physics* **97**, 025002 (2025).
 - [25] F. J. Dyson, Divergence of Perturbation Theory in Quantum Electrodynamics, *Physical Review* **85**, 631 (1952).
 - [26] D. J. Thouless, M. Kohmoto, M. P. Nightingale, and M. Den Nijs, Quantized Hall Conductance in a Two-Dimensional Periodic Potential, *Physical Review Letters* **49**, 405 (1982).
 - [27] M. Kohmoto, Topological invariant and the quantization of the Hall conductance, *Annals of Physics* **160**, 343 (1985).
 - [28] J. Schwinger, On Gauge Invariance and Vacuum Polarization, *Physical Review* **82**, 664 (1951).

Appendix A: Geometric Origin of Chiral Fermions

Distler and Garibaldi [6] demonstrated that a signature-preserving embedding of the Standard Model within E_8 cannot accommodate chiral fermions without

unobserved mirror partners. Their theorem holds for all embeddings where the algebraic structure remains Euclidean $(8, 0)$. We include this brief derivation for readers seeking explicit verification that the metric signature change $(8, 0) \rightarrow (1, 3) \oplus (4, 0)$ evades the theorem by rendering mirror states dynamically inert.

The E_8 -Persistence theory employs the symmetric decomposition $E_8 \rightarrow D_4 \oplus D_4$ (derived in section IV B 1) coupled with the Metric Projection $(8, 0) \rightarrow (1, 3) \oplus (4, 0)$ (derived in section IV D), which falls outside this assumption. As established in section IV D, the internal symmetry sector retains the original Euclidean signature $(4, 0)$ and therefore lacks a timelike generator.

a. Formal Resolution: The Distler-Garibaldi constraint assumes a *signature-preserving* embedding. We explicitly violate this assumption. Rather than an algebraic homomorphism, we perform a geometric subspace restriction onto an observable Lorentzian spacetime manifold (e.g., Minkowski space $\mathbb{R}^{1,3}$). The orthogonal degrees of freedom, which contain the mirror states, reside strictly within the Euclidean internal sector.

Because this Euclidean sector possesses signature $(+, +, +, +)$, its isometry group is the compact rotation group $SO(4)$. This group fundamentally lacks the timelike translation generator ($P_0 = \partial_t$) present in the spacetime Poincaré group $ISO(1, 3)$ required for dynamical evolution.

Consequently, because the internal $SO(4)$ group and the spacetime Poincaré group commute, the mirror states ψ_{mirror} possess no temporal Hamiltonian relative to the observable manifold. They satisfy the strictly stationary condition $\partial_t \psi_{\text{mirror}} = 0$. In an information-theoretic framework, a state without a time-evolution operator cannot propagate or encode a changing signal; it acts entirely as a static internal degree of freedom (a quantum number). Mirror fermions are therefore **geometrically suppressed**. They do not propagate on the observable $(1, 3)$ manifold, evading the Distler-Garibaldi theorem by violating its implicit premise: that the full E_8 algebra acts dynamically in spacetime.

While this geometric suppression evades the no-go theorem at the level of the static substrate, the dynamical decoupling of these mirror states, and the geometric evasion of lattice fermion doubling, is formally enforced by the chiral projection operators. The rigorous derivation of this chiral filter, demonstrating that mirror states are rendered as static singlets under the temporal flow, is deferred to the companion paper on *Informational Energetics: Entropic Action*, where the dynamical Lagrangian is derived.

Appendix B: Algebraic Geometry of the Causal Loop and Complex Multiplication

This appendix provides the formal mathematical derivation bridging the physical requirement of Unitarity to the algebraic necessity of the Stark-Heegner numbers,

as referenced in section IV F 1.

1. The Setup: Dimensional Reduction to the Causal Plane

Information propagation on the E_8 substrate ($D_4 \oplus D_4$) is fundamentally local: a signal from one node to another defines a 1-dimensional spatial trajectory evolving over 1-dimensional time, restricting causal propagation to a $(1+1)D$ Causal Plane.

Because the vacuum possesses a fundamental temporal cycle, this sequence of updates must eventually close, forming a periodic loop of length Δ .

2. Mathematical Translation: The Elliptic Curve

Topologically, a discrete, periodic $(1+1)D$ causal plane forms a 2-dimensional real torus ($\mathbb{T}^2$). To analyze this rigorously as a 1-dimensional complex torus (an Elliptic Curve), it must be endowed with a complex structure.

The causal plane is spanned by one spatial step (δx) and one temporal step (δt). As derived in section IV D, the Lorentzian metric signature assigns the temporal dimension a geometric imaginary character: $\delta t = i \cdot \delta x$ (in natural units, $c = 1$).

Consequently, the causal lattice tiles the complex plane $\mathbb{C}$ with a real spatial period $\omega_1 = 1$ and a geometric imaginary temporal period. This defines a complex lattice $\Lambda = \mathbb{Z} \cdot 1 \oplus \mathbb{Z} \cdot z$, yielding the elliptic curve $\mathbb{C}/\Lambda$ governed strictly by the complex modular parameter z .

Because the trajectory is physically constrained to the discrete, self-dual structure of the underlying E_8 lattice, z cannot be a generic continuous complex variable. The discrete, self-dual lattice structure constrains z to a Complex Multiplication (CM) point, a fixed point of a Möbius transformation with integer coefficients acting on the moduli space. This requires z to satisfy a quadratic equation $az^2 + bz + c = 0$ with $a, b, c \in \mathbb{Z}$ and discriminant $b^2 - 4ac = -D < 0$.

3. Lemma 1: The Identification of Period and Discriminant ($D = \Delta$)

To utilize the theory of Complex Multiplication, we must formally bridge the physical geometric period Δ to the algebraic CM discriminant D .

Lemma: *For a unitary causal loop on a self-dual discrete lattice, the geometric temporal period Δ is identically equal to the CM discriminant D .*

Proof:

1. **Lattice Basis:** The causal loop defines a complex torus $\mathbb{C}/\Lambda$ with lattice basis $\{1, z\}$, where the real axis represents the spatial step and the imaginary axis represents the temporal step.

2. **The Geometric Norm:** The temporal period Δ dictates that the state history closes exactly after Δ discrete updates. Algebraically, this requires the temporal generator z to satisfy $z^2 + \Delta = 0$, placing the system in the imaginary quadratic field $K = \mathbb{Q}(\sqrt{-\Delta})$.

3. **Self-Duality Constraint:** To preserve the self-duality of the parent E_8 substrate ($\Lambda = \Lambda^*$), the partition function $Z_\Lambda(z) = \Theta_\Lambda(z)/\eta(z)^8$ must be invariant under the modular inversion $S : z \rightarrow -1/z$. This restricts z strictly to the ring of integers $\mathcal{O}_K$ of the field K .

4. **The Discriminant Mapping:** From Step 2, the causal loop resides in the imaginary quadratic field $K = \mathbb{Q}(\sqrt{-\Delta})$. By the theory of algebraic number fields, the fundamental discriminant of K equals $-\Delta$ when $\Delta \equiv 3 \pmod{4}$, and -4Δ otherwise. Inspection of the Stark-Heegner candidates surviving the Causality constraint $\Delta > N = 32$, namely $\{43, 67, 163\}$, confirms that each satisfies $\Delta \equiv 3 \pmod{4}$. Therefore, the fundamental discriminant of K is exactly $-\Delta$, and the magnitude of the CM discriminant $D = |\text{disc}(K)| = \Delta$ exactly, with no fractional remainder. ■

4. The Failure Mode: Isogeny Classes and Causal Degeneracy

For the system to preserve quantum Unitarity, the history of a state traversing this causal loop must be uniquely reconstructable. Mathematically, this requires the endomorphism ring of the elliptic curve to be a Principal Ideal Domain (PID), which corresponds to a class number of $h = 1$.

We analyze the failure mode where $h > 1$. In this regime, the ideal class group of the field is non-trivial. By the theory of Complex Multiplication, this dictates that multiple non-isomorphic elliptic curves will share the exact same endomorphism ring.

Physically, these isogenous curves represent topologically distinct causal histories. However, because they are locally indistinguishable by their norm structure, a physical measurement at the output node cannot determine which of the h inequivalent curves generated the state.

This local indistinguishability manifests as **Causal Degeneracy**. The causal history is fundamentally erased, not merely unknown. This ambiguity explicitly violates the unitary requirement that the evolution operator be uniquely invertible ($\hat{U}^\dagger \hat{U} = I$).

5. The Resolution: The Unitarity Constraint

To prevent effective information loss and preserve Unitarity, the universe must strictly forbid non-trivial ideal

class groups in its fundamental causal cycles. The algebraic field defining the cycle must possess $h = 1$. By

Lemma 1 ($D = \Delta$), this strictly restricts the geometric temporal period Δ to the Stark-Heegner numbers $D \in \{1, 2, 3, 7, 11, 19, 43, 67, 163\}$.