

# Informational Energetics: A Universal Architecture of Persistence

Kate Lenore Meyer  
Independent Researcher\*  
(Dated: August 3, 2026)

No unified theory derives the minimal architecture required for a system to persist against entropic decay. We present Informational Energetics, a framework synthesizing control theory, information theory, and non-equilibrium thermodynamics to derive the minimal architecture of persistence. We demonstrate that persistence strictly requires six irreducible pillars: Capacity, Map, Protocol, Governor, Toll, and Margin. We test universality against the most demanding case of a maximally constrained, zero-flux system, the quantum vacuum, instantiating the  $E_8$ -Persistence theory. Satisfying the core persistence conditions: finiteness, unitarity, and causality, requires the substrate to be positive-definite, even, and self-dual. This uniquely constrains the physical manifold to a four-dimensional projection of the  $E_8$  lattice. This substrate yields four discrete structural invariants: a temporal period  $\Delta = 43$ , a chiral bit-depth  $\nu = 16$ , an interaction dimension  $\sigma = 5$ , and a topological boundary  $\chi = 2$ . Evaluating its geometric impedance (the entropic cost of sustaining unit topological charge against the lattice flux) yields a first-principles derivation of the fine-structure constant,  $\alpha^{-1} = 137.035\,999\,212\dots$ , with zero continuous empirical parameters. The derived value agrees with the kinematic measurement of Morel et al. (2020) within  $0.58\sigma$  and with CODATA (2022) within  $1.68\sigma$ , while predicting a quantization gap where high-loop QED extractions systematically diverge. These results suggest that structural persistence is governed by architectural bounds on information processing, of which fundamental physical constants are the limiting case.

## I. INTRODUCTION

From biological organisms and ecological networks to engineered feedback loops, complex systems science and control theory routinely describe how structures maintain stability against external disturbances. These structures share a defining property: they *persist* against the thermodynamic current that erases distinction. Control theory describes how systems regulate against fluctuations, while treating the regulation target (setpoint) as an externally specified boundary condition. Information theory quantifies the cost of information processing, but treats the processor as given. Thermodynamics establishes the arrow of time, but treats entropy as a property of *states*, not of *processing*.

Despite their individual successes, these three fields remain structurally siloed; however this siloing is historical, not fundamental. Control theory grew from servomechanisms, information theory from telecommunication, and thermodynamics from heat engines; each was optimized for systems already embedded in a supportive environment. Because each field was built to optimize an existing system, none was designed to explain how that system comes to exist as a distinguishable structure in the first place. This fragmentation suggests the need for a unified theoretical layer: a generalized mechanics of persistence.

In section II we construct **Informational Energetics** (IE) and derive its Universal Architecture of Persistence: six irreducible constraints (Capacity, Map, Protocol, Governor, Toll, Margin). We prove necessity by counterfactual analysis that removing any constraint drives operational lifetime to zero, and sufficiency by

showing that advanced capabilities are strict compositions of the six pillars.

### A. Testing the Framework at the Limits

IE claims universality: any persistent structure (biological, ecological, or institutional) must implement the six pillars. The pillars are recognizable across domains such as equating DNA to a Map or software APIs to Protocol. While control theory has been mapped to many such systems, macroscopic implementations are open, noisy, and recursively nested, making it difficult to isolate pure architectural bounds from environmental coupling.

To validate IE as a universal framework, we test against a case that is *maximally constraining*: a persistent system with zero external flux, no deeper substrate beneath it, and no external setpoint to specify its structure. The quantum vacuum satisfies all three conditions. If persistence requirements alone cannot derive the vacuum's structure, the framework is not universal. The vacuum baseline and the formal closed-system boundary condition are defined in section III. We refer to this specific instantiation of IE as the  **$E_8$ -Persistence Theory**, distinguishing the universal framework from the validated system.

### B. Information Theoretical Context of Physics

The concept that physical reality is fundamentally constrained by information processing costs is rooted in Landauer's principle [1] and discussed by Wheeler ("It from Bit") [2]. More recently, Verlinde [3] and Bianconi [4] have proposed that gravity itself is an en-

---

\* kate.ie@meyerhome.net

tropic phenomenon, emerging from information gradients and quantum-entropy coupling to geometry, respectively. These precedents motivate the systems-first approach: if physical structure is informationally constrained, then the architecture of persistence is a legitimate foundation from which to derive it.

### C. The Minimal Vacuum Derivation

We apply IE to the vacuum in three strict, sequential layers, followed by empirical validation: We demonstrate that this framework uniquely constrains a single substrate and a parameter-free prediction that can be compared against experimental values:

1. **System 0: Requirements.** We map the six constraints to physics, deriving Finiteness, Unitarity, and Causality as existential necessities. (Section IV).
2. **System 1: Substrate.** System 0's requirements uniquely specify an  $E_8$  lattice projected to  $D = 4$  spacetime, yielding the structural invariants  $\mathbb{S} = \{\Delta = 43, \nu = 16, \sigma = 5, \chi = 2\}$  (Section V).
3. **Empirical Correspondences.** We compare  $Z_{\text{geo}}$  against experimental measurements of the fine-structure constant ( $\alpha^{-1}$ ), identify a predicted Quantization Gap between kinematic and high-loop QED extractions, propose a falsification criterion, and derive the geometric origins of elementary charge ( $e$ ) and the von Klitzing constant ( $R_K$ ) (Section VII).

To properly contextualize this framework against prior unification attempts, two critical attributes of this methodology must be explicitly emphasized.

First, the Distler–Garibaldi no-go theorem [5] applies only to continuous  $E_8$  gauge algebras. The  $E_8$  substrate specified here is a discrete geometric lattice, placing the framework outside the theorem's scope; the geometric resolution is derived in appendix A.

Second, under this framework  $Z_{\text{geo}}$  is constrained through an eliminative filter: IE, the definition of the substrate, the substrate geometry, and the structural invariants jointly select a unique value with no continuous free parameters; all coefficients are fixed by the structural invariants of the substrate.

### D. Distinction From Physics-First Approaches

Several research programs explore discrete spacetime structures (Causal Set Theory [6], Loop Quantum Gravity [7]) or emergent gravity (Verlinde [3], Jacobson [8]). While many research approaches treat spacetime or gravity as fundamental starting points, this work explores a *systems-first* methodology (deriving physical structure

from universal persistence requirements rather than postulating dynamical laws). We do not seek to replace standard Effective Field Theory (EFT), but to establish an information-theoretic dual: where EFT provides a top-down, continuum-based description of field dynamics and local gauge symmetries, we identify the bottom-up, discrete capacity constraints of the underlying substrate.

## II. INFORMATIONAL ENERGETICS

Any system that persists, from a biological cell to the universe itself, must solve the same fundamental problem: how to maintain structural coherence against the constant pressure of environmental entropy. IE is a theoretical framework designed to derive the universal architecture required to solve this problem. It unifies insights from non-equilibrium thermodynamics, algorithmic information theory, and control theory into a single, predictive model of persistence.

### A. The Selection Principle

The **Entropic Action**  $S_\Phi$  quantifies the total thermodynamic cost for a system to maintain structural coherence against environmental entropy over its persistence lifetime. Formally, it is the time-integrated Net Entropic Impedance:

$$S_\Phi \equiv \int_0^\tau Z_{IE}(t) dt \quad (1)$$

where  $\tau$  is the system's lifetime and  $Z_{IE}(t)$  is the instantaneous Net Entropic Impedance, the time-dependent measure of entropic losses. For spatially distributed systems,  $Z_{IE}(t)$  integrates the local dissipation density.

Among all configurations capable of encoding a given structural complexity, only those possessing the minimal possible  $S_\Phi$  remain observable at timescales longer than those that don't. Configurations do not *seek* minimization. The selection principle is an eliminative filter; what fails to minimize  $S_\Phi$  leaves no detectable signal, and what remains constitutes the observable universe. We formalize this as:

The **Selection Principle**: Among all configurations capable of encoding a given structural complexity, only those possessing the minimal possible **Entropic Action** ( $S_\Phi$ ) remain observable.

Open systems (e.g., biological organisms) offset dissipation through external energy flux; closed systems minimize entropic action directly, as there is no external source to offset it. In the closed-system limit of **Quiescent Equilibrium**, no net energy enters or leaves the system,  $Z_{IE}$  is constant, and  $S_\Phi = Z_{IE} \cdot \tau$  is a strictly dimensionless count of elementary state transitions. We

bound the scope of this paper to establishing this quiescent baseline, leaving the dynamic evolution of persistent systems to future work.

## B. The Universal Architecture: Derivation from First Principles

To persist, any system must implement a specific architecture comprising four pillars for information management and two pillars for the thermodynamic overhead of operating on its substrate. To derive this architecture, we identify the minimal logical requirements for any distinguishable structure to resist entropic decay.

### 1. Control-Theoretic Precedents

Control theory, developed empirically from servomechanisms, identified four functional components[9]: the Plant (the system to be controlled), the Sensor (measuring the output), the Controller (computing the correction), and the Actuator (implementing the correction), with the desired behavior specified by a Reference Signal (Setpoint).

For *robust* operation under uncertainty, control systems must additionally implement gain and phase margins to prevent instability from perturbations [10]. These margins are typically treated as tunable parameters rather than structural requirements.

Implicit in any implementations is the irreducible energetic and temporal cost of state transitions (Landauer's Principle [1]; Margolus-Levitin limit [11]). This "Toll" is typically treated as a constraint rather than a required component.

### 2. The Universal Architecture of Persistence

IE extracts the common logical skeleton underlying these independent theorems and rederives them as substrate-universal architectural requirements from information theory and thermodynamics. These six **existential pillars** form the complete, minimal set required for persistence. Performance comes secondary to persistence; thermodynamic and information-theoretic imperatives are elevated, shifting the primary analytical focus from performance optimization to persistence maintenance. The pillars represent the synthesis of isolated foundational theorems discovered across independent disciplines.

1. **Capacity (CAP): The Vessel.** The physical infrastructure required to acquire resources, process energy, and perform work. It defines the system's kinetic potential and its ability to act on the environment. (The Plant/Actuator). *Convergent Evidence (The Bekenstein Bound [12]):* Bekenstein

established that a finite region of space can contain at most a finite amount of information, providing convergent evidence that finite capacity is a necessary feature of any bounded information substrate. A persistent system cannot rely on infinite state-space. Furthermore, the Margolus-Levitin limit [11] establishes that state transitions carry an irreducible temporal cost, strictly bounding the processing rate of any finite capacity.

2. **Map (MAP): The Model.** The internal logic, topological structure, or compressed representation of environmental regularities that distinguishes the system from the environment. It functions as a predictive engine that reduces uncertainty (informational surprise), allowing the system to steer towards high-utility states. (The Compressed Representation or The Reference Signal/Setpoint). *Convergent Evidence (The Good-Regulator Theorem [13]):* Conant and Ashby proved mathematically that "every good regulator of a system must be a model of that system." A system cannot persistently regulate against environmental entropy without encoding a structural map of its environment.
3. **Protocol (PRO): The Interface.** The communicative glue regulating information flow between the Capacity and the Map. It ensures internal coherence, standardizes interfaces, and minimizes signal decay across the system's internal boundaries. (The Feedback Network/Sensor Path). *Convergent Evidence (Shannon's Source-Channel Separation Theorem [14]):* Shannon established that source coding and channel coding are structurally distinct functions. Systemic coherence demands an independent Protocol layer that standardizes interfaces across internal boundaries under finite channel capacity and latency.
4. **Governor (GOV): The Constraint.** The nonlinear constraint mechanism that prevents unbounded divergence or 'runaway' loops. It enforces operational boundaries (e.g., apoptosis, budget limits) to protect the substrate from exhaustion. (Controller/Limiter). *Convergent Evidence (Ashby's Law of Requisite Variety [15]):* "Only variety can destroy variety." For a system to remain stable, its active constraint mechanism (Governor) must possess a number of states equal to or greater than the number of perturbations threatening the system.
5. **Toll (TOL): The Temporal Cost.** Any irreversible logical operation, such as erasing a bit of structural information, necessitates a strictly compensatory increase in environmental Shannon entropy (macroscopically manifesting as the  $k_B T \ln 2$  bound). State transitions carry an inescapable thermodynamic toll.

6. **Margin (MAR): The Buffer.** The structural and energetic reserves held to absorb stochastic shocks. It defines the system’s ‘Safe Operating Area,’ providing the buffer required to survive environmental variance without terminal failure. (The gain and phase margin). *Convergent Evidence (Nyquist-Bode Stability Margins [16])*: A system operating at theoretical criticality has zero tolerance for variance. Nyquist established that strict gain and phase margins away from the critical threshold are necessary for persistence; without them, the first stochastic fluctuation causes terminal divergence.

Every system operates upon a **Substrate**: the medium imposing the immutable limits (bandwidth, latency, noise floor) within which the six pillars must function.

IE reframes control systems as structures that persist. An open-loop system merely “does”: it follows a predetermined path regardless of environment. A closed-loop system “remains”: it possesses the structural capacity to maintain coherence against entropic pressure. This persistence is not agency in any teleological sense; it is a **structural filter**. In a high-entropy environment, only configurations implementing the six-pillar architecture survive observation; all others dissipate.

IE describes the architecture of persistent systems but does not explain the transition from disorder to structure. The mapping of IE to specific physical domains is inherently adaptive. While the present work validates this framework on the vacuum substrate, all systems that persist are specific solutions to the same universal architecture.

### C. Necessity Argument: The Failure Modes

The necessity of the set of pillars  $\mathbb{P} = \{\text{CAP, MAP, PRO, GOV, TOL, MAR}\}$  follows by analyzing the **Counterfactual Failure Mode** of a system whose architecture lacks exactly one pillar ( $\mathbb{P}' = \mathbb{P} \setminus \{x\}$ ). In every case, the expected lifetime of the system  $\tau$  tends to zero.

- **No Capacity (Starvation):** Lacks an energetic envelope to respond to perturbations; system lifetime drops  $\tau \rightarrow 0$  via rapid thermalization.
- **No Map (Dissolution):** Lacks self-definition; random activation maximizes internal entropy.  $\tau \rightarrow 0$  as the system–environment boundary dissolves.
- **No Protocol (Decoherence):** Components decouple; actions rely on statistically independent, outdated states.  $\tau \rightarrow 0$  by organizational fragmentation.
- **No Governor (Divergence):** Unconstrained positive feedback exceeds structural limits.  $\tau \rightarrow 0$  by unbounded runaway.

- **No Toll (Zeno Collapse):** State transitions require irreducible time and energy per the Margolus-Levitin limit[11]. Without this cost, updates occur instantaneously, collapsing the causal sequence.  $\tau \rightarrow 0$  by causal collapse.
- **No Margin (Fragility):** Operating at theoretical criticality leaves zero buffer for environmental variance.  $\tau \rightarrow 0$  by random shock.

Since the removal of any component results in termination, the set  $\mathbb{P}$  is **Minimally Necessary**.

### D. Architectural Sufficiency

The six pillars map onto the canonical components of a control loop, augmented by constraints from information theory and thermodynamics. The control-theoretic names reflect historical discovery order, not foundational priority; each pillar is an information-theoretic bound on state-space dimension, phase preservation, or transition capacity. Advanced topologies (feedforward networks, state observers) extend this basic structure but do not introduce new primitive requirements for persistence. Capabilities traditionally cited as independent requirements are strict compositions of the basis, carrying no independent entropic budget. *Memory* is Map content provisioned against temporal variance by Margin. *Prediction* is Map operation on incoming signal via Protocol. *Repair* is a Governor-triggered re-provisioning within the Margin reserve. *Replication* is Protocol-mediated write of Map onto fresh Capacity.

At the zero-flux baseline (no energy/information entering or leaving the system), a persistent configuration is specified by three irreducible constraints and each coordinate demands exactly two modes of structural engagement: **provision** (the resource must exist as an allocated stock) and **defense** (the allocation must survive its characteristic perturbation):

|                   | Provision Defense |          |
|-------------------|-------------------|----------|
| <b>Finiteness</b> | Capacity          | Margin   |
| <b>Unitarity</b>  | Map               | Protocol |
| <b>Causality</b>  | Toll              | Governor |

At zero flux, no external source exists to introduce a fourth irreducible requirement. In quiescent equilibrium, no third mode of operation exists: dynamics reduce to establishing a capability and defending it against variance. The six pillars therefore exhaust the architecture; any additional primitive would require either a new existential constraint or a new mode of structural engagement, neither of which the baseline admits.

### E. The Entropic Balance Sheet

To quantify persistence, we distinguish between dissipation and coordination: structural burdens increase

the system's entropic footprint (positive contributions to  $Z_{IE}$ ), while organizational mechanisms reduce net dissipation relative to the uncoordinated baseline (negative contributions). This parallels the negative feedback signal in control theory, where the error  $\epsilon = R - F$  is reduced by the feedback term.

- **Structural Costs** ( $Z_i > 0$ ): The energetic overhead of existence. This includes maintaining boundaries ( $Z_{CAP}$ ,  $Z_{MAR}$ ), storing internal models ( $Z_{MAP}$ ), and the irreversible cost of state updates ( $Z_{TOL}$ ). These terms increase impedance.
- **Organizational Gains** ( $Z_i < 0$ ): The reduction in dissipation achieved through coordination. The Protocol ( $Z_{PRO}$ ) minimizes friction by standardizing interfaces; in control theory, this is analogous to the negative feedback signal subtracted from the setpoint ( $\epsilon = R - F$ ). The Governor ( $Z_{GOV}$ ) prevents wasteful divergence. These represent structural optimizations: the measurable difference in dissipation between a disorganized system and an organized one.

In Quiescent Equilibrium, the six pillars operate on orthogonal, independent domains.

Algorithmic information theory requires independent channels to combine additively: cross-terms represent mutual information, which vanishes by orthogonality. In statistical mechanics, independent degrees of freedom yield a factorized partition function ( $Z_{\text{total}} = \prod_i Z_i$ ); because  $S_{\Phi} \propto -\ln Z_{\text{total}}$ , the entropic action is strictly additive. Multiplicativity would require cross-domain couplings and a preferred direction, both forbidden at zero flux; therefore the linear form is unique. The Net Entropic Impedance ( $Z_{IE}$ ) is therefore the algebraic sum of these contributions:

$$Z_{IE} = \underbrace{(Z_{CAP} + Z_{MAP} + Z_{TOL} + Z_{MAR})}_{\text{Structural Costs}} + \underbrace{(Z_{PRO} + Z_{GOV})}_{\text{Organizational Gains}} \quad (2)$$

#### F. Example: Biological Cell (Not a Validation)

In a biological cell (an open, noisy system where architectural bounds are tangled with environmental coupling) the six pillars are recognizable but intertwined: Capacity as physical structure and metabolic hardware; Map as the genome; Protocol as the genetic code and signaling machinery; Governor as apoptosis and cell-cycle checkpoints; Toll as the thermodynamic cost of proof-reading and state resetting; Margin as ATP reserves and stress-response buffers. This mapping is qualitative; a cell's openness prevents the exact accounting required to test architectural bounds, which is why the vacuum baseline is necessary.

### III. THE VACUUM BASELINE

From living cells and neural networks to sprawling cities and economic ecologies, Complex Adaptive Systems (CAS) research has historically yielded rich qualitative taxonomies. IE introduces a falsifiable paradigm shift: by applying the exact constraints of the six persistence pillars to CAS, open-ended qualitative observation is replaced by strict structural requirements.

While macroscopic domains (biological, ecological, economic) must manage the six pillars probabilistically within chaotic, open environments, we require an absolute baseline to test the architecture's universal validity. We postulate that the fundamental quantum vacuum is the simplest, most constrained Complex Adaptive System (CAS) in existence. By defining the quantum vacuum as a persistent system in a state of Quiescent Equilibrium, operating with zero external flux and strictly subject to the six IE pillars, we establish an absolute boundary condition.

As the closed, persistent substrate from which all observable structures emerge, the vacuum admits no deeper system beneath it. It cannot obtain configuration information, boundary conditions, synchronization signals, or memory from an external source. We formalize this closed-system condition as:

**The Closure Constraint:** The substrate of the vacuum must be entirely self-defining. Its geometry must arise exclusively from its own architectural requirements.

Any non-zero selection entropy would require an external memory to resolve the degeneracy, violating self-specification.

Subjecting the vacuum to this constraint creates the most constrained test case possible: if persistence requirements alone cannot derive its mathematical structure, the framework is not universal. This paper strictly bounds its scope to the static geometric baseline; the continuous dynamic Effective Field Theory (EFT) Lagrangian is left to future work.

### IV. SYSTEM 0: ARCHITECTURAL REQUIREMENTS FOR ZERO-FLUX SUBSTRATE

In this section we map the six IE pillars to the specific domain of the vacuum, resulting in three strictly non-negotiable requirements for the fundamental substrate:

- **Finiteness:** (CAP, MAR) To prevent informational divergence.
- **Unitarity:** (MAP, PRO) To ensure the lossless conservation of information.
- **Causality:** (GOV, TOL) To enforce a well-defined temporal evolution.

## A. Persistence Requires Finiteness for CAP, MAR

The Closure Constraint requires self-specification: it cannot require an external decompressor. Information-theoretically, infinite descriptive complexity implies infinite evaluation time, any finite processing rate yields divergent latency, paralyzing the system before the next fluctuation. Capacity bounds the finite state-space; Margin bounds the reserves against variance. Geometrically, both require the substrate to be discrete, homogeneous, and a lattice.

### 1. Finiteness Mandates a Discrete, Homogeneous Lattice

A continuous volume admits infinite descriptive complexity. Since there cannot exist an external algorithm (by the Closure Constraint) to compress this to finite Kolmogorov complexity, the substrate must be **Discrete**: a fundamental, indivisible unit of information setting a maximum density.

Furthermore, to minimize algorithmic processing overhead, the substrate must be **Homogeneous**. Any spatial variation in local topology would require external memory to decode each neighborhood's structure, violating the Closure Constraint. The local topology must therefore remain constant regardless of location or direction, yielding a constant Kolmogorov complexity independent of system size.

A structure that is both discrete (finite information density) and homogeneous (constant structure in every direction) is by definition a **Lattice**. This conclusion specifically rules out continuous manifolds (infinite description) and arbitrary graphs (non-constant complexity).

## B. Persistence Requires Unitarity for MAP, PRO

For the vacuum to persist, it must maintain a stable Map over time. This requires that information is perfectly conserved. The vacuum must be a perfectly closed and lossless information network, making Unitarity a structural necessity, corresponding to the Map and Protocol pillars. Geometrically, it imposes four structural properties on the substrate:

### 1. Lattice Must Be Positive Definite

*Information-Theoretic Justification:* In a metric space, the norm  $|\mathbf{v}|^2 = g_{\mu\nu}v^\mu v^\nu$  represents the information distance from the origin (reference state). For the system to have a well-defined minimum energy configuration (stable ground state), this distance must satisfy:

$$|\mathbf{v}|^2 \geq 0 \quad \forall \mathbf{v} \neq 0 \quad (3)$$

A metric with negative eigenvalues (Lorentzian) allows  $|\mathbf{v}|^2 < 0$ , implying an imaginary "distance" from the reference state and preventing the definition of a stable minimum configuration. Furthermore, a Lorentzian metric admits non-trivial null vectors ( $|\mathbf{v}|^2 = 0$  where  $\mathbf{v} \neq 0$ ), allowing for the creation of infinite information density without exceeding the capacity budget ( $|k\mathbf{v}|^2 = 0$  for any scalar amplitude  $k$ ), which violates the **Finiteness** component. Therefore, the **substrate** must be Euclidean.

**The Substrate-Projection Dual:** The Euclidean positive-definiteness applies strictly to the substrate lattice, which functions as a static memory repository. Causal progression necessitates an active processor operating via an indefinite metric. This fundamental distinction between static storage and dynamic processing provides the geometric degree of freedom from which the directional arrow of time can be derived (Section V D), satisfying a core causal requirement of the persistence architecture.

### 2. Lattice Must Be Mappable to a Torus

To satisfy **Finiteness**, the system must be spatially bounded. To satisfy **Protocol** (Unitarity), it must be closed (no edges). By the combinatorial Gauss-Bonnet theorem, a regular lattice of fixed vertex coordination tiled on a closed surface of Euler characteristic  $\chi$  requires topological defects if  $\chi \neq 0$ . The sphere ( $\chi = 2$ ) therefore requires defects that break translational invariance. The Euclidean **Torus** ( $T^n$ ,  $\chi = 0$ ) is the unique flat, closed topology with periodic boundary conditions that admits a homogeneous, defect-free lattice structure, simultaneously satisfying Finiteness (bounded), Unitarity (closed), and Homogeneity (flat).

Consequently, the statistical evolution of the vacuum is defined by the Partition Function on a torus<sup>1</sup>:

$$Z(\beta) = \sum_{\text{states}} e^{-S_{\text{config}}} = \text{Tr}(e^{-\beta H}) \quad (4)$$

### 3. Lattice Must Be Even

A stable Map requires path independence, which requires evenness. If the state count  $Z$  depended on the path through moduli space (parameterization) rather than the configuration itself, the vacuum would lack a stable **Map**.

This requires  $Z(\beta)$  to be single-valued under the modular transformation  $T : z \rightarrow z + 1$ . The Jacobi Theta Function,  $\Theta_\Lambda(z) = \sum e^{i\pi z|\mathbf{v}|^2}$ , counts these states. For

<sup>1</sup> Here,  $\beta$  is the formal periodicity parameter of the imaginary time cycle. We use the partition function formalism for state enumeration on a torus, not to claim the vacuum has a literal temperature.

**Even** lattices ( $|\mathbf{v}|^2 = 2n$ ), the exponent  $2\pi i n z$  is invariant under the shift. However, any odd-norm vector ( $|\mathbf{v}|^2 = 2n + 1$ ) introduces a sign inversion ( $\Theta \rightarrow -\Theta$ ), rendering the Map multi-valued. Thus, the lattice must be **Even**.

#### 4. *Lattice Must Be Self-Dual and Unimodular (Read/Write Symmetry)*

To prevent information loss via destructive interference or Landauer erasure, the encoding operation (write) and the decoding operation (read) must be informationally equivalent. This is enforced by the modular transformation  $\mathcal{S} : z \rightarrow -1/z$ , which maps the lattice to its reciprocal (Fourier dual).

By the Poisson Summation formula, the partition function transforms as:

$$\Theta_{\Lambda}(-1/z) \propto \frac{1}{\text{vol}(\Lambda)} \Theta_{\Lambda^*}(z) \quad (5)$$

For the Map to remain invariant ( $Z_{\Lambda} = Z_{\Lambda^*}$ ), the lattice must be **Self-Dual** ( $\Lambda = \Lambda^*$ ). This strictly enforces **Unimodularity** ( $\text{vol}(\Lambda) = 1$ ), as the only scalar satisfying  $V = 1/V$  is 1. Any other volume introduces an irreversible scaling factor, violating Unitarity.

**Requirements:** The lattice of the vacuum must be **Positive Definite, Unimodular, Even, and Self-Dual**.

#### C. Persistence Requires Causality for GOV, TOL

Persistence requires stable evolution. Information-theoretically, this is the Serialization Problem: projecting a finite state-space onto a discrete timeline. Geometrically, this requires a well-defined temporal axis without ambiguity.

**The Serialization Problem:** From the **Capacity** component, any persistent system possesses a finite state-space dimension  $N$  (the number of linearly independent, orthogonal basis vectors spanning the node's total informational payload, i.e., the Hilbert-space dimension). To evolve, the system must serialize these  $N$  states onto a discrete timeline of  $\Delta$  slots per fundamental cycle, the **Temporal Modulus**.

**Causal Aliasing:** By the Pigeonhole Principle, if  $N > \Delta$ , at least one temporal slot must host multiple distinct states. This **Causal Aliasing** destroys the system's ability to maintain a well-defined serial history.

**The Persistence Inequality:** To enforce a strict arrow of time and satisfy the Causality requirement, the projection must satisfy  $\Delta \geq N$ . The temporal container ( $\Delta$ , the Toll) must meet or exceed the state content it constrains ( $N$ , via the Governor).

#### D. Summary: The Architectural Requirement of the Vacuum

The architectural requirements for the substrate are:

1. (CAP, MAR) **Finite Lattice**, required by Finiteness.
2. (MAP, PRO) **Positive Definite, Unimodular, Even, and Self-Dual**, required by Unitarity.
3. (GOV, TOL) Any causal system must satisfy a **Causal Projection**: a serialization of its  $N$ -dimensional state-space onto a discrete timeline of length  $\Delta \geq N$ .

With this specification complete, identifying the physical substrate becomes a strict eliminative test: to determine whether a unique, self-specifying geometry exists that satisfies all of these requirements simultaneously.

### V. SYSTEM 1: SUBSTRATE ISOLATION, THE UNIQUE GEOMETRY THAT SATISFIES SYSTEM 0 REQUIREMENTS

System 0 demands Finiteness, Unitarity, and Causality. These requirements act as eliminative filters: they do not merely suggest a lattice, they progressively remove every alternative until one structure remains. We first constrain the dimension and uniqueness of the lattice, then determine its projection into spacetime and internal symmetry, and finally fix the temporal period and topological invariants that prevent causal aliasing. The mathematical theorems function as black-box filters; what matters is that each constraint is forced by the persistence architecture, leaving no continuous parameter free.

#### A. The Lattice Selection ( $E_8$ )

We first constrain the possible dimensions of the lattice, progressively eliminate every alternative until a unique geometry remains, and then determine how it partitions into the coordinate and state sectors required by Map and Capacity.

##### 1. The $n \equiv 0 \pmod{8}$ Constraint

To prevent irreversible information loss during read/write operations, the substrate must be even and self-dual. A fundamental constraint from the theory of modular forms and lattices[17], states that even, self-dual lattices only exist in dimensions that are multiples of 8. This immediately eliminates the majority of dimensionalities leaving only:

$$n \in \{8, 16, 24, \dots\}$$

Consequently: a unitary, self-dual information substrate cannot mathematically exist in  $n = 4$ . Therefore, the observed 4D spacetime cannot be the foundational hardware itself, but must strictly be an emergent projection of a higher-dimensional structure.

Furthermore, this excludes  $n = 10$  as a standalone geometric substrate. Because  $10 \not\equiv 0 \pmod{8}$ , a 10-dimensional lattice cannot intrinsically satisfy *Unitarity* (the requirement for an even, self-dual lattice). While continuous theories can recover Unitarity via auxiliary structures (e.g., Calabi-Yau compactifications), selecting a specific manifold requires external configuration memory, which violates the requirement that the substrate be strictly self-defining.

## 2. The Principle of Algorithmic Determinism

To satisfy **Map** and **Unitarity**, the substrate geometry must be intrinsic and self-defining. It cannot depend on arbitrary selection parameters or external boundary conditions. The constraints on the possible dimensions eliminate all but one unique option:

1. **Unitarity** mandates even, self-dual, unimodular lattices. By Kneser's theorem, such lattices exist only for  $n \equiv 0 \pmod{8}$ .
2. By the Closure Constraint, the vacuum admits no external configuration memory. The algorithmic specification complexity of the substrate's geometry is therefore **zero bits** beyond the architectural constraints derived in System 0.
3. At  $n = 8$ : The  $E_8$  lattice is the **unique** even self-dual lattice [17]. The algorithmic specification complexity of a uniquely determined geometry is  $\log_2(1) = \mathbf{0 \text{ bits}}$ , satisfying the Closure Constraint.
4. At  $n = 16$ : The architectural constraints isolate exactly two non-isomorphic solutions ( $E_8 \oplus E_8$  and  $D_{16}^+$ ). Isolating a unique geometry from this degenerate set requires  $\log_2(2) = \mathbf{1 \text{ bit}}$  of additional specification (applied strictly to the ground-state definition, not to dynamical excitations). Because the Closure Constraint enforces **zero bits** of external specification, this substrate is not self-specifying.
5. At  $n = 24$ : Twenty-four distinct Niemeier lattices exist, requiring  $\log_2(24) \approx 4.58$  bits of specifying information to resolve the degeneracy, similarly to violating the Closure Constraint.
6. The number of distinct even self-dual lattices grows extremely rapidly with dimension. For example, in dimension 32, there are more than 80 million such lattices.

The  $E_8$  lattice is strictly constrained by its low dimensionality and because it is the **only self-dual geometry that requires zero bits of selection information**. It is uniquely self-defining.

This unique self-consistent solution is selected prior to the emergence of time, eliminating any argument of spontaneous symmetry breaking which would require fluctuations, transition rates, and a dynamical framework that does not yet exist and which the substrate must first generate.

The optimality of the  $E_8$  lattice extends beyond self-duality. Viazovska's proof establishes it as the densest sphere packing in eight dimensions [18], representing the unique solution to a strict geometric extremization problem. This reinforces its status as the baseline substrate requiring zero selection information:  $E_8$  is self-defining, algorithmically minimal, and geometrically optimal.

## B. The Projection ( $D = 4$ and $\nu = 16$ )

The  $E_8$  lattice cannot process information without distinguishing input from output. The projection must break  $E_8$  symmetry to separate the coordinate-addressing function from the state-configuration function.

### 1. The Symmetric Decomposition

To maintain local probability conservation the projection must preserve self-duality. Because  $E_8$  is self-dual ( $\Lambda = \Lambda^*$ ), any decomposition into orthogonal sublattices ( $E_8 \rightarrow L_4 \oplus L_4$ ) must admit a glue group whose coset structure reconstructs the self-dual parent. To preserve Unitarity, the state space must partition into two isomorphic sectors supporting this quotient structure.

**Candidate Rank-4 Subsectors.** Because  $E_8$  has rank 8, a bisection requires two orthogonal rank-4 sublattices. The irreducible rank-4 root systems are  $A_4$ ,  $B_4$ ,  $C_4$ ,  $D_4$ , and  $F_4$ .  $B_4$  and  $C_4$  violate Evenness (roots of two distinct lengths).  $F_4$ , while even, is not self-dual. This leaves  $A_4 \oplus A_4$  and  $D_4 \oplus D_4$ .

- **The  $A_4$  No-Go (Closure Mismatch):** The  $A_4 \oplus A_4$  decomposition has index 5 in  $E_8$ , yielding a cyclic glue group  $\mathbb{Z}_5$ . Because  $\mathbb{Z}_5$  is cyclic of prime order, it has no non-trivial proper subgroups, so its five states cannot be partitioned into a self-contained addressing scheme without an externally specified translation table, violating the Closure Constraint.
- **The  $D_4$  Solution (The Unitary Partition):** The  $D_4 \oplus D_4$  decomposition has index 4 in  $E_8$ , yielding a glue group of involutions. This supports a self-contained addressing scheme with zero external specification. Furthermore,  $D_4$  is the unique



rank-4 even lattice supporting **Triality**, providing the geometric symmetry required for Map and Causality.

Therefore,  $E_8 \rightarrow D_4 \oplus D_4$  is the **strictly unique** decomposition preserving global Unitarity while generating the chiral structure required for information processing. It partitions the 8 dimensions into two orthogonal sectors:

1. **Sector A (Coordinate Sector):** The first  $D_4$  defines coordinate addresses. Rank 4 (four independent Cartan generators) projects naturally onto a 4-dimensional coordinate manifold, fixing  $D = 4$ .
2. **Sector B (State Sector):** The second  $D_4$  encodes internal node configuration. These four dimensions are internal degrees of freedom, not coordinate directions.

This structural partition explains why the substrate appears 4-dimensional with complex internal structure, without additional coordinate dimensions.

## 2. The Bit-Depth of the Node ( $\nu = 16$ )

To determine the information capacity of a lattice node, we ask: what is the minimal geometric structure required to define a persistent, distinguishable signal?

In a lattice, information states are encoded as **orientations**, governed by the Spin groups  $Spin(n)$  (the double covers of  $SO(n)$ ), because the substrate is strictly bound to real geometric rotations.

The  $D_4$  lattice spans 4 abstract dimensions, but its associated Lie algebra  $\mathfrak{so}(8)$  acts on 8-dimensional spinor representations. Each  $D_4$  factor in the  $E_8 \rightarrow D_4 \oplus D_4$  decomposition therefore provides a local  $Spin(8)$  rotation symmetry. We determine the minimal channel capacity ( $\nu$ ) required for this native hardware to satisfy Map and Causality.

1. **The Map Constraint (Phase Encoding):** While  $Spin(8)$  possesses chiral spinors, they are mathematically **Real** (Majorana-Weyl). In signal processing terms, this means a state vector is identical to its conjugate ( $\psi = \bar{\psi}$ ). A system built on an 8-channel real representation cannot distinguish a signal from its inverse (Phase Ambiguity), so a stable Map requires **Complex Representations** ( $\psi \neq \bar{\psi}$ ). The native spinor dimension is fixed at 8 by the  $D_4/\mathfrak{so}(8)$  algebra; a complex representation of this dimension therefore requires 16 real degrees of freedom, i.e., two independent 8-dimensional real channels.
2. **The Causality Constraint (Directional Flow):** To support Causality, the system must distinguish input from output. Geometrically, this requires distinguishing left-handed from

right-handed projections, preventing symmetric reflection across the causal loop.

Because  $D_4$  possesses **Triality**, its geometry uniquely supports independent 8-dimensional chiral representations ( $8_L$  and  $8_R$ ). The node partitions one for input and one for output, structurally enforcing Causality while jointly providing the 16 real channels required for complex phase (Map).

The total internal channel capacity is therefore:

$$\nu = \dim(8_L) + \dim(8_R) = 8 + 8 = \mathbf{16} \quad (6)$$

By deriving  $\nu = 16$  strictly from the rank-4  $D_4$  hardware, we satisfy the channel capacity requirements without embedding in a higher-dimensional gauge group.

## C. The Total Node Capacity ( $N$ )

The projection  $E_8 \rightarrow D_4 \oplus D_4$  creates two orthogonal, isomorphic sublattices. As derived in section V B 2, each  $D_4$  factor requires  $\nu = 16$  to support complex phase and directional flow via paired chiral spinors ( $8_L \oplus 8_R$ ). Because the decomposition is symmetric, both sectors inherit this 16-channel structure. The total node capacity is therefore:

$$N = \nu_{\text{Sector A}} + \nu_{\text{Sector B}} = 16 + 16 = \mathbf{32} \quad (7)$$

This integer  $N = 32$  represents the total number of distinct state channels available for encoding information on the lattice substrate.

## D. Dimensional Reduction: Geometric Origin of The Metric Signature and Causality

### 1. The Requirements

To map the 16-channel signal onto a 4-dimensional manifold without loss or ambiguity, the metric algebra must satisfy two strict encoding constraints:

1. **Phase Encoding (Map):** To avoid informational ambiguity, the 16 real channels must be compressed into 8 complex degrees of freedom ( $16\mathbb{R} \rightarrow 8\mathbb{C}$ ). This requires the algebra to naturally generate a geometric imaginary unit ( $i$ ) to encode phase information.
2. **Directional Flow (Causality):** The substrate must prevent symmetric causal reflection to distinguish “Input” from “Output” and enforce the arrow of time. This requires the algebra to support orthogonal projectors ( $P_L, P_R$ ) that split the signal into directed halves ( $8\mathbb{C} \rightarrow 4\mathbb{C}_L + 4\mathbb{C}_R$ ).

## 2. The Admissible Signatures

A 4-dimensional manifold admits two metric signatures. We test each against the requirements:

- **Option A: Euclidean Metric**  $(+, +, +, +)$ . In a space where all dimensions are spatial, the volume element (pseudoscalar  $\omega$ ) squares to positive unity ( $\omega^2 = +1$ ).
- **Option B: Lorentzian Metric**  $(-, +, +, +)$ . In a space with one temporal dimension, the Clifford algebra volume element (the pseudoscalar  $\omega$ ) squares to negative unity ( $\omega^2 = -1$ ).

## 3. The Unique Solution

The Euclidean metric cannot satisfy the dynamic encoding constraint. Because  $\omega^2 = +1$  in signature  $(+, +, +, +)$ , the center of the Clifford algebra is strictly real ( $\mathbb{R} \oplus \mathbb{R}$ ). It lacks the capacity to generate the global geometric imaginary unit  $i$  required for complex phase compression, nor can it support complex chiral projectors. A universe with this signature would be a static, real-valued block with no capacity for phase or flow.

The **Lorentzian Metric** is the unique valid solution. While the  $(2, 2)$  split signature yields  $\omega^2 = +1$  (restoring a real algebra), the  $(1, 3)$  signature yields  $\omega^2 = -1$ . In Geometric Algebra, the Clifford volume element of a  $(1, 3)$  manifold functions as the geometric imaginary unit ( $i \equiv \omega$ ), directly mapping the spacetime pseudoscalar to the quantum phase. This naturally generates the complex structure required to compress the signal ( $\nu = 16$ ) and the chiral structure required to sort it, without separating internal and external spaces.

Crucially, the  $E_8$  substrate remains Euclidean. The Lorentzian signature  $(-, +, +, +)$  is effective: it emerges in Sector A because the Clifford volume element in signature  $(1, 3)$  provides the geometric imaginary unit ( $\omega^2 = -1$ ) required for complex phase encoding and directional flow. Sector B retains the Euclidean metric; it lacks a timelike generator and cannot propagate signals. Only one  $D_4$  factor supports causal evolution, distinguishing spacetime from internal symmetry.

*a. Physical Consequence:* The geometric requirement for complex conjugation ( $\psi \leftrightarrow \bar{\psi}$ ) enabled by the imaginary unit creates a strictly bipartite state space. This emergent distinction corresponds to the standard physics classification of matter/antimatter.

## E. The System Logic ( $\sigma=5$ and $\chi=2$ )

To satisfy the Map pillar, a persistent entity must distinguish its internal state from the ambient environment. But **Finiteness** and **Unitarity** demand homogeneity

and self-duality, so its coordinate address and boundary topology must be orthogonal specifications. Geometrically, this requires a topological defect, a localized boundary separating a region from the vacuum without violating background homogeneity. The minimal embedding dimension for this orthogonal decomposition is  $\sigma$ , the geometric degrees of freedom available for state transition.

### 1. The Topological Boundary ( $\chi = 2$ )

To satisfy the **Binary Partition Constraint**, a persistent entity in the substrate must be an **extended closed boundary structure**: a circulation of information confined to a finite region, with a boundary that separates “Inside” from “Outside”. The minimal such boundary is the unique simply-connected closed surface, the sphere ( $S^2$ ,  $\chi = 2$ ,  $g = 0$ ). A defect is therefore not a point-like flaw.

We derive this by analyzing the Euler Characteristic for closed, orientable surfaces:

$$\chi = 2 - 2g \quad (8)$$

where  $g$  is the genus (number of holes).

- **The Exclusion of  $g \geq 1$  (The Leaky Partition):** Any topology with one or more holes (Torus  $g = 1$ , Double Torus  $g = 2$ , etc.) fails to define a strict binary separation.
  - *Information-Theoretic Failure:* A genus  $g \geq 1$  surface is not simply connected. It supports non-contractible loops, closed paths that thread through the holes without intersecting the surface. This creates informational ambiguity: information flux can traverse the topology without being strictly partitioned into “Inside” or “Outside,” rendering the total conserved quantity associated with the boundary ill-defined.
  - *Thermodynamic Failure:* By the Gauss-Bonnet theorem ( $\int_M K dA = 2\pi\chi$ ), any surface with  $g \geq 1$  has  $\chi \leq 0$ , implying neutral or negative total curvature. Such a surface cannot support net positive entropic pressure (information density) against the bulk substrate: it would structurally collapse.
- **The Uniqueness of  $g = 0$  (The Sphere):** The sphere is the unique simply-connected closed surface ( $g = 0$ ) which uniquely yields  $\chi = 2$ , the maximum possible value for any closed surface. It is the only simply connected topology, ensuring that all loops contract to a point. This forces all information flux to be either contained or excluded, enabling the perfect binary partition of state required for a persistent, distinguishable topological defect.

*a. Forward Implication (System 2 Consequence):*

The invariant  $\chi = 2$  is the necessary and sufficient condition for **information flux quantization**. Because  $\chi$  must be an integer and  $\chi = 2$  is the unique maximum for closed surfaces, the information flux associated with this topology is discrete. You can have 1 sphere or 2 spheres, but not 1.5 spheres. This geometric constraint allows the continuous lattice field to support countable units of information flux (which manifests macroscopically as elementary charge).

*2. The Embedding Invariant ( $\sigma = 5$ )*

A persistent defect requires two independent specifications: its spatial address (where it is) and its topological boundary (what it is). Homogeneity forbids these from depending on each other, so the configuration space is the Cartesian product  $\mathcal{C}_{\text{defect}} = \mathcal{M}_{\text{space}} \times S^2$  and by definition, the dimension of a product manifold is the sum of its factors,  $\dim(\mathcal{M}_{\text{space}} \times S^2) = \dim(\mathcal{M}_{\text{space}}) + \dim(S^2)$ .

The dimensions of these two orthogonal factors are uniquely constrained:

- **Spatial freedom** ( $\dim(\mathcal{M}_{\text{space}}) = 3$ ). Causality allocates one dimension of the  $D = 4$  manifold to time (section VD), leaving three for spatial position. An  $S^2$  boundary that separates a finite interior from an exterior intrinsically requires three ambient spatial dimensions; in fewer, it cannot enclose a bulk volume.
- **Boundary coordinates** ( $\dim(S^2) = 2$ ). The simply-connected defect boundary is a sphere (section VE 1), requiring two intrinsic parameters (e.g.,  $\theta, \phi$ ).

The minimal geometric embedding dimension is therefore:

$$\sigma = \dim(\mathcal{M}_{\text{space}}) + \dim(S^2) = 3 + 2 = \mathbf{5} \quad (9)$$

Note:  $\sigma = 5$  represents the minimal spatial and boundary embedding dimension for a persistent topological defect, not the gauge-group rank of an effective quantum field theory.

**F. The Fundamental Resonance ( $\Delta = 43$ )**

For a system to reliably track its own history (Causality) without losing information (Unitarity), its fundamental clock cycle must map perfectly onto a closed, reversible mathematical loop. If the loop allows multiple distinct histories to produce the exact same current state, information is destroyed. The geometric period ( $\Delta$ ) is therefore strictly constrained to structures that guarantees a unique, non-degenerate causal history.

To derive the fundamental clocking period ( $\Delta$ ) of the lattice's causal cycle we apply three independent constraints to uniquely isolate the substrate's resonant cycle:

- Unitarity restricts  $\Delta$  to the Stark-Heegner numbers.
- Causality requires  $\Delta \geq N = 32$ .
- Relational Time and Temporal Degeneracy requires  $\Delta \leq 2N = 64$ .

*1. Unitarity and the Class Number Constraint*

For the vacuum to preserve quantum unitarity ( $\hat{U}^\dagger \hat{U} = I$ ), its causal history must be uniquely reconstructable: multiple distinct causal histories cannot blend into identical outcomes, or information is irreversibly lost. Paralleling our methodology of separating System 0 (Requirements) from System 1 (Substrate Selection), we first define the structural requirements of this causal loop, then apply the mathematical theorems that uniquely solve them.

*a. The Structural Requirements.* Three constraints define the physical boundaries of the causal history:

- (R1) *The Causal Torus.* As derived in section VD, the Lorentzian signature pairs the temporal step with the spatial step ( $\delta t = i \delta x$ ). Causal propagation over a fundamental cycle  $\Delta$  therefore forms a periodic  $(1 + 1)D$  loop. Topologically, this is a real torus  $\mathbb{T}^2$ ; analytically, it is a complex torus  $\mathbb{C}/\Lambda$  endowed with a complex structure that generates the imaginary quadratic field  $K = \mathbb{Q}(\sqrt{-\Delta})$ .
- (R2) *Self-Duality and Closure.* To preserve the parent lattice's self-duality (Section VB), the loop's partition function must remain invariant under the modular transformation  $S : z \rightarrow -1/z$ , forcing the lattice to carry complex multiplication by an order of  $K$ . The Closure Constraint forbids sub-orders of conductor  $f > 1$  (which would require external memory to specify). The endomorphism ring is therefore exactly the maximal order  $\mathcal{O}_K$ , strictly identifying the geometric period as  $\Delta = |D_K|$ .

- (R3) *The Uniqueness Constraint.* Unique reconstructability requires the causal loop to be determined entirely by its local invariants. If multiple distinct (non-isomorphic) global loops share identical local data, an observer cannot invert the state transformation, resulting in **Causal Degeneracy** and destroying Unitarity.

*b. The Mathematical Solution.* We now apply algebraic number theory to identify the unique mathematical structures that satisfy these requirements:

- (M1) *Class Number (Solving R3).* If the causal loop can be rewired in multiple ways without changing its local appearance, the system cannot tell which history it followed, and the Map collapses. The number of distinct global rewirings that share identical local data is governed by the **class number**

$h(D_K)$ . If  $h(D_K) > 1$ , multiple non-isomorphic causal loops exist with the same local signature, destroying Unitarity by Causal Degeneracy. In the geometry of complex tori, each distinct rewiring corresponds to a non-principal ideal class; the total number of such classes is exactly  $h(D_K)$ . The uniqueness constraint therefore requires  $h(D_K) = 1$ .

**(M2) Baker–Heegner–Stark Theorem (Solving R1 & R2).** The complex structure of the causal torus is governed by an imaginary quadratic field. By the Baker–Heegner–Stark theorem, there are exactly nine such fields whose maximal order has trivial class group ( $h(D_K) = 1$ ). Their absolute fundamental discriminants (and thus our available temporal periods) are strictly limited to  $|D_K| \in \{3, 4, 7, 8, 11, 19, 43, 67, 163\}$ .

The Unitarity requirements therefore strictly restrict the temporal modulus to:

$$\Delta \in \{3, 4, 7, 8, 11, 19, 43, 67, 163\} \quad (10)$$

### 2. Causality (The “Bandwidth”) Constraint

To satisfy Causality we apply the constraint  $\Delta \geq N = 32$  (established in section IV C) leaving:  $\Delta \in \{43, 67, 163\}$

### 3. Relational Time and Temporal Degeneracy

By the Closure Constraint, the vacuum possesses no external reference clock. Time must therefore emerge relationally, defined exclusively by internal state transitions. Furthermore, by Finiteness, the node cannot allocate channel capacity to an internal memory counter to track elapsed empty intervals; by Homogeneity, spatial neighbors are geometrically identical during static intervals and cannot serve as surrogate clocks.

In a fundamental causal cycle of length  $\Delta$ , a node executes  $N = 32$  active state transitions, leaving  $M = \Delta - N$  inert intervals. Without an external temporal metric or internal memory counter, any sequence of  $k \geq 2$  consecutive inert intervals creates a temporal degeneracy: the node cannot distinguish one empty step from two, rendering the temporal evolution non-injective. This manifests as Causal Aliasing and destroys the system’s ability to maintain a well-defined serial history.

For the causal history to remain uniquely reconstructable (the fundamental Unitarity requirement), this degeneracy must be structurally forbidden. The system must interleave its  $N$  active transitions such that consecutive inert intervals are strictly avoided ( $k_{\max} = 1$ ).

By the Pigeonhole Principle, distributing  $M$  inert intervals around a periodic loop without forcing adjacent

pairs is possible if and only if the number of active transitions meets or exceeds the number of inert intervals ( $N \geq M$ ). This yields the strict relational bound:

$$N \geq (\Delta - N) \implies \Delta \leq 2N = 64 \quad (11)$$

This bound is the necessary and sufficient condition for unitary reconstructability: any adjacent inert intervals ( $k \geq 2$ ) would render the temporal mapping non-injective.

**Result:** With node capacity fixed at  $N = 32$ , this relational continuity limit restricts the fundamental cycle to  $\Delta \leq 64$ . This eliminates the remaining Stark–Heegner candidates 67 and 163, isolating  $\Delta = 43$  as the strictly unique geometric solution for the temporal period.

## G. Manifold Resolution

Given that the substrate is a  $D = 4$  dimensional manifold with fundamental temporal cycle  $\Delta = 43$ , the theoretical maximum number of distinct spacetime slots the local geometry can support per fundamental update cycle is the product:

$$R_M = D\Delta = 4 \cdot 43 = 172 \quad (12)$$

Persistent topological defects occupy subsets of this address space; their operational costs in System 2 scale with the fraction of  $R_M$  utilized.

This completes the substrate’s information geometry:  $\nu = 16$  encodes what a single spinor holds,  $N = 32$  the total channels at a node, and  $R_M = 172$  the spacetime addresses available per cycle.

## H. The Entropic Loads: Resolution Limits of the Vacuum

The vacuum’s persistence depends on three hierarchical resolution limits, thresholds below which signals dissolve into the substrate. Operating on orthogonal channels, their description lengths combine additively.

### 1. The Intrinsic Load ( $L_{\text{intrinsic}} = 23$ ): Defect Specification

The minimum information to specify a defect’s internal state and local geometric footprint: the chiral channel configuration ( $\nu = 16$ ), the local interaction embedding ( $\sigma = 5$ ), and the boundary topological invariant ( $\chi = 2$ ). These orthogonal components set the internal resolution limit, the precision with which the vacuum distinguishes *what* a defect is from *where* it is.

$$L_{\text{intrinsic}} = \nu + \sigma + \chi = 16 + 5 + 2 = \mathbf{23} \quad (13)$$

## 2. The Embedding Load ( $L_{embed} = 31$ ): Causal Trajectory

The total information to specify a defect's complete configuration. Causality requires more than a static coordinate: the state must specify both its current manifold location and its causal successor ( $D = 4$  each), without external boundary conditions. This geometric doubling defines the minimal directed causal trajectory (the discrete analogue of kinematic phase space).

$$L_{embed} = L_{intrinsic} + 2D = 23 + 8 = \mathbf{31} \quad (14)$$

## 3. The Substrate Load ( $L_{substrate} = 188$ ): Fundamental Capacity

The total intrinsic structural complexity processed per fundamental cycle, summing the available spacetime addresses ( $R_M = 172$ ) and the native nodal channel infrastructure ( $\nu = 16$ ):

$$L_{substrate} = R_M + \nu = 172 + 16 = \mathbf{188} \quad (15)$$

### I. The $E_8$ Lattice Substrate System

We have now identified a unique solution that satisfies the architectural requirements of System 0.

**Substrate: The  $E_8$  Manifold.** The  $D_4 \oplus D_4$  decomposition of  $E_8$  fixes  $D = 4$  as the unique dimensionality supporting Finiteness and Causality.

- **Capacity: The State-Transition Budget** ( $N = 32$ ). The  $N = 32$  chiral channels within each  $\Delta = 43$  cycle define the total number of distinct state transitions available per fundamental cycle. The clock period sets the temporal bound; the channel count determines the information throughput.
- **Map: The Persistent Embedding** ( $\sigma = 5$ ). The sum of spatial ( $D_{space} = 3$ ) and topological ( $D_{boundary} = 2$ ) degrees of freedom required to uniquely embed a persistent entity in the manifold.
- **Protocol: The Chiral Bit-Depth** ( $\nu = 16$ ). The minimal spinor dimension admitting complex structure and chirality, enabling lossless information propagation between coordinate and state sectors.
- **Governor: The Topological Boundary** ( $\chi = 2$ ). The sphere ( $S^2$ ), unique simply-connected closed surface, enforcing binary partition of state and preventing field divergence. Required by Finiteness.

- **Toll: The Causal Cost** ( $M = 11$ ). The Lorentzian signature (corresponding to  $g_{00} = -1$  in the effective metric) encodes time by making one coordinate dimension indefinite relative to the others. The  $M = \Delta - N = 11$  overhead intervals in the fundamental cycle provide the temporal slack required for lossless state transitions.

- **Margin: The Resolution Floor** ( $L_{embed} = 31$ ). In Quiescent Equilibrium, this floor is **saturated**: the minimal resolvable signal is exactly the threshold at which structured information remains distinguishable from substrate fluctuations. The vacuum persists because its resolution limit is minimally sufficient.

The constraints of **Finiteness**, **Unitarity**, and **Causality** converge on a **unique** geometric structure: the  $E_8$  lattice projected onto a causal  $D = 4$  manifold accompanied by the set of structural invariants:  $\mathbb{S} = \{\Delta=43, \nu=16, \sigma=5, \chi=2\}$ . Together these establish the unique self-specifying substrate from which all observable structure must emerge.

## VI. SYSTEM 2: THE GEOMETRIC IMPEDANCE

Having isolated the unique substrate, we must test whether it can sustain localized persistent structures. A topological defect concentrates information flux against the homogeneous lattice; without an entropic cost accounting, the substrate would dissolve any localized distinction. We therefore quantify the minimum geometric action required to maintain one unit of topological charge ( $Q_{top} = \chi/2 = 1$ ) through a single fundamental cycle ( $\tau = 1$ ).

Because the boundary  $\chi = 2$  enforces a strict binary partition of information flux, charge is a topological invariant. The **geometric impedance** is the resulting dimensionless entropic action per unit charge:

$$Z_{geo} = \frac{S_{\Phi, \text{defect}}}{Q_{top}} \quad (16)$$

At quiescent equilibrium the six pillars operate on orthogonal domains, so  $Z_{geo}$  is the exact additive sum of their individual geometric costs (section II E).

### A. The Resonant Circumference (Capacity)

Capacity measures the entropic footprint required for a topological defect to maintain structural coherence across its fundamental cycle. The dominant contribution to the vacuum impedance ( $\approx 99.9\%$ ) originates from this fundamental geometry (this corresponds in the standard effective field theory dual to the Wilson Loop). Without this

cost, the state would propagate openly at the bandwidth limit ( $c = 1$ ) and delocalize completely.

At Quiescent Equilibrium, the substrate's footprint is evaluated on its native positive-definite (Euclidean) metric required by Unitarity (Section IV B 1), with causal propagation restricted to a  $(1 + 1)D$  plane  $(x, \tau)$ .

The fundamental cycle is periodic: the defect's configuration must recur identically after  $\Delta$  updates or it does not persist. For any closed trajectory, reaching a distance  $d$  from the anchor costs at least  $d$  steps outbound and  $d$  steps to return, so  $2d \leq \Delta$ : the maximal one-way reach is  $d_{\max} = \Delta/2$ , saturated by the out-and-back path.

By Homogeneity, the substrate admits no preferred direction. The invariant envelope (the union of all valid closed  $\Delta$ -cycles anchored at the node) is therefore an isotropic disk of radius  $\Delta/2$  in the embedding Euclidean metric, making its diameter  $(\Delta/2 + \Delta/2 = \Delta)$  exactly match the temporal period. While the lattice provides a discrete address space, the geometric measure of this isotropic envelope on the embedding space is continuous. Any discrete anisotropy cancels in the Homogeneity-enforced average over all orientations, leaving the continuous Euclidean measure.

Because the defect is defined strictly by its topological boundary (Section V E 1), and its interior being indistinguishable from the vacuum, the entropic cost is precisely the measure of this continuous perimeter. Given the established isotropic limit, this measure is exactly the circumference of a Euclidean circle, yielding the strict geometric ratio  $\frac{C}{\Delta} = \pi$ .

$$Z_{CAP} = C = \pi\Delta \approx 135.088\,484\,104\,361 \quad (17)$$

### B. Topological Boundary (Map)

The Map is the boundary constraint preventing internal state data from dissolving into the background substrate. Without this topological cost, the substrate could not distinguish the system's inside from its outside, causing information to leak into the unquantized background.

As established in section V E 1 by the combinatorial Gauss-Bonnet theorem (where total discrete curvature equates to  $2\pi\chi$ ), any closed, regular surface must satisfy a topological boundary condition. To prevent boundaries with holes ( $g \geq 1$ ), where non-contractible loops destroy the strict binary partition of 'Inside' versus 'Outside' and permit unquantized information flux, the boundary must be simply-connected. The unique simply-connected, closed 2D surface is the sphere ( $S^2$ ), which is characterized by the unique maximum Euler characteristic:

$$Z_{MAP} = +\chi = 2 \quad (18)$$

Because  $\chi$ , the Euler characteristic, is a pure topological invariant, it is an exact, indivisible integer. It is structurally forbidden from scaling, running, or acquiring continuous corrections.

### C. Alignment Efficiency (Protocol)

The Protocol is the alignment cost mediating phase information across the orthogonal spacetime (Sector A) and internal symmetry (Sector B) channels. Without it, these channels decouple, fragmenting the vacuum into isolated subspaces.

The manifold resolution  $R_M = D\Delta$  (Section V G) is the total available coordination capacity, the maximum distinct spacetime addresses per fundamental cycle. A localized defect consumes exactly  $\sigma = 5$  degrees of freedom to define its geometric embedding, leaving residual capacity:

$$C_{res} = R_M - \sigma = (4 \cdot 43) - 5 = 167 \quad (19)$$

Entropic impedance is the inverse of flow capacity. The greater the residual capacity, the lower the resistance to phase transport, and because efficient coordination reduces net dissipation, this contribution is an organizational gain, strictly negative per the Entropic Balance Sheet (Section II E):

$$Z_{PRO} = -\frac{1}{C_{res}} = -\frac{1}{167} \approx -0.005\,988\,023\,952 \quad (20)$$

The linear form is mandated by statelessness: the Protocol coordinates instantaneously, with no recursive memory that would permit higher-order couplings.

### D. Stabilizing Potential (Governor)

The Governor is the stabilizing constraint preventing runaway entropic divergence across the temporal cycle. Without it, local phase excitations undergo unbounded feedback, overflowing node capacity.

To satisfy the Homogeneity constraint, this boundary constraint cannot be anchored to any preferred temporal coordinate; it must be distributed maximally uniformly across the fundamental causal loop of length  $\Delta = 43$ .

Because the loop is closed and periodic, it possesses no endpoint boundaries (no "fencepost" corrections). To prevent non-linear self-interactions which would violate the vacuum's minimal interaction rule (the Toll constraint), the geometric coupling must be strictly first-order (linear). The exact stabilizing potential density per step is therefore the linear ratio of the boundary ( $\chi = 2$ ) to the loop length ( $\Delta = 43$ ). As an organizational gain that prevents entropic divergence, its contribution is negative:

$$Z_{GOV} = -\frac{\chi}{\Delta} = -\frac{2}{43} \approx -0.046\,511\,627\,907 \quad (21)$$

### E. Entropic Transition (Toll)

The Toll is the entropic cost of executing a state transition; without it, causal history collapses. Geometrically,

it is the probability of selecting a valid transition from the unconstrained phase space:

$$Z_{TOL} = \frac{\Omega_{valid}}{\Omega_{total}}. \quad (22)$$

The numerator, the minimal state transition, is defined by three geometric filters required to prevent non-unitary mixing, unquantized flux, or coordinate self-aliasing:

1. **State Identity (1):** The interaction acts as the identity on internal channel configuration.
2. **Topological Flux ( $\chi = 2$ ):** The boundary permits exactly two independent flux orientations.
3. **Coordinate Non-Degeneracy ( $R_M - \sigma$ ):** The transition target cannot alias with the interaction's own geometric embedding, leaving the orthogonal residual ( $R_M - \sigma$ ) valid coordinates.

These three filters are independently necessary and jointly sufficient; no fourth filter is available because the  $E_8 \rightarrow D_4 \oplus D_4$  projection exhausts the node's orthogonal geometric generators. Because identity (Sector B), topological flux (Sector A), and spatial addresses ( $\chi$ ) govern strictly orthogonal configuration spaces, their independent valid state counts combine multiplicatively. The minimal valid phase space is therefore exactly:

$$\Omega_{valid} = 1 \cdot \chi \cdot (R_M - \sigma). \quad (23)$$

The denominator counts independent dimensions of the unconstrained configuration manifold. On the substrate, a non-trivial state transition requires an interaction; a 2-point operation is mere propagation (identity). By Schur's lemma, invariant couplings of distinct channel types are strictly trilinear; the minimal interaction vertex is the Spin(8) triality singlet  $\mathbf{8}_v \otimes \mathbf{8}_s \otimes \mathbf{8}_c \rightarrow \mathbf{1}$ . Because triality provides exactly three independent 8-dimensional representations, a fourth leg must duplicate a channel type, producing Causal Aliasing. Aliasing collapses distinct states into a single temporal slot, rendering the causal history non-injective and violating Unitarity. Higher-point transitions are composite sequences of 3-point vertices.

With no external observer to assign internal channel roles prior to interaction, an unconstrained 3-point vertex cannot pre-distinguish between Sector A and Sector B degrees of freedom. Rather than being restricted to the single-sector internal bit-depth  $\nu = 16$ , each leg independently samples the total topological node capacity  $N = 2\nu = 32$  across both orthogonal sectors.

The unconstrained phase space of admissible state assignments for a 3-leg vertex is therefore  $N^3$ . Combining this with the local interaction degrees of freedom ( $\sigma = 5$ ) and the available manifold addresses ( $R_M = 172$ ), the total unconstrained phase space is the Cartesian product:

$$\Omega_{total} = N^3 \cdot \sigma \cdot R_M. \quad (24)$$

The Toll is therefore the ratio of minimal valid to maximal unconstrained phase space:

$$Z_{TOL} = \frac{\Omega_{valid}}{\Omega_{total}} = \frac{\chi(R_M - \sigma)}{N^3 \sigma R_M} \approx 1.185\,217\,569\,041 \times 10^{-5} \quad (25)$$

## F. Resolution Floor (Margin)

At the substrate level, the Margin manifests as an resolution threshold: the minimum signal amplitude required to be resolved above the geometric noise floor. Below this floor, structured information dissolves into ambient substrate fluctuations.

The minimum resolvable signal is exactly 1 quantum of information diluted across the *minimal* number of distinct configurations ( $V_{config}$ ) required to specify a localized defect. Because the  $E_8 \rightarrow D_4 \oplus D_4$  projection partitions the lattice into strictly orthogonal sectors, independent specification domains combine multiplicatively (Cartesian product).

The minimal configuration volume requires three domains to exhaust the node's orthogonal geometric generators and prevent underspecification:

1. **The State Vector ( $L_{embed} = 31$ ):** The total description length of a dynamic defect, structurally derived in section VH 2.
2. **The Local Interaction Volume ( $V_{local} = \sigma + 1 = 6$ ):** A localized lattice interaction is a connected subgraph spanning  $\sigma = 5$  independent directions from a central node. To strictly localize the interaction to a single neighborhood, the maximum distance from the center to any node must be 1 (graph radius  $r = 1$ ). The Star Graph ( $S_\sigma$ ) is the strictly unique connected tree topology of  $\sigma$  edges that possesses a radius of 1; any other connected tree has radius  $r \geq 2$ , delocalizing the interaction across multiple neighborhoods and violating the Orthogonality Condition. The minimal local volume is therefore  $\sigma + 1 = 6$ .
3. **The Causal Area ( $A_{causal} = \Delta^2$ ):** As established in section VF 1, fundamental causality restricts information propagation on the discrete substrate to a local (1+1)D plane. Operating at the maximum speed limit  $c \equiv 1$ , a fundamental cycle of temporal duration  $\Delta$  sweeps a 1D spatial horizon of length  $\Delta$ . The resulting spacetime resolution count is strictly  $\Delta \cdot \Delta = \Delta^2$ .

Because state vector, local topology, and causal horizon constitute orthogonal configuration spaces, their independent specification domains combine via Cartesian

product, yielding a multiplicative volume:

$$V_{config} = L_{embed} \cdot (\sigma + 1) \cdot \Delta^2 \quad (26)$$

The Margin impedance is the reciprocal: the probability that a single quantum of structured information remains distinguishable from the geometric noise floor after being diluted across all independent specification domains:

$$\begin{aligned} Z_{MAR} &= \frac{1}{V_{config}} = \frac{1}{L_{embed} \cdot (\sigma + 1) \cdot \Delta^2} \\ &= \frac{1}{31 \cdot (5 + 1) \cdot 43^2} \approx 2.907\,703\,670\,104 \times 10^{-6} \end{aligned} \quad (27)$$

### G. The Additive Baseline and the Finite Sum

The quiescent-equilibrium state sum factorizes exactly over the six pillars:

$$Z_{total} = \prod_{i=1}^6 Z_i, \quad (28)$$

because, as established in the Entropic Balance Sheet (Section II E), the six pillars operate on orthogonal, independent domains. At strict zero flux, no propagating excitations exist to mediate interactions between these domains; mutual information vanishes identically, forbidding cross-terms.

As established in the Entropic Balance Sheet, the entropic action is the negative logarithm of the factorized state sum. Each pillar therefore contributes an exact exponential weight  $Z_i = e^{-Z_i}$ , where  $Z_i$  is the dimensionless geometric action exacted by that pillar. The geometric impedance is the exact additive entropy:

$$Z_{geo} = -\ln Z_{total} = \sum_{i=1}^6 Z_i. \quad (29)$$

Despite differing geometric origins (boundary measure, topological invariant, or phase-space ratio), each term is a dimensionless ratio relative to the fundamental lattice unit cell, rendering all terms commensurable in the dimensionless geometric action  $Z_{geo}$ .

Two constraints rigidly bound this finite sum, ensuring it forms a complete and minimal basis:

- 1. Individual Forcing and Completeness:** The functional form of each term is strictly forced by the geometric and information-theoretic requirements of its component. These six components exhaust the architectural degrees of freedom required for persistence. The structural invariants  $\mathbb{S} = \{\Delta = 43, \nu = 16, \sigma = 5, \chi = 2\}$  exhaust the independent invariants of the projection. (*Note that  $\nu = 16$  enters only through the total node capacity  $N =$*

*$2\nu = 32$ ; no term involves  $\nu$  independently because the chiral bit-depth is fully allocated to the channel structure).*

- 2. Sign Classification:** The signs are fixed prior to evaluation by the Entropic Balance Sheet (Section II E), confirmed by the failure mode analysis. Terms representing irreducible structural overhead (Capacity, Map, Toll, Margin) are strictly positive. Terms representing organizational gains (Protocol, Governor) act analogously to negative feedback in control theory, reducing net dissipation, and are therefore strictly negative.

The geometric impedance is therefore exactly evaluated by expanding this sum into the individual geometric costs derived in sections VI A to VI F:

$$\begin{aligned} Z_{geo} &= \underbrace{\pi\Delta}_{CAP} + \underbrace{\chi}_{MAP} - \underbrace{\frac{1}{R_M - \sigma}}_{PRO} - \underbrace{\frac{\chi}{\Delta}}_{GOV} \\ &+ \underbrace{\frac{1 \cdot \chi \cdot (R_M - \sigma)}{N^3 \cdot \sigma \cdot R_M}}_{TOL} + \underbrace{\frac{1}{L_{embed} \cdot (\sigma + 1) \cdot \Delta^2}}_{MAR} \end{aligned} \quad (30)$$

### H. Numerical Evaluation

Summing the geometric components:

$$Z_{geo} = 137.035\,999\,212\dots \quad (31)$$

Every term is an exact rational combination of the structural invariants except  $\pi$ , which enters as the universal isotropic ratio  $C/\Delta$  (Section VI A). The derivation contains zero continuous empirical parameters; precision is therefore limited only by the evaluation of  $\pi$ .

## VII. EMPIRICAL CORRESPONDENCES AND OBSERVED CONSTANTS

### A. The Fine-Structure Constant and Quantization Gap

The geometric impedance  $Z_{geo}$  is the substrate's intrinsic coupling strength. In the analytic continuum dual, this static bound is observed as the inverse fine-structure constant,  $\alpha^{-1}(0) \equiv Z_{geo}$ , with standard renormalization-group running governing dynamic variation around this fixed infrared baseline.

Recent experimental values (Table I) of  $\alpha^{-1}(0)$  do not form a simple consensus and reflect ongoing metrological tension. Morel (2020) and Parker (2018) measure  $\alpha^{-1}(0)$  kinematically using photon recoil (Rubidium and Cesium, respectively). Fan (2023) determines  $\alpha^{-1}(0)$  via the electron anomalous magnetic moment ( $g - 2$ ). That these independent measurements are mutually exclusive



is an open problem in standard metrology. CODATA (2022) synthesizes these conflicting inputs and its uncertainty reflects this tension.

| Source        | Value ( $\alpha^{-1}(0)$ )                   | Dev.          |
|---------------|----------------------------------------------|---------------|
| Morel (2020)  | $137.035\,999\,206 \pm 0.000\,000\,011$ [19] | $+0.58\sigma$ |
| Fan (2023)    | $137.035\,999\,166 \pm 0.000\,000\,015$ [20] | $+3.09\sigma$ |
| Parker (2018) | $137.035\,999\,046 \pm 0.000\,000\,027$ [21] | $+6.16\sigma$ |
| CODATA (2022) | $137.035\,999\,177 \pm 0.000\,000\,021$ [22] | $+1.68\sigma$ |

Table I. Comparison of the  $E_8$ -Persistence theory dimensionless  $Z_{geo}$  derivation against experimental values. Deviation is computed as  $|Z_{geo} - \alpha^{-1}(0)_{exp}|/\sigma_{exp}$ .

*a. The QED Extraction Tension and the Quantization Gap:* Standard QED is the analytic continuum dual to this discrete architecture. Dimensional regularization successfully approximates the substrate at low loop orders by treating spacetime as a continuous manifold with infinite resolution. However, because the substrate possesses finite channel capacity ( $\nu = 16$  per sector,  $N = 32$  total), the continuum approximation must eventually saturate the discrete hardware.

The breakdown occurs when the combinatorial complexity of loop diagrams reaches parity with the substrate’s state-space budget. The number of QED diagrams grows factorially with loop order; at the 5-loop order of precision, the electron anomalous magnetic moment calculation requires evaluating 12,672 distinct diagrams. The available combinatorial state space of the substrate scales as  $\nu^n = 16^n$ , where  $n$  is the sequence length of interaction vertices. At  $n = 4$  to  $n = 5$  (corresponding to 4- and 5-loop vertex complexity), diagram complexity ( $\sim 10^4$ ) reaches parity with the hardware phase-space limit ( $16^4 = 65,536$ ), marking the threshold where the continuous expansion encounters the substrate’s information-theoretic resolution limit. We term this  $\sim 3 \times 10^{-10}$  scale the **Quantization Gap**.

Dyson’s 1952 observation[23] that the QED perturbative series is asymptotic identified the mathematical signature; the  $E_8$  substrate provides the structural mechanism. The continuum dual does not fail from a pathology in the coefficients, but from exhausting the finite Shannon capacity of the underlying geometric hardware.

Morel (2020) measures  $\alpha$  kinematically, a direct macroscopic probe of the geometric impedance that does not rely on quantum loop corrections. Fan (2023), by contrast, extracts  $\alpha$  from a 10th-order (5-loop) QED perturbative expansion, placing it precisely in the regime where the continuum dual approaches capacity saturation. The  $+3.09\sigma$  deviation observed in Fan (2023) is consistent with the expected onset of the Quantization Gap, though it does not alone constitute confirmation.

*b. Falsification criterion:* If pure kinematic measurements continue to converge to  $\alpha^{-1}(0) \approx 137.035\,999\,212$  while 6+ loop QED extractions systematically diverge from this value, the Quantization Gap is confirmed. Conversely, convergence of both methods to a

single identical value differing from our geometric prediction by  $> 5\sigma$  would decisively falsify the  $E_8$ -Persistence theory.

## B. Dimensional Correspondence.

The substrate yields strictly dimensionless geometric bounds. The following sections derive three corollaries of the geometric impedance  $Z_{geo}$ : charge emerges as quantized information flux through a topological boundary; macroscopic resistance is quantized by discrete channel count; and the substrate enforces a hard capacity ceiling which exceeding resolves excess flux into particle-antiparticle pairs. To validate these bounds against experiment, we translate them into macroscopic observables using the standard dimensional scaffolding ( $\hbar$ ,  $c$ ,  $\epsilon_0$ ) that observers employ to measure flux. These are correspondence identities; they do not derive dimensional constants from the lattice.

## C. The Geometric Origin of Elementary Charge

Having derived the strictly dimensionless geometric impedance  $Z_{geo}$ , we now translate this structural limit into macroscopic physical observables. On the  $E_8$  substrate,  $Z_{geo}$  acts as a strict flow constraint: it restricts the amount of information flux that can propagate through a  $\chi = 2$  topological boundary without violating structural coherence. In standard macroscopic physics, this emergent quantum of flux is observed as the elementary charge  $e$ .

Rather than treating charge as a postulated particle property, its fundamental magnitude is strictly bounded by this geometric limit. The  $E_8$  substrate derives only a dimensionless capacity limit; the dimensional constants  $\hbar$ ,  $c$ , and  $\epsilon_0$  are not intrinsic to the lattice. They constitute the standard dimensional scaffolding that macroscopic observers use to measure flux. To validate the dimensionless geometric bound against experiment, we apply the empirical dimensional isomorphism, mapping  $Z_{geo}$  to the inverse fine-structure coupling. In SI units this yields:

$$e = \sqrt{\frac{4\pi\epsilon_0\hbar c}{Z_{geo}}} \quad (32)$$

The square-root form emerges because entropic action scales quadratically with information flux, while the geometric  $4\pi$  factor arises naturally from the isotropic boundary measure of the spherical topological defect ( $S^2$ ,  $\chi = 2$ ) enclosing the flux. This established capacity limit directly dictates the single-channel macroscopic resistance and the vacuum breakdown thresholds derived in the following sections.

### D. Macroscopic Channel Resistance

A geometric impedance should manifest as a measurable macroscopic transmission resistance. We can derive the theoretical resistance of a single discrete transmission channel on the  $E_8$  substrate using three structural facts:

1. **Single Channel Limit:** The vacuum substrate supports discrete transmission channels.
2. **Spinor Double Cover:** Because the carrier states are spinors (Section V B 2), completing a closed circuit to return to the initial phase requires traversing the manifold twice ( $720^\circ$ ). The measured resistance of a single loop is therefore the vacuum impedance shared across two windings:  $R_{channel} = Z_{channel}/2$ .
3. **Geometric Coupling:** The framework derives the dimensionless scaling between a single internal channel and the bulk medium as  $Z_{channel}/Z_0 = \alpha_{geo}^{-1}$ , where  $Z_0$  is the Characteristic Impedance of Free Space.

Combining these yields a strict geometric prediction for the resistance of a single fundamental channel:  $R_{channel} = \frac{Z_0}{2} \cdot \alpha_{geo}^{-1}$ . Evaluating this substrate prediction in SI units via the standard macroscopic impedance isomorphism ( $Z_0 = \mu_0 c$ ) yields:

$$R_{channel} = \frac{Z_0}{2} \cdot \alpha_{geo}^{-1} \approx 25\,812.807\,47\,\Omega \quad (33)$$

**Verification via the Von Klitzing Constant ( $R_K$ ):** Standard electromagnetism defines the Von Klitzing constant algebraically as  $R_K = Z_0/2\alpha$ . The Quantum Hall Effect measures this exact single-channel resistance with parts-per-billion precision, independently of high-energy  $\alpha^{-1}$  extractions:

- **Experimental Value (CODATA 2022):**  $25\,812.807\,45 \pm 0.000\,01\,\Omega$  [22]
- **Precision:** The  $E_8$ -Persistence geometric prediction matches the observed Quantum Hall resistance to within  $+1.94\sigma$ .

*Physical consequence: The flatness of QHE plateaus.*  $R = R_{channel}/n$ , regardless of impurities, reflects the lattice's discrete bit-depth: resistance is quantized by channel count, offering a structural origin for the topological protection traditionally attributed to electron wavefunction topology (Chern numbers) [24, 25].

### E. The Geometric Load Limit

The geometric impedance  $Z_{geo}$  fundamentally enforces a safety margin between an operating signal and substrate breakdown. If the substrate can theoretically support a maximum unitary flux density ( $q_{max}$ ), the lattice impedance attenuates the stable, propagating flux

( $q_{operating}$ ) by the square root of the impedance:

$$q_{operating} = \frac{q_{max}}{\sqrt{Z_{geo}}} \approx \frac{q_{max}}{11.706\,237\,619\,85} \quad (34)$$

**Verification via the Planck Charge Ratio:** In standard physics, the absolute capacity of the vacuum is represented by the Planck charge ( $q_P$ ), and the fundamental operating flux is the elementary charge ( $e$ ). The empirical ratio  $e/q_P \approx 0.085$  has historically lacked a structural explanation. In the  $E_8$ -Persistence framework, this attenuation is a structural necessity preventing immediate vacuum breakdown.

#### 1. Physical consequence: Safe Load Limit.

The electron represents the **safe operating limit** of the vacuum. While the substrate can theoretically support a unitary charge ( $q_P$ ), the geometric impedance restricts propagating charge to  $\approx 8.542\,454\,309\,183\%$  of this maximum to maintain structural coherence.

#### 2. Physical consequence: Vacuum Breakdown as Capacity Limit (Schwinger Limit).

In the macroscopic QED dual, the standard model utilizes the electron mass  $m_e$  to set the characteristic scale for the Schwinger critical field  $E_c = m_e^2 c^3 / e\hbar$ , marking the threshold where external electric fields spontaneously produce  $e^+e^-$  pairs [26]. The Coulomb field of an elementary charge, evaluated at the reduced Compton wavelength  $\lambda = \hbar/m_e c$ , scales with this critical value by exactly the fine-structure constant  $\alpha$ :

$$\frac{e}{4\pi\epsilon_0\lambda^2} = \alpha E_c = \frac{E_c}{Z_{geo}} \quad (35)$$

The dimensionless geometric impedance factor  $Z_{geo} \approx 137.035\,999\,212$  therefore represents the **safety factor** between the characteristic field of an isolated fundamental charge and the vacuum breakdown threshold. Any localized excitation attempting to concentrate flux beyond this margin hits the non-linear Schwinger ceiling, resolving into particle-antiparticle pairs and enforcing the substrate's ultimate capacity limit.

## VIII. CONCLUSION

This work establishes the static structural baseline of *Informational Energetics*, a framework deriving the minimal architecture of persistence from control theory, information theory, and thermodynamics. We established that any system resisting entropic decay must contain all six irreducible pillars (Capacity, Map, Protocol, Governor, Toll, Margin), each demonstrated by its catastrophic failure mode when removed.

We tested IE in its most demanding domain: fundamental physics. Translating the six pillars to physical requirements (Finiteness, Unitarity, Causality) strictly constrained the viable vacuum substrate to the  $E_8$  lattice projected onto a causal 4D manifold. This projection intrinsically generates the Lorentzian metric signature (a geometric resolution of the Distler-Garibaldi no-go theorem (appendix A)) and yields the structural invariants  $\mathbb{S} = \{\Delta = 43, \nu = 16, \sigma = 5, \chi = 2\}$  with no free parameters. The unique isolation of a single substrate constitutes the first structural test.

The second, decisive test evaluates whether this specific substrate's geometric impedance  $Z_{geo}$  correctly yields a parameter-free prediction for the static, infrared fine-structure constant ( $\alpha^{-1}(0) = 137.035999212$ ). This value structurally aligns with the kinematic measurement of Morel (2020) at  $+0.58\sigma$  and CODATA (2022) at  $+1.68\sigma$ , while predicting a strict *Quantization Gap* where continuous, high-loop QED extractions must systematically diverge due to the substrate's finite channel capacity. The same impedance determines the von Klitzing constant  $R_K$  and the elementary charge  $e = q_P / \sqrt{Z_{geo}}$ , which emerges strictly as a flow constraint enforcing the Schwinger vacuum breakdown limit.

This result supplies what complex systems research has lacked: a formal boundary condition for persistence. Current frameworks model how systems self-organize through descriptive phenomena (adaptation, modularity, resilience) without deriving the minimal architecture that makes any of them possible. IE establishes that persistence is not a set of convergent behaviors across domains but a single universal constraint. The six pillars constitute an eliminative filter: any system lacking one inevitably dissolves; any system possessing all six contains the necessary mechanics to resist entropic decay, regardless of substrate. The vacuum derivation is the most demanding test case. If the same architectural requirements constrain biological cells, computational networks, and quantum substrates alike, then persistence is substrate-universal, and complex systems models now

possess a falsifiable, first-principles foundation.

Natural avenues for the validation and extension of IE include defining the full dynamics of the Entropic Action and recursive partitioning into subsystems when internal complexity exceeds the capacity of a single control loop. Because any persistent subsystem must re-implement the same six-pillar architecture against its local entropic boundary, the framework naturally generalizes to nested, hierarchical scales. Having established the static baseline of the  $E_8$  substrate, it serves as a derivational platform: these extensions provide an explicit roadmap to verify the emergence of General Relativity, the Standard Model Lagrangian, and its remaining dimensionless constants, which can then be compared against experimental values. Ultimately, the definitive proof that  $\alpha^{-1}$  is an architectural necessity lies in whether this exact, unadjusted substrate generates the full Standard Model action and remaining constants when extended beyond quiescent equilibrium.

Informational Energetics proposes that persistence is the primary organizing principle of reality at every scale. If the fundamental vacuum is uniquely determined by the strict constraints of persistence, then by the Selection Principle, any persistent macroscopic system is solving the exact same architectural problem, differing only in substrate material and environmental openness. Ultimately, physical reality is the cleanest, most rigorous environment in which to first test the architecture of persistence.

## ACKNOWLEDGMENTS

The author is an independent researcher and received no external funding for this work. I would like to thank Brian Sheppard for rigorous and constructive feedback. I would like to thank my friends and family for their patience and support throughout decades of discussions, as I tried to understand every field I became interested in and the recurring, overarching patterns I saw.

- 
- [1] R. Landauer, Irreversibility and Heat Generation in the Computing Process, IBM Journal of Research and Development **5**, 183 (1961).
  - [2] J. A. Wheeler, Information, Physics, Quantum: The Search for Links, in *Proceedings III International Symposium on Foundations of Quantum Mechanics*, edited by W. J. Archibald (Physical Society of Japan, 1989) pp. 354–358.
  - [3] E. Verlinde, On the origin of gravity and the laws of Newton, Journal of High Energy Physics **2011**, 29 (2011).
  - [4] G. Bianconi, The Thermodynamics of the Gravity from Entropy Theory (2025), version Number: 2.
  - [5] J. Distler and S. Garibaldi, There is No “Theory of Everything” Inside  $E_8$ , Communications in Mathematical Physics **298**, 419 (2010).
  - [6] L. Bombelli, J. Lee, D. Meyer, and R. D. Sorkin, Space-time as a causal set, Physical Review Letters **59**, 521 (1987).
  - [7] C. Rovelli, *Quantum Gravity*, 1st ed. (Cambridge University Press, 2004).
  - [8] T. Jacobson, Thermodynamics of Spacetime: The Einstein Equation of State, Physical Review Letters **75**, 1260 (1995).
  - [9] R. C. Dorf and R. H. Bishop, *Modern Control Systems*, 13th ed. (Pearson, 2017).
  - [10] K. J. Åström and R. M. Murray, *Feedback systems: an introduction for scientists and engineers* (Princeton University Press, Princeton, 2008).
  - [11] N. Margolus and L. B. Levitin, The maximum speed of dynamical evolution, Physica D: Nonlinear Phenomena **120**, 188 (1998).
  - [12] J. D. Bekenstein, Universal upper bound on the entropy-

- to-energy ratio for bounded systems, *Physical Review D* **23**, 287 (1981).
- [13] R. C. Conant and W. Ross Ashby, Every good regulator of a system must be a model of that system <sup>†</sup>, *International Journal of Systems Science* **1**, 89 (1970).
  - [14] C. Shannon, Communication in the Presence of Noise, *Proceedings of the IRE* **37**, 10 (1949).
  - [15] J. D. R. D. Raadt, ASHBY'S LAW OF REQUISITE VARIETY: AN EMPIRICAL STUDY, *Cybernetics and Systems* **18**, 517 (1987).
  - [16] H. Nyquist, Regeneration Theory, *Bell System Technical Journal* **11**, 126 (1932).
  - [17] J. H. Conway and N. J. A. Sloane, *Sphere Packings, Lattices and Groups*, edited by M. Artin, S. S. Chern, J. M. Fröhlich, E. Heinz, H. Hironaka, F. Hirzebruch, L. Hörmander, S. Mac Lane, C. C. Moore, J. K. Moser, M. Nagata, W. Schmidt, D. S. Scott, Y. G. Sinai, J. Tits, B. L. Van Der Waerden, M. Waldschmidt, S. Watanabe, M. Berger, B. Eckmann, and S. R. S. Varadhan, *Grundlehren der mathematischen Wissenschaften*, Vol. 290 (Springer New York, New York, NY, 1988).
  - [18] M. Viazovska, The sphere packing problem in dimension 8, *Annals of Mathematics* **185**, 10.4007/annals.2017.185.3.7 (2017).
  - [19] L. Morel, Z. Yao, P. Cladé, and S. Guellati-Khélifa, Determination of the fine-structure constant with an accuracy of 81 parts per trillion, *Nature* **588**, 61 (2020).
  - [20] X. Fan, T. Myers, B. Sukra, and G. Gabrielse, Measurement of the Electron Magnetic Moment, *Physical Review Letters* **130**, 071801 (2023).
  - [21] R. H. Parker, C. Yu, W. Zhong, B. Estey, and H. Müller, Measurement of the fine-structure constant as a test of the Standard Model, *Science* **360**, 191 (2018).
  - [22] P. J. Mohr, D. B. Newell, B. N. Taylor, and E. Tiesinga, CODATA recommended values of the fundamental physical constants: 2022, *Reviews of Modern Physics* **97**, 025002 (2025).
  - [23] F. J. Dyson, Divergence of Perturbation Theory in Quantum Electrodynamics, *Physical Review* **85**, 631 (1952).
  - [24] D. J. Thouless, M. Kohmoto, M. P. Nightingale, and M. Den Nijs, Quantized Hall Conductance in a Two-Dimensional Periodic Potential, *Physical Review Letters* **49**, 405 (1982).
  - [25] M. Kohmoto, Topological invariant and the quantization of the Hall conductance, *Annals of Physics* **160**, 343 (1985).
  - [26] J. Schwinger, On Gauge Invariance and Vacuum Polarization, *Physical Review* **82**, 664 (1951).
  - [27] A. G. Lisi, An Exceptionally Simple Theory of Everything (2007), arXiv:0711.0770 [hep-th].

## Appendix A: Geometric Origin of Chiral Fermions

The exceptional Lie group  $E_8$  has long been explored as a candidate for unification because it is the smallest simple Lie group large enough to contain the Standard

Model gauge group. Most famously, Garrett Lisi proposed embedding the Standard Model directly into the  $E_8$  algebra [27]. However, the Distler-Garibaldi theorem [5] established a rigorous no-go result: any signature-preserving algebraic embedding of the Standard Model into  $E_8$  cannot yield chiral fermions without also producing unobserved mirror partners. Their theorem holds for all embeddings where the algebraic structure remains Euclidean  $(8, 0)$ .

The Distler-Garibaldi constraint assumes a *signature-preserving continuous Lie algebra* embedding. The  $E_8$ -Persistence theory operates outside this assumption via the metric signature projection  $(8, 0) \rightarrow (1, 3) \oplus (4, 0)$  (derived in section VB 1 and section VD). Here we demonstrate that at the **strict quiescent-equilibrium baseline** (where dynamics reduce to static structural capacity) mirror states have zero causal capacity on the observable manifold. This is consistent with the no-go theorem's constraints at the static level; dynamical decoupling in the full effective field theory is left to future work.

*a. Formal Resolution:* The Distler-Garibaldi constraint assumes a *signature-preserving continuous Lie algebra* embedding. The  $E_8$ -Persistence theory operates natively outside this assumption. As derived in section VD, Causality strictly forces a geometric projection onto an observable Lorentzian spacetime manifold  $(1, 3)$ , leaving the orthogonal mirror degrees of freedom strictly within the Euclidean internal sector  $(4, 0)$ . Because this internal sector retains the Euclidean signature  $(+, +, +, +)$ , it fundamentally lacks the timelike translation generator ( $P_0 = \partial_t$ ) required for dynamical evolution. Consequently, mirror states lack the dynamical Hamiltonian necessary to propagate on the observable manifold.

These stationary states are not artificially deleted from the substrate's informational budget. As established in section VC, their degrees of freedom are fully accounted for within the internal sector's conserved bit-depth ( $\nu_{\text{Sector B}} = 16$ ), exhausting their contribution to the total node capacity ( $N = 32$ ).

Lacking a time-evolution operator, they encode static internal quantum numbers rather than propagating signals. They are geometrically inert on the causal manifold at the static baseline, without violating the strictly conserved discrete capacity of the substrate.

At the quiescent-equilibrium baseline, this structural confinement renders the mirror states causally inert. No auxiliary fields or ad-hoc projection operators are required to suppress them at this static level. Whether mirror states acquire mass or decouple via a symmetry mechanism in the full dynamical theory is beyond the scope of the present derivation.