

Persistence Mechanics of the Quantum Vacuum I: The E_8 Substrate and the Fine-Structure Constant

Kate Lenore Meyer
Independent Researcher*
(Dated: September 2, 2026)

Persistence Mechanics establishes that any system maintaining structural coherence against entropic decay must satisfy strict constraints of Finiteness, Conservation, and Causality, governed by six irreducible pillars. While intuitive at macroscopic scales, a fundamental question remains: do these architectural bounds apply to the substrate of reality itself? We test this by applying Persistence Mechanics to the zero-flux limit: the quantum vacuum. We find that satisfying these existential constraints strictly mandates the vacuum substrate to be positive-definite, even, and self-dual, uniquely isolating the manifold to a four-dimensional projection of the E_8 lattice. Evaluating the total geometric impedance of the six pillars on this substrate yields a dimensionless structural index $Z_{\text{geo}} = 137.035\,999\,212\dots$, containing zero continuous empirical parameters. This value structurally corresponds to the inverse fine-structure constant $\alpha^{-1}(0)$, agreeing with the kinematic measurement of Morel et al. (2020) within 0.58σ and CODATA (2022) within 1.68σ , while predicting a *Quantization Gap* where high-loop QED extractions systematically diverge. These results suggest that standard physical law represents the ultimate limiting case of structural persistence.

I. INTRODUCTION

The concept that physical reality is fundamentally constrained by information processing costs is rooted in Landauer’s principle [1] and Wheeler’s “It from Bit” hypothesis [2]. More recently, Verlinde [3] and Bianconi [4] have proposed that gravity and spacetime are entropic phenomena, emerging from information gradients and quantum-entropy coupling. These approaches motivate a systems-first question: if physical structure is informationally constrained, what minimal architecture makes that information processing possible?

Existing programs such as Causal Set Theory [5], Loop Quantum Gravity [6], and emergent gravity [3, 7] treat spacetime or gravity as fundamental starting points. This work instead tests deriving the physical structure using persistence mechanics.

Persistence Mechanics[8] (PM) formalizes the exact structural requirements for any system to exist over time. It establishes that maintaining coherence against entropic erasure requires solving three existential problems: Finiteness (bounded resources), Conservation (preserved information), and Causality (well-defined temporal evolution). These exact a strictly positive entropic cost governed by six irreducible pillars: Capacity, Map, Protocol, Governor, Toll, and Margin.

While these constraints intuitively govern the survival of macroscopic complex systems (such as computational networks or biological cells), we pose a more fundamental question: how far down does this structural architecture apply? Does it stop at atoms, or does it dictate the laws of quantum physics?

Here, we put this to the test. We apply the mechanics of persistence to the most demanding domain possible:

the quantum vacuum. By treating the vacuum as a maximally constrained, zero-flux closed system—possessing no external memory, no deeper substrate beneath it, and no external boundary conditions. We ask if the sheer requirement of *existence* uniquely determines its geometric structure. If persistence requirements alone cannot derive the vacuum’s structure, then physical reality is governed by external arbitrary parameters. If they can, then all of physics can be understood as the limiting baseline of persistence mechanics.

We refer to this specific instantiation of PM applied to the vacuum as the **E_8 -Persistence Theory**. We do not replace standard Effective Field Theory (EFT), but rather establish an information-theoretic dual. EFT provides a top-down continuum description of field dynamics; E_8 -Persistence identifies the bottom-up discrete capacity constraints of the underlying geometric substrate from which those fields must emerge.

A. The Minimal Vacuum Derivation

We apply the six pillars of Persistence Mechanics to the vacuum in three strict, sequential layers, followed by empirical validation.

- 1. System 0: Requirements.** We derive the geometric implications of Finiteness, Conservation, and Causality for the vacuum substrate under a strict Closure Constraint (zero external information) (Section III).
- 2. System 1: Substrate.** System 0’s requirements uniquely specify an E_8 lattice projected to $D = 4$ spacetime. This yields unique structural invariants: a temporal cycle (Δ), a discrete channel capacity (ν), an interaction embedding dimension (σ), and a boundary topological characteristic (χ) required by the architecture (Section IV).

* kate.ie@meyerhome.net

3. **System 2: Impedance.** We derive the geometric impedance (Z_{geo}) from the six-pillar entropic balance, quantifying the cost for a topological defect to persist on this substrate (Section V).
4. **Empirical Correspondences.** We compare Z_{geo} against experimental measurements of the fine-structure constant (α^{-1}), identify a predicted Quantization Gap between kinematic and high-loop QED extractions, propose a falsification criterion, and derive the geometric origins of elementary charge (e) and the von Klitzing constant (R_K) (Section VI).

This paper is restricted to the static, quiescent-equilibrium baseline. Dynamics, Lagrangians, gauge structure, and ultraviolet Lorentz invariance restoration represent natural extensions, but they are not prerequisites for the architectural test performed here: establishing whether the universal constraints of persistence uniquely determine the vacuum substrate.

To contextualize this framework against prior unification attempts, the Distler–Garibaldi no-go theorem [9] applies strictly to continuous E_8 gauge algebras. Because the E_8 substrate established in System 1 is a discrete geometric lattice, it intrinsically resolves this constraint by isolating mirror degrees of freedom outside the causal manifold (Appendix A).

A critical attribute of this methodology must be explicitly emphasized: The derived structural invariants are strict, mathematical consequences of applying eliminative persistence constraints to a discrete substrate. Because the substrate admits zero continuous degrees of freedom, the resulting geometric impedance Z_{geo} is a strictly parameter-free prediction.

II. DEFINING THE VACUUM BASELINE

This paper tests Persistence Mechanics by applying it to the informationally minimal baseline: the quantum vacuum, a persistent system in with zero external flux, restricting the system to the equilibrium limit of the Quiescent Steady State. We refer to this special case as Quiescent Equilibrium. This establishes an absolute boundary condition. The vacuum admits no deeper system beneath it. It cannot obtain configuration information, boundary conditions, synchronization signals, or memory from an external source. We formalize this closed-system condition as:

The Closure Constraint: The substrate of the vacuum must be entirely self-defining. Its geometry must arise exclusively from its own architectural requirements.

Any non-zero selection entropy would require an external memory to resolve the degeneracy, violating self-specification.

III. SYSTEM 0: ARCHITECTURAL REQUIREMENTS FOR ZERO-FLUX SUBSTRATE

System 0 asks: *What geometric properties must a substrate possess to satisfy the three existential requirements of Persistence Mechanics (Finiteness, Conservation, and Causality) when no external memory, boundary conditions, or synchronization signals are available?*

A. Persistence Requires Finiteness for CAP, MAR

The Closure Constraint requires self-specification: it cannot require an external decompressor. Information-theoretically, infinite descriptive complexity implies infinite evaluation time, any finite processing rate yields divergent latency, paralyzing the system before the next fluctuation. Capacity bounds the finite state-space; Margin bounds the reserves against variance. Geometrically, both require the substrate to be discrete, homogeneous, and a lattice.

1. Finiteness Mandates a Discrete, Homogeneous Lattice

A continuous volume admits infinite descriptive complexity. Since there cannot exist an external algorithm (by the Closure Constraint) to compress this to finite Kolmogorov complexity, the substrate must be **Discrete**: a fundamental, indivisible unit of information setting a maximum density.

Furthermore, to minimize algorithmic processing overhead, the substrate must be **Homogeneous**. Any spatial variation in local topology would require external memory to decode each neighborhood’s structure, violating the Closure Constraint. The local topology must therefore remain constant regardless of location or direction, yielding a constant Kolmogorov complexity independent of system size.

A structure that is both discrete (finite information density) and homogeneous (constant structure in every direction) is by definition a **Lattice**. This conclusion specifically rules out continuous manifolds (infinite description) and arbitrary graphs (non-constant complexity).

B. Persistence Requires Conservation for MAP, PRO

For the vacuum to persist, it must maintain a stable Map over time. This requires that information is perfectly conserved. The vacuum must be a perfectly closed and lossless information network, making Conservation a structural necessity, corresponding to the Map and Protocol pillars. In the quantum vacuum limit, the requirement of Conservation (preserved informational dis-

tinguishability) corresponds exactly to quantum unitarity. To maintain substrate independence, we restrict the term Conservation to the architectural requirement, and unitarity exclusively to its macroscopic quantum dual. Geometrically, it imposes four structural properties on the substrate:

1. Lattice Must Be Positive Definite

Information-Theoretic Justification: In a metric space, the norm $|\mathbf{v}|^2 = g_{\mu\nu}v^\mu v^\nu$ represents the information distance from the origin (reference state). For the system to have a well-defined minimum information state (entropic ground state), this distance must satisfy:

$$|\mathbf{v}|^2 \geq 0 \quad \forall \mathbf{v} \neq 0 \quad (1)$$

A indefinite metric with negative eigenvalues (Lorentzian) allows $|\mathbf{v}|^2 < 0$, implying an imaginary “distance” from the reference state and preventing the definition of a stable minimum configuration. Furthermore, an indefinite metric (Lorentzian metric) admits non-trivial null vectors ($|\mathbf{v}|^2 = 0$ where $\mathbf{v} \neq 0$), allowing for the creation of infinite information density without exceeding the capacity budget ($|k\mathbf{v}|^2 = 0$ for any scalar amplitude k), which violates the **Finiteness** component. Therefore, the **substrate** must be Euclidean.

The Substrate-Projection Dual: The Euclidean positive-definiteness applies strictly to the substrate lattice, which functions as a static memory repository. Causal progression necessitates an active processor operating via an indefinite metric. This fundamental distinction between static storage and dynamic processing provides the geometric degree of freedom from which the directional arrow of time can be derived (Section IV D), satisfying a core causal requirement of the persistence architecture.

2. Lattice Must Be Mappable to a Torus

To satisfy **Finiteness**, the system must be spatially bounded. To satisfy **Protocol** (Conservation), it must be closed (no edges). By the combinatorial Gauss-Bonnet theorem, a regular lattice of fixed vertex coordination tiled on a closed surface of Euler characteristic χ requires topological defects if $\chi \neq 0$. The sphere ($\chi = 2$) therefore requires defects that break translational invariance. The Euclidean **Torus** (T^n , $\chi = 0$) is the unique flat, closed topology with periodic boundary conditions that admits a homogeneous, defect-free lattice structure, simultaneously satisfying Finiteness (bounded), Conservation (closed), and Homogeneity (flat).

Consequently, the statistical evolution of the vacuum

is defined by the Partition Function on a torus¹:

$$Z(\beta) = \sum_{\text{states}} e^{-S_{\text{config}}} = \text{Tr}(e^{-\beta H}) \quad (2)$$

3. Lattice Must Be Even

A stable Map requires path independence, which requires evenness. If the state count Z depended on the path through moduli space (parameterization) rather than the configuration itself, the vacuum would lack a stable **Map**.

This requires $Z(\beta)$ to be single-valued under the modular transformation $T : z \rightarrow z + 1$. The Jacobi Theta Function, $\Theta_\Lambda(z) = \sum e^{i\pi z|\mathbf{v}|^2}$, counts these states. For **Even** lattices ($|\mathbf{v}|^2 = 2n$), the exponent $2\pi i n z$ is invariant under the shift. However, any odd-norm vector ($|\mathbf{v}|^2 = 2n + 1$) introduces a sign inversion ($\Theta \rightarrow -\Theta$), rendering the Map multi-valued. Thus, the lattice must be **Even**.

4. Lattice Must Be Self-Dual and Unimodular (Read/Write Symmetry)

To prevent information loss via destructive interference or Landauer erasure, the encoding operation (write) and the decoding operation (read) must be informationally equivalent. This is enforced by the modular transformation $\mathcal{S} : z \rightarrow -1/z$, which maps the lattice to its reciprocal (Fourier dual).

By the Poisson Summation formula, the partition function transforms as:

$$\Theta_\Lambda(-1/z) \propto \frac{1}{\text{vol}(\Lambda)} \Theta_{\Lambda^*}(z) \quad (3)$$

For the Map to remain invariant ($Z_\Lambda = Z_{\Lambda^*}$), the lattice must be **Self-Dual** ($\Lambda = \Lambda^*$). This strictly enforces **Unimodularity** ($\text{vol}(\Lambda) = 1$), as the only scalar satisfying $V = 1/V$ is 1. Any other volume introduces an irreversible scaling factor, violating Conservation.

Requirements: The lattice of the vacuum must be **Positive Definite, Unimodular, Even, and Self-Dual**.

C. Persistence Requires Causality for GOV, TOL

Persistence requires stable evolution. Information-theoretically, this is the Serialization Problem: projecting

¹ Here, β is the formal periodicity parameter of the imaginary time cycle. We use the partition function formalism for state enumeration on a torus, not to claim the vacuum has a literal temperature.

a finite state-space onto a discrete timeline. Geometrically, this requires a well-defined temporal axis without ambiguity.

The Serialization Problem: From the **Capacity** component, any persistent system possesses a finite state-space dimension N (the number of linearly independent, orthogonal basis vectors spanning the node’s total informational payload, i.e., the Hilbert-space dimension). To evolve, the system must serialize these N states onto a discrete timeline of Δ slots per fundamental cycle, the **Temporal Modulus**.

Causal Aliasing: By the Pigeonhole Principle, if $N > \Delta$, at least one temporal slot must host multiple distinct states. This **Causal Aliasing** destroys the system’s ability to maintain a well-defined serial history.

The Persistence Inequality: To enforce a strict arrow of time and satisfy the Causality requirement, the projection must satisfy $\Delta \geq N$. The temporal container (Δ , the Toll) must meet or exceed the state content it constrains (N , via the Governor).

D. Summary: The Architectural Requirement of the Vacuum

The architectural requirements for the substrate are:

1. (CAP, MAR) **Finite Lattice**, required by Finiteness.
2. (MAP, PRO) **Positive Definite, Unimodular, Even, and Self-Dual**, required by Conservation.
3. (GOV, TOL) Any causal system must satisfy a **Causal Projection**: a serialization of its N -dimensional state-space onto a discrete timeline of length $\Delta \geq N$.

With this specification complete, identifying the physical substrate becomes a strict eliminative test: to determine whether a unique, self-specifying geometry exists that satisfies all of these requirements simultaneously.

IV. SYSTEM 1: SUBSTRATE ISOLATION, THE UNIQUE GEOMETRY THAT SATISFIES SYSTEM 0 REQUIREMENTS

System 1 applies the filters of System 0 to identify the unique geometry that satisfies all architectural requirements simultaneously. These requirements act as eliminative filters: they progressively remove every alternative until one structure remains. We first constrain the dimension and uniqueness of the lattice, then determine its projection into spacetime and internal symmetry, and finally fix the temporal period and topological invariants that prevent causal aliasing. The mathematical theorems function as black-box filters; what matters is that each constraint is forced by the persistence architecture, leaving no continuous parameter free.

A. The Lattice Constraint (E_8)

We first constrain the possible dimensions of the lattice, progressively eliminate every alternative until a unique geometry remains, and then determine how it partitions into the coordinate and state sectors required by Map and Capacity.

1. The $n \equiv 0 \pmod{8}$ Constraint

To prevent irreversible information loss during read/write operations, the substrate must be even and self-dual. A fundamental constraint from the theory of modular forms and lattices[10], states that even, self-dual lattices only exist in dimensions that are multiples of 8. (Note: while the 4D lattice F_4 is self-dual, it is not even; while D_4 is even, it is not self-dual. Only $n \geq 8$ yields lattices satisfying all Conservation constraints simultaneously.) This immediately eliminates the majority of dimensionalities leaving only:

$$n \in \{8, 16, 24, \dots\}$$

Consequently: a unitary, self-dual information substrate cannot mathematically exist in $n = 4$. Therefore, the observed 4D spacetime cannot be the foundational hardware itself, but must strictly be an emergent projection of a higher-dimensional structure.

Furthermore, this excludes $n = 10$ as a standalone geometric substrate. Because $10 \not\equiv 0 \pmod{8}$, a 10-dimensional lattice cannot intrinsically satisfy *Conservation* (the requirement for an even, self-dual lattice). While continuous theories can recover unitarity via auxiliary structures (e.g., Calabi-Yau compactifications), selecting a specific manifold requires external configuration memory, which violates the requirement that the substrate be strictly self-defining.

2. The Principle of Algorithmic Determinism

To satisfy **Map** and **Conservation**, the substrate geometry must be intrinsic and self-defining. It cannot depend on arbitrary selection parameters or external boundary conditions. The constraints on the possible dimensions eliminate all but one unique option:

1. **Conservation** mandates even, self-dual, unimodular lattices. By Kneser’s theorem, such lattices exist only for $n \equiv 0 \pmod{8}$.
2. By the Closure Constraint, the vacuum admits no external configuration memory. The algorithmic specification complexity of the substrate’s geometry is therefore **zero bits** beyond the architectural constraints derived in System 0.

3. At $n = 8$: The E_8 lattice is the **unique** even self-dual lattice [10]. The algorithmic specification complexity of a uniquely determined geometry is $\log_2(1) = 0$ bits, satisfying the Closure Constraint.
4. At $n = 16$: The architectural constraints isolate exactly two non-isomorphic solutions ($E_8 \oplus E_8$ and D_{16}^+). Isolating a unique geometry from this set requires $\log_2(2) = 1$ bit of additional specification (applied strictly to the ground-state definition, not to dynamical excitations). Because the Closure Constraint enforces **zero bits** of external specification, this substrate is not self-specifying.
5. At $n = 24$: Twenty-four distinct Niemeier lattices exist, requiring $\log_2(24) \approx 4.58$ bits of specifying information to resolve the degeneracy, similarly to violating the Closure Constraint.
6. The number of distinct even self-dual lattices grows extremely rapidly with dimension. For example, in dimension 32, there are more than 80 million such lattices.

The E_8 lattice is strictly constrained by its low dimensionality and because it is the **only self-dual geometry that requires zero bits of selection information**. It is uniquely self-defining.

This unique self-consistent solution is strictly constrained prior to the emergence of time, eliminating any argument of spontaneous symmetry breaking which would require fluctuations, transition rates, and a dynamical framework that does not yet exist and which the substrate must first generate.

The optimality of the E_8 lattice extends beyond self-duality. Viazovska's proof establishes it as the densest sphere packing in eight dimensions [11], representing the unique solution to a strict geometric extremization problem. This reinforces its status as the baseline substrate requiring zero selection information: E_8 is self-defining, algorithmically minimal, and geometrically optimal.

B. The Symmetric Decomposition

To process information, the substrate must distinguish coordinate addresses from internal state configurations. This requires breaking the parent E_8 symmetry into orthogonal sectors: one for spacetime addressing, one for node state. Any such decomposition must preserve the self-duality required by Conservation ($\Lambda = \Lambda^*$), so the glue group must reconstruct the parent lattice from its orthogonal sublattices.

Candidate Rank-4 Subsectors. Because E_8 has rank 8, a bisection requires two orthogonal rank-4 sublattices. The irreducible rank-4 root systems are A_4 , B_4 , C_4 , D_4 , and F_4 . B_4 and C_4 violate Evenness (roots of two distinct lengths). F_4 , while even, is not self-dual. This leaves $A_4 \oplus A_4$ and $D_4 \oplus D_4$.

- **The A_4 No-Go (Closure Mismatch):** The $A_4 \oplus A_4$ decomposition has index 5 in E_8 , yielding a cyclic glue group $\mathbb{Z}_5$. Because $\mathbb{Z}_5$ is cyclic of prime order, it has no non-trivial proper subgroups, so its five states cannot be partitioned into a self-contained addressing scheme without an externally specified translation table, violating the Closure Constraint.
- **The D_4 Solution (The Unitary Partition):** The $D_4 \oplus D_4$ decomposition has index 4 in E_8 , yielding a glue group of involutions. This supports a self-contained addressing scheme with zero external specification. Furthermore, D_4 is the unique rank-4 even lattice supporting **Triality**, providing the geometric symmetry required for Map and Causality.

The bare $D_4 \oplus D_4$ sublattice has volume 4 and is not self-dual; the four cosets of the glue group complete it to the full E_8 lattice, which is strictly unimodular ($\text{vol} = 1$) and self-dual. The substrate is the full E_8 lattice, not the bare orthogonal sum.

Therefore, $E_8 \rightarrow D_4 \oplus D_4$ is the **strictly unique** decomposition preserving global Conservation while generating the chiral structure required for information processing. It partitions the 8 dimensions into two orthogonal sectors:

1. **Sector A (Coordinate Sector):** The first D_4 defines coordinate addresses. Rank 4 (four independent Cartan generators) projects naturally onto a 4-dimensional coordinate manifold, fixing $D = 4$.
2. **Sector B (State Sector):** The second D_4 encodes internal node configuration. These four dimensions are internal degrees of freedom, not coordinate directions.

This structural partition explains why the substrate appears 4-dimensional with complex internal structure, without additional coordinate dimensions.

C. Node Hardware: The Bit-Depth ($\nu = 16$)

The projection $E_8 \rightarrow D_4 \oplus D_4$ creates two orthogonal sectors. To support persistent information processing, the node must satisfy two encoding requirements:

1. **Phase Discrimination (Map):** The system must distinguish a state from its conjugate ($\psi \neq \bar{\psi}$), requiring a complex structure.
2. **Directional Flow (Causality):** The system must distinguish input from output, requiring two distinct channels.

The D_4 lattice carries $\mathfrak{so}(8)$ symmetry, which acts on 8-dimensional spinor representations. A single 8-dimensional real spinor channel cannot satisfy either requirement: it is self-conjugate ($\psi = \bar{\psi}$), creating phase ambiguity that collapses the Map, and it provides only one channel, preventing the directional distinction required by Causality.

However, D_4 possesses a unique **Triality** symmetry that provides two independent 8-dimensional chiral representations (8_L and 8_R). Taken together, these provide 16 real degrees of freedom, forming an 8-dimensional complex representation that restores phase discrimination. Taken separately, their distinct chirality allows the node to assign one channel to input and the other to output, structurally enforcing directional flow.

The internal channel capacity **per sector** is therefore:

$$\nu = \dim(8_L) + \dim(8_R) = 8 + 8 = \mathbf{16}. \quad (4)$$

By deriving $\nu = 16$ strictly from the rank-4 D_4 hardware, we satisfy the channel capacity requirements without embedding in a higher-dimensional gauge group.

D. The Metric Signature and Causality

As established in section IV B, the projection $E_8 \rightarrow D_4 \oplus D_4$ fixes Sector A as the 4-dimensional coordinate manifold and Sector B as the internal state space. We now ask: what metric signature does Sector A need to faithfully carry the 16-channel signal derived in section IV C? To preserve complex phase discrimination and directional flow, the metric algebra must generate a geometric imaginary unit i (compressing $16\mathbb{R} \rightarrow 8\mathbb{C}$) and support chiral projectors (splitting $8\mathbb{C} \rightarrow 4\mathbb{C}_L + 4\mathbb{C}_R$).

The algebraic structure of the D_4 spinor representation mandates a metric signature whose volume element can serve as the geometric imaginary unit. Among the three admissible signatures for a 4-dimensional manifold, only the Lorentzian signature $(-, +, +, +)$ yields a Clifford volume element squaring to $\omega^2 = -1$. Euclidean $(+, +, +, +)$ and split $(2, 2)$ signatures both give $\omega^2 = +1$, producing a strictly real center ($\mathbb{R} \oplus \mathbb{R}$) that cannot support the required complex structure or chiral projectors. A substrate with either would be a static, real-valued block with no capacity for phase or flow.

The Lorentzian signature $(-, +, +, +)$ is thus the unique valid solution. In signature $(1, 3)$, the Clifford volume element squares to $\omega^2 = -1$, functioning as the geometric imaginary unit ($i \equiv \omega$). This naturally generates both the complex structure required to compress the signal and the chiral projectors required to sort it into directed halves, without separating internal and external spaces. At this quiescent static baseline, the Lorentzian signature is not a dynamical continuous wave equation (which emerges only in the macroscopic limit), but strictly an algebraic requirement of the Clifford volume element necessary to support complex chiral representation on the discrete node.

Crucially, the E_8 substrate remains Euclidean. The Lorentzian signature is *effective*: it emerges in Sector A because the algebraic requirements of the D_4 spinor representation can only be satisfied by a metric whose volume element provides the geometric imaginary unit. Sector B retains the Euclidean metric; it lacks a timelike generator and cannot propagate signals. Only one D_4 factor supports causal evolution, distinguishing spacetime from internal symmetry.

The geometric requirement for complex conjugation ($\psi \leftrightarrow \bar{\psi}$) enabled by the imaginary unit creates a strictly bipartite state space.

E. The Total Node Capacity (N)

Because the $E_8 \rightarrow D_4 \oplus D_4$ decomposition is symmetric, both sectors inherit the 16-channel structure. The total node capacity is:

$$N = \nu_{\text{Sector A}} + \nu_{\text{Sector B}} = 16 + 16 = \mathbf{32} \quad (5)$$

This integer $N = 32$ represents the total number of distinct state channels available for encoding information on the lattice substrate.

F. The System Logic ($\sigma=5$ and $\chi=2$)

To satisfy the Map pillar, a persistent entity must distinguish its internal state from the ambient environment. But **Finiteness** and **Conservation** demand homogeneity and self-duality, so its coordinate address and boundary topology must be orthogonal specifications. Geometrically, this requires a topological defect, a localized boundary separating a region from the vacuum without violating background homogeneity. The minimal embedding dimension for this orthogonal decomposition is σ , the geometric degrees of freedom available for state transition.

1. The Topological Boundary ($\chi = 2$)

To satisfy the **Binary Partition Constraint**, a persistent entity in the substrate must be an **extended closed boundary structure**: a circulation of information confined to a finite region, with a boundary that separates “Inside” from “Outside”. The minimal such boundary is the unique simply-connected closed surface, the sphere (S^2 , $\chi = 2$, $g = 0$). A defect is therefore not a point-like flaw.

We derive this by analyzing the Euler Characteristic for closed, orientable surfaces:

$$\chi = 2 - 2g \quad (6)$$

where g is the genus (number of holes).

- **The Exclusion of $g \geq 1$ (The Leaky Partition):** Any topology with one or more holes (Torus $g = 1$, Double Torus $g = 2$, etc.) fails to define a strict binary separation.

- *Information-Theoretic Failure:* A genus $g \geq 1$ surface is not simply connected. It supports non-contractible loops, closed paths that thread through the holes without intersecting the surface. This creates informational ambiguity: information flux can traverse the topology without being strictly partitioned into “Inside” or “Outside,” rendering the total conserved quantity associated with the boundary ill-defined.
- *Capacity Failure:* By the Gauss-Bonnet theorem ($\int_M K dA = 2\pi\chi$), any surface with $g \geq 1$ yields $\chi \leq 0$. Because the Map impedance scales with χ , a neutral or negative Euler characteristic provides zero topological boundary cost, meaning the structure possesses no independent capacity to resist dissolving into the ambient geometric noise of the lattice.

- **The Uniqueness of $g = 0$ (The Sphere):** The sphere is the unique simply-connected closed surface ($g = 0$) which uniquely yields $\chi = 2$, the maximum possible value for any closed surface. It is the only simply connected topology, ensuring that all loops contract to a point. This forces all information flux to be either contained or excluded, enabling the perfect binary partition of state required for a persistent, distinguishable topological defect.

a. Forward Implication (System 2 Consequence): The invariant $\chi = 2$ is the necessary and sufficient condition for **information flux quantization**. Because χ must be an integer and $\chi = 2$ is the unique maximum for closed surfaces, the information flux associated with this topology is discrete. You can have 1 sphere or 2 spheres, but not 1.5 spheres. This geometric constraint allows the continuous lattice field to support countable units of information flux (which manifests macroscopically as elementary charge).

2. The Embedding Invariant ($\sigma = 5$)

A persistent defect requires two independent specifications: its spatial address (where it is) and its topological boundary (what it is). Homogeneity forbids these from depending on each other, so the configuration space is the Cartesian product $\mathcal{C}_{\text{defect}} = \mathcal{M}_{\text{space}} \times S^2$ and by definition, the dimension of a product manifold is the sum of its factors, $\dim(\mathcal{M}_{\text{space}} \times S^2) = \dim(\mathcal{M}_{\text{space}}) + \dim(S^2)$.

The dimensions of these two orthogonal factors are uniquely constrained:

- **Spatial freedom** ($\dim(\mathcal{M}_{\text{space}}) = 3$). Causality allocates one dimension of the $D = 4$ manifold to time (section IV D), leaving three for spatial position. An S^2 boundary that separates a finite interior from an exterior intrinsically requires three ambient spatial dimensions; in fewer, it cannot enclose a bulk volume.
- **Boundary coordinates** ($\dim(S^2) = 2$). The simply-connected defect boundary is a sphere (section IV F 1), requiring two intrinsic parameters (e.g., θ, ϕ).

The minimal geometric embedding dimension is therefore:

$$\sigma = \dim(\mathcal{M}_{\text{space}}) + \dim(S^2) = 3 + 2 = 5 \quad (7)$$

Note: $\sigma = 5$ represents the minimal spatial and boundary embedding dimension for a persistent topological defect, not the gauge-group rank of an effective quantum field theory.

G. The Fundamental Resonance ($\Delta = 43$)

For a system to reliably track its own history (Causality) without losing information (Conservation), its fundamental clock cycle must map perfectly onto a closed, reversible mathematical loop. If the loop allows multiple distinct histories to produce the exact same current state, information is destroyed. The geometric period (Δ) is therefore strictly constrained to structures that guarantees a unique, non-degenerate causal history.

To derive the fundamental clocking period (Δ) of the lattice’s causal cycle we apply three independent constraints to uniquely isolate the substrate’s resonant cycle:

- Conservation (the unitarity dual) restricts Δ to the Stark–Heegner numbers.
- Causality requires $\Delta \geq N = 32$.
- Relational Time and Temporal Degeneracy requires $\Delta \leq 2N = 64$.

1. Conservation and the Class Number Constraint

For the vacuum to preserve quantum unitarity ($\hat{U}^\dagger \hat{U} = I$), its causal history must be uniquely reconstructable: multiple distinct causal histories cannot blend into identical outcomes, or information is irreversibly lost. Paralleling our methodology of separating System 0 (Requirements) from System 1 (Substrate Selection), we first define the structural requirements of this causal loop, then apply the mathematical theorems that uniquely solve them.

a. The Structural Requirements. Three geometric constraints define the physical boundaries of the causal history:

(R1) *The Causal Torus $\Rightarrow$ Complex Structure.* As derived in section IV D, the Lorentzian signature pairs the temporal step with the spatial step ($\delta t = i \delta x$). Causal propagation over a fundamental cycle Δ therefore forms a periodic $(1+1)$ D loop. Analytically, this defines a complex torus ($\mathbb{C}/\Lambda$) endowed with a complex structure.

(R2) *Self-Duality $\Rightarrow$ Maximal Symmetry.* To preserve the parent lattice's self-duality (Section IV B), this causal loop must be invariant under modular inversion ($\mathcal{S} : z \mapsto -1/z$). Furthermore, the Closure Constraint forbids the use of external memory to specify arbitrary sub-structures (conductor $f > 1$). The loop must therefore be generated by its maximal possible endomorphism ring.

(R3) *Unique Reconstructability $\Rightarrow$ No Degeneracy.* Unitarity demands that local transition data uniquely determines the global causal history. If multiple non-isomorphic global loops share identical local invariants, the substrate cannot invert the state transformation, resulting in **Causal Degeneracy**.

b. The Mathematical Solution. We now apply algebraic number theory to identify the unique mathematical structures that solve these physical requirements:

(M1) *Imaginary Quadratic Fields (Solving R1).* The complex structure of the causal torus ($\mathbb{C}/\Lambda$) generated by a discrete cycle of length Δ is analytically governed by an imaginary quadratic field $K = \mathbb{Q}(\sqrt{-\Delta})$.

(M2) *Complex Multiplication (Solving R2).* To satisfy the modular invariance and maximal ring constraints of R2, the complex torus must mathematically carry **complex multiplication** by the maximal order $\mathcal{O}_K$ of the field K . This rigorously identifies the geometric period as the absolute discriminant: $\Delta = |D_K|$.

(M3) *The Class Number (Solving R3).* In algebraic number theory, the number of non-isomorphic complex tori sharing the exact same endomorphism ring is given by the class number $h(D_K)$. To prevent the causal degeneracy forbidden by R3, the class group must be trivial, strictly requiring $h(D_K) = 1$. (For the geometric proof, see appendix B.) *The connection to number theory is architectural, not dynamical: $h(D_K)$ counts the distinct global causal histories compatible with local data, and unitarity requires this count to be exactly one.*

(M4) *Baker–Heegner–Stark Enumeration.* To identify the exact temporal periods that satisfy all constraints, we apply the Baker–Heegner–Stark the-

orem. It proves there are exactly nine imaginary quadratic fields whose maximal order has $h = 1$. Their fundamental discriminants uniquely restrict the universally available temporal periods to the Heegner numbers: $\Delta \in \{3, 4, 7, 8, 11, 19, 43, 67, 163\}$.

The Conservation requirements therefore strictly restrict the temporal modulus to:

$$\Delta \in \{3, 4, 7, 8, 11, 19, 43, 67, 163\} \quad (8)$$

2. Causality (The “Bandwidth”) Constraint

To satisfy Causality we apply the constraint $\Delta \geq N = 32$ (established in section III C) leaving: $\Delta \in \{43, 67, 163\}$

3. Relational Time and Temporal Degeneracy

a. Premises: Three established constraints govern the temporal structure: (1) *Closure*: no external clock exists; (2) *Finiteness*: all $N = 32$ channels are allocated to state representation, leaving zero residual capacity for an internal run-length counter; (3) *Homogeneity*: spatial neighbors are geometrically identical during static intervals and cannot serve as surrogate clocks.

b. The aliasing problem: A fundamental cycle contains N active transitions and $M = \Delta - N$ inert intervals. An inert interval carries no state transition and therefore no intrinsic temporal marker. A run of $k \geq 2$ consecutive inert slots presents identical local data at its bounding active transitions regardless of k ; the mapping from local observations to elapsed time is non-injective. This is **Causal Aliasing**, violating the Causality requirement.

c. The structural requirement: Unique reconstructability therefore requires that no two inert intervals be adjacent ($k_{\max} = 1$).

d. The bound: On a periodic loop, separating M inert intervals so that no two are adjacent requires at least M active transitions as separators. Hence $N \geq M = \Delta - N$, yielding:

$$\Delta \leq 2N = 64. \quad (9)$$

This bound is necessary and sufficient under the three premises above.

With $N = 32$, this eliminates the Stark–Heegner candidates 67 and 163, isolating $\Delta = 43$ as the strictly unique geometric solution.

H. Manifold Resolution

Given that the substrate is a $D = 4$ dimensional manifold with fundamental temporal cycle $\Delta = 43$, the theoretical maximum number of distinct spacetime slots the

local geometry can support per fundamental update cycle is the product:

$$R_M = D\Delta = 4 \cdot 43 = 172 \quad (10)$$

This product counts the total coordinate-period budget: each of the $D = 4$ coordinate directions (including time, which must be explicitly addressed within the causal patch) is resolvable over $\Delta = 43$ temporal phases, yielding $D\Delta = 172$ independent coordinate-period slots. It is an information-theoretic capacity count, not a geometric volume.

Persistent topological defects occupy subsets of this address space; their operational costs in System 2 scale with the fraction of R_M utilized.

This completes the substrate's information geometry: $\nu = 16$ encodes what a single spinor holds, $N = 32$ the total channels at a node, and $R_M = 172$ the spacetime addresses available per cycle.

I. Substrate Resolution Limits

The vacuum substrate processes information at three hierarchical scales. These resolution limits are intrinsic properties of the lattice; they define the thresholds below which structured signals dissolve into geometric noise. Operating on orthogonal channels, their description lengths combine additively.

a. Intrinsic load ($L_{intrinsic} = 23$) The minimum information to specify a defect's internal state and local geometric footprint: the chiral channel configuration ($\nu = 16$), the local interaction embedding ($\sigma = 5$), and the boundary topological invariant ($\chi = 2$). These orthogonal components set the internal resolution limit:

$$L_{intrinsic} = \nu + \sigma + \chi = 16 + 5 + 2 = \mathbf{23} \quad (11)$$

b. Embedding load ($L_{embed} = 31$) The total information to specify a defect's complete configuration. Causality requires more than a static coordinate: the state must specify both its current manifold location and its causal successor ($D = 4$ each) without external boundary conditions. This geometric doubling defines the minimal directed causal trajectory:

$$L_{embed} = L_{intrinsic} + 2D = 23 + 8 = \mathbf{31} \quad (12)$$

c. Substrate load ($L_{substrate} = 188$) The total intrinsic structural complexity processed per fundamental cycle, summing the available spacetime addresses ($R_M = 172$) and the native nodal channel infrastructure ($\nu = 16$):

$$L_{substrate} = R_M + \nu = 172 + 16 = \mathbf{188} \quad (13)$$

J. The E_8 Lattice Substrate System

The E_8 lattice substrate instantiates the six-pillar architecture as follows:

- **Capacity:** The state-transition budget $N = 32$ chiral channels per fundamental cycle.
- **Map:** The persistent embedding dimension $\sigma = 5$.
- **Protocol:** The chiral bit-depth $\nu = 16$.
- **Governor:** The topological boundary $\chi = 2$ (the simply-connected sphere S^2).
- **Toll:** The causal overhead $M = \Delta - N = 11$ intervals per cycle.
- **Margin:** The resolution floor $L_{embed} = 31$.

No continuous degrees of freedom remain. The E_8 substrate is therefore a minimal persistent system: each architectural requirement is satisfied by a discrete invariant derived from the closure constraint. Together this establish the unique self-specifying substrate from which all observable structure must emerge.

V. SYSTEM 2: GEOMETRIC IMPEDANCE AND CAUSAL PROPAGATION PROBABILITY

The E_8 substrate is a maximally constrained, zero-flux causal network. At Quiescent Equilibrium there is no kinetic motion in the traditional sense. Yet persistence across discrete time requires that the substrate's structural state be transferred from one temporal node to the next. This is not dynamical propagation but **causal serialization**: the defect must re-assert its boundary at each clock tick or dissolve into the homogeneous background. In this discrete setting, the natural measure of structural survival is the network **admittance** $Y = 1/Z$.

On this geometric substrate, the admittance represents the fundamental **causal coupling** (κ): the probability that information successfully transfers to the next temporal node without decohering:

$$\kappa \equiv Y = \frac{1}{Z_{geo}}. \quad (14)$$

On a homogeneous network, any localized state naturally tends to disperse into geometric noise. To remain persistently observable, a configuration must maintain a stable topological partition across its fundamental causal cycle. Under the mechanics of persistence, the structural cost of survival is governed by a variational impedance. The six orthogonal pillars act as competing geometric forces. They contribute either Open-Loop Structural Costs or Active Feedback Reductions, which sum linearly to the total geometric impedance.

A. The Resonant Circumference (Capacity)

Capacity contributes an **Open-Loop Structural Cost** that prevents *instantaneous delocalization*. It is the absolute geometric allocation of the spatial envelope: the continuous perimeter required to enclose the configuration across its fundamental cycle. Because the defect is defined strictly by its topological boundary and its interior is indistinguishable from the vacuum, the entropic cost is a boundary measure, not a bulk volume.

At the network speed limit ($c = 1$), a signal can traverse at most one lattice spacing per cycle. To maintain a single coherent boundary over the full Δ cycle, a signal must complete a round trip from the defect's center to its edge and back, bounding the causal radius to $\Delta/2$ and the diameter to $D = \Delta$.

At Quiescent Equilibrium, the substrate's footprint is evaluated on its native positive-definite (Euclidean) metric required by Conservation (Section III B 1), with causal propagation restricted to a $(1+1)D$ plane (x, τ) .

By Homogeneity, macroscopic observables must be invariant under lattice orientation; any discrete anisotropy cancels in the orientation average. The invariant envelope (the union of all valid closed Δ -cycles, averaged over all orientations) is therefore a continuous, isotropic disk of circumference πD evaluated on the native Euclidean metric. Because the defect interior is indistinguishable from the vacuum, the entropic cost is the measure of its smooth boundary.

$$Z_{CAP} = C = \pi D = \pi \Delta \approx 135.088\,484\,104\,361 \quad (15)$$

The dominant contribution to the vacuum impedance ($\approx 99.9\%$) originates from this fundamental geometry (this corresponds in the standard effective field theory dual to the Wilson Loop).

B. Topological Boundary (Map)

Map contributes an **Open-Loop Structural Cost** that prevents *boundary dissolution*. It is the absolute allocation of the topological boundary ($\chi = 2$) that prevents internal state data from leaking into the unquantized background.

As derived in Section IV F 1, the minimal persistent defect is the simply-connected sphere (S^2), which carries the maximum Euler characteristic for any closed surface:

$$Z_{MAP} = +\chi = 2 \quad (16)$$

Because χ is a pure topological invariant, it is exact and structurally forbidden from scaling, running, or acquiring continuous corrections.

C. Alignment Efficiency (Protocol)

Protocol acts as an **Active Feedback Reduction** that prevents *internal phase decoherence*. Unlike the absolute allocations of Capacity and Map, Protocol coordinates phase information across existing orthogonal channels (Sectors A and B). Its contribution is therefore a fractional ratio of the residual coordination capacity.

The manifold resolution $R_M = D\Delta$ (Section IV H) is the total available coordination capacity, the maximum distinct spacetime addresses per fundamental cycle. A localized defect consumes exactly $\sigma = 5$ degrees of freedom to define its geometric embedding, leaving residual capacity:

$$C_{res} = R_M - \sigma = (4 \cdot 43) - 5 = 167 \quad (17)$$

Entropic impedance is the inverse of flow capacity. The greater the residual capacity, the lower the resistance to phase transport, and because efficient coordination reduces net dissipation, this contribution is an organizational gain, strictly negative in the overall structural budget:

$$Z_{PRO} = -\frac{1}{C_{res}} = -\frac{1}{167} \approx -0.005\,988\,023\,952 \quad (18)$$

D. Stabilizing Potential (Governor)

Governor acts as an **Active Feedback Reduction** that prevents *feedback runaway*. It is the uniform distribution of the topological boundary constraint across the fundamental causal loop, converting the static boundary invariant into a stabilizing density that suppresses unbounded divergence.

By Homogeneity, this constraint cannot be anchored to any preferred temporal coordinate; it must be distributed maximally uniformly across the loop of length $\Delta = 43$. To prevent non-linear self-interactions which would violate the vacuum's minimal interaction rule (the Toll constraint), the geometric coupling must be strictly first-order (linear). The exact stabilizing potential density is therefore the linear ratio of the boundary ($\chi = 2$) to the loop length ($\Delta = 43$). As an organizational gain, its contribution is negative:

$$Z_{GOV} = -\frac{\chi}{\Delta} = -\frac{2}{43} \approx -0.046\,511\,627\,907 \quad (19)$$

E. Entropic Transition (Toll)

Toll contributes an **Open-Loop Structural Cost** that prevents *causal collapse* (Zeno breakdown). It is the eliminative filter that selects valid state transitions from the unconstrained combinatorial background. Its contribution is therefore a probability ratio: the minimal

valid phase space divided by the maximal unconstrained phase space.

$$Z_{TOL} = \frac{\Omega_{valid}}{\Omega_{max}}. \quad (20)$$

The numerator, the minimal state transition, is defined by three geometric filters required to prevent non-unitary mixing, unquantized flux, or coordinate self-aliasing:

1. **State Identity (1):** The interaction acts as the identity on internal channel configuration.
2. **Topological Flux ($\chi = 2$):** The boundary permits exactly two independent flux orientations.
3. **Coordinate Non-Degeneracy ($R_M - \sigma$):** The transition target cannot alias with the interaction's own geometric embedding, leaving the orthogonal residual ($R_M - \sigma$) valid coordinates.

These three filters are independently necessary and jointly sufficient; no fourth filter is available because the $E_8 \rightarrow D_4 \oplus D_4$ projection exhausts the node's orthogonal geometric generators. Because identity (Sector B), topological flux (Sector A), and coordinate non-degeneracy ($R_M - \sigma$) govern strictly orthogonal configuration spaces, their independent valid state counts combine multiplicatively. The minimal valid phase space is therefore exactly:

$$\Omega_{valid} = 1 \cdot \chi \cdot (R_M - \sigma). \quad (21)$$

The denominator counts independent dimensions of the unconstrained configuration manifold. On the substrate, a non-trivial state transition requires an interaction; a 2-point operation is mere propagation (identity). To conserve information across distinct channel types, the lattice must couple them in symmetric groups of three: any fewer channels cannot mediate a non-trivial interaction, while any additional channel must duplicate an existing type and collapse distinct states into a single temporal slot. This geometric requirement forces the minimal interaction vertex to be a triality singlet: $\mathbf{8}_v \otimes \mathbf{8}_s \otimes \mathbf{8}_c \rightarrow \mathbf{1}$. Because the D_4 spinor structure provides exactly three independent 8-dimensional representations, a fourth leg would produce Causal Aliasing, rendering the causal history non-injective and violating Unitarity. Higher-point transitions are therefore composite sequences of 3-point vertices.

With no external observer to assign internal channel roles prior to interaction, an unconstrained 3-point vertex cannot pre-distinguish between Sector A and Sector B degrees of freedom. Rather than being restricted to the single-sector internal bit-depth $\nu = 16$, each leg independently samples the total topological node capacity $N = 2\nu = 32$ across both orthogonal sectors.

The unconstrained phase space of admissible state assignments for a 3-leg vertex is therefore N^3 . Combining

this with the local interaction degrees of freedom ($\sigma = 5$) and the available manifold addresses ($R_M = 172$), the maximal unconstrained phase space is the Cartesian product:

$$\Omega_{max} = N^3 \cdot \sigma \cdot R_M. \quad (22)$$

The Toll is therefore the ratio of minimal valid to maximal unconstrained phase space:

$$\begin{aligned} Z_{TOL} &= \frac{\Omega_{valid}}{\Omega_{max}} = \frac{\chi(R_M - \sigma)}{N^3 \sigma R_M} \\ &\approx 1.185\,217\,569\,041 \times 10^{-5} \end{aligned} \quad (23)$$

F. Resolution Floor (Margin)

Margin contributes an **Open-Loop Structural Cost** that prevents *stochastic fragility*. It is the resolution threshold that buffers the signal against geometric noise. Its contribution is therefore a fractional dilution factor: one quantum of structured information divided by the minimal configuration volume.

The minimum resolvable signal is exactly 1 quantum of information diluted across the *minimal* number of distinct configurations (V_{config}) required to specify a localized defect. The minimal configuration volume requires three domains to exhaust the node's orthogonal geometric generators and prevent underspecification:

1. **The State Vector ($L_{embed} = 31$):** The total description length of a dynamic defect, structurally derived in paragraph IV I 0 b.
2. **The Local Interaction Volume ($V_{local} = \sigma + 1 = 6$):** A localized lattice interaction is a connected subgraph spanning $\sigma = 5$ independent directions from a central node. To strictly localize the interaction to a single neighborhood, the maximum distance from the center to any node must be 1 (graph radius $r = 1$). The Star Graph (S_σ) is the strictly unique connected tree topology of σ edges that possesses a radius of 1; any other connected tree has radius $r \geq 2$, delocalizing the interaction across multiple neighborhoods and violating the Orthogonality Condition. The minimal local volume is therefore $\sigma + 1 = 6$.
3. **The Causal Area ($A_{causal} = \Delta^2$):** As established in section IV G 1, fundamental causality restricts information propagation on the discrete substrate to a local $(1 + 1)\text{D}$ plane. Operating at the maximum speed limit $c \equiv 1$, a fundamental cycle of temporal duration Δ sweeps a 1D spatial horizon of length Δ . The resulting spacetime resolution count is strictly $\Delta \cdot \Delta = \Delta^2$.

Because state vector, local topology, and causal horizon constitute orthogonal configuration spaces, their independent specification domains combine via Cartesian product, yielding a multiplicative volume:

$$V_{config} = L_{embed} \cdot (\sigma + 1) \cdot \Delta^2 \quad (24)$$

The Margin impedance is the reciprocal dilution factor: the fraction of the total configuration volume occupied by a single quantum of structured information:

$$\begin{aligned} Z_{MAR} &= \frac{1}{V_{config}} = \frac{1}{L_{embed} \cdot (\sigma + 1) \cdot \Delta^2} \\ &= \frac{1}{31 \cdot (5 + 1) \cdot 43^2} \approx 2.907\,703\,670\,104 \times 10^{-6} \end{aligned} \quad (25)$$

G. The Additive Impedance Theorem

The Additive Impedance Theorem. The total geometric impedance Z_{geo} is the exact linear combination of the six pillar impedances with unit coefficients. This additive form is not an approximation; it is the unique mathematical structure consistent with the existential requirements of System 0.

Proof. The theorem rests on four structural deductions forced by the Closure Constraint and the Quiescent Equilibrium:

1. Universal Currency (Dimensional Homogeneity)

Standard physics requires conversion constants ($c, \hbar, G$) to map heterogeneous phenomena into macroscopic unit conventions. The Closure Constraint forbids external reference frames, reducing all geometric measures to a single ontological currency: the dimensionless count of elementary state transitions. With the lattice spacing and fundamental clock tick structurally defined as unity ($a = 1, \delta t = 1$), spatial perimeter, topological boundaries, and state-space allocations map bijectively to state transitions. As counts of the identical primitive operation, their linear combination is mathematically well-defined without dimensional conversion factors.

2. Unit Weighting and Kinematic Normalization

In standard physics, fractional coefficients ($1/2, 1/\sqrt{2}$) arise from external thermodynamic weights or internal kinematic projection norms. Here, the Closure Constraint forbids external thermal baths (Lagrange multipliers). Internally, because the E_8 substrate is strictly unimodular ($\text{vol}(\Lambda) = 1$) and self-dual ($\Lambda = \Lambda^*$), the geometric inner-product norm between orthogonal basis

generators is exactly unity. All combinatorial symmetries are fully internalized within each pillar's local phase-space calculation (e.g., the rational fractions in Z_{TOL} and Z_{MAR}). Consequently, inter-pillar coupling coefficients are structurally locked to $s_i = \pm 1$.

3. Strict Orthogonality and Pure Partition Factorization

To combine these pillars without cross-terms ($Z_i Z_j$), the mutual information between them must vanish identically ($I(A; B) = 0$). Because the pillars govern strictly orthogonal geometric domains at the zero-flux baseline, their mutual information vanishes, yielding a factorized partition function ($Z_{total} = \prod_i Z_i$). The resulting entropic action $S_\Phi \propto -\ln Z_{total} = \sum_i S_i$ is strictly additive. Defining total geometric impedance as this action per unit flux quantum ($Z_{geo} \equiv S_\Phi / \Phi_{top}$) maps this directly to $Z_{geo} = \sum Z_i$, ensuring all higher-order cross-terms vanish.

4. Sign Assignment via Variational Impedance

While the absolute geometric cost of instantiating each component is strictly positive, the observable stable configuration is governed by the **Variational Impedance**. In this active, closed-loop geometry, direct physical boundary allocations (Capacity, Map, Toll, Margin) represent open-loop structural costs ($s_i = +1$). Conversely, the coordination mechanisms (Protocol, Governor) act as active feedback controllers. By geometrically suppressing uncoordinated phase space across the lattice, they serve as the feedback gain that regulates the open-loop impedance, manifesting as strictly negative reductions ($s_i = -1$).

Therefore:

$$Z_{geo} = \sum_{i=1}^6 s_i Z_i. \quad (26)$$

■

This theorem establishes the unique form of the combination; the derivation of each individual term Z_i from its pillar's geometric constraints is given in sections V A to V F.

H. The Finite Sum and Causal Coupling

By the Additive Impedance Theorem, the total geometric impedance is the exact expansion of this sum using the individual structural costs derived in sections V A to V F:

$$Z_{\text{geo}} = \underbrace{\pi\Delta}_{\text{CAP}} + \underbrace{\chi}_{\text{MAP}} - \underbrace{\frac{1}{R_M - \sigma}}_{\text{PRO}} - \underbrace{\frac{\chi}{\Delta}}_{\text{GOV}} + \underbrace{\frac{1 \cdot \chi \cdot (R_M - \sigma)}{N^3 \cdot \sigma \cdot R_M}}_{\text{TOL}} + \underbrace{\frac{1}{L_{\text{embed}} \cdot (\sigma + 1) \cdot \Delta^2}}_{\text{MAR}} \quad (27)$$

Summing these geometric components gives the structural index:

$$Z_{\text{geo}} = 137.035\,999\,212\dots \quad (28)$$

Every term is an exact rational combination of the derived geometric bounds except π , which enters as the universal isotropic ratio C/Δ (Section V A). The derivation contains strictly zero continuous empirical parameters; precision is therefore limited only by the evaluation of π .

By the Network Admittance Postulate, the fundamental causal coupling (the probability of non-trivial interaction) of the E_8 substrate is exactly the inverse of this impedance:

$$\kappa = \frac{1}{Z_{\text{geo}}} \approx \frac{1}{137.035\,999\,212} \quad (29)$$

VI. EMPIRICAL CORRESPONDENCES AND OBSERVED CONSTANTS

The structural index Z_{geo} is strictly dimensionless. To validate it against experiment, we translate the geometric bounds into macroscopic observables using the standard dimensional scaffolding ($\hbar$, c , ϵ_0) that observers employ to measure flux. These are correspondence identities; they do not derive dimensional constants from the lattice.

The primary identification is with the inverse fine-structure constant. In macroscopic Quantum Electrodynamics (QED), the fine-structure constant α represents the dimensionless probability of interaction at any given vertex, precisely the role played by the substrate's causal coupling κ . We therefore establish the empirical correspondence:

$$\alpha^{-1}(0) \equiv Z_{\text{geo}} \approx 137.035999212 \quad (30)$$

$$\alpha(0) \equiv \kappa \approx \frac{1}{137.035999212}$$

Because System 1 strictly isolates the substrate at **Quiescent Equilibrium** (zero external flux, no dynamic macroscopic fields), this calculation structurally corresponds directly to the deep infrared limit ($Q^2 \rightarrow 0$) of standard physics. The substrate's geometric admittance natively provides the zero-momentum fine-structure constant, demonstrating that the QED interaction probability perfectly mirrors the structural bounds of the underlying information substrate prior to dynamical screening (Renormalization Group running) at higher energies.

From this primary identification ($\alpha^{-1}(0) \equiv Z_{\text{geo}}$), three further corollaries follow: the elementary charge as the quantized flux unit, the von Klitzing resistance as the channel quantization, and the geometric load limit as the vacuum breakdown threshold.

A. The Fine-Structure Constant and Quantization Gap

The structural index Z_{geo} quantifies the substrate's intrinsic dimensionless coupling strength. In the analytic continuum dual, a static bound of this magnitude is identified with the inverse fine-structure constant, $\alpha^{-1}(0)$, with standard renormalization-group running governing dynamic variation around this fixed infrared baseline.

Recent experimental values (Table I) of $\alpha^{-1}(0)$ do not form a simple consensus and reflect ongoing metrological tension. Morel (2020) and Parker (2018) measure $\alpha^{-1}(0)$ kinematically using photon recoil (Rubidium and Cesium, respectively). Fan (2023) determines $\alpha^{-1}(0)$ via the electron anomalous magnetic moment ($g - 2$). That these independent measurements are mutually exclusive is an open problem in standard metrology. CODATA (2022) synthesizes these conflicting inputs and its uncertainty reflects this tension.

Source	Value ($\alpha^{-1}(0)$)	Dev.
Morel (2020)	$137.035\,999\,206 \pm 0.000\,000\,011$ [12]	$+0.58\sigma$
Fan (2023)	$137.035\,999\,166 \pm 0.000\,000\,015$ [13]	$+3.09\sigma$
Parker (2018)	$137.035\,999\,046 \pm 0.000\,000\,027$ [14]	$+6.16\sigma$
CODATA (2022)	$137.035\,999\,177 \pm 0.000\,000\,021$ [15]	$+1.68\sigma$

Table I. Comparison of the E_8 -Persistence structural index Z_{geo} against experimental determinations of $\alpha^{-1}(0)$. Deviation is computed as $|Z_{\text{geo}} - \alpha^{-1}(0)_{\text{exp}}|/\sigma_{\text{exp}}$.

a. The QED extraction tension and the Quantization Gap. Standard QED serves as the analytic continuum dual to this discrete architecture. Dimensional regularization approximates the substrate at low loop orders by treating spacetime as continuous. However, because the substrate possesses finite channel capacity ($\nu = 16$ per sector, $N = 32$ total), this continuum approximation must eventually break down when its combinatorial complexity outstrips the discrete hardware. The number of QED diagrams grows factorially with loop order, while the available combinatorial state space of the substrate scales only exponentially as $\nu^n = 16^n$. Because factorial growth strictly overtakes finite exponential capacity, the continuous expansion must encounter the substrate's information-theoretic resolution limit at high loop orders. We term this regime the **Quantization Gap**.

Dyson's 1952 observation[16] that the QED perturbative series is divergent asymptotic identified the mathematical signature; the E_8 substrate provides the structural mechanism. The continuum dual does not fail from a pathology in the coefficients, but from exhausting the

finite Shannon capacity of the underlying geometric hardware.

Morel (2020) measures α kinematically, a direct macroscopic probe of the geometric impedance that does not rely on quantum loop corrections. Fan (2023), by contrast, extracts α from a 10th-order (5-loop) QED perturbative expansion, placing it precisely in the regime where the continuum dual approaches capacity saturation. The $+3.09\sigma$ deviation observed in Fan (2023) is consistent with the expected onset of the Quantization Gap, though it does not alone constitute confirmation.

b. Falsification criterion. If pure kinematic measurements continue to converge to $\alpha^{-1}(0) \approx 137.035999212$ while 6+ loop QED extractions systematically diverge from this value, the Quantization Gap is confirmed. Conversely, convergence of both methods to a single identical value differing from our geometric prediction by $> 5\sigma$ would decisively falsify the E_8 -Persistence theory.

B. The Geometric Origin of Elementary Charge

On the E_8 substrate, Z_{geo} acts as a strict flow constraint: it restricts the amount of information flux that can propagate through a $\chi = 2$ topological boundary without violating structural coherence. In standard macroscopic physics, this emergent quantum of flux is observed as the elementary charge e . Applying the empirical dimensional isomorphism that maps Z_{geo} to the inverse fine-structure coupling yields:

$$e = \sqrt{\frac{4\pi\epsilon_0\hbar c}{Z_{\text{geo}}}} \quad (31)$$

The square-root form reflects that entropic action scales quadratically with information flux, while the geometric 4π factor arises from the isotropic boundary measure of the spherical topological defect (S^2 , $\chi = 2$) enclosing the flux.

C. Macroscopic Channel Resistance

A geometric impedance should manifest as a measurable macroscopic transmission resistance. The theoretical resistance of a single discrete channel follows from three structural facts:

1. **Single channel limit:** The vacuum substrate supports discrete transmission channels.
2. **Spinor double cover:** Because the carrier states are spinors (Section IV C), completing a closed circuit to return to the initial phase requires traversing the manifold twice (720°). The measured resistance of a single loop is therefore the vacuum impedance shared across two windings: $R_{\text{channel}} = Z_{\text{channel}}/2$.

3. **Geometric coupling:** The dimensionless scaling between a single internal channel and the bulk medium is $Z_{\text{channel}}/Z_0 = Z_{\text{geo}}$, where Z_0 is the characteristic impedance of free space.

Combining these yields the structural prediction:

$$R_{\text{channel}} = \frac{Z_{\text{channel}}}{2} = \frac{Z_0}{2} Z_{\text{geo}} \approx 25\,812.807\,47\,\Omega. \quad (32)$$

The factor of $1/2$ originates strictly from the spinor double cover; Z_{geo} supplies the dimensionless geometric coupling. The observer imposes $Z_0 = \sqrt{\mu_0/\epsilon_0}$ as dimensional scaffolding to map this dimensionless geometric resistance into SI units (ohms).

a. Correspondence with the von Klitzing constant (R_K): Since the 2019 SI redefinition, $R_K = h/e^2$ is an exact defined constant (CODATA 2022: $R_K = 25812.80745 \dots \Omega$). The quantum Hall effect realizes this resistance as a macroscopic plateau, providing a precision consistency check independent of high-energy α^{-1} extractions. Because Z_{geo} corresponds to $\alpha^{-1}(0)$, the structural prediction $R_{\text{channel}} = (Z_0/2) Z_{\text{geo}}$ algebraically coincides with R_K , confirming the internal consistency of the dimensional scaffolding.

Physical consequence: the flatness of QHE plateaus. The quantization $R = R_{\text{channel}}/n$, regardless of impurities, reflects the lattice's discrete bit-depth: resistance is quantized by channel count, offering a structural origin for the topological protection traditionally attributed to electron wavefunction topology (Chern numbers) [17, 18].

D. The Geometric Load Limit

The geometric impedance Z_{geo} enforces a safety margin between operating signal and substrate breakdown. If the substrate can theoretically support a maximum unitary flux density q_{max} , the lattice impedance attenuates the stable, propagating flux $q_{\text{operating}}$ by the square root of the impedance:

$$q_{\text{operating}} = \frac{q_{\text{max}}}{\sqrt{Z_{\text{geo}}}} \approx \frac{q_{\text{max}}}{11.706\,237\,619\,85} \quad (33)$$

Verification via the Planck Charge Ratio: In standard physics, the absolute capacity of the vacuum is represented by the Planck charge q_P , and the fundamental operating flux is the elementary charge e . The empirical ratio $e/q_P \approx 0.085$ has historically lacked a structural explanation. On the E_8 substrate, this attenuation is a structural necessity preventing immediate vacuum breakdown.

a. Physical consequence: Safe load limit. The electron represents the safe operating limit of the vacuum. While the substrate can theoretically support a unitary charge (q_P), the geometric impedance restricts propagating charge to $\approx 8.542\,454\,309\,183\%$ of this maximum to maintain structural coherence.

b. Physical consequence: Vacuum breakdown as capacity limit (Schwinger limit). In the macroscopic QED dual, the standard model utilizes the electron mass m_e as a characteristic scale for the Schwinger critical field $E_c = m_e^2 c^3 / e \hbar$, marking the threshold where external electric fields spontaneously produce e^+e^- pairs [19]. Like $\hbar$, c , and ϵ_0 , the mass m_e is part of the dimensional scaffolding supplied by the observer's measurement framework; it is not derived from the lattice. The Coulomb field of an elementary charge, evaluated at the reduced Compton wavelength $\lambda = \hbar / m_e c$, scales with this critical value by exactly the fine-structure constant α :

$$\frac{e}{4\pi\epsilon_0\lambda^2} = \alpha E_c = \frac{E_c}{Z_{\text{geo}}} \quad (34)$$

The dimensionless geometric impedance factor $Z_{\text{geo}} \approx 137.035999212$ therefore represents the safety factor between the characteristic field of an isolated fundamental charge and the vacuum breakdown threshold. Any localized excitation attempting to concentrate flux beyond this margin hits the non-linear Schwinger ceiling, resolving into particle-antiparticle pairs and enforcing the substrate's ultimate capacity limit.

The fine-structure constant is the primary structural correspondence, with Z_{geo} as the dimensionless geometric index. The elementary charge, channel resistance, and vacuum breakdown threshold are algebraic consequences of this single correspondence under the standard dimensional scaffolding ($\hbar$, c , ϵ_0 , m_e). All four observables are therefore consistently constrained by the same substrate impedance.

VII. CONCLUSION

This work applied Persistence Mechanics to the most fundamental physical baseline: the quantum vacuum. We tested whether the requirement of resisting entropic decay is sufficient to define the substrate of reality. Implementing the three existential requirements (Finiteness, Conservation, and Causality) through its six-pillar architecture strictly constrained the viable vacuum substrate to the E_8 lattice projected onto a causal 4D manifold.

This purely architectural derivation intrinsically yields the spacetime geometry including the Lorentzian metric signature, a fundamental temporal cycle ($\Delta = 43$), discrete channel depth ($\nu = 16$), embedding dimension ($\sigma = 5$), and boundary topology ($\chi = 2$) as exact mathematical consequences, with no free parameters. Beyond

the structural details it is worth highlighting that applying persistence mechanics resulted in the isolation of a single substrate.

The second, decisive test evaluates whether this substrate's geometric impedance Z_{geo} (a structural index derived from the six-pillar entropic balance) correctly corresponds to the static, fine-structure constant ($\alpha^{-1}(0) = 137.035999212\dots$). This value structurally aligns with the kinematic measurement of Morel (2020) at $+0.58\sigma$ and CODATA (2022) at $+1.68\sigma$, while predicting a strict *Quantization Gap* where continuous, high-loop QED extractions must systematically diverge due to the substrate's finite channel capacity. The same six-pillar impedance is mapped consistently to the von Klitzing constant R_K and the elementary charge $e = q_P / \sqrt{Z_{\text{geo}}}$, which emerges as a flow constraint enforcing the Schwinger vacuum breakdown limit.

Having established the static baseline of the E_8 substrate, it serves as a derivational platform: these extensions provide an explicit roadmap to verify the emergence of General Relativity, the Standard Model Lagrangian, and its remaining dimensionless constants, which can then be compared against experimental values. Ultimately, the definitive proof that α^{-1} is an architectural necessity lies in whether this exact, unadjusted substrate generates the full Standard Model action and remaining constants.

These initial results have striking implications for fundamental physics if they continue to hold. Physical constants are traditionally treated as arbitrary empirical parameters requiring external measurement. The E_8 -Persistence Theory suggests instead that they are rigid geometric boundaries. The vacuum is not a passive empty space; it is a structural architecture actively solving the problem of its own existence.

If the fundamental vacuum is uniquely determined by the strict constraints of persistence, then by the Selection Principle, any persistent macroscopic system is solving the exact same architectural problem, differing only in substrate material and environmental openness.

ACKNOWLEDGMENTS

The author is an independent researcher and received no external funding for this work. I would like to thank Brian Sheppard for rigorous and constructive feedback.

-
- [1] R. Landauer, Irreversibility and Heat Generation in the Computing Process, IBM Journal of Research and Development **5**, 183 (1961).
 - [2] J. A. Wheeler, Information, Physics, Quantum: The

Search for Links, in *Proceedings III International Symposium on Foundations of Quantum Mechanics*, edited by W. J. Archibald (Physical Society of Japan, 1989) pp. 354–358.

- [3] E. Verlinde, On the origin of gravity and the laws of Newton, *Journal of High Energy Physics* **2011**, 29 (2011).
- [4] G. Bianconi, The Thermodynamics of the Gravity from Entropy Theory (2025), version Number: 2.
- [5] L. Bombelli, J. Lee, D. Meyer, and R. D. Sorkin, Space-time as a causal set, *Physical Review Letters* **59**, 521 (1987).
- [6] C. Rovelli, *Quantum Gravity*, 1st ed. (Cambridge University Press, 2004).
- [7] T. Jacobson, Thermodynamics of Spacetime: The Einstein Equation of State, *Physical Review Letters* **75**, 1260 (1995).
- [8] Kate Meyer, Persistence Mechanics: Architecture, Dynamics, and the Entropic Action (2026).
- [9] J. Distler and S. Garibaldi, There is No “Theory of Everything” Inside E_8 , *Communications in Mathematical Physics* **298**, 419 (2010).
- [10] J. H. Conway and N. J. A. Sloane, *Sphere Packings, Lattices and Groups*, edited by M. Artin, S. S. Chern, J. M. Fröhlich, E. Heinz, H. Hironaka, F. Hirzebruch, L. Hörmander, S. Mac Lane, C. C. Moore, J. K. Moser, M. Nagata, W. Schmidt, D. S. Scott, Y. G. Sinai, J. Tits, B. L. Van Der Waerden, M. Waldschmidt, S. Watanabe, M. Berger, B. Eckmann, and S. R. S. Varadhan, *Grundlehren der mathematischen Wissenschaften*, Vol. 290 (Springer New York, New York, NY, 1988).
- [11] M. Viazovska, The sphere packing problem in dimension 8, *Annals of Mathematics* **185**, 10.4007/annals.2017.185.3.7 (2017).
- [12] L. Morel, Z. Yao, P. Cladé, and S. Guellati-Khélifa, Determination of the fine-structure constant with an accuracy of 81 parts per trillion, *Nature* **588**, 61 (2020).
- [13] X. Fan, T. Myers, B. Sukra, and G. Gabrielse, Measurement of the Electron Magnetic Moment, *Physical Review Letters* **130**, 071801 (2023).
- [14] R. H. Parker, C. Yu, W. Zhong, B. Estey, and H. Müller, Measurement of the fine-structure constant as a test of the Standard Model, *Science* **360**, 191 (2018).
- [15] P. J. Mohr, D. B. Newell, B. N. Taylor, and E. Tiesinga, CODATA recommended values of the fundamental physical constants: 2022, *Reviews of Modern Physics* **97**, 025002 (2025).
- [16] F. J. Dyson, Divergence of Perturbation Theory in Quantum Electrodynamics, *Physical Review* **85**, 631 (1952).
- [17] D. J. Thouless, M. Kohmoto, M. P. Nightingale, and M. Den Nijs, Quantized Hall Conductance in a Two-Dimensional Periodic Potential, *Physical Review Letters* **49**, 405 (1982).
- [18] M. Kohmoto, Topological invariant and the quantization of the Hall conductance, *Annals of Physics* **160**, 343 (1985).
- [19] J. Schwinger, On Gauge Invariance and Vacuum Polarization, *Physical Review* **82**, 664 (1951).
- [20] A. G. Lisi, An Exceptionally Simple Theory of Everything (2007), arXiv:0711.0770 [hep-th].

Appendix A: Geometric Origin of Chiral Fermions

The exceptional Lie group E_8 has long been explored as a candidate for unification because it is the smallest simple Lie group large enough to contain the Standard Model gauge group. Most famously, Garrett Lisi pro-

posed embedding the Standard Model directly into the E_8 algebra [20]. However, the Distler-Garibaldi theorem [9] established a rigorous no-go result: any signature-preserving algebraic embedding of the Standard Model into E_8 cannot yield chiral fermions without also producing unobserved mirror partners. Their theorem holds for all embeddings where the algebraic structure remains Euclidean $(8, 0)$.

The Distler-Garibaldi constraint assumes a *signature-preserving continuous Lie algebra* embedding. The E_8 -Persistence theory operates outside this assumption via the metric signature projection $(8, 0) \rightarrow (1, 3) \oplus (4, 0)$ (derived in section IV B and section IV D). Here we demonstrate that at the **strict quiescent-equilibrium baseline** (where dynamics reduce to static structural capacity) mirror states have zero causal capacity on the observable manifold. This is consistent with the no-go theorem’s constraints at the static level; dynamical decoupling in the full effective field theory is left to future work.

a. Formal Resolution: The Distler-Garibaldi constraint assumes a *signature-preserving continuous Lie algebra* embedding. The E_8 -Persistence theory operates natively outside this assumption. As derived in section IV D, Causality strictly forces a geometric projection onto an observable Lorentzian spacetime manifold $(1, 3)$, leaving the orthogonal mirror degrees of freedom strictly within the Euclidean internal sector $(4, 0)$. Because this internal sector retains the Euclidean signature $(+, +, +, +)$, it fundamentally lacks the timelike translation generator $(P_0 = \partial_t)$ required for dynamical evolution. Consequently, mirror states lack the dynamical Hamiltonian necessary to propagate on the observable manifold.

These stationary states are not artificially deleted from the substrate’s informational budget. As established in section IV E, their degrees of freedom are fully accounted for within the internal sector’s conserved bit-depth ($\nu_{\text{Sector B}} = 16$), exhausting their contribution to the total node capacity ($N = 32$).

Lacking a time-evolution operator, they encode static internal quantum numbers rather than propagating signals. They are geometrically inert on the causal manifold at the static baseline, without violating the strictly conserved discrete capacity of the substrate.

At the quiescent-equilibrium baseline, this structural confinement renders the mirror states causally inert. No auxiliary fields or ad-hoc projection operators are required to suppress them at this static level. Whether mirror states acquire mass or decouple via a symmetry mechanism in the full dynamical theory is beyond the scope of the present derivation.

Appendix B: Informational Conservation and the Class Number

Theorem 1. *Let $\mathbb{C}/\Lambda$ be a complex torus with complex multiplication by an order $\mathcal{O}$ in an imaginary quadratic*

field. *Causal history on this torus is uniquely reconstructable from local data if and only if the class number $h(\mathcal{O}) = 1$.*

Proof. Isomorphism classes of complex tori with endomorphism ring exactly $\mathcal{O}$ are parameterized by the ideal class group $\text{Pic}(\mathcal{O})$, whose cardinality is $h(\mathcal{O})$.

If $h(\mathcal{O}) > 1$, there exist non-isomorphic tori sharing the same endomorphism ring $\mathcal{O}$. Local measurements restricted to endomorphic structure cannot distinguish between these distinct global states, resulting in **Causal**

Degeneracy: distinct global histories yield identical local signatures, violating Conservation (unitary evolution).

If $h(\mathcal{O}) = 1$, all fractional ideals are principal and the class group is trivial. Up to isomorphism, there exists exactly one torus with endomorphism ring $\mathcal{O}$. Consequently, local data uniquely specifies the global history, satisfying Conservation. $\square$