



cedarcli commands
2.9.16

git

```
add-commit-push COMMENT
branch
checkout BRANCH
clone all / docker
fetch
list branch / tag
next
pull
remote
status
```

build

```
all [--skip-tests]
<build_target> [--skip-tests]
this [--skip-tests]
split-frontends
  [--server-payload]
maven clean all
maven clean cedar
```

publish

```
all
<build_target>
this
train [--resume TRAIN_ID]
  [--dry-run]
train-status TRAIN_ID
  [--watch]
split-frontends [--dry-run]
```

release

```
plan
  --version VER
  --next-version NEXT_VER
  --from-train TRAIN_ID
  --cee-version CEE_VER

start
  --version VER
  --next-version NEXT_VER
  --from-train TRAIN_ID
  --cee-version CEE_VER
  [--verbose]
resume [--verbose]
status [--watch]
abandon
  --version VER --reason WHY
```

mode

```
native
  --profile develop|server
hybrid
  --profile develop|server
docker
--clear [--force]
```

native

```
status
start all | <run_target>
stop all | <run_target>
health
watch
restart all | <run_target>
logs <microservice>
```

docker

```
status
start
  all [--train TRAIN_ID|--local] [--pull POLICY] [--timeout SEC]
  <run_target> [--detach] [--train TRAIN_ID|--local] [--pull POLICY]
  POLICY=never|missing|always
stop all | <run_target>
build all | <run_target> | <image>
validate
setup one-time-setup | create-network
  create-certificates-volume | copy-certificates
remove containers | images | network | volumes | all
```

<build_target>

```
java
project
parent
libraries
clients
frontends
```

<run_target>

```
infra [start/stop only]
microservices
microservice all
microservice <microservice>
frontends
frontend all
frontend <frontend>
keycloak / kk [start/stop]
```

<frontend>

```
main
openview
monitoring
bridging
content
workspace
designer
```

<microservice>

```
artifact
bridge
group
impex
messaging
monitor
openview
```

```
repo
resource
schema
submission
terminology
user
valuerecommender
worker
```

repo

```
config
```

check

```
repos
versions
components
snapshots
ci
ci-env
openapi
main
```

env

```
status
list [native|docker]
filter TERM
  [native|docker]
```

cert

```
ca
domains
setup
```

dev

```
add-hosts
copy-keycloak-listener
create-directories
generate-api-key
```

prod

```
configure-frontends
reset-frontends
```