

 cedarcli commands 2.9.3	git add-commit-push COMMENT branch checkout BRANCH clone all / docker fetch list branch / tag next pull remote status	build all [--skip-tests] <build_target> [--skip-tests] this [--skip-tests] split-frontends [--server-payload] maven clean all maven clean cedar 	publish all <build_target> this train [--resume TRAIN_ID] [--dry-run] train-status TRAIN_ID split-frontends [--dry-run] 	release plan --version VER --next-version NEXT --from-train TRAIN_ID --cee-version CEE start --version VER --next-version NEXT --from-train TRAIN_ID --cee-version CEE resume status abandon --version VER --reason WHY	
mode native hybrid docker --clear [--force]	native status start all <run_target> stop all <run_target> health watch restart [microservice...] logs <microservice> 	docker status start all [--train TRAIN_ID --local] [--pull POLICY] [--timeout SEC] <run_target> [--detach] [--train TRAIN_ID --local] [--pull POLICY] POLICY=never missing always stop all <run_target> build all <run_target> <image> validate setup one-time-setup create-network create-certificates-volume copy-certificates remove containers images network volumes all			
<build_target> java project parent libraries clients frontends	<run_target> infra microservices microservice all microservice <microservice> frontends frontend all frontend <frontend> admin keycloak / kk	<frontend> main openview monitoring bridging content workspace designer 	<microservice> artifact bridge group impex messaging monitor open repo resource schema submission terminology user valuerecommender worker		
repo config	check repos versions 	env status list [native docker] filter TERM [native docker]	cert ca domains setup 	dev add-hosts copy-keycloak-listener create-directories generate-api-key	prod configure-frontends reset-frontends