

Prelude ○○	Credence ○○○○	Belief ○○○○○○○○	Extras ○○○○○○○○	Bibliography
---------------	------------------	--------------------	--------------------	--------------

# Epistemic Utility Theory

Branden Fitelson

Philosophy & RuCCS @ Rutgers

branden@fitelson.org

http://fitelson.org

Branden Fitelson	Epistemic Utility Theory
------------------	--------------------------

Prelude ●○	Credence ○○○○	Belief ○○○○○○○○	Extras ○○○○○○○○	Bibliography
---------------	------------------	--------------------	--------------------	--------------

- **Miners** [34, 26]. You are standing in front of two mine shafts (*A* and *B*). Flood waters are approaching. You know that ten miners are in one of the shafts, but you don't know which (*e.g.*, their location was determined by the result of a fair coin toss). You have enough sand bags to block one of the shafts. If the miners are in *A*, then blocking *A* saves all 10 miners (and, hence, minimizes disutility, *i.e.*, # of dead miners). If the miners are in *B*, then blocking *B* minimizes disutility. If you block neither *A* nor *B*, the water will be divided, and only the lowest miner in the shaft will die.  
**Claim.** *It is rationally permissible to block neither A nor B.*
- **Gibbard's Coin** [14, 30]. A fair coin has been tossed (and you have no information about how it landed). If it landed Heads (*H*), then believing *H* is the attitude which minimizes (epistemic) disutility (*viz.*, *inaccuracy*). If it landed Tails (*T*), then believing *T* is the attitude which minimizes inaccuracy.  
**Claim.** *It is rationally permissible to believe neither H nor T.*

☞ *It can be rationally permissible to (knowingly) occupy a state, which does **not** minimize disutility — in **any** possible world.*

Branden Fitelson	Epistemic Utility Theory	1
------------------	--------------------------	---

Prelude ○●	Credence ○○○○	Belief ○○○○○○○○	Extras ○○○○○○○○	Bibliography
---------------	------------------	--------------------	--------------------	--------------

- Today's talk is about (i) formal, (ii) synchronic, (iii) epistemic (iv) coherence (v) requirements (of ideal rationality).
  - (i) *Formal* coherence is to be distinguished from other sorts of coherence discussed in contemporary epistemology (*e.g.*, in some empirical, truth/knowledge-conducive sense [1]).
    - Our notions of coherence will supervene on *logical* (and *formal probabilistic*) properties of judgment sets.
  - (ii) *Synchronic* coherence has to do with the coherence of a set of judgments held by an agent *S* at a single time *t*.
    - So, we'll *not* be discussing any *diachronic* [40] requirements.
  - (iii) *Epistemic* coherence involves *distinctively* epistemic values (specifically: *accuracy* [19] and *evidential support* [7]).
    - This is to be distinguished from *pragmatic* coherence (*e.g.*, immunity from dutch books [38], and the like [17]).
  - (iv) *Coherence* has to do with how a set of judgments “hangs together”. CRs are *wide-scope* [3], global requirements.
  - (v) *Requirements* are *evaluative*; they give *necessary* conditions for (ideal) epistemic rationality of a doxastic state [40].

Branden Fitelson	Epistemic Utility Theory	2
------------------	--------------------------	---

Prelude ○○	Credence ●○○○	Belief ○○○○○○○○	Extras ○○○○○○○○	Bibliography
---------------	------------------	--------------------	--------------------	--------------

- Joyce [22, 20] gives epistemic utility arguments for *probabilism* as a coherence requirement for sets of numerical confidence judgments (*viz.*, credences).
- These arguments trace back to de Finetti [8] and they have recently culminated in powerful generalizations [37, 20].
- I will not go through these more recent arguments here (as I want to focus mainly on *belief*). See Richard Pettigrew's SEP entry [35] for a state-of-the-art reference on that dialectic.
- For my purposes today, it will suffice to explain how de Finetti's original argument works. This will give us a template for applying similar techniques to full belief.
- Let us suppose the following *alethic ideal* for credences (analogous to The Truth Norm implicit in **Gibbard's Coin**).  
**Alethic Ideal** (for credence). An agent's credence  $b(p)$  should (*alethically, ideally*) be *maximal* [*i.e.*,  $b(p) = 1$ ] if  $p$  is *true* and *minimal* [*i.e.*,  $b(p) = 0$ ] if  $p$  is *false*.

Branden Fitelson	Epistemic Utility Theory	3
------------------	--------------------------	---

Prelude	Credence	Belief	Extras	Bibliography
○○	●○○○	○○○○○○○	○○○○○○○	

- The Alethic Ideal is fine *as an ideal*, but it does *not* constitute a (general) *rational requirement*. This is (at least in part) because it tends to conflict with the Evidential Ideal.
  - **Evidential Ideal** (for credence). An agent's credence  $b(p)$  should (*evidentially, ideally*) reflect the strength of an agent's total evidence regarding  $p$ .
- Consider the credal analogue of **Gibbard's Coin**. According to the Alethic ideal, if  $H$  is true, then  $b(H)$  should equal 1; and, if  $T$  is true, then  $b(T)$  should equal 1. But, the credal assignment  $b(H) = b(T) = 1/2$  is rationally permissible.
- If you reflect on the sorts of cases we've been discussing so far, it is possible to garner a key insight about the nature of rational requirements (as we will understand them here).

✎ Rationality does not require the *actual* minimization of disutility (or even its *possible* minimization). It requires (something like) minimization of *expected* disutility.

Branden Fitelson      Epistemic Utility Theory      4

Prelude	Credence	Belief	Extras	Bibliography
○○	●○○○	○○○○○○○	○○○○○○○	

- Decision-theoretic notions like expected disutility minimization (or non-dominance in utility, *etc.*) are essential to EUT arguments for rational (coherence) requirements.
- Let's consider possible assignments of credence to a contingent pair  $\{P, \neg P\}$ . We'll represent credal assignments  $b(\cdot) \in [0, 1]$  on  $\{P, \neg P\}$ , as:  $b(P) = x$  and  $b(\neg P) = y$ .
- This allows us to visualize the salient space of possible credence functions on  $\{P, \neg P\}$  via a simple Cartesian plot (of the unit square), with abscissa  $b(P)$  and ordinate  $b(\neg P)$ .
- The *gradational inaccuracy* of  $b(p)$  at a world  $w$  is a function  $i_b$  of  $b(p)$  and  $w$ 's *indicator function*  $v_w(p)$ , which assigns 1 (0) to truths (falsehoods) in  $w$ . The *overall inaccuracy*  $I_b$  of  $b(\cdot)$  at  $w$  is  $I_b(b, w) \triangleq \sum_p i_b(b(p), v_w(p))$ .
- de Finetti's measure  $i_b(b(p), v_w(p)) \triangleq (v_w(p) - b(p))^2$  is known as the Brier Score. This implies  $I_b$  is the (squared) *Euclidean distance* between the vectors  $b(\cdot)$  and  $v_w(\cdot)$ .

Branden Fitelson      Epistemic Utility Theory      5

Prelude	Credence	Belief	Extras	Bibliography
○○	○○●○	○○○○○○○	○○○○○○○	

- **Simplest case of dF's Theorem [8]**. The diagonal lines are the *probabilistic*  $b$ 's (on  $\langle P, \neg P \rangle$ ). The point  $\langle 1, 0 \rangle$  ( $\langle 0, 1 \rangle$ ) corresponds to the world in which  $P$  is true (false).

**Theorem** (de Finetti [8]).  $b$  is *non-probabilistic*  $\Leftrightarrow \exists b'(\cdot)$  which is (Euclidean) *closer to*  $v_w(\cdot)$  *in every possible world*.

- The plot on the left (right) explains the  $\Rightarrow$  ( $\Leftarrow$ ) direction.

Branden Fitelson      Epistemic Utility Theory      6

Prelude	Credence	Belief	Extras	Bibliography
○○	○○○○	●○○○○○○○	○○○○○○○	

- Here is a — perhaps *the* — “paradigm” CR [36, 39, 32, 23].
  - **The Consistency Requirement for Belief**. Agents should have *sets* of beliefs that are *logically consistent*.
- The Consistency Requirement is implied by The Alethic Ideal (*i.e.*, if  $S$  is Alethically Ideal, then  $S$ 's beliefs are consistent).
  - **Alethic Ideal** (for belief).  $S$  should (*alethically, ideally*) believe (disbelieve) that  $p$  just in case  $p$  is true (false).
- We've already seen (**Gibbard's Coin**) that The Alethic Ideal can come into *conflict* with The Evidential Ideal.
  - **The Evidential Ideal** (for belief).  $S$  should (*evidentially, ideally*) believe (disbelieve)  $p$  if  $S$ 's total evidence supports (counter-supports)  $p$ . Otherwise,  $S$  should *suspend* on  $p$ .
- More subtle cases reveal that The Consistency Requirement can also conflict with The Evidential Ideal [6, 25, 13, 24].
- We'll refer to the claim that there exist *some* such cases as *the datum*. Foley's [13] explanation of *the datum* is helpful.

Branden Fitelson      Epistemic Utility Theory      7

Prelude ○○	Credence ○○○○	Belief ○●○○○○○	Extras ○○○○○○○	Bibliography
<p>“...if the avoidance of recognizable inconsistency were an absolute prerequisite of rational belief, we could not rationally believe each member of a set of propositions and also rationally believe of this set that at least one of its members is false. But this in turn pressures us to be unduly cautious. It pressures us to believe only those propositions that are certain or at least close to certain for us, since otherwise we are likely to have reasons to believe that at least one of these propositions is false. At first glance, the requirement that we avoid recognizable inconsistency seems little enough to ask in the name of rationality. It asks only that we avoid certain error. It turns out, however, that this is far too much to ask.”</p> <ul style="list-style-type: none"> <li>• We will offer a precise explication of Foley’s position. The basic idea will be to work out the theoretical consequences of the slogan: <i>Epistemic rationality requires minimization of expected inaccuracy</i>. But, first, a First-Order Preface Case.</li> </ul>				
Branden Fitelson		Epistemic Utility Theory		8

Prelude ○○	Credence ○○○○	Belief ○●○○○○○	Extras ○○○○○○○	Bibliography
<p><b>First-Order Preface Paradox</b> ([10]). John is an excellent empirical scientist. He has devoted his entire (long and esteemed) scientific career to gathering and assessing the evidence that is relevant to the following first-order, empirical hypothesis: (<i>H</i>) all scientific/empirical books of sufficient complexity contain at least one false claim. By the end of his career, John is ready to publish his masterpiece, which is an exhaustive, encyclopedic, 15-volume (scientific/empirical) book which aims to summarize (all) the evidence that contemporary empirical science takes to be relevant to <i>H</i>. John sits down to write the Preface to his masterpiece. Rather than reflecting on his own fallibility, John simply reflects on the contents of (the main text of) his book, which constitutes <i>very strong inductive evidence in favor of H</i>. On this basis, John (inductively) infers <i>H</i>. But, John also believes each of the individual claims asserted in the main text of the book. Thus, because John believes (indeed, knows) that his masterpiece instantiates the antecedent of <i>H</i>, the (total) set of John’s (rational/justified) beliefs is inconsistent.</p>				
Branden Fitelson		Epistemic Utility Theory		9

Prelude ○○	Credence ○○○○	Belief ○○○●○○○	Extras ○○○○○○○	Bibliography
<ul style="list-style-type: none"> <li>• We assume that our agent has a credence function <math>b(\cdot)</math>, which is <i>probabilistic</i>. This allows us to use <math>b(\cdot)</math> to define notions of (subjective) <i>expected</i> (epistemic) utility.</li> <li>• We assume that our agent takes exactly one of three qualitative attitudes (<i>B</i>, <i>D</i>, <i>S</i>) toward each member of a finite agenda <math>\mathcal{A}</math> of (classical, possible worlds) propositions.</li> <li>• We do <i>not</i> assume that these qualitative judgments can be <i>reduced</i> to <math>b(\cdot)</math>. But, we will use <math>b(\cdot)</math> to derive a <i>rational coherence constraint</i> for qualitative judgment sets <math>\mathbf{B}</math> (on <math>\mathcal{A}</math>).</li> <li>• This derivation requires both the agent’s credence function <math>b(\cdot)</math> and their <i>epistemic utility function</i> [18, 29, 31] <math>u(\cdot)</math>. <ul style="list-style-type: none"> <li>☞ Following Easwaran [11] &amp; Dorst [9], we assume our agent cares <i>only</i> about whether their judgments are <i>accurate</i>.</li> </ul> </li> <li>• Specifically, our agent attaches some <i>positive</i> utility (<math>r</math>) with making an <i>accurate</i> judgment, and some <i>negative</i> utility (<math>-\omega</math>) with making an <i>inaccurate</i> judgment (where <math>\omega &gt; r &gt; 0</math>).</li> </ul>				
Branden Fitelson		Epistemic Utility Theory		10

Prelude ○○	Credence ○○○○	Belief ○○○●○○○	Extras ○○○○○○○	Bibliography
<ul style="list-style-type: none"> <li>• Because suspensions are neither accurate nor inaccurate (<i>per se</i>), our agent will attach <i>zero</i> epistemic utility to suspensions <math>S(p)</math>, independently of the truth-value of <math>p</math>.</li> <li>• Thus, we have the following piecewise definition of <math>u(\cdot, w)</math>. <math display="block">u(B(p), w) \stackrel{\text{def}}{=} \begin{cases} -\omega &amp; \text{if } p \text{ is false at } w \\ r &amp; \text{if } p \text{ is true at } w \end{cases}</math> <math display="block">u(D(p), w) \stackrel{\text{def}}{=} \begin{cases} r &amp; \text{if } p \text{ is false at } w \\ -\omega &amp; \text{if } p \text{ is true at } w \end{cases}</math> <math display="block">u(S(p), w) \stackrel{\text{def}}{=} \begin{cases} 0 &amp; \text{if } p \text{ is false at } w \\ 0 &amp; \text{if } p \text{ is true at } w \end{cases}</math> </li> <li>• With this <i>accuracy-centered</i> epistemic utility function in hand, we can derive a naïve EUT coherence requirement.</li> </ul>				
Branden Fitelson		Epistemic Utility Theory		11

Prelude ○○	Credence ○○○○	Belief ○○○○○●○○	Extras ○○○○○○○	Bibliography
---------------	------------------	--------------------	-------------------	--------------

- To do so, we'll also need a *decision-theoretic principle*.
- As we saw, applications of EUT to grounding probabilism as a (synchronic) requirement for  $b(\cdot)$  typically appeal to a *non-dominance* (in epistemic utility) principle [20, 37, 35].
- But, some authors apply an *expected epistemic utility maximization* (or *expected inaccuracy minimization*) principle to derive rational requirements [28, 16, 12, 33].

**Coherence.** An agent's belief set  $\mathbf{B}$  over an agenda  $\mathcal{A}$  should, from the point of view of their own credence function  $b(\cdot)$ , *maximize expected epistemic utility* (or *minimize expected inaccuracy*). That is,  $\mathbf{B}$  should maximize

$$EEU(\mathbf{B}, b) \stackrel{\text{def}}{=} \sum_{p \in \mathcal{A}} \sum_{w \in W} b(w) \cdot u(\mathbf{B}(p), w)$$

where  $\mathbf{B}(p)$  is the agent's attitude toward  $p$ , and  $W \stackrel{\text{def}}{=} \bigcup \mathcal{A}$ .

- We also assume “*act-state independence*”:  $\mathbf{B}(p)$  and  $p$  are *b-independent* [15, 5, 4, 27]. See Extras for discussion.

Branden Fitelson	Epistemic Utility Theory	12
------------------	--------------------------	----

Prelude ○○	Credence ○○○○	Belief ○○○○○●○○	Extras ○○○○○○○	Bibliography
---------------	------------------	--------------------	-------------------	--------------

- The consequences of **Coherence** are rather simple and intuitive. It is straightforward to prove the following result.

**Theorem** ([11, 9]). An agent with credence function  $b(\cdot)$  and qualitative judgment set  $\mathbf{B}$  over agenda  $\mathcal{A}$  satisfies **Coherence** if and only if for all  $p \in \mathcal{A}$

$$B(p) \in \mathbf{B} \text{ iff } b(p) > \frac{w}{r+w},$$

$$D(p) \in \mathbf{B} \text{ iff } b(p) < \frac{r}{r+w},$$

$$S(p) \in \mathbf{B} \text{ iff } b(p) \in \left[ \frac{r}{r+w}, \frac{w}{r+w} \right].$$

- In other words, **Coherence** entails *Lockean representability*, where the Lockean thresholds are determined by the way the agent (relatively) values accuracy vs. inaccuracy.
- This provides an elegant, EUT-based explanation of why Lockean representability is a rational requirement for agents with *both* credences *and* qualitative attitudes.

👉 As Dorst [9] puts it: *Lockeans maximize expected accuracy*.

Branden Fitelson	Epistemic Utility Theory	13
------------------	--------------------------	----

Prelude ○○	Credence ○○○○	Belief ○○○○○○●	Extras ○○○○○○○	Bibliography
---------------	------------------	-------------------	-------------------	--------------

- By way of summary, it is useful to think about the analogy between the norms we've been discussing, and principles of rational choice theory: **The Decision-Theoretic Analogy**.

Epistemic Principle	Analogous Decision-Theoretic Principle
<b>Alethic Ideal</b>	(AMU) Do $\phi$ only if $\phi$ maximizes utility in the <i>actual</i> world.
<b>Consistency</b>	(PMU) Do $\phi$ only if $\phi$ maximizes $u$ in <i>some possible</i> world.
<b>Coherence</b>	(MEU) Do $\phi$ only if $\phi$ maximizes EU (relative to <i>some</i> Pr).
(WADA)	(WDOM) Do $\phi$ only if $\phi$ is <i>not weakly dominated</i> in utility.
(SADA)	(SDOM) Do $\phi$ only if $\phi$ is <i>not strictly dominated</i> in utility.

- Like the **Alethic Ideal**, (AMU) is *not* a requirement of *rationality*; and, like **Consistency**, (PMU) isn't a rational requirement either (this was the lesson of **Miners** [34, 26]).
- As Foley (*op. cit.*) explains, **Consistency** is *too demanding*. But, **Coherence** is *not* — it does *not* “pressure us to believe only those propositions that are (close to) certain for us”.

Branden Fitelson	Epistemic Utility Theory	14
------------------	--------------------------	----

Prelude ○○	Credence ○○○○	Belief ○○○○○○○	Extras ●○○○○○○○	Bibliography
---------------	------------------	-------------------	--------------------	--------------

- Suppose our (naïve) agent has a belief set  $\mathbf{B}_n$  on a *minimal inconsistent* agenda of size  $n$  (e.g.,  $(n-1)$ -ticket lottery).

**Theorem** ([10]). For all  $n \geq 2$  and any probability function  $\text{Pr}(\cdot)$ , the  $\text{Pr}(\cdot)$ -Lockean-representability of  $\mathbf{B}_n$  (with threshold  $t$ ) entails deductive consistency of  $\mathbf{B}_n$  iff  $t \geq \frac{n-1}{n}$ .

- If we combine this with Easwaran's **Coherence** theorem, we get the following result, regarding the conditions under which the **Coherence** of  $\mathbf{B}_n$  entails the consistency of  $\mathbf{B}_n$ .

**Theorem.** For all  $n \geq 2$ , an agent with an accuracy-centered utility function  $u$ , a credence function  $b(\cdot)$ , and a belief set  $\mathbf{B}_n$ , the **Coherence** of  $\mathbf{B}_n$  entails the consistency of  $\mathbf{B}_n$  iff

$$(\dagger) \quad w \geq (n-1) \cdot r.$$

👉 Insisting that **Coherence** implies consistency (wrt  $\mathbf{B}_n$ ) requires (naïve) agents to disvalue inaccuracy at least  $(n-1)$  times as much as they value accuracy.

Branden Fitelson	Epistemic Utility Theory	15
------------------	--------------------------	----

Prelude ○○	Credence ○○○○	Belief ○○○○○○○○	Extras ●○○○○○	Bibliography
<ul style="list-style-type: none"> <li>I've been presenting epistemic requirements as if they applied to “doxastic acts” of believing, disbelieving or suspending judgment (or assigning some credence).</li> <li>Strictly speaking, I should present both epistemic and prudential requirements as constraints on <i>preferences</i>.</li> <li>For instance, the key evaluative claim about <b>Miners</b> is (strictly speaking) that the (partial) <i>preference ranking</i> <math display="block">C \succ A \sim B</math>           is not irrational — because it is aligned with the agent's expected utility ranking (where <math>C \stackrel{\text{def}}{=}</math> blocking neither shaft).</li> <li>Similarly, the key evaluative claim about <b>Gibbard's Coin</b> is (strictly speaking) that the (partial) <i>preference ranking</i> <math display="block">S \succ H \sim T</math>           is not irrational — since it is aligned with expected <i>epistemic</i> utility (where <math>S \stackrel{\text{def}}{=}</math> believing neither <math>H</math> nor <math>T</math>).</li> </ul>				
Branden Fitelson		Epistemic Utility Theory		16

Prelude ○○	Credence ○○○○	Belief ○○○○○○○○	Extras ○○●○○○	Bibliography
<ul style="list-style-type: none"> <li>If an agent does not have (precise) credences, expected inaccuracy minimization will not be an apt coherence requirement. But, we can still say <i>something</i> here.</li> <li>We can appeal to <i>non-dominance</i> requirements, such as:  <b>Weak Accuracy-Dominance Avoidance (WADA).</b> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;">           There does <i>not</i> exist an alternative belief set <math>B'</math> such that:           <ul style="list-style-type: none"> <li>(i) <math>(\forall w)[u(B', w) \leq u(B, w)]</math>, and</li> <li>(ii) <math>(\exists w)[u(B', w) &lt; u(B, w)]</math>.</li> </ul> </div> <b>Strict Accuracy-Dominance Avoidance (SADA).</b> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;">           There does <i>not</i> exist an alternative belief set <math>B'</math> such that:           <ul style="list-style-type: none"> <li>(iii) <math>(\forall w)[u(B', w) &lt; u(B, w)]</math>.</li> </ul> </div> </li> <li>It turns out [10, 11] that <b>Coherence</b> <math>\Rightarrow</math> (WADA) <math>\Rightarrow</math> (SADA).</li> <li>Indeed, (WADA) and (SADA) are <i>very</i> weak [10]. But, they do constitute non-trivial <i>necessary requirements</i> of rationality.</li> </ul>				
Branden Fitelson		Epistemic Utility Theory		17

Prelude ○○	Credence ○○○○	Belief ○○○○○○○○	Extras ○○○●○○○	Bibliography
<ul style="list-style-type: none"> <li>Sharon Ryan [39] gives an argument <i>for</i> (CB) as a rational requirement, which makes use of these three premises.  <b>The Closure of Rational Belief Principle (CRBP).</b>            If <math>S</math> rationally believes <math>p</math> at <math>t</math> and <math>S</math> knows (at <math>t</math>) that <math>p</math> entails <math>q</math>, then it would be rational for <math>S</math> to believe <math>q</math> at <math>t</math>.  <b>The No Known Contradictions Principle (NKCP).</b>            If <math>S</math> knows (at <math>t</math>) that <math>\perp</math> is a logical contradiction, then it would <i>not</i> be rational for <math>S</math> to believe <math>\perp</math> (at <math>t</math>).  <b>The Conjunction Principle (CP).</b>            If <math>S</math> rationally believes <math>p</math> at <math>t</math> and <math>S</math> rationally believes <math>q</math> at <math>t</math>, then it would be rational for <math>S</math> to believe '<math>p \&amp; q</math>' at <math>t</math>.</li> <li>Ryan's (CRBP) &amp; (NKCP) have analogues in our framework (which <i>are</i> coherence requirements). But, (CP) does <i>not</i>.            (SPC) If <math>p \models q</math>, then any <math>B</math> s.t. <math>\{B(p), D(q)\} \subseteq B</math> is incoherent.            (NCB) Any <math>B</math> such that <math>\{B(\perp)\} \subseteq B</math> is incoherent.  <math>\neg</math>(CP) <i>Not</i> every <math>B</math> s.t. <math>\{B(p), B(q), D(p \&amp; q)\} \subseteq B</math> is incoherent.</li> </ul>				
Branden Fitelson		Epistemic Utility Theory		18

Prelude ○○	Credence ○○○○	Belief ○○○○○○○○	Extras ○○○○●○○	Bibliography
<ul style="list-style-type: none"> <li>I mentioned above that we assume “act-state independence” (ASI). There are two main reasons we assume (ASI) here.</li> <li>If <math>B(p)</math> and <math>p</math> are correlated under <math>b(\cdot)</math>, then the verdicts delivered by <b>Coherence</b> can be <i>partition-sensitive</i>, <i>i.e.</i>, they can depend on the way in which the underlying set of doxastic possibilities is partitioned or carved up [21].</li> <li>More importantly, if <math>B(p)</math> and <math>p</math> are correlated under <math>b(\cdot)</math>, then EUT can yield unintuitive (and/or odd) verdicts (even assuming a “natural” partition of states). See [4, 15, 5, 27].</li> <li>For instance, Carr [5] considers cases in which <math>B(p)</math> and <math>p</math> are <i>positively</i> correlated (<i>e.g.</i>, believing you will do a handstand makes it much more likely that you will).</li> <li>Examples involving <i>negative</i> correlation between <math>B(p)</math> and <math>p</math> have been discussed by various authors (<i>e.g.</i>, [15]). The most extreme (and difficult) examples along these lines are the self-referential examples due to Michael Caie [4].</li> </ul>				
Branden Fitelson		Epistemic Utility Theory		19

Prelude	Credence	Belief	Extras	Bibliography																																	
○○	○○○○	○○○○○○○○	○○○○○○●○																																		
<ul style="list-style-type: none"> <li>• Caie's original example involved (only) <i>credences</i> [4]. It was designed to undermine Joycean (accuracy-dominance) arguments for <i>probabilism</i> as a requirement for <math>b(\cdot)</math>.</li> <li>• There are analogous examples for full belief. Consider: (P) <i>S</i> does not believe that <i>P</i>. [<math>\neg B('P')</math>.]</li> <li>• One can argue (Caie-style) that the only non-dominated (opinionated) belief sets on <math>\{P, \neg P\}</math> are <math>\{B(P), B(\neg P)\}</math> and <math>\{D(P), D(\neg P)\}</math>, which are both <i>ruled-out</i> by <b>Coherence</b>.</li> </ul> <table border="1"> <thead> <tr> <th></th> <th><i>P</i></th> <th><math>\neg P</math></th> <th><i>B</i>(<i>P</i>)</th> <th><i>B</i>(<math>\neg P</math>)</th> <th><i>D</i>(<i>P</i>)</th> <th><i>D</i>(<math>\neg P</math>)</th> <th><i>D</i>(<i>P</i>)</th> <th><i>B</i>(<math>\neg P</math>)</th> <th><i>D</i>(<i>P</i>)</th> <th><i>D</i>(<math>\neg P</math>)</th> </tr> </thead> <tbody> <tr> <td><math>w_1</math></td> <td>F</td> <td>T</td> <td>—</td> <td>+</td> <td>—</td> <td>—</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> </tr> <tr> <td><math>w_2</math></td> <td>T</td> <td>F</td> <td>×</td> <td>×</td> <td>×</td> <td>×</td> <td>—</td> <td>—</td> <td>—</td> <td>+</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <li>• The “×”s indicate that these worlds are <i>ruled-out (a priori)</i> by the definition of <i>P</i>. As such, the only non-dominated belief sets seem to be <math>\{B(P), B(\neg P)\}</math> and <math>\{D(P), D(\neg P)\}</math>.</li> <li>• If this Caie-style reasoning is correct, then it shows that <i>some of our assumptions must go</i>. But, which one(s)?</li> </ul>						<i>P</i>	$\neg P$	<i>B</i> ( <i>P</i> )	<i>B</i> ( $\neg P$ )	<i>D</i> ( <i>P</i> )	<i>D</i> ( $\neg P$ )	<i>D</i> ( <i>P</i> )	<i>B</i> ( $\neg P$ )	<i>D</i> ( <i>P</i> )	<i>D</i> ( $\neg P$ )	$w_1$	F	T	—	+	—	—	×	×	×	×	$w_2$	T	F	×	×	×	×	—	—	—	+
	<i>P</i>	$\neg P$	<i>B</i> ( <i>P</i> )	<i>B</i> ( $\neg P$ )	<i>D</i> ( <i>P</i> )	<i>D</i> ( $\neg P$ )	<i>D</i> ( <i>P</i> )	<i>B</i> ( $\neg P$ )	<i>D</i> ( <i>P</i> )	<i>D</i> ( $\neg P$ )																											
$w_1$	F	T	—	+	—	—	×	×	×	×																											
$w_2$	T	F	×	×	×	×	—	—	—	+																											
Branden Fitelson	Epistemic Utility Theory			20																																	

Prelude	Credence	Belief	Extras	Bibliography
○○	○○○○	○○○○○○○○	○○○○○○●	
<ul style="list-style-type: none"> <li>• We (along with Rachael Briggs and Fabrizio Cariani) [2] are investigating various applications of the approach in [10].</li> <li>• One interesting application is to <i>judgment aggregation</i>. <i>E.g.</i>, <ul style="list-style-type: none"> <li>• Majority rule aggregations of the judgments of a group of consistent agents <i>need not</i> be consistent.</li> </ul> </li> <li>• <b>Q:</b> does majority rule preserve <i>our</i> notion(s) of coherence, <i>e.g.</i>, is (WADA) preserved by MR? <b>A:</b> yes (on simple, atomic + truth-functional agendas), but <i>not on all possible agendas</i>. <ul style="list-style-type: none"> <li>• There are (not merely atomic + truth-functional) agendas <i>A</i> and sets of judges <i>J</i> (<math> A  \geq 5</math>, <math> J  \geq 5</math>) that (severally) satisfy (WADA), while their majority profile <i>violates</i> (WADA).</li> </ul> </li> <li>• <i>But, if</i> a set of judges is (severally) <i>consistent</i> (or merely <b>Coherent</b>), <i>then</i> their majority profile <i>must</i> be <b>Coherent</b>.</li> </ul> <p>👉 <b>Recipe.</b> Wherever <b>B-consistency</b> runs into paradox, substitute <i>coherence</i> (in <i>our</i> sense), and see what happens.</p>				
Branden Fitelson	Epistemic Utility Theory			21

Prelude	Credence	Belief	Extras	Bibliography
○○	○○○○	○○○○○○○○	○○○○○○○○	
<ol style="list-style-type: none"> <li>[1] L. Bonjour, <i>The Coherence Theory of Empirical Knowledge</i>, Phil. Studies, 1975.</li> <li>[2] R. Briggs, F. Cariani, K. Easwaran, B. Fitelson, <i>Individual Coherence and Group Coherence</i>, Essays in Collective Epistemology, J. Lackey (ed.), OUP, 2014.</li> <li>[3] J. Broome, <i>Wide or Narrow Scope</i>, Mind, 2007.</li> <li>[4] M. Caie, <i>Rational Probabilistic Incoherence</i>, Philosophical Review, 2013.</li> <li>[5] J. Carr, <i>How to Expect When You're Expecting</i>, 2014.</li> <li>[6] D. Christensen, <i>Putting Logic in its Place</i>, OUP, 2007.</li> <li>[7] W. Clifford, <i>The ethics of belief</i>, Contemporary Review, 1877.</li> <li>[8] B. de Finetti, <i>The Theory of Probability</i>, Wiley, 1974.</li> <li>[9] K. Dorst, <i>Lockeans Maximize Expected Accuracy</i>, 2015.</li> <li>[10] K. Easwaran and B. Fitelson, <i>Accuracy, Coherence, and Evidence</i>, in Oxford Studies in Epistemology V, T. Szabo-Gendler and J. Hawthorne (eds.), OUP, 2015.</li> <li>[11] K. Easwaran, <i>Dr. Truthlove or: How I Learned to Stop Worrying and Love Bayesian Probability</i>, Noûs, 2015.</li> <li>[12] ———, <i>Expected Accuracy Supports Conditionalization—and Conglomerability and Reflection</i>, Philosophy of Science, 2013.</li> <li>[13] R. Foley, <i>Working Without a Net</i>, Oxford University Press, 1992.</li> <li>[14] A. Gibbard, <i>Truth and correct belief</i>, Philosophical Issues, 2005.</li> <li>[15] H. Greaves, <i>Epistemic Decision Theory</i>, Mind, 2013.</li> <li>[16] H. Greaves and D. Wallace, <i>Justifying Conditionalization: Conditionalization Maximizes Expected Epistemic Utility</i>, Mind, 2006.</li> <li>[17] A. Hájek, <i>Arguments for — or Against — Probabilism?</i>, BJPS, 2008.</li> <li>[18] C. Hempel, <i>Deductive-Nomological vs. Statistical Explanation</i>, 1962.</li> </ol>				
Branden Fitelson	Epistemic Utility Theory			22

Prelude	Credence	Belief	Extras	Bibliography
○○	○○○○	○○○○○○○○	○○○○○○○○	
<ol style="list-style-type: none"> <li>[19] W. James, <i>The will to believe</i>, The New World, 1896.</li> <li>[20] J. Joyce, <i>Accuracy and Coherence: Prospects for an Alethic Epistemology of Partial Belief</i>, in F. Huber and C. Schmidt-Petri (eds.), Degrees of Belief, 2009.</li> <li>[21] ———, <i>The Foundations of Causal Decision Theory</i>, CUP, 1999.</li> <li>[22] ———, <i>A Nonpragmatic Vindication of Probabilism</i>, Philosophy of Science, 1998.</li> <li>[23] M. Kaplan, <i>Coming to Terms with our Human Fallibility</i>, PPR, 2013.</li> <li>[24] P. Klein, <i>The virtues of inconsistency</i>, The Monist, 1985.</li> <li>[25] N. Kolodny, <i>How Does Coherence Matter?</i>, Proc. of the Aristotelian Society, 2007.</li> <li>[26] N. Kolodny and J. MacFarlane, <i>Ifs and oughts</i>, Journal of Philosophy, 2010.</li> <li>[27] J. Konek and B. Levinstein, <i>The Foundations of Epistemic Decision Theory</i>, 2014.</li> <li>[28] H. Leitgeb and R. Pettigrew, <i>An Objective Justification of Bayesianism I &amp; II</i>, Philosophy of Science, 2010.</li> <li>[29] I. Levi, <i>Gambling with Truth</i>, 1967.</li> <li>[30] J. MacFarlane, <i>Assessment Sensitivity: Relative Truth and its Applications</i>, OUP, 2014.</li> <li>[31] P. Maher, <i>Betting on Theories</i>, 1993.</li> <li>[32] D. Nelkin, <i>The lottery paradox, knowledge, and rationality</i>, Phil. Review, 2000.</li> <li>[33] G. Oddie, <i>Conditionalization, cogency, and cognitive value</i>, BJPS, 1997.</li> <li>[34] D. Parfit, <i>What we together do</i>, unpublished manuscript, 1988.</li> <li>[35] ———, <i>Epistemic Utility Arguments for Probabilism</i>, SEP, 2011.</li> <li>[36] J. Pollock, <i>Nomic probability and the foundations of induction</i>, OUP, 1990.</li> <li>[37] J. Predd, R. Seringer, E. Loeb, D. Osherson, H.V. Poor and S., Kulkarni, <i>Probabilistic coherence and proper scoring rules</i>, IEEE Transactions, 2009.</li> <li>[38] F. Ramsey, <i>Truth and Probability</i>, 1926.</li> <li>[39] S. Ryan, <i>The epistemic virtues of consistency</i>, Synthese, 1996.</li> <li>[40] M. Titelbaum, <i>Quitting Certainties</i>, OUP, 2013.</li> </ol>				
Branden Fitelson	Epistemic Utility Theory			23