© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

CalConnect TC DATETIME

Date and time — Explicit representation

Final Draft Standard

Warning for drafts

This document is not a CalConnect Standard. It is distributed for review and comment, and is subject to change without notice and may not be referred to as a Standard. Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

The Calendaring and Scheduling Consortium, Inc. 2018

© 2018 The Calendaring and Scheduling Consortium, Inc.

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from the address below.

The Calendaring and Scheduling Consortium, Inc.

4390 Chaffin Lane
McKinleyville
California 95519
United States of America

copyright@calconnect.org
www.calconnect.org

Contents

Foreword iv

Introduction v

1. Scope 1

2. Normative references 1

3. Terms, definitions, symbols and abbreviated terms 1
3.1. Terms and definitions 1
3.2. Symbols 2

4. Time scale components and units 4
4.1. General 4
4.2. Order of time scale units 4
4.3. Explicit forms 5
4.4. Negative values 8

5. Grouped time scale units 11
5.1. General 11
5.2. Unit definition 11
5.3. Unit value 12
5.4. Application within representations 13

6. Explicit representations 16
6.1. General 16
6.2. Date 16
6.3. Time of day 17
6.4. Time shift 17
6.5. Date with shift 18
6.6. Time of day with time shift 18
6.7. Date and time of day 19
6.8. Decade 19
6.9. Century 19
6.10. Omission of zero valued components 20
6.11. Indication of precision 20
6.12. Decimal fractions for time 20
6.13. Representations other than complete 21
6.14. Time interval 21

7. Explicit duration 22
7.1. General 22
7.2. Durational units 22
7.3. Representations 23
7.4. Negative duration 24
7.5. Fractional duration 24
7.6. Exact duration 25

8. Evaluation of date and time with duration 26
8.1. General 26
8.2. Prerequisite mechanisms 26
8.3. Simple duration 27
8.4. Composite duration 28
8.5. Precedence duration 28
8.6. Involving fractional duration 29
8.7. Involving speculative duration 30

Bibliography 32

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

Foreword

The Calendaring and Scheduling Consortium (“CalConnect”) is a global non-profit organization with the aim to facilitate interoperability of technologies across user-centric systems and applications.

CalConnect works closely with liaison partners including international organizations such as ISO, OASIS and M3AAWG.

The procedures used to develop this document and those intended for its further maintenance are described in the CalConnect Directives.

In particular the different approval criteria needed for the different types of CalConnect documents should be noted. This document was drafted in accordance with the editorial rules of the CalConnect Directives.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CalConnect shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the CalConnect list of patent declarations received (see www.calconnect.com/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

This document was prepared by Technical Committee *DATETIME*.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

Introduction

ISO 8601:2004 has been the international standard for date and time representations and is applied widely, including in the IETF RFC 5545 and IETF RFC 6350 standards.

However, the representations provided in ISO 8601:2004 require fixed-length digits for time scale components, such as the 4-digit year, does not accept negative values, and does not allow omission of a time scale component that has a zero value.

This document extends the “duration” representation defined in ISO 8601:2004 to fulfill the need of a flexible-length representation, called the “explicit form”.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

Date and time — Explicit representation

1. Scope

The purpose of this document is to provide:

— a standard, declarative representation of date and time and time scale components called the "explicit form";
— a grouped time scale unit mechanism for grouping of date and time; and
— new duration representations and mechanics for the calculation of date time formulas involving duration.

This document only supports date elements from the Gregorian calendar and times from the 24-hour clock.

Date and time format representations described in this document utilizes numbers, alphabets and symbols defined in ISO/IEC 646. These representations are meant to be both human recognizable and machine readable. Character encoding of the representations is not covered in this document.

2. Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601-1:—[1] , *Date and time — Representation for information interchange — Part 1: Basic rules*. Report no. 8601-1. ISO.

3. Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the terms and definitions given in ISO 8601-1:— and the following apply.

3.1. Terms and definitions

3.1.1.
explicit form
date and time representation that uses designator symbols to delimit time scale components

3.1.2.
designator symbols
characters used to denote units of a time scale component

3.1.3.
date time formula
expression that specifies modification of a *date and time expression* (ISO 8601-1:—, Clause 3.1.3.1) with a *duration* (ISO 8601-1:—, Clause 3.1.1.8)

3.1.4.
durational unit
time scale component (ISO 8601-1:—, Clause 3.1.3.3) that compose the *duration* (ISO 8601-1:—, Clause 3.1.1.8) *date and time representation* (ISO 8601-1:—, Clause 3.1.3.2)

[1] Under preparation. (Stage at the time of publication ISO/FDIS 8601-1)

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

3.1.5.
grouped time scale unit
time scale unit (ISO 8601-1:—, Clause 3.1.1.7) composed of a *duration* (ISO 8601-1:—, Clause 3.1.1.8) expressed by one or more *durational units* (Clause 3.1.4)

3.2. Symbols

3.2.1. General

Representations specified in this document make use of symbols given in ISO 8601-1:— and the following.

3.2.2. Time scale component symbols

centE time scale component century in explicit form

c(feat) the left side of representation statement where “c” is a time scale component (e.g. “year”) and “feat” is a feature, for example, “m” for a time scale component that accepts negative values

dayE time scale component calendar day of month in explicit form

daykE time scale component calendar day of week in explicit form

dayoE time scale component calendar day of year in explicit form

decE time scale component decade in explicit form

hourE time scale component clock hour in explicit form

minE time scale component clock minute in explicit form

monthE time scale component calendar month in explicit form

secE time scale component clock second in explicit form

weekE time scale component calendar week of year in explicit form

yearE time scale component calendar year in explicit form

3.2.3. Composite component symbols

dateE the composite time scale components for the complete representation of a date as determined in Clause 6.2.1

durationE the composite time scale units for the representation of a duration as determined in ISO 8601:2004

shiftE the composite time scale component for time shift in basic form with hours and minutes, as determined in Clause 6.4

timeE the composite time scale components for the complete representation of a time of day as determined in Clause 6.3.1

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

3.2.4. Symbols used in place of digits or signs

These symbols are used to represent characters in the date and time representations. They are used in representations only, and are replaced by one or more characters, as described, in expressions:

! indicates that the token following this symbol is optional (may be omitted)

i a positive integer

n a positive integer or value, may be left absent to signify an unbounded value

negi a positive or negative integer; equivalent to `[!]["-"][i]`

3.2.5. Designator symbols

These symbols are used to represent designators in the date and time expressions:

“-” a minus sign represented by the character “`-”` to indicate a negative value

“B” the suffix designator to represent years before year one, represented by the character “B”, placed after the time scale components of calendar year, decade and century.

“D” the day of month designator, represented by the character “D”, preceding a data element which represents the number of days in a month

“G” the grouped time scale unit prefix designator, represented by the character “G”, indicates a grouping calculation applies to the subsequent time scale components until encountering the corresponding suffix designator.

“H” the hour designator, represented by the character “H”, preceding a data element which represents the number of hours

“J” the decade designator, represented by the character “J”, preceding a data element which represents the number of decades

“K” the calendar day of week designator, represented by the character “K”, preceding a data element which represents the ordinal number of a calendar day within a calendar week

“M” the month or minute designator, represented by the character “M”, preceding a data element which represents the number of months or minutes

“O” the calendar day of year designator, represented by the character “O”, preceding a data element which represents the ordinal number of a calendar day within a calendar year

“P” the duration designator, represented by the character “P”, preceding the component which represents the duration

“S” the second designator, represented by the character “S”, preceding a data element which represents the number of seconds

“T” the time designator, represented by character “T”, indicates:

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

- the start of the representation of local time of day to designate local time of day expressions as such,
- the start of the representation of the time of day in date and time of day expressions,
- the start of the representation of the number of hours, minutes or seconds in expressions of duration

“U” the grouped time scale unit suffix designator, represented by the character “U”, indicates a grouping calculation applies to the preceding time scale components from the corresponding prefix designator.

“W” the week designator, represented by the character “W”, preceding a data element which represents the ordinal number of a calendar week within the calendar year

“*x*” the representation of any character “*x*” as according to the textual representation of “*x*” in the ISO/IEC 646 repertoire

“Y” the year designator, represented by the character “Y”, preceding a data element which represents the number of years

“Z” the UTC designator, represented by the character “Z”, added to the end of a time representation to indicate that a time of day is represented as UTC of day.

3.2.6. Separator symbols

In date and time expressions and date and time representations, the following characters are used as separators.

“.” (period) and “,” (comma)	the “.” period and “,” comma characters are decimal signs used to separate the integer part from the decimal fraction of a number.
“/” (solidus)	the “/” solidus character separates start and end times in the representation of a time interval, as well as the symbol ‘R‘ from the remainder of a recurring time interval representation. A solidus may be replaced with a double hyphen [“—”] by mutual agreement of the communicating partners.

4. Time scale components and units

4.1. General

Additional properties and the explicit forms of time scale units are represented in this clause.

4.2. Order of time scale units

This document refers to an “order” amongst time scale units, which is defined by the duration of a time scale unit relative to other time scale units. For example, since a single calendar month has a duration always greater than a single unit of calendar day, the former is considered of a higher order time scale unit than calendar day, and therefore the latter is also considered of a lower order time scale unit than the former.

The relative order of commonly used time scale units is specified below, with the higher listed entry considered a higher order time scale unit than a lower listed entry:

1) calendar century
2) calendar decade

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

3) calendar year
4) calendar month
5) calendar week
6) calendar day
7) clock hour
8) clock minute
9) clock second

NOTE a higher order time scale does not necessarily mean its duration can be expressed as an integer multiple of a lower order time scale, for example, in the case of calendar month (28, 29, 30 or 31 days) and calendar week (7 days).

4.3. Explicit forms

4.3.1. Value prefixing

Prefixing of the value with one or more "`0`"s (the number zero) to the integer [i] is allowed in the explicit forms of time scale components.

EXAMPLE

'1M', '01M', and '0001M' all describe the calendar month January.

4.3.2. Calendar year and years duration

The calendar year and years duration is represented as follows:

```
[i]["Y"]
```

Figure 1

EXAMPLE 1

'12Y', duration, twelve years

EXAMPLE 2

'12Y', date, year 12.

4.3.3. Calendar month and months duration

The calendar month and months duration is represented as follows:

```
[i]["M"]
```

Figure 2

EXAMPLE 1

'6M', duration, 6 months.

EXAMPLE 2

'8M', date, the month of August.

4.3.4. Calendar week of year and weeks duration

The calendar week of year number and weeks duration is represented as follows:

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

```
[i]["W"]
```

Figure 3

EXAMPLE 1

‘10W’, duration, ten weeks.

EXAMPLE 2

‘22W’, date, the twenty-second calendar week of a calendar year.

4.3.5. Calendar day of month and days duration

The calendar day of month and days duration is represented as follows:

```
[i]["D"]
```

Figure 4

EXAMPLE 1

‘130D’, duration, 130 days.

EXAMPLE 2

‘25D’, date, the twenty-fifth (25) calendar day of a calendar month.

4.3.6. Calendar day of week

The calendar day of week is represented as the following time scale component:

```
[i]["K"]
```

Figure 5

Where,

— [i] represents the ordinal day number in the calendar week; valid values of [i] are the integers 1 to 7, representing Monday to Sunday, in accordance with “The week calendar” specified in ISO 8601-1:—, Clause 4.2.2.

EXAMPLE 1

‘1K’, calendar day of week Monday

EXAMPLE 2

‘3K’, calendar day of week Wednesday

EXAMPLE 3

‘7K’, calendar day of week Sunday

4.3.7. Calendar day of year

The calendar day of year is represented as the following time scale component:

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

```
[i]["O"]
```

Figure 6

EXAMPLE

'351O', ordinal day 351 of the calendar year

4.3.8. Clock hour and hours duration

Clock hour and hours duration is represented as follows:

```
[i]["H"]
```

Figure 7

EXAMPLE 1

'36H', duration, thirty-six hours.

EXAMPLE 2

'6H', time, the sixth clock hour.

4.3.9. Clock minute and minutes duration

Clock minute and minutes duration is represented as follows:

```
[i]["M"]
```

Figure 8

EXAMPLE 1

'72M', duration, 72 minutes.

EXAMPLE 2

'56M', time, the fifty-sixth clock minute.

4.3.10. Clock second and seconds duration

Clock second and seconds duration is represented as follows:

```
[i]["S"]
```

Figure 9

EXAMPLE 1

'300S', duration, 300 seconds

EXAMPLE 2

'28S', duration, the twenty-eighth clock second.

4.3.11. Decade

The decade is represented as the following time scale component:

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

```
[i]["J"]
```

Figure 10

EXAMPLE 1

‘196J’ in explicit form represents the decade of the 1960s, spanning the calendar years 1960 to 1969.

EXAMPLE 2

‘0J’ in explicit form represents the decade spanning calendar years 0 to 9.

4.3.12. Century

The century is represented as the following time scale component:

```
[i]["C"]
```

Figure 11

EXAMPLE 1

‘16C’, in explicit form represents the century of 1600s, spanning the calendar years 1600 to 1699.

EXAMPLE 2

‘0C’, in explicit form represents the century spanning the calendar years 00 to 99.

4.4. Negative values

4.4.1. General

Certain time scale components are allowed to accept a negative integer as their value. The following representation is used for value that accepts a positive or negative integer.

```
negi = [!]["`-`"][i]
```

Figure 12

In order to convert a time scale component to accept negative values, the following representation is used, where c is a time scale component unit. If the time scale component accepts an integer value of ‘0’, the value of the expression ‘-0’ (negative zero) is considered equivalent to that of ‘0’.

```
c(m) = [negi][c]
```

Figure 13

Where,

— [c] is the time scale component representation that accepts only positive [i];
— [m] is a feature label indicating that the time scale component [c] accepts negative values.

This representation only applies to time scale components that describe a time scale unit. Specifically, it does not apply to durations, time intervals, and repeating time intervals.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE

If “c” is the time scale component yearE in explicit form (see Part 1 4.3.2 b)), c(m) means “calendar year accepting a negative value”. The explicit year representation [i][“Y”] becomes [negi][“Y”] when [i] is replaced with [negi], and expands to [!][“-”]][i][“Y”], which accepts the representations [i]["Y`"] or [“-"]"Y”]. In this expression, the value of [i] or ["-”`][i] represents an integer whose value identifies a calendar year.

4.4.2. Calendar year

When a negative calendar year represents a date, the negative value is to represent the number of years prior to year zero (0).

The representation for calendar year that accepts a negative value is as follows.

```
year(m)
```

Figure 14

EXAMPLE 1

‘-12Y’ in date represents the the calendar year -12.

EXAMPLE 2

‘`-1Y`’ in date represents the year immediately preceding year 0.

NOTE Year zero is expressed as ‘`0Y`’ in explicit form.

4.4.3. Calendar week of year

When a negative calendar week of year represents a date, the negative value is to represent the number of weeks counting in reverse from the end of the calendar year, where the last week of the year is represented by the integer value ‘-1’.

The representation for calendar week of year that accepts a negative value is as follows.

```
week(m)
```

Figure 15

EXAMPLE 1

‘-10W’ in date represents the tenth last week of the year.

EXAMPLE 2

‘`-3W`’ in date represents the third last week of the year.

4.4.4. Calendar day of month

When a negative calendar day of month represents a date, the negative value is to represent the number of days counting in reverse from the end of the calendar month, where the last day of the month is represented by the integer value ‘-1’.

The representation for calendar day of month that accepts a negative value is as follows.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

```
day(m)
```

Figure 16

EXAMPLE 1

‘-1D‘ in date represents the last day of the month.

EXAMPLE 2

‘-5D‘ in date represents the fifth last day of the month.

4.4.5. Calendar day of year

When a negative calendar day of year represents a date, the negative value is to represent the number of days counting in reverse from the end of the calendar year, where the last day of the year is represented by the integer value ‘-1‘.

The representation for calendar day of year that accepts a negative value is as follows.

```
dayo(m)
```

Figure 17

EXAMPLE 1

‘-70‘ in date represents the seventh last day of the calendar year, which is always December 25th.

EXAMPLE 2

‘-3060‘ in date represents February 29th for a leap year, February 28th otherwise.

4.4.6. Duration

A duration in the reverse direction, called a “negative duration” in this document, can be expressed using the following representation based on the duration representation specified in ISO 8601-2:—, Clause 5.4.2. In this case, all time scale component within the duration representation must be positive.

```
duration(m) = [!]["`-"`][positive-duration]
```

Figure 18

Where,

— [positive-duration] is the [duration] representation that contains only time scale components that have positive [i].

EXAMPLE 1

‘-P100D‘ in date represents the duration of 100 days in the reverse direction.

EXAMPLE 2

‘-P1Y3D‘ in date represents the duration of one years and three days in the reverse direction.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE 3

'-P20Y3M' describes a negative duration of twenty years and three months ago.

4.4.7. Calendar year before year one

A suffix addition to time scale components for calendar year, decade and century allows representation of calendar years before year one (1).

The representation is given as follows.

```
[c]["B"]
```

Figure 19

Where,

— [c] is one of [yearE], [decE], [centE].

EXAMPLE 1

'1YB' the first year before year one, equivalent to the effect of '0Y'.

EXAMPLE 2

'12YB' the twelfth year before year one, equivalent to the effect of '-11Y'.

EXAMPLE 3

'12JB' the twelfth decade before year one, equivalent to the effect of time interval '-119/-110'.

EXAMPLE 4

'12CB' the twelfth century before year one, equivalent to the effect of time interval '-1190/-1100'.

5. Grouped time scale units

5.1. General

A time scale unit can be grouped into a larger composite unit that can each be specifically referred to using representations provided in this clause.

5.2. Unit definition

A grouped time scale unit ("grouped unit") defines a time scale unit that is a composite of smaller time scale units. Its representation is provided as follows and is denoted as [groupUnit] in this document.

```
["G"][durationUnits]["U"]
```

Figure 20

Where,

— ["G"] is the grouping prefix designator;
— ["U"] is the grouping suffix designator;

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

— [durationUnits], one or more time scale components for expressing positive duration as specified in Clause 4.3.

The definition of a grouped unit is a continuous one, such that there is no gap between two adjacent grouped units.

EXAMPLE 1

'G10DU', every unit of the grouped unit is of ten days duration.

EXAMPLE 2

'GT30MU', every unit of the grouped unit is of thirty minutes duration.

EXAMPLE 3

'G2DT6HU', every unit of the grouped unit is of two days and six hours duration.

5.3. Unit value

The value of a grouped time scale unit is given with the following representation. This representation is denoted as [group] in this document.

```
group = [i][groupUnit]
```

Figure 21

Where,

— [i] indicates the coefficient value of the grouped time scale unit;
— [groupUnit] denotes an expression for a grouped time scale unit (Clause 5.2).

EXAMPLE 1

'5G10DU', the fifth unit of ten-day groups.

EXAMPLE 2

'20GT30MU', the twentieth unit of thirty-minute groups.

EXAMPLE 3

'2G2DT6HU', the second unit of two-day groups.

EXAMPLE 4

'`2018-02-GP14D2I`' and '`2018Y02MGP14D2ID`' are complete date representations that indicates "the second fortnight of February 2018", as specified by the rule "group every 14 days, second group".

EXAMPLE 5

'`2018-03-GP10D3I`' and '`2018Y03MGP10D3ID`' are complete date representations that indicates "the third 10-day block of March in 2018", as specified by the rule "group every 10 days, third group". A 10-day block is a time grouping commonly used in East Asia.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE 6

'16:GPT15M1I:00' and 'T16HGPT15M1I0S' are complete time representations that indicates "the first quarter-hour of 16:00", as specified by the rule "group every 15 minutes, first group".

EXAMPLE 7

'2018-GP6M1I' and '2018YGP6M1IM' are date expressions (implied and explicit formats, respectively) of monthly precision that indicates "the first half of 2018", as specified by the rule "group every 6 months, first group", and therefore the grouping is specified in the [month] field. The resulting time interval is equivalent to the time interval expression '2018-01-01/2018-06-30'.

5.4. Application within representations

5.4.1. General

Grouped time scale units can be applied to date and time representations as replacements for any time scale unit components as long as the resulting expression is a valid one.

EXAMPLE 1

2018Y3G60DU6D is a valid date expression that refers to the date year 2018, ordinal day of year 186 (which is July 5th).

EXAMPLE 2

2018Y9M2DT2GT8HU0H30M is a valid date and time expression that refers to the date year 2018, September 2nd, 16:30.

5.4.2. Use of grouped units

Date and time representations can incorporate the grouped time scale units by applying rules from Clause 5.2 and Clause 5.3 to a date and time representation described by this document and ISO 8601-1:—, by replacing a time scale unit component in the representations with [group].

The following representation is used for date and time representations (complete representation, reduced precision) that incorporate grouped time scale units. This representation is denoted as [groupDateTime] in this document.

```
[higher-order-units][group][lower-units]
```

Figure 22

Where,

— [higher-order-units] contains time scale units (and their values) that are of higher order compared to the highest order time scale unit within the group unit;
— [lower-order-units] is optional, it contains time scale units (and their values) that are of equal or lower order compared to the lowest order time scale unit within the group unit.

EXAMPLE 1

[monthE][group][yearE] is an invalid date and time representation as [monthE] has a lower order than that of [yearE].

When [lower-order-units] is omitted, the expression refers to a unit of the grouped time scale unit.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE 2

`[centE][group]` is a valid date and time representation, expressing in units of the grouped time scale unit.

EXAMPLE 3

'`2018Y1G60DU`' represents the first 60-day group of the year 2018.

EXAMPLE 4

'`2018Y2M2G14DU`' refers to the second 14-day group in February of year 2018, which is in effect referring to "the second fortnight of February 2018".

EXAMPLE 5

'`2018Y3M3G10DU`' refers to the third 10-day block of March in 2018. A 10-day block is a time grouping commonly used in East Asia.

EXAMPLE 6

'`T16H1GT15MU`' refers to the first quarter-hour of 16:00.

When [lower-order-units] is present, the expression refers to a date and time using the lowest time scale unit in the [lower-order-units] expression.

Time scale components placed to the right of a grouped time scale unit behaves identically to those after a typical time scale component, such that the component to the right refers to an instance or time interval "within" the component at the left.

EXAMPLE 7

`[yearE][group][dayE]` is a valid date and time representation, expressing in the calendar day time scale unit. The `[dayE]` points to a calendar day within the expression `[yearE][group]`.

EXAMPLE 8

`[decE][group][timeE]` is a valid date and time representation, expressing in the lowest order time scale units specified in

points to a clock time within the expression `[decE][group]`.

EXAMPLE 9

'`2018Y3G60DU6D`' represents the sixth day of the third 60-day group of the year 2018.

EXAMPLE 10

'`2018Y20GT12HU3H`' represents the third hour within the twentieth 12-hour group of the year 2018.

5.4.3. Adherence to grouped unit boundaries

Time scale unit values provided in [lower-order-units] must not fall outside of the value bounds set by the group time scale unit (the [group] expression).

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE 1

'2018Y1G2MU30D' refers to the thirtieth day of the first two-month group in year 2018. Since the first two-month group of 2018 contains 59 days, the subsequent expression 30D falls within the same grouped time scale unit.

EXAMPLE 2

'2018Y1G2MU60D' refers to the sixtieth day of the first two-month group in year 2018. It is an invalid expression as the first two-month group of 2018 only contains 59 days, the expression 60D falls outside of the same grouped time scale unit.

5.4.4. Representation with time shift

A representation using grouped time scale units can be represented with a time shift as:

```
[groupDateTime][shiftE]
```

Figure 23

EXAMPLE 1

'2018Y1G60DUZ-5H', the first 60-day group of the year 2018, five hours behind UTC.

EXAMPLE 2

'2018Y3G60DU6DZ8H' represents the sixth day of the third 60-day group of the year 2018, eight hours ahead of UTC.

5.4.5. Conversion to basic time scale units

5.4.5.1. General

When an expression referring to a grouped time scale unit has to be converted to use basic time scale units (time scale units that are defined in Clause 4), it can be converted into a time interval.

EXAMPLE

'2018Y1G6MU' refers to the first 6-month group of year 2018. The resulting time interval is equivalent to that of the time interval expression '2018Y1M/2018Y6M'.

5.4.5.2. Truncation of partial units

When the duration of a grouped time scale unit does not cleanly divide the original time scale component, the duration of the last unit of the grouped time scale is only partially located within the boundaries specified by the original time scale component.

In this case, the particular grouped time scale unit refers only to the duration that is within bounds of the original time scale component. The remaining duration that are out of bounds shall be truncated.

EXAMPLE

2018Y9M4G8DU refers to the "fourth 8-day grouping of September of year 2018", but the fourth grouped unit only has 6 days within September and 2 days in October. According to the truncation rule, only the first 6 days belong to this grouped unit, and the resulting time interval is 2018-09-25/2018-09-30.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

5.4.5.3. Spanning grouped unit boundaries

In order to express a time interval covered by the grouped unit without regard to the boundaries of the original time component, the same expression can be provided using time interval representation.

EXAMPLE

`2018Y9M4G8DU`, "fourth 8-day grouping of September of year 2018", the start date of the fourth grouped unit can be found as `2018Y9M25D`. Therefore, the expression of `2018Y9M25D/P8D` provides the full 8-day duration of the unit, in the interval `2018Y9M25D/2018Y10M2`.

6. Explicit representations

6.1. General

This section provides date and time representations using explicit form.

6.2. Date

6.2.1. General

The representations provided in this clause are collectively denoted as `[dateE]`.

6.2.2. Calendar date

The complete representation of a calendar date shall be as follows.

```
[yearE][monthE][dayE]
```

Figure 24

EXAMPLE

'1985Y4M12D', calendar year 1985, April 12th.

6.2.3. Ordinal date

A complete representation of an ordinal date shall be as follows.

```
[yearE][dayoE]
```

Figure 25

EXAMPLE

'1985Y102O', calendar year 1985, ordinal day 102 of year.

6.2.4. Week date

A complete representation of a week date shall be as follows.

```
[yearE][weekE][daykE]
```

Figure 26

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE

'1985Y15W5K', calendar year 1985, Friday of the calendar week 15.

6.3. Time of day

6.3.1. Local time of day

Representations of local time of day as defined below make no provisions to prevent ambiguities in expressions that result from discontinuities in the local time scale (e.g. daylight-saving time). When the need arises to prevent these ambiguities, the representations provided in Clause 6.6 may serve useful.

A complete representation of local time of day shall be as follows. This representation shall be denoted as [timeE].

```
["T"][hourE][minE][secE]
```

Figure 27

EXAMPLE

'T23H20M50S', a local time of day expression describing the fiftieth seconds of the twentieth minute of the twenty-third clock hour.

6.3.2. Beginning of the day

The complete representation of beginning of day in explicit form shall be as follows.

```
T0H0M0S
```

Figure 28

Applying the rule of omitting zero-valued time scale components, it can also be represented as:

```
T0S
```

Figure 29

There is no representation of end of day to prevent ambiguity of the overlapping end of day and the beginning of the next day.

6.4. Time shift

A time shift is used to represent the shift of local standard time against UTC.

The complete representation of time shift in explicit form is represented as follows, and is denoted as [shiftE] within this document.

```
["Z"][!]["-"][timeE]
```

Figure 30

Where,

— ["Z"] is the time shift designator;
— the leading minus sign (["-"]) is only applied when the time shift expressed is behind UTC, it shall be omitted if the time shift is ahead of or equal to UTC;
— the expression [timeE] indicates the actual time shift from UTC.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

In accordance with Clause 6.10, zero-valued time scale components may be omitted in [timeE].

EXAMPLE 1

'Z-5H', the time shift is 5 hours behind UTC.

EXAMPLE 2

'Z8H', the time shift is 8 hours ahead of UTC.

EXAMPLE 3

'Z6H0M', the time shift is six hours ahead of UTC; the expression '0M' may be omitted in accordance with Clause 6.10.

EXAMPLE 4

'Z8H30M10S', the time shift is eight hours, thirty minutes and ten seconds ahead of UTC.

A single ["Z"] with the [timeE] portion empty, in accordance with the rules specified in Clause 6.10, indicates that the time shift from UTC of day is zero, and is functionally equivalent to the representation 'Z0H0M'.

```
["Z"]
```

Figure 31

EXAMPLE 5

'Z', UTC where the time shift is zero.

EXAMPLE 6

'Z0H0M', UTC where the time shift is zero.

6.5. Date with shift

The complete representation for date with a time shift is as follows.

```
[dateE][shiftE]
```

Figure 32

EXAMPLE

'1985Y4M12DZ-5H', calendar year 1985, April 12th with a time shift of 5 hours behind UTC.

6.6. Time of day with time shift

The complete representation for time of day with a time shift is as follows.

```
[timeE][shiftE]
```

Figure 33

EXAMPLE 1

'T23H20M50SZ', 23:20:50 at UTC of day.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE 2

'T23H20M50SZ-5H0M', 23:20:50 at local time, which is 5 hours behind UTC.

EXAMPLE 3

'T23H20M50SZ8H', 23:20:50 at local time, which is 8 hours ahead of UTC.

6.7. Date and time of day

A time can be expressed by combining a date expression (Clause 6.2) with a time of day expression (Clause 6.3).

The date part of a date and time expression must be complete. The time may be incomplete (Clause 6.13).

The representations provided in this clause are collectively denoted as [datetimeE].

6.7.1. Date and time only

The complete representation for date and time only is as follows.

```
[dateE][timeE]
```

Figure 34

EXAMPLE

'1985Y4M12DT23H20M30S', calendar year 1985, April 12th, 23:20:30.

6.7.2. Date and time with shift

The complete representation for date with time and a time shift is as follows.

```
[dateE][timeE][shiftE]
```

Figure 35

EXAMPLE

'1985Y4M12DT23H20M30SZ8H', calendar year 1985, April 12th, 23:20:30, 8 hours ahead of UTC.

6.8. Decade

The complete representation for decade is as follows.

```
[decE]
```

Figure 36

EXAMPLE

'1880', the decade 1880s, spanning years from 1880 to 1889.

6.9. Century

The complete representation for century is as follows.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

`[centE]`

Figure 37

EXAMPLE

‘1300’, the century 1300s, spanning years from 1300 to 1399.

6.10. Omission of zero valued components

Time scale components within an explicit form that has a value of `0` may be omitted entirely with its corresponding designator, except when the omission of it affects the indication of precision.

In the representations given in this clause, if a time scale component of a higher order (compared to the lowest order component specified in the representation) is omitted, it is assumed to have the value “0” as long as the time scale component accepts the value “0” (ISO 8601-1:—, Clause 4.3).

EXAMPLE 1

‘1985Y4M15DT15H0M10S’ and ‘1985Y4M15DT15H10S’ can be both used to express the time 3:00:10 p.m. on April 15th, 1985 in the Gregorian calendar.

EXAMPLE 2

‘1988Y3M1DT2H0M0S’ and ‘1988Y3M1DT2H’ are unequal representations where the former expression has seconds precision, and the latter expression has hour precision.

EXAMPLE 3

‘`2018Y8M8DT30M0SZ`’: indicates the date 8th August 2018 at time 00:30:00 in UTC time of day Since the “hour” component is omitted and “seconds” included, the hour is assumed to be zero, and the expression has seconds precision. This is equivalent to the expression ‘`2018Y08M08DT30M0SZ`’ in which zero padding is applied to calendar month and calendar day.

6.11. Indication of precision

The lowest denoted time scale component in a date and time representation indicates the precision level of the representation.

EXAMPLE 1

‘1985Y4M’ has calendar month precision.

EXAMPLE 2

‘1985Y4M12DT2H’ has clock hour precision.

EXAMPLE 3

‘1985Y4M12DT30M’ has clock minute precision, where the clock hour time scale component is a zero-valued omission.

6.12. Decimal fractions for time

A decimal fraction of hour, minute or second may be included in an expression in accordance with ISO 8601-1:—, Clause 5.2.1.4.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE 1

'`2018Y8M8DT0,5H`': indicates the date 8th August 2018 at time 00:30 with minutes precision.

EXAMPLE 2

'`2018Y8M8DT10H30.5M`': indicates the date 8th August 2018 at time 10:30:30 with seconds precision.

EXAMPLE 3

'`2018Y8M8DT10H30M15,3S`': indicates the date 8th August 2018 at time 10:30:15 plus 300ms with sub-second precision.

6.13. Representations other than complete

Any of the representations given in this clause may be modified for reduced precision (Clause 6.11) and decimal representation (Clause 6.12).

EXAMPLE 1

'`2018Y8M`': indicates the date August 2018 with calendar month precision.

EXAMPLE 2

'`2018Y8M8DT30M`': indicates the date 8th August 2018 at time 00:30 with minute precision. Since the "hour" component is omitted, it is assumed to be zero because it is of a higher order than the lowest order component specified in the representation (here, "minutes). The omitted "`second" component does not form part of the representation because it is of a lower order than the lowest order component.

6.14. Time interval

6.14.1. General

A time interval shall be expressed by a start and an end date. A solidus ["/"] is used as a separator to separate the two start and end dates.

The complete representation of a time interval is defined as follows.

```
[datetimeE]["/"][datetimeE]
```

Figure 38

EXAMPLE

'1985Y4M12DT23H20M50S/1985Y6M25DT10H30M0S', time interval beginning at 20 minutes and 50 seconds past 23 hours on 12 April 1985 local time of day and ending at 30 minutes past 10 hours on 25 June 1985 local time of day.

6.14.2. Duration substitution

Providing a duration as an alternative to either a start or end date is acceptable, given the start and end dates can be inferred from the given duration of the time interval.

EXAMPLE 1

'1985Y4M12DT23H20M50S/P3D'

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

EXAMPLE 2

'P3D/1985Y4M12DT23H20M50S'

6.14.3. Time scale component order

For expression of a time interval by a start and an end, higher order time scale components may be omitted from the "end of time interval", provided that the resulting expression is unambiguous. In this case the omitted higher order components from the "start of time interval" expression apply.

EXAMPLE

'2018Y1M15D/2M20D' represents '2018Y1M15D/2018Y2M20D' as the expression '2M20D' unambiguously refers to the calendar month and calendar day components, and the higher order components can be inherited from the start date expression.

6.14.4. Time shift indication

Representations for time zones and UTC included with the component preceding the separator shall be assumed to apply to the component following the separator, unless a corresponding alternative is included.

EXAMPLE

'2018Y1M15DZ5Y0M/2018Y2M20D' is equivalent to '2018Y1M15DZ5Y0M/2018Y2M20DZ5Y0M' as the 'Z5H0M' time shift also applies to the expression after the separator.

7. Explicit duration

7.1. General

Duration can be expressed by a combination of time scale units in explicit form — years, months, weeks, days, hours, minutes, and seconds.

These time scale components are specified in Clause 4, and are used to specify positive duration.

7.2. Durational units

Time scale unit components are used to compose a duration expression, and are defined as "durational units".

The following time scale components can be combined to form a representation denoted as [durationUnits] for the expression of duration.

```
[yearE][monthE][weekE][dayE]["T"][hourE][minuteE][secondE]
```

Figure 39

Where,

— each time scale component acting as a durational unit (such as [monthE]) may be omitted;
— the time designator symbol ["T"] is used to separate the time scale components relating to the clock from those of the calendar.

Within [durationUnits], time scale components of higher order shall be expressed before those of lower order.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

7.3. Representations

7.3.1. General

The following representations are both considered complete representations of duration.

7.3.2. Composite representation

The composite representation of a duration, fully accepting expressions of the duration representation given in ISO 8601-1:—, Clause 5.2.3, is given as follows.

```
[!]["-"]["P"][durationUnits]
```

Figure 40

Where,

— `[durationUnits]` contains time scale components for expressing positive duration.

EXAMPLE 1

'P3D', duration of three days.

EXAMPLE 2

'P3W2D', duration of three weeks and two days, which is 23 days, as equivalent to the expression of 'P23D'.

EXAMPLE 3

'P180Y800D', duration of one-hundred-and-eighty years and eight-hundred days.

NOTE The exact duration for some time scale components can only be known when placed on the actual time scale.

7.3.3. Precedence representation

The precedence representation of a duration is used for specifying author intent in the evaluation order of time scale components within a duration.

The representation of calendar duration time scale components (denoted as [calendarD]) is provided as follows.

```
["P"][calendarDU]
```

Figure 41

Where,

— [calendarDU] is one of [yearE], [monthE], [weekE], [dayE].

EXAMPLE 1

`P3D` describes a duration of three days, in accordance with [calendarD].

The representation of clock duration time scale components (denoted as [clockD]) is provided as follows.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

```
["P"]["T"][clockDU]
```

Figure 42

Where,

— [clockDU] is one of [hourE], [minuteE], [secondE].

EXAMPLE 2

`PT8H` describes a duration of eight hours, in accordance with [clockD].

The duration precedence representation is described as follows, denoted as [durationP].

```
[!]["-"][durC-1][durC-2]...[durC-n]
```

Figure 43

Where,

— [durC-i] is either [calendarD] or [clockD];
— the order of the [durC-i] components is used to determine the evaluation precedence order of the duration statement [durationP].

EXAMPLE 3

`P1YP3MP2D` describes a duration of one year, three months and two days, to be evaluated in the order as described.

EXAMPLE 4

`P2DP3MP1Y` describes a duration of two days, three months and one year, to be evaluated in the order as described.

EXAMPLE 5

`PT10HP2DP3MP1Y` describes a duration of ten hours, two days, three months and one year, to be evaluated in the order as described.

7.4. Negative duration

A duration with a negative value represents a duration in the reverse direction of the proceeding time scale.

EXAMPLE 1

`-P20Y3M` describes a negative duration of twenty years and three months ago.

EXAMPLE 2

`-P2DP3MP1Y` describes a negative duration of two days, three months and one year, to be evaluated in the order as described.

7.5. Fractional duration

A duration representation can be modified to accept a fractional value in place of any [i] specified in a durational time scale component.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

7.6. Exact duration

7.6.1. General

This clause describes methods to resolve exact duration in face of ambiguities.

7.6.2. Context-dependent duration

The exact duration of some time scale units can only be known when placed on the actual time scale.

EXAMPLE 1

'P1Y' duration could be 365 or 366 calendar days depending on whether the year is a leap year.

EXAMPLE 2

'P3M' duration could be 90, 91, 92 days depending on the actual calendar months and calendar year.

EXAMPLE 3

'PT1M' duration is normally 60 seconds, but when the minute is the last minute of the year, it could be 59, 60 or 61 seconds long depending on whether a leap second is applied.

EXAMPLE 4

'P1Y2M15DT12H30M', duration of 1 year, 2 months, 15 days, 12 hours and 30 minutes. The actual duration of the involved calendar months can only be known when the duration is placed on an actual start date.

7.6.3. Speculative duration

The exact duration of certain time scale unit may only be known after an event occurs.

There is no universal rule to calculate leap seconds in advance, since the decision to insert a leap second is driven by a number of dynamic factors and only known when announced by the BIPM.

Specifically, the exact duration of the last clock minute of a calendar year can only be known after it is announced by the BIPM, whether a leap second has or will occur (in UTC). This event is described in this document to occur at the "leap second horizon date" for a calendar year.

The exact duration of the last clock minute in a calendar year is one of the following duration:

— when there is a positive leap second, 61 clock seconds;
— when there is no leap second, 60 clock seconds; and
— when there is a negative leap second, 59 clock seconds.

For the accuracy of general purposes, it is acceptable to assume the last clock minute always contains 60 clock seconds, just like any other clock minute.

For cases where durational accuracy at the clock second level is of importance, the following steps shall be taken:

— When calculating exact duration prior to the leap second horizon date of a specific calendar year involved, the last clock minute is assumed to have no leap second, such that 59 is always the last second of the year;

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

— When calculating exact duration after the leap second horizon date of a specific calendar year involved, the last clock minute shall reflect the actual duration.

EXAMPLE 1

'P3000Y12M31DT23H59M' is considered to have a duration of 60 clock seconds, as the calendar year 3000's leap second horizon date has not yet occurred.

EXAMPLE 2

'P2016Y12M31DT23H59M' is considered to have a duration of 61 clock seconds, since the leap second horizon date has already occurred, and it is known that a positive leap second assigned to the calendar year 2016.

8. Evaluation of date and time with duration

8.1. General

A date and time representation is modified by a duration in many cases, including the calculation for:

— time intervals when given duration as a start or end;
— boundaries of grouped time scale units (Clause 5);
— conversion between of UTC of day and local time of day via time shifts; and
— occurrences of recurring time intervals.

This clause provides methods to calculate a consistent result date and time, given an origin date and time ("origin") and a duration time scale component (duration) to apply.

Modification of a date and time representation with a duration is described using the following representation, called a "date time formula".

```
resolve(date, duration)
```

Figure 44

or

```
date + duration
```

Figure 45

EXAMPLE

`2018Y9M10D + P1D` is a date time formula.

8.2. Prerequisite mechanisms

8.2.1. Carry-over of overflow in time scale components

An "overflow" of a date and time expression is defined as assigning a value exceeding the maximum value accepted by the time scale component.

EXAMPLE 1

An increase of `P1M` (duration) to `2018Y12M` (date) will result in the expression `2018Y13M`, where the month component is overflowed with value `13`.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

An overflow is considered resolved once the overflowed time scale unit has transferred its excess to the immediate higher order time scale component.

EXAMPLE 2

The overflowed expression `2018Y13M` can be resolved to `2019Y1M`.

An overflow can cause multiple carry-overs when the overflow not only causes the immediate higher order time scale component to overflow, but also subsequent higher order components.

EXAMPLE 3

The overflowed expression `2018Y12M366D` can be resolved to `2018Y24M1D` (which still contains an overflow), which can be resolved to `2019Y12M1D` (where there is no more overflow).

8.2.2. Truncation at time scale component boundaries

A modification made to a higher order time scale component may cause the value of a lower order time scale component to go beyond its value boundaries. This condition is described as “out of bounds” of a date and time expression.

This situation occurs when a modification is made to the values of certain time scale components, because a lower order component always has its maximum value bound by its immediate higher order component:

— clock minute (clock second value of `60` is only valid for a leap second);
— calendar month (calendar day values 29, `30`, 31 are invalid for some months); and
— calendar year (ordinal day value of 366 and calendar month/day combination of February 29th is only valid for a leap year).

EXAMPLE 1

An increase of `P1M` (duration) to `2018Y1M31D` (date) will result in the expression `2018Y2M31D`, which is an invalid date representation as the calendar day value of `31` has exceeded the boundary of its immediate higher order component, the month `2` (February).

EXAMPLE 2

An increase of `P1Y` (duration) to `2016Y12M31DT23H59M60S` (date) will result in the expression `2017Y12M31DT23H59M60S`, which is an invalid date representation as the clock second value of `60` has exceeded the boundary of its immediate higher order component, the clock minute with its last second at `59`.

An out of bounds situation is considered resolved once the excess value is truncated at the violating (lower order) time scale component.

EXAMPLE 3

The out of bounds expression `2019Y2M29D`” can be truncated to `2019Y2M28D`.

EXAMPLE 4

The out of bounds expression `2020Y366O`” can be truncated to `2020Y365O`.

8.3. Simple duration

A simple duration is a duration expression with only a single time scale component.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

Evaluation of a date time formula that contains a simple duration is to directly apply the durational unit to the corresponding time scale component of the date and time representation and applying carry-over.

The steps are as follows:

1) Take the value of the time scale component in the simple duration, directly modify the value of the corresponding time scale component in the date and time representation.
2) In the resulting date and time representation, start from the lowest order overflowed time scale component, perform carry-over until there is no more overflow in the representation.
3) If any time scale components have become invalid, apply truncation to them.
4) The resulting date and time representation is complete.

EXAMPLE

Calculation of `2022Y2M28D + P3D`:

1) Direct modification of date and time representation, obtains `2022Y2M31D`.
2) Apply carry-over to overflowed components, obtains `2022Y3M02D`.

8.4. Composite duration

The method of evaluating of a date time formula with a composite duration (Clause 7.3.2) is to directly apply the durational units to the date and time representation without truncation, and only applying carry-over at the end.

The steps are as follows:

1) For all values of time scale components in the composite duration, directly modify the values of the corresponding time scale components in the date and time representation.
2) In the resulting date and time representation, start from the lowest order overflowed time scale component, perform carry-over on all overflowed time scale components, until there is no more overflow in the representation.
3) If any time scale components have become invalid, apply truncation to them.
4) The resulting date and time representation is complete.

EXAMPLE

Calculation of `2022Y2M30D + P1Y3M2D`:

1) Direct modification of date and time representation, obtains `2023Y5M32D`.
2) Apply carry-over to overflowed components, obtains `2023Y6M31D`.
3) The resulting representation is `2023Y6M31D`.

8.5. Precedence duration

The method of evaluating of a date time formula with a precedence duration (Clause 7.3.3) is to apply the durational units one by one to the date and time representation with truncation and carry-over at every step.

The steps are as follows:

1) Starting at the left side of the precedence duration expression, process every durational unit one by one as follows:
   a) Use the durational unit (which only contains one time scale component), to modify the corresponding time scale component (the “target component”) in the date and time representation.
   b) If the target component has overflowed in the previous step, perform carry-over (to higher order time scale components), until there is no more overflow in the representation.

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

   c) If any time scale components of lower order than the target component have become invalid, apply truncation to them.
2) Once all durational units have been processed, the resulting date and time representation is complete.

EXAMPLE 1

Calculation of `2022Y2M29D + P1YP3MP2D`:

1) Process the first durational unit: `(2022Y2M29D + P1Y) + P3MP2D`.
2) Apply the first durational unit to the date and time representation: `2023Y2M29D + P3MP2D`.
3) No carry-over is necessary since there is no overflow.
4) Since `29D` is of lower order than the target component (calendar year), the representation is truncated: `2023Y2M28D + P3MP2D`.
5) Process the second durational unit: `(2023Y2M28D + P3M) + P2D`.
6) Apply the second durational unit to the date and time representation: `2023Y5M28D + P2D`.
7) No carry-over is necessary since there is no overflow.
8) No component of lower order than the target component is invalid, hence truncation is not necessary.
9) Process the third durational unit: `2023Y5M28D + P2D`.
10) Apply the third durational unit to the date and time representation: `2023Y5M31D`.
11) No carry-over is necessary since there is no overflow.
12) No component of lower order than the target component is invalid, hence truncation is not necessary.
13) The resulting date and time representation is `2023Y5M31D`.

EXAMPLE 2

Calculation of `2022Y2M29D + P2DP3MP1Y`:

1) Process the first durational unit: `(2022Y2M29D + P2D) + P3MP1Y`.
2) Apply the first durational unit to the date and time representation: `2022Y2M31D + P3MP1Y`.
3) Carry-over is necessary since there is the target component has overflowed: `2022Y3M2D + P3MP1Y`.
4) No component of lower order than the target component is invalid, hence truncation is not necessary.
5) Process the second durational unit: `(2022Y3M2D + P3M) + P1Y`.
6) Apply the second durational unit to the date and time representation: `2022Y6M2D + P1Y`.
7) No carry-over is necessary since there is no overflow.
8) No component of lower order than the target component is invalid, hence truncation is not necessary.
9) Process the third durational unit: `2022Y6M2D + P1Y`.
10) Apply the third durational unit to the date and time representation: `2023Y6M2D`.
11) No carry-over is necessary since there is no overflow.
12) No component of lower order than the target component is invalid, hence truncation is not necessary.
13) The resulting date and time representation is `P1Y`.

8.6. Involving fractional duration

When fractional duration (Clause 7.5) is applied to context-dependent durational units (Clause 7.6.2), it is necessary to resolve the fractional duration in context.

EXAMPLE 1

The expression `P0.5M` (“half a month”) is ambiguous because the exact duration of a calendar month depends on its context, and that the context for which `P0.5M` is anchored to is unclear.

The duration of a fractional, context-dependent, durational unit can be obtained by first calculating a single unit of the durational unit in context, such that, the exact duration for the durational

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

unit in whole (e.g. “P1M”) becomes known. Once the exact duration of a single unit is known, the duration of the fractional unit can be calculated.

```
date + frac-dur =
  duration(date + unit(frac-dur), date) × value(frac-dur) + date
```

Figure 46

Where,

— `unit(frac-dur)` is the value of a single unit used in the duration `frac-dur`;
— `value(frac-dur)` is the fractional value used with the duration `frac-dur`;
— `duration(date1, date2)` is a function to calculate the duration between two dates or times, such as Clause 8.4 or Clause 8.5.

Given that “date + unit(frac-dur)” can be calculated, this method always produces a consistent value.

EXAMPLE 2

Given the expression: `2018-01-23 + P0.5M`:

1) It is rephrased as `duration(2018-01-23 + P1M, 2018-01-23) × 0.5 + 2018-01-23`.
2) It is reduced to `duration(2018-02-23, 2018-01-23)`.
3) Then `P31D × 0.5 + 2018-01-23`.
4) Then `P15.5D + 2018-01-23`.
5) Since `P15.5D` is an exact duration (duration of calendar day is known), `P15.5D + 2018-01-23`” is resolvable and gives the final result `2018-02-07T12:00:00`.

8.7. Involving speculative duration

As described in Clause 7.6.3, there is no universal rule to calculate leap seconds in advance, since the decision to insert a leap second is driven by a number of dynamic factors and only known when announced by the BIPM.

The rules specified in Clause 7.6.3 are used to evaluate a date time formula that involves leap seconds.

EXAMPLE 1

This example applies identically with or without a leap second. Given the expression: `2018-12-31T23:59:59 + PT1M`:

1) Apply the durational unit clock minute directly to the representation: `2018-12-31T23:60:59`
2) Since `59` is the last clock minute, treat the overflow with carry-over: `2018-12-31T24:00:59`
3) Since `23` is the last clock hour, treat the overflow with carry-over: `2018-12-32T00:00:59`
4) Since `31` is the last calendar day of year, treat the overflow with carry-over: `2018-13-01T00:00:59`
5) Since `13` is the last calendar month, treat the overflow with carry-over: `2019-01-01T00:00:59`
6) The resulting expression is `2019-01-01T00:00:59`.

EXAMPLE 2

Given the expression containing a leap second: `2016-12-31T23:59:60 + PT1M`:

1) Apply the durational unit clock minute directly to the representation: `2016-12-31T23:60:60`
2) Since `59` is the last clock minute, treat the overflow with carry-over: `2016-12-31T24:00:60`
3) Since `23` is the last clock hour, treat the overflow with carry-over: `2016-12-32T00:00:60`
4) Since `31` is the last calendar day of year, treat the overflow with carry-over: `2016-13-01T00:00:60`

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

5) Since `13` is the last calendar month, treat the overflow with carry-over: `2017-01-01T00:00:60`
6) The clock second `60` is out of bounds, it is truncated to the maximum value: `2017-01-01T00:00:59`
7) The resulting expression is `2017-01-01T00:00:59`.

EXAMPLE 3

Given the expression containing a leap second: `2016-12-31T23:59:59 + PT1S`:

1) Apply the durational unit clock second directly to the representation: `2016-12-31T23:59:60`
2) The resulting expression is `2016-12-31T23:59:60`.

© The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved

Bibliography

[1] ISO/IEC 646, INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO). *Information technology — ISO 7-bit coded character set for information interchange*. Report no. 646. Third edition. Geneva: International Organization for Standardization; International Electrotechnical Commission, Available at: https://www.iso.org/standard/4777.html.

[2] ISO 8601:2004, INTERNATIONAL ORGANIZATION FOR STANDARDIZATION (ISO). *Data elements and interchange formats — Information interchange — Representation of dates and times*. Report no. 8601. Third edition. Geneva: International Organization for Standardization, 2004. Available at: https://www.iso.org/standard/40874.html.

[3][2] ISO 8601-2:—, *Date and time — Representation for information interchange — Part 2: Extensions*. Report no. 8601-2. ISO.

[4] IETF RFC 5545, INTERNET ENGINEERING TASK FORCE (IETF). *Internet Calendaring and Scheduling Core Object Specification (iCalendar)*. Report no. RFC5545. *RFC*, no. 5545. RFC Publisher, 2009. Available at: https://www.rfc-editor.org/info/rfc5545.

[5] IETF RFC 6350, S. Perreault and INTERNET ENGINEERING TASK FORCE (IETF). *vCard Format Specification*. Report no. RFC6350. *RFC*, no. 6350. RFC Publisher, 2011. Available at: https://www.rfc-editor.org/info/rfc6350.

[2]Under preparation. (Stage at the time of publication ISO/FDIS 8601-2)

 © The Calendaring and Scheduling Consortium, Inc. 2018 – All rights reserved