

Locations & Inventory — User Guide

Wawa Garden Bar · Admin / Manager Walkthrough · 2026-04-25

This guide explains how to set up **multi-location inventory tracking** in the Wawa Garden Bar admin dashboard, how to receive stock into specific locations, how to transfer stock between them, and how to review per-location reports and history.

Contents

- 1. Concepts & terminology
- 2. One-time setup — turning on Location Tracking
- 3. Defining your locations
- 4. Setting the system defaults
- 5. Enabling per-item location tracking
- 6. Receiving stock into a location
- 7. Transferring stock between locations
- 8. Deducting stock manually (waste, damage, etc.)
- 9. Where to read per-location stock
- 10. Stock-movement history & audit trail
- 11. How orders interact with locations
- 12. Common pitfalls & FAQ

1. Concepts & terminology

Term	What it means
Location	A physical place that holds stock — e.g. <i>Main Bar</i> , <i>Garden Bar</i> , <i>Chiller 1</i> , <i>Storage</i> , <i>Kitchen</i> .
Location ID	A short technical identifier (e.g. <code>chiller-1</code>) used internally. Lower-case, no spaces. Cannot be changed easily after stock has been recorded against it — pick something stable.
Display Name	The user-facing label staff see in dropdowns and reports (e.g. <i>Bar Chiller 1</i>). You can rename this freely.
Default Receiving Location	Where newly-received stock lands if you don't pick one explicitly.
Default Sales Location	Where stock is deducted from when an order is fulfilled.
Stock Transfer	A movement of stock from one location to another. Decrements the source, increments the destination, and writes a single audited transfer record.
Stock Movement	Every change to stock (receive, sale, waste, transfer, adjustment) creates a movement row visible in the item's Stock Movement History.

2. One-time setup — turning on Location Tracking

Multi-location tracking is off by default. A super-admin must enable it before anything else.

- 1 Sign in as a **super-admin**.
- 2 Navigate to `/dashboard/settings` and open the **Locations** tab.
- 3 Toggle **Enable Location Tracking** to **ON**.
Subtitle reads: "Track inventory across multiple physical locations".
- 4 Don't save yet — first add at least one location (next section), then come back and pick the defaults, then save.

HEADS-UP

Turning the master toggle off later does not delete your locations or their stock — it just hides the location UI from staff. Re-enabling it brings everything back exactly as it was.

3. Defining your locations

Still on the **Locations** tab:

- 1 Click **Add Location**. A new card appears.
- 2 Fill in the four fields per location:
 - **Location ID** — short identifier, e.g. `main-bar`, `garden-bar`, `chiller-1`, `storage`. Required, must be unique.
 - **Display Name** — human label, e.g. *Main Bar*. Required.
 - **Type** — pick one: *Storage / Chiller / Other*. Reporting groups by this.
 - **Active** — leave ON for live locations. Deactivating hides a location from dropdowns without losing its history.
- 3 Repeat **Add Location** for each physical place you store stock.
- 4 Use the trash icon next to a location to delete it (only safe before stock has been recorded there).

SUGGESTED STARTER SETUP

Most venues do well with three to five locations: *Main Bar*, *Garden Bar*, *Storage*, *Chiller 1*, *Kitchen*. Don't over-fragment — every location is one more thing for staff to count during snapshots.

4. Setting the system defaults

Below the locations list, configure the policies that govern day-to-day flow:

Setting	Pick
Default Receiving Location	Usually <i>Storage</i> . Newly-received deliveries land here unless the receiver picks otherwise.
Default Sales Location	Usually <i>Main Bar</i> (whatever the front-of-house pulls from). Order completions deduct from here automatically.

Require Transfer Notes	Turn ON if you want every transfer to carry a written justification. Recommended for audit-heavy environments.
Allow Negative Stock	Leave OFF unless you have a reason to oversell. ON lets stock dip below zero (useful when restocks lag entry).

Click **Save** at the top of the form. You're now ready to track stock per location.

5. Enabling per-item location tracking

The system-wide toggle *allows* per-location tracking; each inventory item still has to opt-in.

- 1 Navigate to `/dashboard/inventory`.
- 2 Find the item in the table. The **Track by Location** column shows a toggle — flip it to **ON**.
- 3 The item's row now displays per-location quantities (e.g. *Main Bar: 50 | Chiller 1: 30*) in the Locations column.
- 4 Click the item name to open `/dashboard/inventory/{itemId}` for full per-location controls.

MIGRATING AN EXISTING ITEM

When you first turn on Track by Location for an item that already has total stock, the entire current quantity is assigned to the *Default Receiving Location*. Use a Stock Transfer (next section) to split it across the real locations.

6. Receiving stock into a location

- 1 Open the inventory item: `/dashboard/inventory/{itemId}`.
- 2 In the **Stock Adjustments** section, click **+ Add Stock**.
- 3 Fill in:
 - **Location** — defaults to *Default Receiving Location*; change if the delivery went elsewhere.
 - **Quantity** — units received (must be greater than 0).
 - **Reason** — e.g. *Restock*, *Opening Stock*.
 - **Supplier**, **Cost Per Unit**, **Invoice Number**, **Notes** — optional, all useful for cost tracking and audits.
- 4 Click **Add Stock**.

The location's stock increases by the quantity entered, and a Stock Movement row is logged with type *Addition*, category *Restock*, and your name as *Performed By*.

7. Transferring stock between locations

Use this whenever stock physically moves — e.g. when bar staff carry bottles from Storage out to the Main Bar.

- 1 Navigate to `/dashboard/inventory/transfer` (also reachable from the Inventory menu as *Stock Transfer*).

- 2 Use **Search Items** and **Filter by Location** to find the item. Only items with Track by Location enabled appear.
- 3 Click the **Transfer** button on the row.
- 4 In the dialog, fill in:
 - **From Location** — only locations that hold this item appear, with their current stock shown.
 - **To Location** — must differ from *From*.
 - **Quantity** — must be greater than 0 and not exceed available stock at the source.
 - **Transfer Reference** — optional ID/code for your records (e.g. TR-2026-014).
 - **Notes** — optional unless *Require Transfer Notes* is on, in which case it's mandatory.
- 5 Click **Transfer** . A toast confirms "Stock transferred successfully" and the table refreshes.

WHAT GETS RECORDED

One Stock Movement row is created with type *Transfer*, category *transfer*, and both *From* and *To* locations populated. It also writes an audit-log entry (`inventory.stock_transferred`) that auditors can replay.

8. Deducting stock manually (waste, damage, etc.)

For stock loss outside an order — e.g. broken bottles, expired produce — adjust manually.

- 1 Open the item at `/dashboard/inventory/{itemId}` .
- 2 Click **- Deduct Stock** .
- 3 Pick the **Location** the loss came from (defaults to *Default Sales Location*).
- 4 Enter the **Quantity**, pick a **Reason** from *Waste / Damage / Theft / Other*, and add notes.
- 5 Submit. A Stock Movement row is logged with type *Deduction* and category matching the reason.

9. Where to read per-location stock

View	What it shows
<code>/dashboard/inventory</code> (list)	The <i>Locations</i> column shows an inline breakdown badge per row (e.g. <i>Main Bar: 50 Chiller 1: 30</i>) — fastest way to scan everything at once.
<code>/dashboard/inventory/{itemId}</code> (detail)	The Stock by Location card shows each location with a percentage badge, absolute quantity, and a horizontal bar. Total stock is summed at the bottom.
<code>/dashboard/inventory/snapshots</code>	Inventory snapshots include a per-location breakdown so staff can confirm system numbers against physical counts location-by-location. Discrepancies are calculated per location.

10. Stock-movement history & audit trail

On any item's detail page, scroll to **Stock Movement History** :

- **Date / Time** — formatted *MMM dd, yyyy HH:mm*.
- **Type badge** — colour-coded: green Addition, red Deduction, blue Adjustment, purple Transfer.
- **Quantity** — with sign (**+** or **-**).
- **Location** — single name for additions/deductions/adjustments; for transfers it shows *From* → *To* with an arrow.
- **Reason / Category** — sale, restock, waste, damage, transfer, etc.
- **Performed By** — staff name. Order-driven deductions show *System*.
- **Details** — expandable for supplier, invoice number, transfer reference, and any notes.

11. How orders interact with locations

When an order is fulfilled (status flips to *completed*), the system automatically deducts each ordered item's stock from the **Default Sales Location** set in `/dashboard/settings` .

- The POS / order screen does *not* currently prompt staff to pick a deduction location — it always uses the default.
- If you need to record sales coming from a non-default location (e.g. an outdoor pop-up bar), do it via a Stock Transfer first (move the stock to that location), or correct it after the fact with a Stock Transfer between locations.
- Cancelling an order calls the inverse: stock is restored to the same default sales location, with an Addition movement row.

PLAN FOR THIS

If your venue regularly sells from more than one location, pick the busiest as the *Default Sales Location*, and run a daily Stock Transfer routine to seed the secondary location with what it needs for service. End-of-day, transfer the leftovers back to Storage.

12. Common pitfalls & FAQ

Q. I can't see the Locations tab in Settings.

You need a super-admin role. Regular admins don't see it.

Q. The "Transfer" button is missing for an item.

That item has *Track by Location* turned off. Enable it from the inventory list first.

Q. The "From Location" dropdown in the transfer dialog is empty.

The item has zero stock in every location. Add stock first via *+ Add Stock*.

Q. I deleted a location by mistake — what now?

If the location had stock or movement history, the rows still exist in the database but the deletion removes it from dropdowns. Re-add it with the same Location ID and Display Name to restore visibility. Prefer *deactivating* over deleting.

Q. Why doesn't my snapshot match the system count?

Each location is counted independently. Open the snapshot, expand the item, and check which location is short or over — the cause is usually a missed transfer or an off-system sale.

Q. Can I rename a Location ID after we've used it?

Display Name is safe to change at any time. Location ID is technically renameable but historical movement rows still point at the old ID, which fragments reports — only do this with engineering support.

Q. We split a single delivery across two locations — how do I record that?

Run + *Add Stock* twice — once per location, with the appropriate quantity each time. Use the same Invoice Number on both rows so they reconcile in cost reports.

End of guide. For feature-specific compliance evidence, see `compliance/RTM.md` . For bug reports, raise an issue on the *wawagardenbar-app* repository.