


Save File Name: E:\Projects\OceanAcidification\DIC analyzer\Software\TCO2_Li7000_v1.31.vee

Save File Last Revised: Tue Oct 19 13:04:52 2010

Save File Format: 7.0

Agilent VEE Pro Revision: 9.2.13522.0 Execution mode: VEE 6 Execution Mode

I/O Configuration



```
Mon 08/Nov/2010 15:28:39
```

- ShowTitleBar: false - ShowTerminals: false

Main (M): Detail View, Total Objects: 11 2 5 7 8 9 1 3 4 6 Main _ 🗆 🗷 162 Α Time Sample ID Date Int CO2 Avg Peak Max Peak Start End xH2O Temp Pres Error 111 art В 221 Note Pad Time Sample ID 217 wPanel("Plot") Date 218 wPanel ("SaveData") 109 D 208 DataFileName | 209 a File 210a File 1 2 3 Main "Main" - 30 at: E2 Until Break "Until Break" - ObjectIndex: M.30 - Declared Scope: Local to Context ├ ShowTitleBar: true - ShowTerminals: true L ShowIconTitle: true - 109 at: C2 UserObject "Initialize" - 111 at: B2 Start "Start" - ObjectIndex: M.111 Declared Scope: Local to Context - ShowTitleBar: false - ShowTerminals: false └ ShowIconTitle: true -162 at: A4 Label " Sample ID Date Time Int CO2 Avg Peak Max Peak Start End xH20 Temp - ObjectIndex: M.162 - Declared Scope: Local to Context - Label: " Sample ID Date Time Int CO2 Avg Peak Max Peak xH2O Pres Erro Start End Temp - ShowTitleBar: false - ShowTerminals: false └ ShowIconTitle: true - 208 at: D2 Get Variable "GetDataFileName" - ObjectIndex: M.208 Declared Scope: Local to Context Global Name: "DataFile" - ShowTitleBar: true - ShowTerminals: true └ ShowIconTitle: true - 209 at: D3 AlphaNumeric "Data File" is added to panel - ObjectIndex: M.209 — Declared Scope: Local to Context - ShowTitleBar: true ShowTerminals: false L ShowIconTitle: true - 210 at: D4 Label "Data File" is added to panel ├ ObjectIndex: M.210 - Declared Scope: Local to Context Label: "Data File"

Mon 08/Nov/2010 15:28:39


res Error"

r"

```
└ ShowIconTitle: true
215 at: E4 UserObject "RunTCO2Sample"
- 217 at: B2 Formula "ShowPanel("Plot")"
 - ObjectIndex: M.217
 - Declared Scope: Local to Context
 Formula: ShowPanel("Plot", 0, 0, 880, 340)
 - ShowTitleBar: true
 - ShowTerminals: true
L ShowIconTitle: true
218 at: C2 Formula "ShowPanel("SaveData")"
 ObjectIndex: M.218
 - Declared Scope: Local to Context
 Formula: ShowPanel("SaveData", 0, 400)
 - ShowTitleBar: true
- ShowTerminals: true
 L ShowIconTitle: true
221 at: B7 Note Pad "Note Pad" is added to panel
 ObjectIndex: M.221
  - Declared Scope: Local to Context
  Note Contents: 2 lines.
                                                                                     ----- CO2 Peak -----
             Sample ID
                              Date
                                                Time
                                                                Area
                                                                          Average Maximum Start
                                                                                                                         Water
                                                                                                             End
 - ShowTitleBar: true
 - ShowTerminals: false
 └ ShowIconTitle: true
```

Temp. Press. Error

Main: Panel View



- 210: Label "Data File" (x=10, y=600) (w=70, h=25)

209: AlphaNumeric "Data File" (x=90, y=618) (w=400, h=21)
221: Note Pad "Note Pad" (x=0, y=345) (w=780, h=55)


1

```
AcidFlush (F19): Detail View, Total Objects: 3
```

2

UserFunction "AcidFlush" **■**AcidFlush _ | _ | × | - 7 at: Al Start "Start" - ObjectIndex: F19.7 7 Start - Declared Scope: Local to Context Α - ShowTitleBar: false - ShowTerminals: false L ShowIconTitle: true 19 For Count -18 at: C3 Direct I/O "Serial12 (@ 12)" 10 - ObjectIndex: F19.18 В - Declared Scope: Local to Context - Transactions: 8 lines. - WRITE BYTE 254 - WRITE BYTE 9 18 @OM/UE 1 WAIT INTERVAL:.5 - EXECUTE RESET Serial12 (@ 12) - WRITE BYTE 254 - WRITE BYTE 1 WAIT INTERVAL:.5 1 3 - ShowTitleBar: true ShowTerminals: true ShowIconTitle: true - 19 at: B1 For Count "For Count" - ObjectIndex: F19.19 - Declared Scope: Local to Context Count: 10 - ShowTitleBar: true - ShowTerminals: false └ ShowIconTitle: true

Close_Dump (F24): Detail View, Total Objects: 2




ErrorRecord (F18): Detail View, Total Objects: 6 1 2 6 **I** ■ ErrorRecord _ | 🗆 | × | Α Α В 7 ogging AlphaNumeric UserFunction "ErrorRecord" - 0 at: A4 Set Variable "ErrorLog" - ObjectIndex: F18.0 Declared Scope: Local to Context Global Name: "ErrorLog" ├ ShowTitleBar: true - ShowTerminals: true L ShowIconTitle: true - 1 at: A3 To String "To String" - ObjectIndex: F18.1 - Declared Scope: Local to Context - Transactions: 5 lines. WRITE TEXT a DATE:DMY TIME:HMS:H24 - WRITE TEXT " , " STR - WRITE TEXT b - WRITE TEXT " , " STR WRITE TEXT C EOL - MultiFieldFormat: (...) Syntax - ArrayFormat: Block - ArraySeparator: " " - ShowTitleBar: true - ShowTerminals: true └ ShowIconTitle: true - 3 at: Al Formula "now()" - ObjectIndex: F18.3 - Declared Scope: Local to Context - Formula: now() - ShowTitleBar: true - ShowTerminals: true └ ShowIconTitle: true - 5 at: Al Get Variable "SequenceTime" - ObjectIndex: F18.5 Declared Scope: Local to Context - Global Name: "SequenceTime" - ShowTitleBar: true ShowTerminals: true L ShowIconTitle: true - 6 at: B3 Set Variable "TCO2Error" - ObjectIndex: F18.6 Declared Scope: Local to Context - Global Name: "TCO2Error" - ShowTitleBar: true - ShowTerminals: true L ShowIconTitle: true dash 7 at: B5 Logging AlphaNumeric "Logging AlphaNumeric" is added to panel - ObjectIndex: F18.7 - Declared Scope: Local to Context - Buffer Size: 256 - ShowTitleBar: true - ShowTerminals: false └ ShowIconTitle: true

Mon 08/Nov/2010 15:28:39 ErrorRecord: Panel View

PanelView "ErrorRecord" (w=320, h=232)
Logging AlphaNumeric


PanelView "ErrorRecord" (w=320, h=232)
To Logging AlphaNumeric "Logging AlphaNumeric" (x=0, y=0) (w=319, h=229)

100
200



Mon 08/Nov/2010 15:28:39

Get_LicorData (F14): Detail View, Total Objects: 29



ObjectIndex: F14.8

Declared Scope: Local to Context
Global Name: "LicorData"
ShowTitleBar: true
ShowTerminals: true
ShowIconTitle: true

11 at: B5 Get Variable "LicorData"
ObjectIndex: F14.11
Declared Scope: Local to Context
Global Name: "LicorData"
ShowTitleBar: true
ShowTerminals: true
ShowIconTitle: true

- 15 at: B6 Get Values "Get Values" - ObjectIndex: F14.15

Declared Scope: Local to Context

```
Mon 08/Nov/2010 15:28:39
  Formula: Ary[1]
  - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
- 18 at: C6 Get Values "Get Values"
  - ObjectIndex: F14.18
  - Declared Scope: Local to Context
  Formula: Ary[2]
  ShowTitleBar: true
  ├ ShowTerminals: true
 ShowIconTitle: true
- 20 at: B7 Set Variable "pCO2"
 - ObjectIndex: F14.20
  - Declared Scope: Local to Context
  - Global Name: "pCO2"
 - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 21 at: D7 Set Variable "pCO2_integrate"
  - ObjectIndex: F14.21
  - Declared Scope: Local to Context
  Global Name: "pCO2_integrate"
  - ShowTitleBar: true
   - ShowTerminals: true
 L ShowIconTitle: true
- 22 at: C6 Get Values "Get Values"
  - ObjectIndex: F14.22
  Declared Scope: Local to Context
  - Formula: Ary[6]
  - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
– 23 at: E7 Set Variable "pCO2_max"
 - ObjectIndex: F14.23
  - Declared Scope: Local to Context
  ─ Global Name: "pCO2_max"
  - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
- 24 at: D6 Get Values "Get Values"
  - ObjectIndex: F14.24
  - Declared Scope: Local to Context
  - Formula: Ary[5]
  - ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 25 at: D7 Set Variable "CO2Pres"
  - ObjectIndex: F14.25
  - Declared Scope: Local to Context
  - Global Name: "CO2Pres"
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 26 at: E6 Get Values "Get Values"
  - ObjectIndex: F14.26
  - Declared Scope: Local to Context
  Formula: Ary[3]
  ShowTitleBar: true
   - ShowTerminals: true
 └ ShowIconTitle: true
- 27 at: C7 Set Variable "H2O"
  - ObjectIndex: F14.27
  Declared Scope: Local to Context
  Global Name: "H2O"
  - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 31 at: C7 Set Variable "CO2Temp"
 - ObjectIndex: F14.31
  - Declared Scope: Local to Context
  - Global Name: "CO2Temp"
 ShowTerminals: true
  ─ ShowTitleBar: true
    ShowIconTitle: true
```


```
- 32 at: E6 Get Values "Get Values"
 - ObjectIndex: F14.32
  - Declared Scope: Local to Context
  Formula: Ary[4]
 ├ ShowTitleBar: true
  dash ShowTerminals: true
 L ShowIconTitle: true
- 100 at: Al Text Constant "Request Data"
 - ObjectIndex: F14.100
 - Declared Scope: Local to Context
 - DataShape: Scalar
 - ArraySize: 10
 - EnableEditing: true
 - ShowTitleBar: true
  - ShowTerminals: false
 └ ShowIconTitle: true
102 at: G4 If/Then/Else "If/Then/Else"
 - ObjectIndex: F14.102
  - Declared Scope: Local to Context
  - If/Else cases: A==75
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 103 at: G2 Get Variable "Get SequenceTime"
 - ObjectIndex: F14.103
 - Declared Scope: Local to Context
 - Global Name: "SequenceTime"
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
- 104 at: G7 Set Variable "Set pCO2_start"
 - ObjectIndex: F14.104
 - Declared Scope: Local to Context
 - Global Name: "pCO2_start"
 - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
- 105 at: G6 Get Variable "Get pCO2"
 - ObjectIndex: F14.105
 Declared Scope: Local to Context
 Global Name: "pCO2"
 - ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 106 at: H4 If/Then/Else "If/Then/Else"
 - ObjectIndex: F14.106
 - Declared Scope: Local to Context
 - If/Else cases: A==159
 - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 108 at: H6 Get Variable "Get pCO2"
 - ObjectIndex: F14.108
  - Declared Scope: Local to Context
  Global Name: "pCO2"
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 109 at: H7 Set Variable "Set pCO2_end"
 ├ ObjectIndex: F14.109
 - Declared Scope: Local to Context
 - Global Name: "pCO2_end"
 - ShowTitleBar: true
 - ShowTerminals: true
 └ ShowIconTitle: true
- 111 at: I4 If/Then/Else "If/Then/Else"
 - ObjectIndex: F14.111
 - Declared Scope: Local to Context
 - If/Else cases: 75<A AND A<159
 - ShowTitleBar: true
 ShowTerminals: true
ShowIconTitle: true
- 112 at: I6 Get Variable "Get pCO2"
 - ObjectIndex: F14.112
```

```
- Declared Scope: Local to Context
  ├ Global Name: "pCO2"
 - ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 113 at: I6 Get Variable "Get PeakAvg"
 ├ ObjectIndex: F14.113
 - Declared Scope: Local to Context
 - Global Name: "PeakAvg"
 - ShowTitleBar: true
  ├ ShowTerminals: true
 L ShowIconTitle: true
- 114 at: I7 Formula "Formula"
 - ObjectIndex: F14.114
  Declared Scope: Local to Context
  - Formula: A+B
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 115 at: I8 Set Variable "Set PeakAvg"
 - ObjectIndex: F14.115
 - Declared Scope: Local to Context
 Global Name: "PeakAvg"
 - ShowTitleBar: true
 - ShowTerminals: true
 └ ShowIconTitle: true
- 116 at: I8 AlphaNumeric "AlphaNumeric"
 ObjectIndex: F14.116
 Declared Scope: Local to Context
 - ShowTitleBar: true
 ShowTerminals: false ShowIconTitle: true
L 117 at: A3 Direct I/O "serial11 ( @ 11)"
 - ObjectIndex: F14.117
- Declared Scope: Local to Context
  - Transactions: 3 lines.
   ├ WRITE TEXT a STR EOL
   READ TEXT y STR
  READ TEXT x REAL64 ARRAY:7
  - ShowTitleBar: true
```


ShowTerminals: true
ShowIconTitle: true

Get_LicorData: Panel View

Mon 08/Nov/2010 15:28:39



Normal_Flow (F21): Detail View, Total Objects: 3



2 4 UserFunction "Open_Dump" Open_Dump - 0 at: B2 Direct I/O "Serial12 (@ 12)" - ObjectIndex: F20.0 - Declared Scope: Local to Context 1 Start Α Transactions: 2 lines. WRITE BYTE 254 L WRITE BYTE 8 - ShowTitleBar: true - ShowTerminals: true В └ ShowIconTitle: true Serial12 (@ 12) 1 at: A2 Start "Start" WRITE BYTE 254 - ObjectIndex: F20.1 WRITE BYTE 8 < Double-Click to Add Transaction > - Declared Scope: Local to Context - ShowTitleBar: false C - ShowTerminals: false └ ShowIconTitle: true

Open_Dump (F20): Detail View, Total Objects: 2

Plot (F15): Detail View, Total Objects: 39

Mon 08/Nov/2010 15:28:39

- InitialValue: 15 DetentSize: 1 FnahleEditing:

1 2 3 6 8 9 Plot _ 🗆 × Α Place current data in plotting array and display. Array holds about 5.5 hours В 6 Current Time 34 Xplot 43 ptate(x,numElem) 45<mark>2]=b</mark> 46 t XPlot C 47 state(x,numElem) 39 t Yplot 48<mark>?]=b</mark> 40 pCO2 D 2 urrent xCO2 7 ormula 3 Minutes of Data Build Record 12 **(t** E 8 Start Plot Time 13 g / Scale MIN ΦB F 4 AlphaNumeric 10 Scale Max Build Record 5 AlphaNumeric 59 Integrated CO2 | 58 O2_integrate 61 Maximum CO2 Η 60 <mark>O2_max</mark> 63 Sample Time 62 quenceTime Ι 64 Valve Position Replicate 66 t CurrentRepeat UserFunction "Plot" - 2 at: D5 AlphaNumeric "Current xCO2" is added to panel - ObjectIndex: F15.2 - Declared Scope: Local to Context - ClearAtActivate: false - ShowTitleBar: true ShowTerminals: false ShowIconTitle: true - 3 at: E3 Slider "Minutes of Data" is added to panel - ObjectIndex: F15.3 Declared Scope: Local to Context - InitializeAtPrerun: true

```
- Value Range: 1, 350
 ├ Detent Size: 1
 ├ ShowTitleBar: true
 - ShowTerminals: false
 ShowIconTitle: true
LabelSpacing: EveryMajorTic
├ 4 at: F3 AlphaNumeric "AlphaNumeric" is added to panel
 - ObjectIndex: F15.4
 - Declared Scope: Local to Context
 - ClearAtActivate: false
- ShowTitleBar: true
 ShowTerminals: false ShowIconTitle: true
dash 5 at: G4 AlphaNumeric "AlphaNumeric" is added to panel
 ⊢ ObjectIndex: F15.5
 - Declared Scope: Local to Context
 - ClearAtActivate: false
 - ShowTitleBar: true
  - ShowTerminals: false
 ShowIconTitle: true
- 6 at: B3 AlphaNumeric "Current Time" is added to panel 2 times
 - ObjectIndex: F15.6
 - Declared Scope: Local to Context
 - ClearAtActivate: false
 - ShowTitleBar: true
  - ShowTerminals: false
 L ShowIconTitle: true
├ 7 at: E5 Formula "Formula"
 - ObjectIndex: F15.7
  - Declared Scope: Local to Context
  - Formula: a-b*60
 ├ ShowTitleBar: true
 ShowTerminals: true
 L ShowIconTitle: true
- 8 at: E5 AlphaNumeric "Start Plot Time" is added to panel
 - ObjectIndex: F15.8
 - Declared Scope: Local to Context
 - ClearAtActivate: false
 - ShowTitleBar: true
 - ShowTerminals: false
 ShowIconTitle: true
- 9 at: F5 Slider "Y Scale MIN" is added to panel
 - ObjectIndex: F15.9
 - Declared Scope: Local to Context
 ├ InitializeAtPrerun: true
  - InitialValue: 0
  - DetentSize: 25
  - EnableEditing: true
  - Value Range: -500, 500
 Detent Size: 25
 ├ ShowTitleBar: true
 ├ ShowTerminals: false
  - ShowIconTitle: true
 LabelSpacing: EveryMajorTic
- 10 at: F5 Slider "Y Scale Max" is added to panel
 ObjectIndex: F15.10
 - Declared Scope: Local to Context
 - InitializeAtPrerun: true
  ⊢ InitialValue: 500
 ⊢ DetentSize: 25
  - EnableEditing: true
  - Value Range: 0, 2000
  Detent Size: 25
  - ShowTitleBar: true
  ShowTerminals: false
  - ShowIconTitle: true
 LabelSpacing: EveryMajorTic
- 11 at: D6 Text Constant "Text"
 ObjectIndex: F15.11
 - Declared Scope: Local to Context
 - DataShape: Scalar
 - ArraySize: 10
 - EnableEditing: true

→ ShowTitleBar: true
```


```
- ShowTerminals: false
 L ShowIconTitle: true
- 12 at: E6 Text Constant "Text"
 - ObjectIndex: F15.12
 - Declared Scope: Local to Context
 - DataShape: Scalar
  ArraySize: 10
  - EnableEditing: true
  — ShowTitleBar: true
  - ShowTerminals: false
 L ShowIconTitle: true
├ 13 at: F6 Text Constant "Text"
 - ObjectIndex: F15.13
 - Declared Scope: Local to Context
 - DataShape: Scalar
 ArraySize: 10
 - EnableEditing: true
 - ShowTitleBar: true
  - ShowTerminals: false
 └ ShowIconTitle: true
- 14 at: F6 Text Constant "Text"
 - ObjectIndex: F15.14
  - Declared Scope: Local to Context
  - DataShape: Scalar
  - ArraySize: 10
  - EnableEditing: true
  ShowTitleBar: true
  - ShowTerminals: false
 L ShowIconTitle: true
- 15 at: F7 Build Record "Build Record"
 - ObjectIndex: F15.15
 - Declared Scope: Local to Context
 - Record output shape: Scalar
 - ShowTitleBar: true
 - ShowTerminals: true
 └ ShowIconTitle: true
- 16 at: E7 Build Record "Build Record"
 ObjectIndex: F15.16
 - Declared Scope: Local to Context
 - Record output shape: Scalar
 - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
├ 17 at: E8 Junction "JCT"
 - ObjectIndex: F15.17
  Declared Scope: Local to Context
 - ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 18 at: D8 X vs Y Plot "X vs Y Plot" is added to panel
 - ObjectIndex: F15.18
 - Declared Scope: Local to Context
 - ClearAtActivate: false
  ShowTitleBar: true
  - ShowTerminals: true
  - ShowIconTitle: true
  - NumMarkers: None
  - MarkerInterpolate: false
  MarkerColor: Dark Gray
  - ShowScalesLegend: true
  - ShowScaleLabels: true
  - ShowScrollBars: true
  - ShowAutoScaleButton: true
  - EnableEditTracesAndScales: true
 L GridType: Lines
- 19 at: G7 Label "GMT" is added to panel
 - ObjectIndex: F15.19
 - Declared Scope: Local to Context
 Label: "GMT"
 - ShowTitleBar: false
 - ShowTerminals: false
 L ShowIconTitle: true
├ 34 at: C4 Get Variable "Get Xplot"
 - ObjectIndex: F15.34
```

```
- Declared Scope: Local to Context
  - Global Name: "Xplot"
  - ShowTitleBar: true
   - ShowTerminals: true
 ShowIconTitle: true
- 38 at: C4 Get Variable "Get YPlot"
 - ObjectIndex: F15.38
 - Declared Scope: Local to Context
 - Global Name: "Yplot"
 - ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 39 at: C7 Set Variable "Set Yplot"
 - ObjectIndex: F15.39
 - Declared Scope: Local to Context
 - Global Name: "Yplot"
 - ShowTitleBar: true
  dash ShowTerminals: true
 L ShowIconTitle: true
- 40 at: D3 Get Variable "Get pCO2"
 - ObjectIndex: F15.40
  Declared Scope: Local to Context
  - Global Name: "pCO2"
  ├ ShowTitleBar: true
  ├ ShowTerminals: true
 L ShowIconTitle: true
├ 41 at: A6 Note Pad "Note Pad"
 - ObjectIndex: F15.41
 - Declared Scope: Local to Context
 - Note Contents: 3 lines.
   - Place current data in plotting array
   - and display. Array holds about 5.5 hours
  L of data.
 - ShowTitleBar: true
 - ShowTerminals: false
 L ShowIconTitle: true
├ 43 at: C5 Formula "rotate(x,numElem)"
 - ObjectIndex: F15.43
  - Declared Scope: Local to Context
 \vdash Formula: rotate(x, 1)
  ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
├ 45 at: C6 Formula "a[2]=b"
 - ObjectIndex: F15.45
 - Declared Scope: Local to Context
 \vdash Formula: a[0] = b
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
- 46 at: C7 Set Variable "Set XPlot"
 - ObjectIndex: F15.46
 - Declared Scope: Local to Context
 - Global Name: "Xplot"
 - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 47 at: C5 Formula "rotate(x,numElem)"
 - ObjectIndex: F15.47
  — Declared Scope: Local to Context
 Formula: rotate(x, 1)
 - ShowTitleBar: true
 ⊢ ShowTerminals: true
 L ShowIconTitle: true
- 48 at: C6 Formula "a[2]=b"
 - ObjectIndex: F15.48
 - Declared Scope: Local to Context
 \vdash Formula: a[0] = b
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
- 55 at: B1 Formula "now()"
 - ObjectIndex: F15.55
 - Declared Scope: Local to Context
```

```
- Formula: now()
  ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 58 at: G1 Get Variable "pCO2_integrate"
 - ObjectIndex: F15.58
 - Declared Scope: Local to Context
 - Global Name: "pCO2_integrate"
 - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 59 at: G3 AlphaNumeric "Integrated CO2" is added to panel
 - ObjectIndex: F15.59
 - Declared Scope: Local to Context
 - ClearAtActivate: false
 ├ ShowTitleBar: true
  - ShowTerminals: false
 └ ShowIconTitle: true
- 60 at: H1 Get Variable "pCO2_max"
 - ObjectIndex: F15.60
  - Declared Scope: Local to Context
 - Global Name: "pCO2_max"
 ⊢ ShowTitleBar: true
 - ShowTerminals: true
 └ ShowIconTitle: true
- 61 at: H3 AlphaNumeric "Maximum CO2" is added to panel
 - ObjectIndex: F15.61
 - Declared Scope: Local to Context
 - ClearAtActivate: false
 - ShowTitleBar: true
 - ShowTerminals: false
 L ShowIconTitle: true
- 62 at: I1 Get Variable "SequenceTime"
 - ObjectIndex: F15.62
  - Declared Scope: Local to Context
  - Global Name: "SequenceTime"
  ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 63 at: I3 AlphaNumeric "Sample Time" is added to panel
 ⊢ ObjectIndex: F15.63
 - Declared Scope: Local to Context
 ClearAtActivate: false
 - ShowTitleBar: true
  - ShowTerminals: false
 └ ShowIconTitle: true
- 64 at: I3 AlphaNumeric "Valve Position" is added to panel
 ObjectIndex: F15.64
 - Declared Scope: Local to Context
 - ClearAtActivate: false
 ⊢ ShowTitleBar: true
  - ShowTerminals: false
 └ ShowIconTitle: true
- 65 at: I1 Get Variable "Get Valve_Position"
 - ObjectIndex: F15.65
  - Declared Scope: Local to Context
 - Global Name: "Valve_Position"
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
- 66 at: J1 Get Variable "Get CurrentRepeat"
 - ObjectIndex: F15.66
 - Declared Scope: Local to Context
 - Global Name: "CurrentRepeat"
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
^{igspace} 67 at: J3 AlphaNumeric "Replicate" is added to panel
 - ObjectIndex: F15.67
  - Declared Scope: Local to Context
  ClearAtActivate: false
  - ShowTitleBar: true
  - ShowTerminals: false
 L ShowIconTitle: true
```

23

Plot: Panel View



```
- 5: AlphaNumeric "AlphaNumeric" (x=0, y=0) (w=40, h=20)
- 9: Slider "Y Scale MIN" (x=640, y=50) (w=110, h=50)
- 10: Slider "Y Scale Max" (x=640, y=0) (w=110, h=50)
- 3: Slider "Minutes of Data" (x=640, y=100) (w=110, h=50)
- 2: AlphaNumeric "Current xCO2" (x=640, y=150) (w=110, h=40)
- 59: AlphaNumeric "Integrated CO2" (x=640, y=190) (w=110, h=40)
- 18: X vs Y Plot "X vs Y Plot" (x=40, y=0) (w=600, h=311)
- 8: AlphaNumeric "Start Plot Time" (x=10, y=310) (w=60, h=19)
- 4: AlphaNumeric "AlphaNumeric" (x=0, y=290) (w=40, h=20)
- 6: AlphaNumeric "Current Time" (x=310, y=310) (w=100, h=20)
- 19: Label "GMT" (x=270, y=310) (w=41, h=21)
- 63: AlphaNumeric "Sample Time" (x=640, y=270) (w=110, h=40)
- 61: AlphaNumeric "Maximum CO2" (x=640, y=230) (w=110, h=40)
- 63: AlphaNumeric "Current Time" (x=610, y=310) (w=60, h=19)
- 64: AlphaNumeric "Valve Position" (x=750, y=230) (w=110, h=40)
- 67: AlphaNumeric "Replicate" (x=750, y=270) (w=110, h=40)
```

PanelView "Plot" (w=1047, h=351)

7

8

24

10

5

SampleSetUp (F17): Detail View, Total Objects: 34

2

Mon 08/Nov/2010 15:28:39

- ObjectIndex: F17.1

- Declared Scope: Local to Context - InitializeAtPrerun: true - EnableEditing: true - ShowTitleBar: true

SampleSetUp _ | U × 9ShowPanel("SampleSetUp") Α В Repeat С 20 11 mpleType 1 ample Type D 60 hen/Else 63 t SampleCount 64 6 17 Quit 18 hen/Else E × 49 eo Medic Serial10 (@ 10) 23 pty Syringe 50 41 ror Log 37 iowPanel("ErrorRecord") 38 hen/Else × 36 dePanel("ErrorRecord") F 44 id Flush 45 hen/Else × 53 ay 15 mpleID 0 xt Input 8 lidePanel("SampleSetUp") 48 al 55 Η 66 <mark>ay</mark> Ι 5 6 8 9 10 3 1 UserFunction "SampleSetUp" - 0 at: G2 Text Input "Text Input" - ObjectIndex: F17.0 - Declared Scope: Local to Context - PopupTitle: "Enter Sample ID" - PopupPosition: 240, 245 - Prompt/Label: "Enter Sample ID" - Default Value: "Test" - Value Constraint: "strLen(value)>0" - Error Message: "You must enter text." - PopupTitleBackColor: Med Dark Orange - ShowTitleBar: true - ShowTerminals: true L ShowIconTitle: true - 1 at: D2 Selection Control "Sample Type" is added to panel

```
- ShowTerminals: false
 - ShowIconTitle: true
  - Format: Slider List
 └ FormatSliderLayout: Vertical
- 2 at: C2 Knob "Repeat" is added to panel
 - ObjectIndex: F17.2
 Declared Scope: Local to Context
  ├ InitializeAtPrerun: true
  - InitialValue: 1
  - DetentSize: 1
  - EnableEditing: true
  - Value Range: 1, 20
  - Detent Size: 1
  ├ ShowTitleBar: true
  - ShowTerminals: false
 - ShowIconTitle: true
 - ShowDigitalDisplay: false
 LabelSpacing: EveryMajorTic
 Crientation: Horizontal
- 7 at: A2 OK "OK" is added to panel
 - ObjectIndex: F17.7
 - Declared Scope: Local to Context
 - Assign to Enter Button: true
 - Assign to Escape Button: false
 - Assign to Function Key: None
 - EnableOnPing: true
 - ShowTitleBar: false
 ShowTerminals: false ShowIconTitle: true
- 8 at: H2 Formula "HidePanel("SampleSetUp")"
 - ObjectIndex: F17.8
  Declared Scope: Local to Context
 Formula: HidePanel("SampleSetUp")
 - ShowTitleBar: true
 ├ ShowTerminals: true
 L ShowIconTitle: true
- 9 at: A2 Formula "ShowPanel("SampleSetUp")"
 - ObjectIndex: F17.9
 - Declared Scope: Local to Context
 Formula: ShowPanel("SampleSetUp", 100, 100)
 - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 10 at: C4 Set Variable "Repeat"
 - ObjectIndex: F17.10
  - Declared Scope: Local to Context
  — Global Name: "Repeat"
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 11 at: D3 Set Variable "SampleType"
 - ObjectIndex: F17.11
 - Declared Scope: Local to Context
 - Global Name: "SampleType"
 - ShowTitleBar: true
 - ShowTerminals: true
 └ ShowIconTitle: true
- 15 at: G3 Set Variable "SampleID"
 - ObjectIndex: F17.15
 - Declared Scope: Local to Context
 - Global Name: "SampleID"
 ShowTitleBar: true
 ShowTerminals: true
ShowIconTitle: true
- 17 at: E2 Toggle Control "Quit" is added to panel
 - ObjectIndex: F17.17
 Declared Scope: Local to Context
 ├ InitializeAtActivate: true
 ├ InitialValue: 0
 - EnableEditing: true
 - ShowTitleBar: false
 - ShowTerminals: false
 - ShowIconTitle: true
 - Format: <Custom>
```

```
Mon 08/Nov/2010 15:28:39
 └ Scaled: false
- 18 at: E3 If/Then/Else "If/Then/Else"
 ├ ObjectIndex: F17.18
  - Declared Scope: Local to Context
  - If/Else cases: a==1
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
├ 21 at: I8 Stop "Stop"
 - ObjectIndex: F17.21
  - Declared Scope: Local to Context
 - Exit code: 0
  ⊢ ShowTitleBar: true
  - ShowTerminals: false
 └ ShowIconTitle: true
23 at: E7 Text Constant "Empty Syringe"
 - ObjectIndex: F17.23
  - Description: Valve 1 to Port 2
  - Declared Scope: Local to Context
  - DataShape: Scalar
  - ArraySize: 10
  - EnableEditing: true
  - ShowTitleBar: true
 ShowTerminals: false ShowIconTitle: true
- 36 at: F5 Formula "HidePanel("ErrorRecord")"
  - ObjectIndex: F17.36
  - Declared Scope: Local to Context
  Formula: HidePanel("ErrorRecord")
  - ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 37 at: F5 Formula "ShowPanel("ErrorRecord")"
 - ObjectIndex: F17.37
  - Declared Scope: Local to Context
  - Formula: ShowPanel("ErrorRecord")
  - ShowTitleBar: true
  — ShowTerminals: true
 L ShowIconTitle: true
- 38 at: F3 If/Then/Else "If/Then/Else"
  - ObjectIndex: F17.38
  - Declared Scope: Local to Context
  - If/Else cases: 1==A
  ShowTitleBar: true
   - ShowTerminals: true
 L ShowIconTitle: true
- 41 at: F2 Toggle Control " Error Log" is added to panel
  - ObjectIndex: F17.41
  - Declared Scope: Local to Context
  - InitializeAtActivate: true
  ⊢ InitialValue: 0
  - EnableEditing: true
  - ShowTitleBar: false
  - ShowTerminals: false
  - ShowIconTitle: true
  - Format: <Custom>
 L Scaled: false
44 at: G2 Toggle Control "Acid Flush" is added to panel
  - ObjectIndex: F17.44

    Declared Scope: Local to Context

  - AutoExecute: true
  - InitializeAtActivate: true
  - InitialValue: 0
  - EnableEditing: true
  - ShowTitleBar: false
  - ShowTerminals: false
  - ShowIconTitle: true
  - Format: <Custom>
 L Scaled: false
- 45 at: G4 If/Then/Else "If/Then/Else"
 - ObjectIndex: F17.45
  - Declared Scope: Local to Context

─ If/Else cases: a==1

 - ShowTitleBar: true
```

```
Mon 08/Nov/2010 15:28:39
   - snowrerminais: true
  └ ShowIconTitle: true
- 46 at: G5 Call "Call AcidFlush"
  - ObjectIndex: F17.46
  - Declared Scope: Local to Context
  - Function name: "AcidFlush"
  ├ ShowTitleBar: true
  └ ShowTerminals: true
 L ShowIconTitle: true
- 48 at: H3 Break "Break"
 - ObjectIndex: F17.48
  - Declared Scope: Local to Context
  - ShowTitleBar: true
  - ShowTerminals: true
  └ ShowIconTitle: true
 - 49 at: E8 Direct I/O "Serial10 ( @ 10)"
  - ObjectIndex: F17.49
  - Declared Scope: Local to Context
  Transactions: WRITE TEXT a EOL
  - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
- 50 at: E9 Call "Call ErrorRecord"
  - ObjectIndex: F17.50
  Declared Scope: Local to Context
  - Function name: "ErrorRecord"
  ⊢ ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 51 at: F8 Call "Call Open_Dump"
 - ObjectIndex: F17.51
  - Declared Scope: Local to Context
  - Function name: "Open_Dump"
  ─ ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 52 at: F8 Call "Call Full_Flow"
  - ObjectIndex: F17.52
  - Declared Scope: Local to Context
  - Function name: "Full_Flow"
  - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 53 at: G8 Delay "Delay"
  - ObjectIndex: F17.53
  - Declared Scope: Local to Context
  Delay: 10
  - ShowTitleBar: true
  - ShowTerminals: false
  └ ShowIconTitle: true
- 54 at: G8 Call "Call Close_Dump"
 - ObjectIndex: F17.54
  Declared Scope: Local to Context
  - Function name: "Close_Dump"
  - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
- 55 at: H8 Call "Call Stop_Flow"
  - ObjectIndex: F17.55
  Declared Scope: Local to Context
  Function name: "Stop_Flow"
  ⊢ ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 57 at: D3 Set Variable "Set SampleCount"
 - ObjectIndex: F17.57
  - Declared Scope: Local to Context
  - Global Name: "SampleCount"
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 60 at: D5 If/Then/Else "If/Then/Else"
  - ObjectIndex: F17.60
  - Declared Scope: Local to Context
```


```
II/EISE Cases. a==U
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 61 at: D3 Get Variable "Get SampleCount"
 - ObjectIndex: F17.61
 - Declared Scope: Local to Context
 - Global Name: "SampleCount"
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
- 63 at: D7 Set Variable "Set SampleCount"
 - ObjectIndex: F17.63
 - Declared Scope: Local to Context
 - Global Name: "SampleCount"
 - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
64 at: D6 Constant "Int16"
 ├ ObjectIndex: F17.64
 - Declared Scope: Local to Context
 - InitialValue: 0
 - DataShape: Scalar
 - ArraySize: 10
 ├ EnableEditing: true
 - ShowTitleBar: true
 - ShowTerminals: false
 L ShowIconTitle: true
66 at: H8 Delay "Delay"
 - ObjectIndex: F17.66
  - Declared Scope: Local to Context
  Delay: 1
  ShowTitleBar: true
  - ShowTerminals: false
```

└ ShowIconTitle: true

Mon 08/Nov/2010 15:28:39

SampleSetUp: Panel View

100 200 300



```
PanelView "SampleSetUp" (w=381, h=177)

2: Knob "Repeat" (x=0, y=0) (w=100, h=150)

7: OK "OK" (x=0, y=150) (w=380, h=31)

1: Selection Control "Sample Type" (x=100, y=0) (w=140, h=150)


17: Toggle Control "Quit" (x=240, y=0) (w=71, h=71)

41: Toggle Control " Error Log" (x=240, y=70) (w=70, h=71)

44: Toggle Control "Acid Flush" (x=310, y=0) (w=71, h=71)
```

Mon 08/Nov/2010 15:28:39

SaveData (F16): Detail View, Total Objects: 21 5 8



```
- ObjectIndex: F16.0
 Declared Scope: Local to Context
  - Global Name: "SampleID"
 - ShowTitleBar: true
   - ShowTerminals: true
 L ShowIconTitle: true
– 1 at: B2 Get Variable "SampleTime"
 ObjectIndex: F16.1
 - Declared Scope: Local to Context
 - Global Name: "SampleTime"
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
- 2 at: Bl Get Variable "pCO2_integrate"
 - ObjectIndex: F16.2
 - Declared Scope: Local to Context
 - Global Name: "pCO2_integrate"
 - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
```

- 3 at: C2 Get Variable "pCO2_start"

- 0 at: A2 Get Variable "SampleID"

```
- ObjectIndex: F16.3
  - Declared Scope: Local to Context
  - Global Name: "pCO2_start"
 - ShowTitleBar: true
  - ShowTerminals: true
 ShowIconTitle: true
- 4 at: C2 Get Variable "pCO2_max"
 - ObjectIndex: F16.4
 - Declared Scope: Local to Context
 - Global Name: "pCO2_max"
 - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
├ 5 at: D2 Get Variable "pCO2_end"
 - ObjectIndex: F16.5
 Declared Scope: Local to Context
  Global Name: "pCO2_end"
  - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 6 at: D2 Get Variable "H2O"
 - ObjectIndex: F16.6
 - Declared Scope: Local to Context
 ⊢ Global Name: "H2O"
 - ShowTitleBar: true
 - ShowTerminals: true
 └ ShowIconTitle: true
- 7 at: D2 Get Variable "CO2Temp"
 - ObjectIndex: F16.7
 - Declared Scope: Local to Context
 - Global Name: "CO2Temp"
 - ShowTitleBar: true
 ShowTerminals: true
ShowIconTitle: true
- 8 at: E2 Get Variable "CO2Pres"
 - ObjectIndex: F16.8
  - Declared Scope: Local to Context
 - Global Name: "CO2Pres"
 - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
├ 9 at: B7 To String "To String"
 - ObjectIndex: F16.9
 Declared Scope: Local to Context
 Transactions: 27 lines.
   WRITE TEXT a STR
   WRITE TEXT "," STR
   WRITE TEXT B DATE: DMY TIME: HMS: H24
   WRITE TEXT "," STR
    - WRITE TEXT B
    - WRITE TEXT "," STR
    - WRITE TEXT C REAL64 FIX:0
    - WRITE TEXT "," STR
    - WRITE TEXT D REAL64 FIX:2
    - WRITE TEXT "," STR
    - WRITE TEXT E REAL64 FIX:2
    - WRITE TEXT "," STR
   ├ WRITE TEXT F REAL64 FIX:2
   WRITE TEXT "," STR
   ├ WRITE TEXT G REAL64 FIX:2
   WRITE TEXT "," STR
   - WRITE TEXT H REAL64 FIX:2
   WRITE TEXT "," STR
   - WRITE TEXT I REAL64 FIX:2
   WRITE TEXT "," STR
   WRITE TEXT j REAL64 FIX:2
   WRITE TEXT "," STR
   WRITE TEXT k INT16
    - WRITE TEXT "," STR
    - WRITE TEXT 1 INT16
    - WRITE TEXT "," STR
   WRITE TEXT m INT16 EOL
  - MultiFieldFormat: (...) Syntax
 - ArrayFormat: Block
```


```
- ArraySeparator: " "
  └ ShowTitleBar: true
  ShowTerminals: true
 L ShowIconTitle: true
- 10 at: B9 To File "To File"
 - ObjectIndex: F16.10
 - Declared Scope: Local to Context
 - Transactions: 2 lines.
   WRITE TEXT a EOL
   L EXECUTE CLOSE
  - EolSequence: "\r\n"
  - MultiFieldFormat: (...) Syntax
  - ArrayFormat: Block
  - ArraySeparator: "\r\n"
  - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 11 at: B8 Get Variable "DataFile"
 - ObjectIndex: F16.11
 - Declared Scope: Local to Context
 - Global Name: "DataFile"
 - ShowTitleBar: true
 - ShowTerminals: true
 └ ShowIconTitle: true
- 12 at: F7 To String "To String"
 - ObjectIndex: F16.12
  - Declared Scope: Local to Context
 Transactions: 21 lines.
   ├ WRITE TEXT a STR FW:13 RJ
    - WRITE TEXT " " STR
    - WRITE TEXT B DATE: DMY TIME: HMS: H24
    - WRITE TEXT " " STR
    - WRITE TEXT C REAL64 FIX:0 FW:6 RJ
    - WRITE TEXT " " STR
    - WRITE TEXT D REAL64 FIX:2 FW:6 RJ
    WRITE TEXT " " STR
   ├ WRITE TEXT E REAL64 FIX:2 FW:6 RJ
    WRITE TEXT " " STR
    - WRITE TEXT F REAL64 FIX:2 FW:6 RJ
    - WRITE TEXT " " STR
    - WRITE TEXT G REAL64 FIX:2 FW:6 RJ
    - WRITE TEXT " " STR
    - WRITE TEXT H REAL64 FIX:2 FW:6 RJ
    - WRITE TEXT " " STR
    - WRITE TEXT I REAL64 FIX:2 FW:6 RJ
    WRITE TEXT " " STR
    - WRITE TEXT j REAL64 FIX:2
    - WRITE TEXT " " STR
   └ WRITE TEXT k INT16 FW:6 RJ EOL
  - MultiFieldFormat: (...) Syntax
  - ArrayFormat: Block
  - ArraySeparator: " "
  - ShowTitleBar: true
  - ShowTerminals: true
 └ ShowIconTitle: true
- 13 at: F9 Logging AlphaNumeric "Logging AlphaNumeric" is added to panel
 ⊢ ObjectIndex: F16.13
  Declared Scope: Local to Context
 - ClearAtActivate: false
 - Buffer Size: 256
 - ShowTitleBar: true
 - ShowTerminals: false
 └ ShowIconTitle: true
- 15 at: E2 Get Variable "TCO2Error"
 - ObjectIndex: F16.15
  Declared Scope: Local to Context
  - Global Name: "TCO2Error"
  - ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
├ 18 at: B1 Get Variable "PeakAvg"
 - ObjectIndex: F16.18
 - Declared Scope: Local to Context
 - Global Name: "PeakAvg"
```

ShowTerminals: true ShowIconTitle: true

```
├ ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
- 21 at: H7 Formula "PeakAvg = 0"
 - ObjectIndex: F16.21
 Declared Scope: Local to Context
 - Formula: PeakAvg = 0
 - ShowTitleBar: true
  - ShowTerminals: true
 L ShowIconTitle: true
22 at: H7 Formula "PeakRead = 0"
 - ObjectIndex: F16.22
  - Declared Scope: Local to Context
 Formula: PeakRead = 0
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
25 at: H7 Formula "TCO2Error = 2"
 ├ ObjectIndex: F16.25
 - Declared Scope: Local to Context
 ─ Formula: TCO2Error = -1
 - ShowTitleBar: true
 - ShowTerminals: true
 L ShowIconTitle: true
- 26 at: E2 Get Variable "Get Valve_Position"
 - ObjectIndex: F16.26
  Declared Scope: Local to Context
  Global Name: "Valve_Position"
  ├ ShowTitleBar: true
 ShowTerminals: true ShowIconTitle: true
27 at: F2 Get Variable "Get CurrentRepeat"
 - ObjectIndex: F16.27
 - Declared Scope: Local to Context
 - Global Name: "CurrentRepeat"
 - ShowTitleBar: true
```

Mon 08/Nov/2010 15:28:39


SaveData: Panel View



PanelView "SaveData" (w=844, h=202)

Logging AlphaNumeric "Logging AlphaNumeric" (x=0, y=0) (w=780, h=190)

Stop_Flow (F23): Detail View, Total Objects: 3



35

Index Page

I/O Configuration	1
Main (M): Detail View, Total Objects: 11	2
Panel View	6
AcidFlush (F19): Detail View, Total Objects: 3	7
Close_Dump (F24): Detail View, Total Objects: 2	7
ErrorRecord (F18): Detail View, Total Objects: 6	8
Panel View	10
Full_Flow (F22): Detail View, Total Objects: 3	10
Get_LicorData (F14): Detail View, Total Objects: 29	11
Panel View	15
Normal_Flow (F21): Detail View, Total Objects: 3	15
Open_Dump (F20): Detail View, Total Objects: 2	16
Plot (F15): Detail View, Total Objects: 39	17
Panel View	23
SampleSetUp (F17): Detail View, Total Objects: 34	24
Panel View	29
SaveData (F16): Detail View, Total Objects: 21	30
Panel View	34
Stop_Flow (F23): Detail View, Total Objects: 3	34