



OPIX

INSTRUMENTS

OPIX INSTRUMENTS

Crafted with Precision

Surgical Catalog


TR



TROCARS, SUCTION
TUBES, CANNULAS



ایوان صنعت و تجارت سیالکوٹ



Trokare, Saugrohre, Kanülen

Trócares, Tubos de Aspiración, Cánulas

Trocarts, Tubes d'aspiration, Canules

Trequarti, Tubi d'aspirazione, Cannule



www.opixinst.com
info@opixinst.com



Trocars
Trokare
Trócares
Trocarts
Trequarti

Universal Trocar

With 4 Trocar Tips Diameter 1.7 mm, 3.0 mm, 4.5 mm and 6.0 mm

Catalog #	Size
TR-05-100	14.5 cm (5 3/4")



Nelson Trocar

22 FG, Fig. 1

Catalog #	Size
TR-05-101	20 cm (8"), Ø 7.5 mm - 22 Charr.
TR-05-102	20 cm (8"), Ø 9.5 mm - 28 Charr.
TR-05-103	20 cm (8"), Ø 11.0 mm - 33 Charr.



Ochsner Trocar

Catalog #	Size, Tip Diameter
TR-05-104	14 cm (5 1/2"), Ø 4 mm
TR-05-105	14 cm (5 1/2"), Ø 4.5 mm
TR-05-106	14 cm (5 1/2"), Ø 5.3 mm
TR-05-107	14 cm (5 1/2"), Ø 6.0 mm
TR-05-108	14 cm (5 1/2"), Ø 6.6 mm
TR-05-109	14 cm (5 1/2"), Ø 7.3 mm
TR-05-110	14 cm (5 1/2"), Ø 8.0 mm
TR-05-111	14 cm (5 1/2"), Ø 8.6 mm



Suction Tube

Catalog #	Size, Tip Diameter
TR-05-112	14 cm (5 1/2"), Ø 1.5 mm
TR-05-113	18 cm (7"), Ø 1.5 mm



**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Cannulas
Saugrohre
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Suction Tube

Catalog #	Size, Tip Diameter
TR-05-114	14 cm (5 1/2"), Ø 2.5 mm
TR-05-115	18 cm (7"), Ø 2.5 mm



Suction Tube

Catalog #	Size, Tip Diameter
TR-05-116	14 cm (5 1/2"), Ø 3.0 mm
TR-05-117	18 cm (7"), Ø 3.0 mm



Suction Tube

Catalog #	Size, Tip Diameter
TR-05-118	14 cm (5 1/2"), Ø 4.0 mm
TR-05-119	18 cm (7"), Ø 4.0 mm



Suction Tube

Catalog #	Size, Tip Diameter
TR-05-120	14 cm (5 1/2"), Ø 6.0 mm
TR-05-121	18 cm (7"), Ø 6.0 mm





Suction Cannulas
Saugrohr
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Adson Suction Tube

12 Charr.



Catalog #	Size, Diameter
TR-05-122	20 cm (8"), Ø 4.0 mm

Frazier Suction Tube



Catalog #	Size, Diameter
TR-05-123	24 cm (9 1/2"), Ø 3.3 mm - 10 Charr.

Frazier Suction Tube



Catalog #	Size, Diameter
TR-05-124	19.5 cm (7 3/4"), Ø 2.0 mm - 6 Charr.
TR-05-125	19.5 cm (7 3/4"), Ø 2.3 mm - 7 Charr.
TR-05-126	19.5 cm (7 3/4"), Ø 2.7 mm - 8 Charr.
TR-05-127	19.5 cm (7 3/4"), Ø 3.0 mm - 9 Charr.
TR-05-128	19.5 cm (7 3/4"), Ø 3.3 mm - 10 Charr.
TR-05-129	19.5 cm (7 3/4"), Ø 3.6 mm - 11 Charr.
TR-05-130	19.5 cm (7 3/4"), Ø 4.0 mm - 12 Charr.
TR-05-131	19.5 cm (7 3/4"), Ø 5.0 mm - 15 Charr.

Fergusson Suction Tube



Catalog #	Size, Diameter
TR-05-132	18 cm (7"), Ø 1.7 mm - 5 Charr.
TR-05-133	18 cm (7"), Ø 2.0 mm - 6 Charr.
TR-05-134	18 cm (7"), Ø 2.5 mm - 8 Charr.
TR-05-135	18 cm (7"), Ø 3.0 mm - 9 Charr.
TR-05-136	18 cm (7"), Ø 4.0 mm - 12 Charr.
TR-05-137	18 cm (7"), Ø 5.0 mm - 15 Charr.



**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Cannulas
Saugrohre
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Zoellner Suction Tube Complete

Catalog #	Size
TR-05-138	N/A



Zoellner Suction Handle Only

Catalog #	Size
TR-05-139	N/A



Zoellner Suction Tip Only

Catalog #	Diameter
TR-05-140	Ø 0.5 mm
TR-05-141	Ø 0.7 mm
TR-05-142	Ø 0.9 mm
TR-05-143	Ø 1.2 mm



Wullstein Suction Tube Complete

With Suction Handle and Micro Suction Tube

Catalog #	Size
TR-05-144	14 cm (5 1/2")



Wullstein Suction Handle Only

Catalog #	Size
TR-05-145	14 cm (5 1/2")



TROCARS AND SUCTION
INSTRUMENTS

TR



www.opixinst.com
info@opixinst.com

**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Cannulas
Saugrohre
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Wullstein Micro Suction Handle



Catalog #	Size, Diameter
TR-05-146	4.5 cm (1 3/4"), Ø 0.4 mm
TR-05-147	4.5 cm (1 3/4"), Ø 0.6 mm
TR-05-148	4.5 cm (1 3/4"), Ø 0.8 mm

Baron-Schuknecht Suction Handle

With Finger Cut Off



Catalog #	Working Length, Diameter
TR-05-149	Ø 75 mm, 1.0 mm
TR-05-150	Ø 75 mm, 1.5 mm
TR-05-151	Ø 75 mm, 2.0 mm

House Suction Adapter

With Finger Cut Off



Catalog #	Size
TR-05-152	N/A

Verhoeven Suction Cannula

With Luer Cone



Catalog #	Diameter
TR-05-153	Ø 0.5 mm
TR-05-154	Ø 0.7 mm
TR-05-155	Ø 1.0 mm
TR-05-156	Ø 1.2 mm
TR-05-157	Ø 1.5 mm



**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Cannulas
Saugrohre
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

House Suction Tube

With Finger Cutt Off

Catalog #	Suction Diameter, Irrigation Diameter
TR-05-158	Ø 0.9 mm, 0.7 mm
TR-05-159	Ø 1.2 mm, 0.9 mm
TR-05-160	Ø 1.5 mm, 1.2 mm



Luer Suction Tube

Catalog #	Working Length, Diameter
TR-05-161	Ø 110 mm, 3.0 mm
TR-05-162	Ø 110 mm, 3.5 mm
TR-05-163	Ø 110 mm, 4.5 mm



Yasargil Suction Tube

With Luer Hub

Catalog #	Working Length, Diameter
TR-05-164	Ø 130 mm, 1.5 mm
TR-05-165	Ø 130 mm, 2.0 mm
TR-05-166	Ø 130 mm, 2.5 mm
TR-05-167	Ø 130 mm, 3.5 mm



Yasargil Suction Tube

With Luer Hub

Catalog #	Working Length, Diameter
TR-05-168	Ø 150 mm, 1.5 mm
TR-05-169	Ø 150 mm, 2.0 mm
TR-05-170	Ø 150 mm, 2.5 mm
TR-05-171	Ø 150 mm, 3.5 mm



TROCARS AND SUCTION
INSTRUMENTS

TR



OPIX
INSTRUMENTS



www.opixinst.com
info@opixinst.com

**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Tubes
Sauger
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Yasargil Suction Tube

With Luer Hub

Catalog #	Working Length, Diameter
TR-05-172	Ø 180 mm, 1.5 mm
TR-05-173	Ø 180 mm, 2.0 mm
TR-05-174	Ø 180 mm, 2.5 mm
TR-05-175	Ø 180 mm, 3.5 mm



Yasargil Suction Tube

With Luer Hub

Catalog #	Working Length, Diameter
TR-05-176	Ø 220 mm, 1.5 mm
TR-05-177	Ø 220 mm, 2.0 mm
TR-05-178	Ø 220 mm, 2.5 mm
TR-05-179	Ø 220 mm, 3.5 mm



Suction Raspatroy

Sharp, Bayonet Shaped

Catalog #	Size, Width
TR-05-180	20 cm (8"), 4.0 mm
TR-05-181	20 cm (8"), 5.0 mm



Landolt Dissecting Suction Tube

Sharp

Catalog #	Size, Width
TR-05-182	20 cm (8"), 3.2 mm



**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Tubes
Sauger
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Yankauer Suction Tube Complete

Catalog #	Size
TR-05-183	31 cm (21 1/4")



Yankauer Suction Tube Complete (Detachable)

With Handle, 4 Tube, Suction Tip and Tube Connector

Catalog #	Size
TR-05-184	31 cm (21 1/4")



Yankauer Suction Handle Only

Catalog #	Size
TR-05-185	15 cm (6")



Yankauer Suction Connector Only


Oval Shaped

Catalog #	Size
TR-05-186	2.5 cm (1")



Yankauer Suction Tube Only

Catalog #	Size, Profile
TR-05-187	10 cm (4"), Fig. 0
TR-05-188	10 cm (4"), Fig. 1
TR-05-189	10 cm (4"), Fig. 2
TR-05-190	10 cm (4"), Fig. 3



TROCARS AND SUCTION
INSTRUMENTS

TR



www.opixinst.com
info@opixinst.com

**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Tubes
Sauger
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Yankauer Suction Tip



Catalog #	Size
TR-05-191	N/A

Poole Suction Tube



Catalog #	Size, Diameter
TR-05-192	22 cm (8 3/4"), Ø 10.0 mm

Poole Suction Tube



Catalog #	Size, Diameter
TR-05-193	22.5 cm (8 3/4"), Ø 8.0 mm

Poole-Baby Suction Tube



Catalog #	Size, Diameter
TR-05-194	22 cm (8"), Ø 5.5 mm

Cooley Suction Tube



Catalog #	Size, Diameter
TR-05-195	36 cm (8 1/4"), Ø 8.0 mm



**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Tubes
Sauger
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Cooley Suction Tube

With Perforated Screw Tip

Catalog #	Size, Diameter
TR-05-196	31 cm (12 1/4"), Ø 10.0 mm

**Cooley Suction Tube**

With Perforated Screw Tip

Catalog #	Size, Diameter
TR-05-197	31 cm (12 1/4"), Ø 7.0 mm

**Cooley Suction Tube**

With Perforated Screw Tip

Catalog #	Size, Diameter
TR-05-198	36 cm (12 1/4"), Ø 8.0 mm

**DeBakey Suction Tube**

Catalog #	Size, Diameter
TR-05-199	27.5 cm (10 3/4"), Ø 9.0 mm

**Finsterer Suction Tube**

Catalog #	Size, Diameter
TR-05-200	32 cm (12 3/4"), Ø 15.0 mm

**TROCARS AND SUCTION
INSTRUMENTS****TR**

www.opixinst.com
info@opixinst.com

**OPIX****INSTRUMENTS***Crafted with Precision*

Suction Tubes
Sauger
Tubos de aspiración
Tubes d'aspiration
Tubi d'aspirazione

Nuboer Suction Tube

Round Opening

Catalog #	Size, Diameter
TR-05-201	21 cm (8 1/4"), Ø 6.0 mm



Nuboer Suction Tube

Oval Opening

Catalog #	Size, Diameter
TR-05-202	21 cm (8 1/4"), Ø 6.0 mm



Coupland Suction Tube Complete

With Suction Tips

Catalog #	Size
TR-05-203	N/A



Coupland Suction Handle

With Tube Connector

Catalog #	Size
TR-05-204	17 cm (6 3/4")



Coupland Suction Tip

Laterally Perforated

Catalog #	Size, Diameter
TR-05-205	9 cm (3 1/2"), Ø 1.5 mm
TR-05-206	9 cm (3 1/2"), Ø 2.0 mm
TR-05-207	9 cm (3 1/2"), Ø 2.5 mm
TR-05-208	9 cm (3 1/2"), Ø 3.5 mm





Suction Tubes, Hypodermic Needles
Sauger, Injektionskanülen
Tubos de aspiración, Aguja hipodérmica
Tubes d'aspiration, Aiguilles hypodermiques
Tubi d'aspirazione, Cannule per iniezione

Byrd Suction Tube



Catalog #	Size, Diameter
TR-05-209	21.5 cm (8 1/2"), Ø 3.0 mm
TR-05-210	21.5 cm (8 1/2"), Ø 2.5 mm
TR-05-211	21.5 cm (8 1/2"), Ø 3.5 mm

Cogswell Suction Tube

With Finger Cutt Off



Catalog #	Size, Diameter
TR-05-212	24.5 cm (9 3/4"), Ø 2.0 mm

Hypodermic Needle

Set of 7 Ref: TR-602-01 Up to TR-602-20



Catalog #	Size, Diameter
TR-05-213	24.5 cm (9 3/4"), Ø 2.0 mm

Hypodermic Needle

Catalog #	Needle Size, Profile
TR-05-214	0.85 x 40 mm, Fig. 1
TR-05-215	0.80 x 35 mm, Fig. 2
TR-05-216	0.70 x 32 mm, Fig. 12
TR-05-217	0.65 x 30 mm, Fig. 14
TR-05-218	0.60 x 25 mm, Fig. 16
TR-05-219	0.50 x 23 mm, Fig. 18
TR-05-220	0.45 x 18 mm, Fig. 20





Special Needles
Spezialkanülen
Agujas especiales
Aiguilles spéciales
Aghi speciali

Pudendus Anaesthesia Needle

Complete With Cannula



Catalog #	Size, Cannula Size
TR-05-221	18 cm (7"), Ø 1.0 x 185 mm

Vein Cannula

Button End, With Tube Connector



Catalog #	Cannula Size
TR-05-222	Ø 1.2 x 80 mm
TR-05-223	Ø 1.5 x 80 mm

Quinke Lumbar Puncture Needle

18 G, 19 G, 22 G, With Luer Lock Connection



Catalog #	Needle Size
TR-05-224	Ø 1.2 x 76 mm
TR-05-225	Ø 1.2 x 89 mm
TR-05-226	Ø 1.0 x 76 mm
TR-05-227	Ø 1.0 x 89 mm
TR-05-228	Ø 0.7 x 76 mm
TR-05-229	Ø 0.7 x 50 mm
TR-05-230	Ø 0.7 x 89 mm

Tuohy Lumbar Puncture Needle

18 G, 17 G, 16 G, With Luer Lock Connection, Special Tip



Catalog #	Needle Size
TR-05-231	Ø 1.2 x 76 mm
TR-05-232	Ø 1.4 x 76 mm
TR-05-233	Ø 1.4 x 35 mm

**OPIX****INSTRUMENTS***Crafted with Precision*

Special Needles
Spezialkanülen
Agujas especiales
Aiguilles spéciales
Aghi speciali

Menghini Liver Puncture Needle

Blind Lever Puncture, With Stopping Needle

Catalog #	Needle Size
TR-05-234	Ø 1.0 x 35 mm
TR-05-235	Ø 1.0 x 70 mm
TR-05-236	Ø 1.2 x 70 mm
TR-05-237	Ø 1.2 x 100 mm
TR-05-238	Ø 1.4 x 70 mm
TR-05-239	Ø 1.4 x 100 mm
TR-05-240	Ø 1.6 x 70 mm
TR-05-241	Ø 1.8 x 100 mm



Menghini Liver Puncture Needle

For Controlled Blind Lever Puncture

Catalog #	Needle Size
TR-05-242	Ø 1.4 x 168 mm
TR-05-243	Ø 1.8 x 168 mm



Lichtwitz Antrum Puncture Needle

Catalog #	Needle Size
TR-05-244	Ø 1.5 x 90 mm
TR-05-245	Ø 1.8 x 90 mm
TR-05-246	Ø 2.0 x 90 mm



Tonsil Needle

Tapered Tip, With Luer Lock Connection

Catalog #	Needle Diameter
TR-05-247	Ø 0.65 mm



TROCARS AND SUCTION
INSTRUMENTS

TR



www.opixinst.com
info@opixinst.com

**OPIX****INSTRUMENTS***Crafted with Precision*

Special Needles, Vessel Irrigation Cannulas
Spezialkanülen, Gefäß-Spülkanülen
Agujas especiales, Cánulas para irrigación vascular
Aiguilles spéciales, Canules pour irrigation vasculaire
Aghi speciali, Cannule per irrigazione vascolare

Tonsil Needle

Tapered Tip, With Luer Lock Connection

Catalog #	Needle Diameter
TR-05-248	Ø 0.65 mm



Tonsil Needle

Tapered Tip, With Luer Lock Connection

Catalog #	Needle Diameter
TR-05-249	Ø 0.65 mm



Verres Insufflation Cannula

With Luer Lock Connection

Catalog #	Size, Cannula Size
TR-05-250	N/A, Ø 2.0 x 100 mm



Verres Insufflation Cannula

With Luer Lock Connection

Catalog #	Size, Cannula Size
TR-05-251	N/A, Ø 2.0 x 120 mm



Vollmar Vessel Irrigation Cannula

With Luer Lock Connection

Catalog #	Size, Diameter
TR-05-252	6 cm (2 1/4"), Ø 1.5 mm
TR-05-253	6 cm (2 1/4"), Ø 2.0 mm
TR-05-254	6 cm (2 1/4"), Ø 2.5 mm
TR-05-255	6 cm (2 1/4"), Ø 3.0 mm
TR-05-256	6 cm (2 1/4"), Ø 4.0 mm





Vessel Irrigation Cannulas, Hypodermic Syringes
Gefäß-Spülkanülen, Spritzen
Cánulas para irrigación vascular, Jeringas
Canules pour irrigation vasculaire, Seringues
Cannule per irrigazione vascolare, Siringhe

Schmid Vessel Irrigation Cannula

Malleable, With Luer Lock Connection

Catalog #	Size, Diameter
TR-05-257	15 cm (6"), Ø 3.0 mm
TR-05-258	15 cm (6"), Ø 4.0 mm
TR-05-259	15 cm (6"), Ø 5.0 mm
TR-05-260	15 cm (6"), Ø 6.0 mm



TR-05-257



TR-05-259



TR-05-258



TR-05-260

**Mock Heparin Flushing Needle**

Button End With Luer Lock Connection

Catalog #	Size, Tip Size
TR-05-261	6.5 (2 1/2"), Ø 2.9 x 0.8 mm

**3 Ring Hypodermic Syringe**

Glass Barrel, With Luer Lock Connection, Movable Rings

Catalog #	Capacity
TR-05-262	2 ml
TR-05-263	5 ml
TR-05-264	10 ml

**Janet Wound and Bladder Syringe**

Glass Barrel, With 2 Exchangeable Tips

Catalog #	Capacity
TR-05-265	50 ml
TR-05-266	100 ml
TR-05-267	150 ml
TR-05-268	200 ml





Guide Needles
Führungsnadeln
Agujas de guía
Aiguilles d'introduction
Aghi conduttori

Redon Guide Needle

Knife Tip

Catalog #	Size, Tip Size
TR-05-269	19.5 cm (7 3/4"), 2.7 mm - 8 Charr.
TR-05-270	19.5 cm (7 3/4"), 3.3 mm - 10 Charr.
TR-05-271	19.5 cm (7 3/4"), 4.0 mm - 12 Charr.
TR-05-272	19.5 cm (7 3/4"), 4.7 mm - 14 Charr.
TR-05-273	19.5 cm (7 3/4"), 5.3 mm - 16 Charr.
TR-05-274	19.5 cm (7 3/4"), 6 mm - 18 Charr.



Redon Guide Needle

Knife Tip

Catalog #	Size, Tip Size
TR-05-275	19.5 cm (7 3/4"), 2.7 mm - 8 Charr.
TR-05-276	19.5 cm (7 3/4"), 3.3 mm - 10 Charr.
TR-05-277	19.5 cm (7 3/4"), 4.0 mm - 12 Charr.
TR-05-278	19.5 cm (7 3/4"), 4.7 mm - 14 Charr.
TR-05-279	19.5 cm (7 3/4"), 5.3 mm - 16 Charr.
TR-05-280	19.5 cm (7 3/4"), 6 mm - 18 Charr.



Redon Guide Needle

Lancet Tip

Catalog #	Size, Tip Size
TR-05-281	19.5 cm (7 3/4"), 2.7 mm - 8 Charr.
TR-05-282	19.5 cm (7 3/4"), 3.3 mm - 10 Charr.
TR-05-283	19.5 cm (7 3/4"), 4.0 mm - 12 Charr.
TR-05-284	19.5 cm (7 3/4"), 4.7 mm - 14 Charr.
TR-05-285	19.5 cm (7 3/4"), 5.3 mm - 16 Charr.
TR-05-286	19.5 cm (7 3/4"), 6 mm - 18 Charr.



**OPIX****INSTRUMENTS***Crafted with Precision*

Guide Needles
Führungsnadeln
Agujas de guía
Aiguilles d'introduction
Aghi conduttori

Redon Guide Needle

Lancet Tip



Catalog #	Size, Tip Size
TR-05-287	19.5 cm (7 3/4"), 2.7 mm - 8 Charr.
TR-05-288	19.5 cm (7 3/4"), 3.3 mm - 10 Charr.
TR-05-289	19.5 cm (7 3/4"), 4.0 mm - 12 Charr.
TR-05-290	19.5 cm (7 3/4"), 4.7 mm - 14 Charr.
TR-05-291	19.5 cm (7 3/4"), 5.3 mm - 16 Charr.
TR-05-292	19.5 cm (7 3/4"), 6 mm - 18 Charr.

OPIX
INSTRUMENTS

**TROCARS AND SUCTION
INSTRUMENTS****TR**

www.opixinst.com
info@opixinst.com