

BiblioteQ

A Library Software Suite

2025.10.09

Table of Contents

Introduction.....	4
Accessing an Existing SQLite Database.....	5
Adding an Item.....	7
Administrator Browser.....	8
BiblioteQ.INI.....	9
BiblioteQ.conf.....	10
Change Password.....	11
Connecting to a PostgreSQL Database.....	12
Creating a PostgreSQL Database.....	13
Creating an SQLite Database.....	14
Custom Query.....	15
Database Content.....	16
Database Enumerations Browser.....	17
Disconnecting from a Database.....	18
Error Log.....	19
Exporting a Table View to a CSV File.....	20
File Attachments.....	21
Hyperlinks.....	22
Importing.....	23
Limitations.....	24
Main Window Tool Buttons.....	25
Members Browser.....	28
Member's Reservation History.....	29
Open Library.....	30
Operating Systems.....	31
PDF.....	32
PostgreSQL Accounts.....	33
PostgreSQL Benefits.....	35
PostgreSQL unaccent().....	36
Preparing biblioteq.conf.....	37
Requesting an Item.....	40
Reserving an Item.....	41
Returning an Item.....	42
SQL Injections.....	43
SRU & Z39.50.....	44
Software Releases.....	45
Special Data.....	46
Terminal Options.....	47
Tools.....	48
Translations.....	49
Upgrading a PostgreSQL Database Schema.....	50
Upgrading an SQLite Database Schema.....	51

Introduction

BiblioteQ is a complex and highly-configurable library suite. The software supports large, medium, and small institutions.


BiblioteQ is functional on any operating system where Qt LTS, SQLite, and YAZ are supported. BiblioteQ also supports the PostgreSQL database engine. Qt 4.8.x is considered obsolete and is not supported. The YAZ library is optional.

The source of BiblioteQ is available at <https://github.com/textbrowser/biblioteq>.

The purpose of this document is to detail the functionality of BiblioteQ. Installation instructions are not described in this document. Please refer to the Administrator Guide document for installation information.

Accessing an Existing SQLite Database

An existing SQLite database file may be opened via several methods. The first method involves the Recent SQLite Files option of the File menu.



The Recent SQLite Files sub-menu contains a list of BiblioteQ's recently-accessed SQLite files. If an SQLite file is selected, the specified SQLite database is opened. Please note that BiblioteQ will first close an existing database, if one is open, before opening the specified database. A Clear option is also included in the sub-menu. If Clear is activated, the list of the recently-accessed SQLite files is emptied. BiblioteQ will remove duplicate *sqlite_db_* entries from the INI file shortly after the application is launched. Also removed will be entries whose corresponding files lack read and write permissions.

The second method of accessing an SQLite database is through the Branch Selection dialog. The dialog may be accessed via the Connect option of the File menu.



BiblioteQ

After opening the Branch Selection dialog, select `local_db` as the Branch Name. This will prepare the dialog for accessing SQLite databases. Afterwards, click on the Select SQLite Database button to launch a file-selection dialog.

Please read the Terminal Options page for additional mechanisms for opening a database.

Adding an Item

For PostgreSQL databases, items may be added by administrator and librarian accounts. For SQLite databases, file owners may add items.

BiblioteQ supports books, compact discs, digital video discs, grey literature, journals, magazines, photograph collections, and video games.

To add an item, click on the Add Item tool button and select the desired category. An item-create window will be displayed. Required fields are highlighted.

Multiple items may be added simultaneously.

Administrator Browser


The Administrator Browser is available if an administrator role is connected to a PostgreSQL database. The browser may be accessed via the Configure Administrator Privileges (PostgreSQL) tool button.

Changes should be committed via the Save Changes button.

The process of committing changes to the PostgreSQL database is as follows:

1. The table's current state is inspected. The operator is notified of administrators without privileges as well as duplicate administrators and the process is aborted.
2. A database transaction is prepared. If an error occurs, the process is aborted.
3. Deleted accounts are removed from the admin database table as well as from the PostgreSQL database. If an error occurs with either sub-process, the process is aborted and the previous changes are reverted.
4. Existing admin table entries are updated. New accounts are inserted into the admin table. If an error occurs, the process is aborted and the previous changes are reverted.
5. Existing admin table entries are granted the specified privileges after all potential privileges are revoked. New accounts are created in the PostgreSQL database and assigned the appropriate privileges. If an error occurs, the process is aborted and the previous changes are reverted.
6. If all of the aforementioned statements execute correctly, the database transaction is committed.

Please note that leading and trailing spaces will be removed from account names during the database-recording process.



BiblioteQ.INI

The BiblioteQ.INI file contains interface settings. The file resides in the user's home directory within the .biblioteq folder. Editing should be performed with care.


BiblioteQ

BiblioteQ.conf

The BiblioteQ.conf file contains Amazon, SRU, Z39.50, and other information. Please edit this file using a text editor.

Change Password

A PostgreSQL account's password may be changed via the Password Selection dialog. A password must contain at least eight characters. Guest accounts are excluded.




The image shows a dialog box titled "BiblioteQ: Password Selection". It contains three input fields: "Userid" with the value "xbook_admin", "New Password" with the placeholder text "PostgreSQL Password", and "Confirm Password" with the placeholder text "PostgreSQL Password Confirmation". The "New Password" field has a key icon to its left. At the bottom are "Save" and "Cancel" buttons.

Field	Value
Userid	xbook_admin
New Password	PostgreSQL Password
Confirm Password	PostgreSQL Password Confirmation

Connecting to a PostgreSQL Database

BiblioteQ supports both the PostgreSQL and the SQLite database engines. This section will cover the details involved in connecting to a PostgreSQL database.



Click the Connect option of the File menu.



Select the appropriate non-local_db Branch Name if one is available. Provide the Password and Userid information, if applicable, and press the Connect button.

Note: The sections Accessing an Existing SQLite Database and Creating an SQLite Database cover the details of accessing and creating SQLite databases, respectively.


Creating a PostgreSQL Database

BiblioteQ supports PostgreSQL 8.x, 9.x, and newer. Please note that PostgreSQL 8.x and 9.x are not supported by BiblioteQ. Please follow the PostgreSQL-provided documentation for installing PostgreSQL. After installing the required PostgreSQL packages, please perform the following operations:

1. Create the xbook_db database via `createdb xbook_db -E UTF8` or via the PostgreSQL-recommended procedure. Please note that the database name xbook_db is only a suggestion.
2. Execute `createlang plpgsql -d xbook_db` or the PostgreSQL-recommended procedure for adding a new programming language to the xbook_db database. If the language already exists, PostgreSQL will produce an error. Please ignore the error.
3. If desired, replace all instances of the default administrator xbook_admin in the postgresql-create-schema.sql file. A password may also be set afterwards.
4. Log into your PostgreSQL xbook_db database and load the postgresql-create-schema.sql file via `\i postgresql-create-schema.sql`.

Creating an SQLite Database

A new BiblioteQ SQLite database file may be created via the New SQLite Database option of the File menu.



After the option is selected, a file-selection dialog is displayed. An existing file or a new file may be specified. A confirmation dialog is displayed if an existing file is selected.

Once the SQLite database file has been initialized, BiblioteQ will open it. If a database is already open, a confirmation prompt is displayed. If confirmed, the current database is closed and the newly-created database is opened.

Custom Query

Custom SQL queries may be performed via the Custom Query window.

After a successful query is performed, the main table's columns will be set according to the query statement. Please avoid including columns of type QByteArray in the custom query as the associated data will burden the software.

Database Content

All content, save for configuration values, is stored in the respective database. For instance, image data are stored in a database. Temporary data reside in the application's memory space.

Image information is recorded as Base-64.

Database Enumerations Browser


The Database Enumerations Browser is available to accounts having administrator or librarian privileges and is accessible via the Database Enumerations tool button. The browser contains configurable item values. The browser is available for PostgreSQL and SQLite databases.

The process of committing data to a database is as follows:

1. For each sub-panel (Book Binding Types, etc.), a database transaction is prepared. If an error occurs, the current transaction is canceled and the process iterates to the next sub-panel.
2. All items in the respective database table are deleted. For example, for the Book Binding Types sub-panel, all entries from the `book_binding_types` database table are deleted. If the process fails, changes are reverted and the process proceeds to the next sub-panel.
3. New values are inserted into the respective database table. If the process fails, changes are reverted and the process proceeds to the next sub-panel.
4. The current database transaction is committed.


Disconnecting from a Database

To disconnect from a connected database, click the File menu. Then click the Disconnect option.




Error Log

The Error Log may be accessed via the View menu. The window details critical exceptions which were raised during a BiblioteQ session. The status bar of the main window will indicate whether or not the log contains entries.



Exporting a Table View to a CSV File

The current table view's contents may be exported to a CSV file via the Export Table View as CSV option of the File menu.



If clicked, a file-selection dialog is displayed.

The generated CSV file will contain comma-separated values. Values which contain commas will be encased in double-quotes. For example, *A book of abstract algebra,"Pinter, Charles C.",McGraw-Hill,1990-01-01,New York,2,"Algebra, Abstract.",English,0070501386,0.00,Dollar,1,Hardcover,Home,9780070501386,89035355,QA162 .P56 1990,512/.02,1,0,Original,As New,.*

The first line of the generated file contains the exported view's header strings. The exported columns are governed by the settings in Viewable Columns.

File Attachments

Several categories (books, grey literature, journals, magazines) include file attachments. Attached files are compressed before being inserted into the respective database. BiblioteQ employs the ZLIB algorithm for compression.

Hyperlinks

BiblioteQ supports embedded hyperlinks. If a hyperlink is clicked, a search is initiated using the specified text for the given category. Please note that a clicked hyperlink will not be activated if the parent widget is editable. An example hyperlink: `Number Theory`.

Place of Publication	New York, NY
----------------------	------------------------------

Importing

BiblioteQ provides an import mechanism for importing book and patron data contained in a CSV file. Please review the Tools menu.

Limitations

BiblioteQ does not impose limits on the data content. Please note that both PostgreSQL and SQLite have rigid limits. Please read <https://www.sqlite.org/limits.html> for SQLite details.

Generally:

- Attached files may be of any size. Please note that submitting large files will burden both local and remote queries. PostgreSQL and/or SQLite may limit field sizes.
- Infinitely-many items may be stored, although PostgreSQL and/or SQLite may prevent this.
- Pagination is implemented with the application of the LIMIT and OFFSET clauses.
- The number of PostgreSQL accounts is not limited through the software.

Main Window Tool Buttons

This page will describe the various tool buttons which are present on the main window.

The tool buttons are described from left to right.

View Selected Item(s)

Open the detail window(s) of the selected item(s). A confirmation prompt is displayed if the number of selected items exceeds four. The tool button is disabled if the current account has administrator privileges.

Add Item

Add an item. The tool button is disabled if the current account does not have Item Creation privileges.

Duplicate Selected Item(s)

Open the detail window(s) of the selected item(s). A confirmation prompt is displayed if the number of selected items exceeds four. The tool button is disabled if the current account does not have Item Creation privileges.

Delete Selected Item(s)

Delete the selected item(s). A confirmation prompt is displayed. The tool button is disabled if the current account does not have Item Deletion privileges.

Modify Selected Item(s)

Modify the selected item(s). A confirmation prompt is displayed if the number of selected items exceeds four. The tool button is disabled if the current account does not have Item Updates privileges.

Print Current View

Print the items in the current view. A Print dialog is displayed.

Select Viewable Columns

Select the columns that are to be shown in the main window's table per each category (books, cds, etc.). Please note that column order is not preserved.

View Member's Reservation History (Patrons Only)

Display the current patron's reserved items. The tool button is enabled only for patron accounts.

Request Selected Item(s) / Cancel Selected Request(s)

BiblioteQ

Available for patrons, these options allow for the requesting of items as well as for the canceling of requested items.

Reserve Selected Item

Reserve the selected item. The tool button is disabled if the current account does not have Item Reservations privileges.

Display Members Browser

Display the Members Browser window. Only available for administrator, circulation, and membership accounts.

Files Browser

Display the Files Browser window.

Database Search

Activates a context menu containing various search options.

Custom Database Query

Display a Custom Query window.

Refresh Table

Reload the current view.

Again, the tool buttons are described from left to right.

Connect

Display the Branch Selection dialog.

Disconnect

Disconnect from the current database.

Change Password

Display the Password Selection dialog. Not available for PostgreSQL guest accounts and SQLite databases.

Configure Administrator Privileges

Display the Administrator Browser window. Only available for administrator accounts. Not available for SQLite databases.

Database Enumerations

BiblioteQ

Display the Database Enumerations Browser window. Only available for administrator and librarian accounts.

Exit BiblioteQ

Terminate the application.

Members Browser

The Members Browser is available via the View menu. For PostgreSQL databases, the browser is accessible if the current role is administrator, circulation, or membership. For SQLite databases, access to the browser is always granted.

The browser allows administrators to create, delete, and modify patron account details. Reservation processes are also available in the Members Browser. A mechanism for exporting the patron information is also included.

Grant Privileges

Grant Privileges is available for PostgreSQL databases. If pressed, each listed account is removed from and added to the `biblioteq_patron` role.

Direct PostgreSQL Documentation

PostgreSQL manages database access permissions using the concept of roles. A role can be thought of as either a database user, or a group of database users, depending on how the role is set up. Roles can own database objects (for example, tables and functions) and can assign privileges on those objects to other roles to control who has access to which objects. Furthermore, it is possible to grant membership in a role to another role, thus allowing the member role to use privileges assigned to another role.

The concept of roles subsumes the concepts of “users” and “groups”. In PostgreSQL versions before 8.1, users and groups were distinct kinds of entities, but now there are only roles. Any role can act as a user, a group, or both.

Member's Reservation History

A patron's reservation history may be accessed via the Member's Reservation History window. Reservation histories are initially disabled.

BiblioteQ

Open Library

BiblioteQ supports the Open Library Internet search query for books.

Operating Systems

BiblioteQ supports Android, FreeBSD, Linux, MacOS, OS/2, OpenBSD, and Windows. Generally, the application is compatible with any operating system where Qt, SQLite, and YAZ are supported. Please note that the YAZ library is totally optional. The software has also been tested on a variety of architectures, including AMD, ARM, Alpha, Apple Silicon, PowerPC, and Sun UltraSparc.

PDF

BiblioteQ supports PDF content through the Poppler open source library. Browsing, printing, and searching options are included. Poppler support is optional. Newer versions of Qt also include some PDF functions and BiblioteQ will provide PDF services through Qt if possible.

PostgreSQL Accounts


BiblioteQ provides three tiers of PostgreSQL database roles: administrator, guest, and patron.

Initially, the postgresql-create-schema.sql script may be used to create the administrator account xbook_admin.

Guest roles are provided a read-only interface. Patron roles are granted reservation permissions.

PostgreSQL accounts may be modified via the Administrator Browser. Please note that the Administrator Browser is only available within an administrator role.

PostgreSQL credentials are not retained by BiblioteQ. Please consult <https://www.postgresql.org/docs/current/auth-methods.html> for information.



Additionally, there are four administrator levels: Administrator, Circulation, Librarian, and Membership. The abilities of each level is described next.

Administrator Permissions

- **Item Creation**
Ability to create books, etc.
- **Item Deletion**
Ability to remove books, etc.
- **Item Reservations**

BiblioteQ

Ability to reserve items.

- **Item Returns**

Ability to process returned items.

- **Item Updates**

Ability to modify books, etc.

- **Member Creation**

Ability to create administrators and patrons.

- **Member Deletion**

Ability to remove administrators and patrons.

- **Member Updates**

Ability to update information of patrons and permissions of administrators.

- **Reservation Histories**

Ability to read reservation histories of patrons.

Circulation Permissions

- Item Reservations
- Item Returns
- Reservation Histories

Librarian Permissions

- Item Creation
- Item Deletion
- Item Updates

Membership Permissions

- Member Creation
- Member Deletion
- Member Updates

PostgreSQL Benefits

PostgreSQL is an open-source relational database management system. Some of the benefits of PostgreSQL include the following.

- High Standards Compliance
- Indices
- Networking
- Notifications
- Procedural Languages
- Replication
- Rich Data Types
- Roles
- Schema Support
- Transactions
- Triggers
- User-defined Types

PostgreSQL unaccent()

BiblioteQ supports PostgreSQL's unaccent() extension. Documentation describing the unaccent() function is located at <https://www.postgresql.org/docs/current/unaccent.html>.

Greek-language users may wish to supplement their unaccent.rules files with information contained at <https://gist.github.com/marinoszak/7d5d6a8670faae0f4589c2da988f2ba3>. The PostgreSQL database may require restarting after a rules file is altered.

Preparing biblioteq.conf

The biblioteq.conf file contains non-user settings. The location of the file varies with distribution. This page will describe the various properties which may be defined in the biblioteq.conf file.

[Amazon Back Cover Images]

Describes required settings for retrieving book back-cover images from amazon.com.

host

Host name of the Amazon image server.

path

Path of the image file. BiblioteQ substitutes the respective ISBN in the percent sign. Please note that ASINs may also work.

The optional properties proxy_host, proxy_password, proxy_port, proxy_type, and proxy_username are also supported. The proxy_type property supports values of HTTP, None, Socks5, and System.

[Amazon Front Cover Images]

Please read previous section.

[Branch-1]

The first database branch.

connection_options

PostgreSQL-specific connection options. An example is *connect_timeout=10;sslmode=verify-full*.

database_name

The name of the database as it will appear in the Branch Selection dialog.

database_type

The database's type. Must be set to postgresql or sqlite.

hostname

The host name of the PostgreSQL database server. Both IP addresses and fully-qualified domain names may be assigned.

port

The port value of the PostgreSQL database server.

BiblioteQ

ssl_enabled

If false, SSL/TLS communications are disabled.

[Open Library]

Describes required settings for retrieving book information from openlibrary.org.

url_isbn

URL of book. BiblioteQ substitutes the respective ISBNs.

[Open Library Cover Images]

Describes required settings for retrieving book cover images from covers.openlibrary.org.

back_url

URL of the back-cover image file. BiblioteQ substitutes the respective ISBN in the \$value field.

front_url

URL of the front-cover image file. BiblioteQ substitutes the respective ISBN in the \$value field.

[SRU-1]

Describes the first SRU site.

name

Name of the site as it will appear in the application.

url_isbn

Complete URL of the site for retrieving data via ISBNs. The tokens %1 and %2 are replaced by the ISBN-10 and ISBN-13 fields.

url_issn

Complete URL of the site for retrieving data via ISSNs. The token %1 is replaced by the ISSN field.

The optional properties proxy_host, proxy_password, proxy_port, proxy_type, and proxy_username are also supported. The proxy_type property supports values of HTTP, None, Socks5, and System.

[Z39.50-1]

Describes the first Z39.50 site. Please also see <http://www.indexdata.com/yaz/doc/zoom.records.html>.

database_name

The remote database name.

BiblioteQ

format

Render format. An example: *marc8,utf-8*.

name

Name of the site as it will appear in the application.

password

Account password. Optional.

port

The remote database's port number.

record_syntax

Preferred record syntax. Example: *MARC21*.

The optional properties password, proxy_host, proxy_port, and username are also supported.

timeout

Maximum number of seconds for the query to complete.

username

Account username. Optional.

yaz_

Configure YAZ options. The option (yaz_option minus yaz_) must be supported by the YAZ library. For example, yaz_charset and yaz_databaseName are suitable options.

Requesting an Item

PostgreSQL patrons may request one or more books, compact discs, digital video discs, grey literature, journals, magazines, and video games. After selecting an item, please press the green Telephone tool button. To cancel a request, please set the Category to All Requested, select the desired item, and press the red Telephone tool button. A confirmation dialog is displayed and if accepted, the selected request is canceled.

Reserving an Item

For PostgreSQL databases, items may be reserved by administrator and circulation accounts. Owners of SQLite databases may reserve items. Books, compact discs, digital video discs, grey literature, journals, magazines, and video games may be reserved. To reserve an item, select it in the main window and press the Reserve Selected Item tool button. If the item is available for reservation, the Members Browser will be displayed. Select the desired patron in the Members Browser and press the Reserve Selected Item tool button in the Members Browser. The Copy Browser dialog is displayed. Specify the Due Date and select the desired copy. Finalize the reservation process by clicking the Reserve button.

Items may also be reserved via the Batch Activities Browser.

Please note that the default Due Date may be modified via the Database Enumerations Browser.

Returning an Item

For PostgreSQL databases, reserved items may be returned by administrator and circulation accounts. Owners of SQLite databases may return reserved items. The simplest method of identifying reserved items is by the All Reserved category of the View menu. An item may be returned via its details window. Open the selected item's details and click the Reservation Status button. The Item Reservation Status dialog is displayed. Select the copy which is about to be returned and click the Return button. Confirm the process.

Selected items may also be returned via the All Reserved category and the Batch Activities Browser.

SQL Injections

Most BiblioteQ queries are parameterized. Prepared SQL statements are resilient against SQL injections. Please note that some fixed fields (for instance, Locations) are embedded in the statements.

BiblioteQ

SRU & Z39.50

BiblioteQ supports both the SRU and Z39.50 Internet search queries for books, journals, and magazines. Sites may be defined within the biblioteq.conf file.

Software Releases

BiblioteQ provides package releases and source releases. LTS, or long-term-support, releases are releases which include packages and source files.

Special Data

Dates are recorded in MM/dd/yyyy format.

ISBNs are recorded without hyphens.

Terminal Options

--help

Display terminal options.

--open-postgresql-database <name-of-database>

Connect to the specified PostgreSQL database. The connection is established via the guest account.

--open-sqlite-database <absolute-path-of-database-file>

Open the specified SQLite database file.

--open-sqlite-database-index <index>

Open the SQLite database at the specified index.

--prepare-csv-import-file <absolute-path-of-csv-file>

Populates the CSV File widget of the CSV Import Browser with the specified file name. The file should exist.

--special-executable <absolute-path-of-executable>

The argument provided to special-executable will appear in Tools → External Applications. The environment variable BIBLIOTEQ_DATABASE_NAME is available to the new process. Multiple special-executable instances are allowed. Please note that BiblioteQ does not validate the paths of the applications.

--special-executable-icon <absolute-path-of-icon>

Set the action icon of the application specified via --special-executable. Please note that BiblioteQ does not validate the paths of the icons.

Example: BiblioteQ --special-executable /opt/dooble/Dooble --special-executable-icon /opt/dooble/Dooble.png.

Tools

Batch Activities Browser

Borrow, discover, and return items. This panel provides an assortment of activities for batch-managing reserved items. Accessible by PostgreSQL and SQLite administrators.

CSV Import Browser

Import book and patron information via a highly-configurable panel.

External Applications

External programs may be utilized in BiblioteQ. Applications should be defined in Other Options → Scripts. Accessible programs will then be placed in Tools → External Applications.

Merge SQLite Databases

Multiple SQLite databases may be merged into the existing SQLite database.

Query History

BiblioteQ retains a session's query history. In this panel, queries may be re-activated.

Statistics

Design custom SQL queries for gathering information about the current database and its contents. Queries may also be saved for later activation.

Translations

Translations are incomplete. Translating BiblioteQ text is simple. Please download and install Qt from <https://download.qt.io>, download BiblioteQ's source, and familiarize yourself with Qt's Linguist. Linguist documentation is available at <https://doc.qt.io/qt/qtlinguist-index.html>.


Literal text, for example text housed in a combination-box widget, will be recorded to a database in its translated form. In general, BiblioteQ does not translate database entries.

Upgrading a PostgreSQL Database Schema

Some software releases require database schema changes. Please read the version-specific section of the postgresql-update-schema.sql file and execute the required SQL statements.

Upgrading an SQLite Database Schema

It may be necessary to upgrade an existing BiblioteQ SQLite database schema after a software release. An upgrade tool is available via the Tools menu. A confirmation prompt is displayed before the process is initiated. After the upgrade process is completed, a dialog depicting the results of the upgrade will be displayed. Please create a copy of the SQLite database file before upgrading it.



Index

Accessing an Existing SQLite Database.....	12	Database Search.....	26
Add Item.....	7, 25	database_name.....	37 f.
admin.....	8	database_type.....	37
administrator.....	7 f., 17, 25 ff., 33, 41 f.	Delete Selected Item(s).....	25
Administrator.....	33	digital video discs.....	7, 40 f.
Administrator Browser.....	8, 26, 33	Disconnect.....	18, 26
Administrator Guide.....	4	Display Members Browser.....	26
All Requested.....	40	Due Date.....	41
All Reserved.....	42	Duplicate Selected Item(s).....	25
Alpha.....	31	Error Log.....	19
AMD.....	31	Exit BiblioteQ.....	27
Android.....	31	Export Table View as CSV.....	20
ARM.....	31	File.....	5, 12, 14, 18, 20
ASINs.....	37	Files Browser.....	26
back_url.....	38	format.....	39
biblioteq_patron.....	28	FreeBSD.....	31
biblioteq.conf.....	37, 44	front_url.....	38
BiblioteQ.conf.....	10	Grant Privileges.....	28
BiblioteQ.INI.....	9	grey literature.....	7, 21, 40 f.
Book Binding Types.....	17	guest.....	26, 33
books.....	7, 21, 30, 40, 44	host.....	37
Books.....	41	hostname.....	37
Branch Name.....	6, 12	HTTP.....	37 f.
Branch Selection.....	5, 26, 37	hyperlinks.....	22
Category.....	40	Item Creation.....	25, 33 f.
Change Password.....	26	Item Deletion.....	25, 33 f.
circulation.....	26, 28, 41 f.	Item Reservation Status.....	42
Circulation.....	33	Item Reservations.....	26, 33 f.
Clear.....	5	Item Returns.....	34
compact discs.....	7, 40 f.	Item Updates.....	25, 34
Configure Administrator Privileges.....	8, 26	journals.....	7, 21, 40 f., 44
Connect.....	5, 12, 26	librarian.....	7, 17, 27
connection_options.....	37	Librarian.....	33
Copy Browser.....	41	LIMIT.....	24
createdb.....	13	Linguist.....	49
createlang.....	13	Linux.....	31
Creating an SQLite Database.....	12	local_db.....	6, 12
CSV.....	20, 23	MacOS.....	31
Custom Database Query.....	26	magazines.....	7, 21, 40 f., 44
Custom Query.....	15	Member Creation.....	34
Database Enumerations.....	17, 26	Member Deletion.....	34
Database Enumerations Browser.....	17, 27, 41	Member Updates.....	34

BiblioteQ

Member's Reservation History.....	29	Reservation Status.....	42
Members Browser.....	41	Reserve.....	41
membership.....	26, 28	Reserve Selected Item.....	26, 41
Membership.....	33	Save Changes.....	8
Modify Selected Item(s).....	25	Select SQLite Database.....	6
name.....	38 f.	Select Viewable Columns.....	25
New SQLite Database.....	14	Socks5.....	37 f.
None.....	37 f.	sqlite.....	37
OFFSET.....	24	SQLite.....	4 f., 7, 12, 14, 24, 28, 31, 51
Open Library.....	30	SRU.....	44
OpenBSD.....	31	ssl_enabled.....	38
OS/2.....	31	Sun UltraSparc.....	31
Pagination.....	24	System.....	37 f.
password.....	11, 39	Telephone.....	40
Password.....	12	Terminal Options.....	6
Password Selection.....	11, 26	timeout.....	39
path.....	37	Tools.....	23, 51
patron.....	25, 33	Translations.....	49
patrons.....	40	unaccent().....	36
PDF.....	32	upgrade.....	51
photograph collections.....	7	url_isbn.....	38
plpgsql.....	13	url_issn.....	38
Poppler.....	32	Userid.....	12
port.....	37, 39	username.....	39
postgresql.....	37	video games.....	7, 40 f.
PostgreSQL.....	4, 7 f., 12 f., 24, 28, 33, 40 ff.	View.....	19, 28, 42
postgresql-create-schema.sql.....	13, 33	View Member's Reservation History (Patrons	
postgresql-update-schema.sql.....	50	Only).....	25
PowerPC.....	31	View Selected Item(s).....	25
Print Current View.....	25	Windows.....	31
proxy_host.....	37 ff.	xbook_admin.....	13, 33
proxy_password.....	37 f.	xbook_db.....	13
proxy_port.....	37 ff.	YAZ.....	4, 31
proxy_type.....	37 f.	yaz_.....	39
proxy_username.....	37 f.	Z39.50.....	44
Qt.....	31, 49	Administrator Privileges.....	8
Qt LTS.....	4	[Amazon Back Cover Images].....	37
reate.....	7	[Amazon Front Cover Images].....	37
Recent SQLite Files.....	5	[Branch-1].....	37
record_syntax.....	39	[Open Library Cover Images].....	38
Refresh Table.....	26	[Open Library].....	38
Request Selected Item(s) / Cancel Selected		[SRU-1].....	38
Request(s).....	25	[Z39.50-1].....	38
Reservation Histories.....	34		