

# The stand in Munich, designed.

Every piece for the show, finished and to scale: the three walls and the counter, the stand in 3D, the flyer and roll-ups, the posts, ads and signature, the screen loop and the booth page. The design direction says why each looks the way it does.

**17** days    **Backdrop artwork**  
Sat 10 Oct

**43** days    **Screen content**  
Thu 5 Nov

**48** days    **Show opens**  
Tue 10 Nov

- Plan
- Design direction
- Stand
- Print
- Screen and digital
- Website
- Files

## 01 Plan

What the stand has to do, what IAQ has confirmed, the dates, and the answers still needed.

Brief and headline    Dates and owners    Open questions

### What the stand has to do.

10 to 13 November 2026 · Messe München, Munich, Germany · Shared stand with Green Excel Poland (booth version 3). IAQ’s part is one corner of it. Hall and stand number to confirm.

|                                                                                                                                                                                                            |                                                                                                                                                |                                                                                                                                                                                                             |                                                                                                                                                                                                                                                  |                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Goal</b></p> <p>Leave European fab owners, EPCM firms and equipment makers knowing one thing: IAQ builds the controlled environment and the whole facility around it, and has a team in Dresden.</p> | <p><b>Focus</b></p> <p>Cleanroom construction, as IAQ asked for the European show. The other two units are named, not explained at length.</p> | <p><b>Only what is necessary</b></p> <p>IAQ asked to show only necessary information. No client savings figures, no revenue, no project a client has not cleared, no render that carries a client logo.</p> | <p><b>The partner</b></p> <p>The stand is Green Excel Poland’s, which makes cleanroom and dry room architecture products. IAQ is the contractor that designs and builds the facility they go into. The two messages should meet, not repeat.</p> | <p><b>One action</b></p> <p>Every surface points to one action: talk to the team at the counter, or scan the code for the 3D story and the projects.</p> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|

Confirmed by IAQ



IAQ's part is this corner only, not the whole stand

The aisle column, the inner face of the side wall, the back wall section with the screen, and the counter. The rest of the stand is Green Excel's.

Nabilah Radzli, IAQ, on the project WhatsApp group, 22 Sep 2026



No printing on the outside or the back of the walls

The outer face of the side wall and the back of the walls stay plain, as berrylife builds them. Nothing is designed for them.

Nabilah Radzli, IAQ, on the project WhatsApp group, 22 Sep 2026

The headline

For approval

1

Controlled environments, built to class.

Recommended. Says cleanroom construction in four words, and “to class” is how a fab buyer judges a cleanroom.

2

The cleanroom, and the whole fab around it.

Sits beside Green Excel's products and says what IAQ adds: the facility, not the panels.

3

From Shah Alam to Dresden, since 1995.

Leads with presence. Better on the map wall than on the back wall.

What every surface can say

31

years building controlled environments

7

countries with an IAQ office, Germany among them

250+

projects completed

1,050,000 m²

of cleanroom built

EPC

Builds the facility, under one contract.

PCU & TTI

Process Critical Utilities & Total Tool Installation Solutions: re-equips a live fab.

EFM

Runs and maintains it, and cuts the energy bill.

Every figure is one the website already publishes.

# Eight weeks, three fixed dates.

The fixed dates come from IAQ. The steps between them are our proposal, with one review round for each piece.

|                    |                                                                                                   |       |
|--------------------|---------------------------------------------------------------------------------------------------|-------|
| Tue 22 Sept        | Plan, stand files and first drafts in the portal<br>Brand Method                                  | Done  |
| Today, Tue 22 Sept |                                                                                                   |       |
| Fri 25 Sept        | IAQ chooses the headline, confirms what may be shown, answers the open questions<br>IAQ (Nabilah) |       |
| Wed 30 Sept        | Walls and counter, first full artwork at 1:1<br>Brand Method, Shazwan                             |       |
| Fri 2 Oct          | IAQ comments, one round<br>IAQ                                                                    |       |
| Tue 6 Oct          | Second artwork; berrylife checks sizes, bleed and the screen cut-out<br>Brand Method, berrylife   |       |
| Thu 8 Oct          | Final approval; print PDFs exported in CMYK FOGRA39 and checked<br>IAQ, Brand Method              |       |
| Fri 9 Oct          | Screen loop storyboard approved; flyer copy approved<br>IAQ                                       |       |
| Sat 10 Oct         | Backdrop artwork delivered to Green Excel and berrylife<br>Brand Method                           | Fixed |
| Fri 16 Oct         | First full screen loop running in the portal; flyer artwork<br>Brand Method, Azwan                |       |
| Wed 21 Oct         | Flyer to print (printed in Germany and delivered to the hall, or in Malaysia and carried)<br>IAQ  |       |
| Fri 23 Oct         | IAQ reviews the screen loop<br>IAQ                                                                |       |

|            |                                                                   |       |
|------------|-------------------------------------------------------------------|-------|
| Mon 26 Oct | Booth page live; email signature banner on<br>Brand Method, IAQ   |       |
| Wed 28 Oct | Screen loop final; MP4 fallback recorded<br>Brand Method          |       |
| Fri 30 Oct | Tested on a 55 inch screen at 1.5 m and 4 m<br>Brand Method, IAQ  |       |
| Wed 4 Nov  | Screen content submitted to berrylife<br>IAQ                      | Fixed |
| Tue 10 Nov | SEMICON Europa opens, Messe München (to 13 Nov)<br>IAQ team       | Fixed |
| Mon 16 Nov | Thank-you post; every lead answered within one working day<br>IAQ |       |

Who does what

|                           |                                                                                                         |
|---------------------------|---------------------------------------------------------------------------------------------------------|
| IAQ (Nabilah)             | Approvals, what may be shown, the stand team, print orders, contact with Green Excel                    |
| Brand Method              | The plan, the stand artwork, the screen loop and player, the flyer, the booth page, the digital banners |
| Shazwan                   | Brand mockups and the brand book check (from the 17 Sep minutes)                                        |
| Azwan                     | The 3D model and its sequences for the screen                                                           |
| berrylife for Green Excel | The stand build, printing the walls and counter, the screen hardware                                    |

# Ten answers **we need from IAQ.**

Each one says what we did in the meantime, so nothing waits on the answer.


|                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>1</div> <div>Hall and stand number?</div> <div>Every draft leaves a slot for it; it goes on the flyer, the posts and the signature banner.</div> <div>Nabilah, Green Excel</div>                                                                                                                                                   | <div>2</div> <div>How is IAQ named beside Green Excel: partner, co-exhibitor, or no joint wording?</div> <div>The drafts carry IAQ's own message only. No partnership claim is printed until IAQ confirms it.</div> <div>Nabilah</div> |
| <div>3</div> <div>Which headline?</div> <div>Three options above; the drafts use the recommended one, "Controlled environments, built to class."</div> <div>Nabilah</div>                                                                                                                                                               | <div>4</div> <div>Bleed, file scale (1:1 or 1:10) and how the screen sits in the back wall panel?</div> <div>Drafts at 1:1 with 10 mm bleed and 20 mm clear round the screen, the common default.</div> <div>berrylife</div>           |
| <div>5</div> <div>Is there a computer for the screen, and can the screen take touch? 4K or full HD?</div> <div>The screen is a website that loops and answers touch, so it needs a small computer on HDMI with a browser. Full HD assumed; without touch the team drives it with a mouse or the keys 1 to 6.</div> <div>berrylife</div> | <div>6</div> <div>Which projects may be shown in Europe?</div> <div>The screen uses the model, the units and the services only; no client is named until IAQ clears the list.</div> <div>Nabilah</div>                                 |
| <div>7</div> <div>The booth page address?</div> <div>Proposed iaqtechnology.com.my/semicon. The drafts carry a code to that address, marked draft, regenerated once it is final.</div> <div>Nabilah, Brand Method</div>                                                                                                                 | <div>8</div> <div>Flyer: quantity, English only or English and German, printed where?</div> <div>Drafted in English, A5, 500 suggested.</div> <div>Nabilah</div>                                                                       |
| <div>9</div> <div>Who from Dresden is on the stand, and whose contact goes on the flyer?</div> <div>The flyer carries the Dresden office and the group email until a name is given.</div> <div>Nabilah</div>                                                                                                                            | <div>10</div> <div>How are leads captured: cards, a scanning app, or a form on a tablet?</div> <div>The booth page form works on any tablet; the enquiry endpoint still needs connecting before launch.</div> <div>Nabilah</div>       |

## 02 Design direction


The rules every piece is drawn with: colour, type, the mark, lines, spacing, and what to do and not do.

### Every layer, **built to class.**

A fab is built floor by floor, system by system. The IAQ mark is drawn the same way, in stripes. So the stand is drawn that way too: a white cleanroom ground, IAQ's own exploded fab showing every layer, the logo's stripes as the one graphic device, a navy plinth that holds the whole zone together, and one red signal on each surface.



**Every layer,  
built to class.**



**YOUR TOTAL FACILITY SOLUTIONS PROVIDER**

# Colour scheme



The share of a typical surface each colour takes. Red stays at about six percent.



## IAQ Red

HEX   #EC2027  
RGB   236·32·39  
CMYK 0·92·88·0

The signal. The second line of a headline, the European offices on the map, the one call to action, a small stripe marker, and the aisle column, the only surface allowed to be red all over.



## Deep Navy

HEX   #0A101F  
RGB   10·16·31  
CMYK 88·78·55·72


The only blue IAQ uses. The 250 mm plinth on every wall, the crown of the flyer, roll-ups and banners. On navy the mark always sits in a white panel.



## Ink

HEX   #0C1220  
RGB   12·18·32  
CMYK 85·75·55·70\*


Headlines and names. Never used as a background: that is Deep Navy.



## Slate


HEX   #48536A  
RGB   72·83·106  
CMYK 58·44·24·18

Supporting text under a headline or a figure.



## Mist

HEX   #828B9E  
RGB   130·139·158  
CMYK 45·33·20·5\*



## White

HEX   #FFFFFF  
RGB   255·255·255  
CMYK 0·0·0·0

The ground of every wall, the counter and the flyer: the cleanroom.


Small labels only (League Spartan, tracked capitals) and the second part of a map label.



**Stripe grey**

HEX #DCE2EC  
RGB 220 · 226 · 236  
CMYK 12 · 7 · 3 · 0\*

The quiet version of the stripes, low on the back wall and the counter. Nothing else.



**Map dot**

HEX #C4CBD8  
RGB 196 · 203 · 216  
CMYK 22 · 14 · 8 · 0\*

The land dots of the world map. The same world as the website's globe.

CMYK without a star is from IAQ Brand OS v3.1. A star marks our conversion: confirm it on the printer's proof.



**IAQ's side**



**Green Excel's side**

royal blue, theirs only

**Which blue**

The stand is shared with Green Excel Poland, whose side is royal blue. IAQ's side uses no royal or bright blue at all: its one blue is Deep Navy, and it appears only as a band (the plinth, a crown, a banner field). Two blues side by side would read as one company.

**Type**

# Built to class

**Poppins**

SemiBold 600

**Headlines, figures, unit names.** Sentence case. Tight tracking (about -3 %). The second line of a headline may be red.

# Built to class

**Urbanist**

Medium 500, SemiBold 600

**Every line of text, addresses, the web address.** Slate for supporting text, Ink for names and contacts.

# SEMICON EUROPA

**League Spartan**

SemiBold 600

**Small labels only.** Capitals, tracked wide (about +12 %). Never for a headline, never more than five words.

**Sizes, by surface**

| Surface                      | Headline                             | Figures and names     | Text                            | Labels              |
|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------|
| Walls (read at 1 to 8 m)     | Headline 126 to 168 mm               | Figures 150 to 156 mm | Text 54 to 66 mm                | Labels 51 to 56 mm  |
| Counter (read at 0.5 to 2 m) | Line 40 mm                           | .                     | Text 26 to 27 mm                | .                   |
| Roll-up (read at 1 to 4 m)   | Headline 70 to 96 mm                 | Names 34 mm           | Text 20 to 26 mm                | Labels 22 to 24 mm  |
| Flyer, A5 (in the hand)      | Headline 7.2 to 7.6 mm (about 21 pt) | Figures 9 mm          | Text 3.1 to 3.4 mm (about 9 pt) | Labels 2.9 mm       |
| LinkedIn, 1080 × 1350        | Headline 78 to 84 px                 | Line 44 px            | Text 27 to 34 px                | Labels 28 px        |
| Booth screen, 1920 × 1080    | Headline 80 px and up                | .                     | Text 34 px and up               | Labels 32 px and up |

**The mark**

**Lockup A, the mark alone**

The default, on every surface but the back wall.

**Lockup B, the tagline under the mark**

The back wall only. The tagline runs the full width of the mark, in League Spartan.

**On navy or red**

Always in a white panel, with 14 to 16 % of the mark’s width as padding on every side.

**Smallest size**

18 mm wide in print, 72 px on screen.

**The file**

A vector trace of IAQ’s own logo, for the drafts. The official vector from IAQ replaces it before print.



Lockup A



YOUR TOTAL FACILITY SOLUTIONS PROVIDER

Lockup B, back wall



On navy: in a white panel



On red: in a white panel

## The one graphic device

The stripes: three bars taken from the logo's own letters. Red and small (120 mm on a wall) to mark a headline; white at 22 % above the plinth on the aisle column; stripe grey, long and low, on the back wall and the counter. They are a marker, never a divider.



## Where lines are used

### Yes


- ✓ Inside the exploded fab drawing: it is a technical drawing, and its lines are the building.
- ✓ The chapter progress bars at the foot of the booth screen, which are for the presenter.

### No

- ✗ No rules between text blocks, no underlines under headlines.
- ✗ No borders round boxes, no outlined cards.
- ✗ No coloured stripe down the left edge of anything.
- ✗ No dividers in tables or lists: space and the navy plinth do the separating.

# Spacing

|                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>The plinth</b><br>250 mm of Deep Navy along the foot of every IAQ surface, at the same height, so the walls, the column and the counter read as one zone.                          |
| <b>Margins</b><br>Walls 130 to 150 mm; counter 60 mm; roll-up 70 mm; flyer 12 mm; LinkedIn 80 px; ads 7 % of their width.                                                             |
| <b>Height zones</b><br>0 to 1000 mm quiet (people, the counter); 1000 to 1700 mm the facts, at eye height; 1700 to 2900 mm the main visual; 2900 to 3350 mm the headline or the mark. |
| <b>The screen</b><br>1500 to 2209 mm on the back wall: nothing is printed behind it.                                                                                                  |
| <b>Rhythm</b><br>The space under a headline is one headline height; between groups, two.                                                                                              |



Imagery and icons

|                                                                                                                                                  |                                                                                                                                |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <p><b>IAQ's exploded fab</b></p> <p>Vector, prints at any size. The hero of the flyer, the roll-up, option B of the side wall and the posts.</p> | <p><b>The dot world</b></p> <p>The same land grid as the website's globe. Seven offices, the European three in red.</p>        |
| <p><b>Line icons</b></p> <p>The website's own icon set, red on white for the units, ink for the six services.</p>                                | <p><b>Photographs</b></p> <p>Only IAQ's own, and only on screen or in the LinkedIn posts: none is sharp enough for a wall.</p> |

Do

- ✓ Red for one thing per surface: a second headline line, the European offices, or the call to action.
- ✓ The navy plinth on every wall, the column and the counter, at the same height.
- ✓ The mark in a white panel on navy or red.
- ✓ One message per surface, in sentence case.
- ✓ Numbers the website already publishes, and nothing more.
- ✓ Keep 0 to 1000 mm quiet on every wall.

Do not

- ✗ No royal or bright blue on IAQ's side: that is Green Excel's colour.
- ✗ No red backgrounds, except the aisle column.
- ✗ No lines as separators, no boxes round text.
- ✗ No monospaced type, no capital-letter headlines.
- ✗ No dashes as pauses and no exclamation marks.
- ✗ No stretched, outlined, shadowed or recoloured logo.
- ✗ No client names, savings figures or client logos.
- ✗ No two calls to action on one piece.

Side by side




Do

The mark on navy



Do not




Do

Red is one signal




Do not



Do

Separate with space and the plinth



Do not




Do

One blue: Deep Navy



Do not



Do

Headlines in sentence case



Do not



Do

Keep the logo as supplied



Do not

# 03 Stand

IAQ's corner in 3D, then each wall and the counter at its real size, ready for berrylife.

The corner in 3D ↓ Walls and counter to scale ↓

## The IAQ corner, in 3D.

Built to berrylife's measurements, with the print artwork on the walls. The screen cycles the loop's six chapters.





The side wall


**A · Global presence**

As in berrylife's concept: the map, Dresden in red, the four proof numbers.

**B · Every layer**

IAQ's exploded fab, its four layers named.


The back wall, the aisle column and the counter are one design each. IAQ's part is this corner only, and the outside and back of the walls are not printed (both confirmed by Nabilah, 22 Sep). Green Excel's side is left plain: it is theirs to design.



berrylife's renders of the stand as it stands today, for comparison.

# The walls and the counter, to scale.

Each drawing is its real size in millimetres, all vector, so it prints at 1:1. Due to berrylife on 10 October.





Aisle column

The narrow return that faces the aisle, at the front right corner of the stand. Seen first, from up to 20 m.

- Size

310 × 3472 mm
- On it

IAQ Red full height, the tagline “Your Total Facility Solutions Provider” in white reading up, the mark at the top.
- Print

Vector PDF at 1:1 with 10 mm bleed. Any photograph would need 1,831 × 20,504 px at 150 ppi: none is used.

 PNG

 Print PDF, 1:1



Side wall · global presence

The long wall on the right, facing into the stand and visible from the aisle at an angle.

- Size


2852 × 3472 mm
- On it

Headline, a dot map drawn from the same world as the website’s globe with the seven offices named, the European three (Germany, Ireland, Sweden) in red, and the four proof numbers.
- Print

Vector PDF at 1:1 with 10 mm bleed. Any photograph would need 16,843 × 20,504 px at 150 ppi: none is used.

 PNG

 Print PDF, 1:1




Side wall · option B, every layer

The long wall on the right, facing into the stand and visible from the aisle at an angle.

- Size** 2852 × 3472 mm
- On it** The headline, IAQ’s exploded fab with its four layers named, and the plinth. For a stand that leads with how IAQ builds rather than where it is.
- Print** Vector PDF at 1:1 with 10 mm bleed. Any photograph would need 16,843 × 20,504 px at 150 ppi: none is used.

 **PNG**  **Print PDF, 1:1**



Back wall · the screen wall

The back wall of the IAQ zone, 1736 mm visible of 2046 mm, with the 55 inch screen on it.

- Size** 2046 × 3472 mm, 1736 mm visible
- On it** The mark with the tagline, the headline, the screen, and the three units under it.
- Print** Vector PDF at 1:1 with 10 mm bleed. Any photograph would need 12,083 × 20,504 px at 150 ppi: none is used.

 **PNG**  **Print PDF, 1:1**



Counter front

The small reception counter, white front with a 170 mm radius corner and a red side.

- Size** 600 × 1170 mm
  - On it** The mark, one line, and the code to the booth page with the 3D story.
  - Print** Vector PDF at 1:1 with 10 mm bleed. Any photograph would need 3,543 × 6,909 px at 150 ppi: none is used.
-  **PNG**  **Print PDF, 1:1**

Print specification

|            |                                                                                                                                         |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Files      | PDF, one per surface, at 1:1 (or 1:10 if berrylife prefers; to confirm)                                                                 |
| Resolution | 150 ppi at final size for the walls and the counter, 300 ppi for the flyer. Photographs 300 ppi or higher at placed size                |
| Colour     | CMYK, profile Coated FOGRA39. IAQ Red 0 · 92 · 88 · 0 (or its Pantone swatch if printed spot). Large navy and black areas as rich black |
| Type       | Every font embedded or outlined. Brand faces: Poppins (headlines), Urbanist (text), League Spartan (labels)                             |
| Bleed      | To confirm with berrylife. We prepare 10 mm on every edge until they answer                                                             |

**The mark** As supplied, never redrawn. On navy or red it sits in a white panel. Floor 18 mm in print

## 04 Print

The A5 leaflet in two design sets, the rest of the take-away, and the roll-ups for after Munich.

Leaflet, two sets ↓

Take-away ↓

Roll-ups ↓

### The leaflet, **A5, two design sets.**

Handed out at the counter: 148 × 210 mm, front and back, 3 mm bleed, 350 gsm silk suggested. IAQ picks one set; the code on both opens the booth page.

Set A

### Controlled environments, built to class.

The recommended headline. Front: what IAQ does, the three units, the exploded fab, the show in the navy crown. Back: the six services, the record, Dresden and headquarters, the code.



MEET US AT SEMICON EUROPA  
Messe München · 10 to 13 November 2026  
Stand · to confirm

## Controlled environments, built to class.

IAQ designs, builds and commissions cleanrooms and the hi-tech facilities around them, hooks up the tools inside and keeps them running. Since 1995, from offices in seven countries, Germany among them.



### EPC

Builds the facility, under one contract.




### PCU & TTI

Utilities and tool installation, in a live fab.



### EFM

Runs and maintains it; cuts the energy bill.



Your Total Facility Solutions Provider

[iaqtechnology.com.my](http://iaqtechnology.com.my)



## One team, from the first drawing to the plant **in operation.**



1 Engineering design



2 Procurement



3 Construction



4 Testing and commissioning



5 Maintenance



6 Tools hookup

### THE RECORD

# 31

years building controlled environments

# 7

countries with an IAQ office, Germany among them

# 250+

projects completed

# 1,050,000 m<sup>2</sup>

of cleanroom built

### IN GERMANY

IAQ Engineering (DE) GmbH

8. OG, Budapester Straße 5, 01069 Dresden

+49 351 4387 9529

### HEADQUARTERS

Shah Alam, Malaysia · +603 5124 8319

[business@iaqtechnology.com.my](mailto:business@iaqtechnology.com.my)



The 3D story, online

Front

 PNG  Print PDF, 1:1

Back

 PNG  Print PDF, 1:1


Set B

# The cleanroom, and the whole fab around it.

Sits beside Green Excel’s cleanroom products and says what IAQ adds. Front: the fab’s four layers named, the show and the code in the navy foot. Back: the three units, the record, Dresden and headquarters, the code to book a meeting.



## The cleanroom, and the whole fab around it.



### 04 Roof and plant

Air handling, chillers, the exhaust stack

### 03 Cleanroom

Ceiling grid, fan filter units, return air

### 02 Fab floor

Waffle deck, process tools, the tool hook-up

### 01 Sub-fab

Process utilities, piles, cable ladders

MEET US AT SEMICON EUROPA 2026

**Messe München, 10 to 13 November**

Stand to confirm · [iaqtechnology.com.my](http://iaqtechnology.com.my)



## Three units, one accountable team.



### EPC

Engineering, Procurement and Construction

Cleanrooms and the whole hi-tech facility, under one contract: EPCC, or EPCM for the largest programmes.



### PCU & TTI

Process Critical Utilities & Total Tool Installation

Bulk gas, chemical, water and exhaust systems, then each tool connected, inside a fab that has not stopped.



### EFM

Energy Facility Management

Runs and maintains the plant, and brings its energy bill down.

**31**

years building controlled  
environments

**7**

countries with an IAQ  
office

**250+**

projects completed

**1,050,000 m<sup>2</sup>**

of cleanroom built

#### IN GERMANY

IAQ Engineering (DE) GmbH


8. OG, Budapester Straße 5, 01069 Dresden

+49 351 4387 9529

#### HEADQUARTERS

Shah Alam, Malaysia · +603 5124 8319

[business@iaqtechnology.com.my](mailto:business@iaqtechnology.com.my)



Book a meeting

[iaqtechnology.com.my/semicon](http://iaqtechnology.com.my/semicon)

Front

 PNG  Print PDF, 1:1

Back

 PNG  Print PDF, 1:1

# The rest of the take-away

**Business cards**

Reprint check

85 × 55 mm, the current IAQ card

Check each person on the stand has enough, and that Dresden team cards exist.

**100 each, on the team**

**Booster pack**

To define

To define with IAQ

The minutes confirm the booster pack mockups are inside the project cost. Contents to agree: the flyer, a card, the capability statement once IAQ supplies it.

**To confirm**


# Two roll-ups, for after Munich.


Not needed on this stand: IAQ's corner has its walls. For the office, site entrances and every smaller show after Munich. Both follow the brand book's roll-up designs, 850 × 2000 mm.



YOUR TOTAL FACILITY SOLUTIONS PROVIDER

**Controlled  
environments,  
built to class.**





## EPC

Builds the facility, under one contract.



## PCU & TTI

Utilities and tool installation, in a live fab.



## EFM

Runs and maintains it; cuts the energy bill.

[iaqtechnology.com.my](http://iaqtechnology.com.my)

A • Navy crown, white field, red foot (Brand OS design 1)

 PNG  Print PDF, 1:1



# Controlled environments, **built to class.**

Design, procurement, construction, testing and commissioning, and the tool hook-up, under one accountable team.



# From Shah Alam to Dresden.

Offices in seven countries, since 1995.

YOUR TOTAL FACILITY SOLUTIONS PROVIDER

[iaqtechnology.com.my](http://iaqtechnology.com.my)

B • Full navy, one statement (Brand OS design 2)

 PNG  Print PDF, 1:1

## 05 Screen and digital

The booth screen running live, then the LinkedIn posts, the web ads and the email signature.

Booth screen ↓    LinkedIn posts ↓    Web ads ↓    Email signature ↓

### The booth screen, **a live website.**

55 inch, 1238 × 709 mm, bottom edge 1500 mm from the floor. One browser tab, open full screen on the stand machine: it loops for the aisle, and a touch hands it to the visitor. This is it, running: touch it, drag the fab, open a unit, book a meeting.





On the stand machine: [iaqtechnology.com.my/booth/screen](http://iaqtechnology.com.my/booth/screen), then F for full screen. No sign-in. Sixty seconds untouched and it loops again.

The sections, in loop order

|   |                                                                                                                   |      |
|---|-------------------------------------------------------------------------------------------------------------------|------|
| 1 | <b>IAQ</b><br>The mark, the tagline, the headline and three figures.                                              | 9 s  |
| 2 | <b>The fab, built</b><br>IAQ's own Revit model assembles, in five plain moments, each with the unit that does it. | 35 s |
| 3 | <b>Three units</b><br>The three business units, one picture and one line each.                                    | 16 s |
| 4 | <b>Six services</b><br>The six services in one contract; then each unit lights the ones it carries.               | 21 s |
| 5 | <b>Tool hook-up</b><br>IAQ's four phases to connect a tool in a live fab, beside the hook-up animation.           | 18 s |
| 6 | <b>In Europe</b><br>The seven offices, Dresden marked, the contact and the code.                                  | 14 s |

Two modes

- **Loop.** Runs itself between conversations, about two minutes a lap, with “Touch to explore” where “Book a meeting” sits once someone is exploring.

- **Explore.** Any touch hands it over, to a visitor or the team: the header jumps between sections, the fab model scrubs, each unit opens, the services filter by unit, each hook-up phase opens, and “Book a meeting” shows the code. Sixty seconds untouched and it loops again.

## How it reads

- Silent. A trade hall is loud; the loop reads without sound.
- Seen from 1.5 to 4 m: headlines 80 px and up, text 34 px and up, labels 32 px and up, at 1080p (measured on every chapter).
- Every chapter says one thing. A visitor who looks for five seconds still leaves with a sentence.
- Zoom only where it helps, on the 3D model, as IAQ asked on 17 Sep.
- Loads once, then runs without the network: every picture and model frame is preloaded when the tab opens. A copy of the site on the stand machine is the backup if the hall network fails.
- The Codex slides are the source, not the layout: they are dense for the company profile, so each chapter is redrawn at booth scale from the same data.

## What is delivered

- **The player.** A website, not a video: [iaqtechnology.com.my/booth/screen](http://iaqtechnology.com.my/booth/screen) open in one browser tab on the stand machine, full screen (F). It loops by itself and answers touch. No sign-in needed.
- **The screen.** A touch screen if berrylife can supply one; on a plain screen it loops and the team drives it with a mouse or the keys 1 to 6.
- **The test.** Played on a 55 inch screen at 1.5 m and at 4 m before it is sent, and the check written down.

# Four LinkedIn posts, one campaign.

1080 × 1350, the portrait size LinkedIn shows largest in the feed. Posts 3 and 4 carry a picture of the stand: the 3D view until the real photographs exist.




SEMICON EUROPA 2026 · MUNICH

# Meet IAQ in Munich.

Messe München · 10 to 13 November

## Controlled environments, built to class.

Meet the IAQ team on the stand, 10 to 13 November. Bring the brief.



[Book a meeting](#)

Stand to confirm

Tue 20 Oct · three weeks out

IAQ will be at SEMICON Europa in Munich, 10 to 13 November. Meet the IAQ team on the stand for cleanrooms and the whole cycle: design, procurement, construction, testing and commissioning, and the tool hook-up. Bring the brief, or book a time with us now. Stand number to follow.

PNG



ONE WEEK TO SEMICON EUROPA

# From Shah Alam to Dresden.



Offices in seven countries, and a team in Germany: IAQ Engineering (DE) GmbH, Dresden. Meet both in Munich, 10 to 13 November.




Messe München · Stand to confirm

[iaqtechnology.com.my/semicon](https://iaqtechnology.com.my/semicon)

Tue 3 Nov · one week out

One week to SEMICON Europa. IAQ works from offices in seven countries, and in Germany through IAQ Engineering (DE) GmbH in Dresden. Meet the team at Messe München, 10 to 13 November.

PNG



Tue 10 Nov · opening day

The stand is open at SEMICON Europa. On the screen, a fab built layer by layer, and the six services that take it from the first drawing to handover. Find us at the stand this week.

 PNG



SEMICON EUROPA 2026

# Thank you, Munich.

Four days of briefs and conversations. Every one gets an answer within one working day.



iaqtechnology.com.my

Mon 16 Nov · the thank-you

Thank you, Munich. Four days of briefs and conversations at SEMICON Europa. Every enquiry gets an answer within one working day.

 PNG

# Web ads, in four standard sizes.

The brand book’s banner grammar: navy band, white field, one message, one red call to action. For the organiser’s ad system or any magazine site.

 SEMICON EUROPA 2026

**Controlled environments,  
built to class.**

Meet IAQ in Munich, 10 to 13 November

Book a meeting

300 × 250  
PNG



**Controlled environments,  
built to class.**

SEMICON EUROPA · 10 TO 13 NOV


Book a meeting

728 × 90  
PNG



SEMICON EUROPA 2026

**Controlled  
environments,  
built to class.**



Munich · 10 to 13 Nov


Book a meeting

300 × 600  
PNG



SEMICON EUROPA 2026

**Controlled  
environments,  
built to class.**



Munich · 10 to 13 Nov

[Book a meeting](#)

160 × 600



PNG

# The email signature, 600 × 150.

On every IAQ email from 26 October to 13 November.



 PNG

## 06 Website

The booth page that the code on every piece opens.

### The booth page, where the code leads.

iaqtechnology.com.my/semicon (proposed). The counter, the flyer, the screen and every post point here: the 3D story, the services, Dresden, and one way to book a meeting.



On the page

- **The date, the hall and the stand**, and a button to book a meeting that opens the contact form with the reason already set.
- **A fab, built layer by layer**: IAQ’s own Revit model, the same one on the screen, which the visitor can play or scrub.
- **The three units and the six services**, one line each.
- **In Europe**: IAQ Engineering (DE) GmbH, Dresden, with its address and phone.

# 07 Files

Every piece as PNG and print PDF, and what IAQ and berrylife sent.

## Every piece, ready to send.

PNG for screens and review. Print PDFs are vector at 1:1 with bleed, in RGB: the CMYK FOGRA39 conversion is the last step, after IAQ signs off.

| Piece                          | Size           | Files                                                                                                                                                                                          |
|--------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Wall 1 · aisle column          | 310 × 3472 mm  |  PNG  Print PDF, 1:1     |
| Wall 2 · global presence       | 2852 × 3472 mm |  PNG  Print PDF, 1:1     |
| Wall 2 · option B, every layer | 2852 × 3472 mm |  PNG  Print PDF, 1:1 |
| Wall 3 · the screen wall       | 2046 × 3472 mm |  PNG  Print PDF, 1:1 |
| Counter front                  | 600 × 1170 mm  |  PNG  Print PDF, 1:1 |
| Flyer, set A · front           | 148 × 210 mm   |  PNG  Print PDF, 1:1 |
| Flyer, set A · back            | 148 × 210 mm   |  PNG  Print PDF, 1:1 |
| Flyer, set B · front           | 148 × 210 mm   |  PNG  Print PDF, 1:1 |
| Flyer, set B · back            | 148 × 210 mm   |  PNG  Print PDF, 1:1 |
| Roll-up A                      | 850 × 2000 mm  |  PNG  Print PDF, 1:1 |
| Roll-up B                      | 850 × 2000 mm  |  PNG  Print PDF, 1:1 |
| LinkedIn 1 · three weeks out   | 1080 × 1350 px |  PNG                                                                                                      |
| LinkedIn 2 · one week out      | 1080 × 1350 px |  PNG                                                                                                      |
| LinkedIn 3 · opening day       | 1080 × 1350 px |  PNG                                                                                                      |

| Piece                  | Size           | Files                                                                                   |
|------------------------|----------------|-----------------------------------------------------------------------------------------|
| LinkedIn 4 · thank you | 1080 × 1350 px |  PNG |
| Email signature        | 600 × 150 px   |  PNG |
| Web ad 300 × 250       | 300 × 250 px   |  PNG |
| Web ad 728 × 90        | 728 × 90 px    |  PNG |
| Web ad 300 × 600       | 300 × 600 px   |  PNG |
| Web ad 160 × 600       | 160 × 600 px   |  PNG |

# What IAQ and berrylife sent

As received on 22 September.



This plan as a PDF (A3, written by tools/export-booth-plan-0922.mjs)

Brand Method, 22 Sep



Stand renders, version 3 · 1

berrylife for Green Excel, 22 Sep



Stand renders, version 3 · 2

berrylife for Green Excel, 22 Sep



Stand renders, version 3 · 3

berrylife for Green Excel, 22 Sep



Stand renders, version 3 · 4

berrylife for Green Excel, 22 Sep




Stand renders, version 3 · 5

berrylife for Green Excel, 22 Sep




Stand renders, version 3 · 6

berrylife for Green Excel, 22 Sep




Graphic specification, IAQ surfaces

berrylife, v. 15.09




Graphic specification, the whole stand · 1

berrylife, v. 15.09




Graphic specification, the whole stand · 2

berrylife, v. 15.09




Graphic specification, the whole stand · 3

berrylife, v. 15.09




Graphic specification, the whole stand · 4

berrylife, v. 15.09




Graphic specification, the whole stand · 5

berrylife, v. 15.09




Graphic specification, the whole stand · 6

berrylife, v. 15.09



Graphic specification, the whole stand · 7

berrylife, v. 15.09



Graphic specification, the whole stand · 8

berrylife, v. 15.09



Graphic specification, the whole stand · 9

berrylife, v. 15.09



Print preparation guidelines

berrylife