

Cucumber Report

Dec 7, 2022 11:45:12 AM

Start : Dec 07, 11:45:11.200 AM

End : Dec 07, 11:45:11.306 AM

Duration : 0.106 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 21




| Feature | | Scenario | | | | Step | | | |
|------------------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Country Functionality</u> | 0.053 s | 1 | 0 | 1 | 0 | 6 | 0 | 1 | 5 |
| <u>CitizenShip</u> | 0.027 s | 2 | 0 | 2 | 0 | 18 | 0 | 2 | 16 |

| Tag | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @SmokeTest | 3 | 0 | 3 | 0 | 2 | 0 | 2 | 0 |
| @Regression | 3 | 0 | 3 | 0 | 2 | 0 | 2 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------|---|---|---|---|----------|
| 1 | <u>Country Functionality</u> | 1 | 0 | 1 | 0 | 0.053 s |
| 2 | <u>CitizenShip</u> | 2 | 0 | 2 | 0 | 0.027 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------|---------------------------|---|---|---|---|----------|
| 1 | <u>Country Functionality</u> | <u>Create Country</u> | 6 | 0 | 1 | 5 | 0.046 s |
| 2 | <u>CitizenShip</u> | <u>CitizenShip Create</u> | 9 | 0 | 1 | 8 | 0.006 s |
| 3 | <u>CitizenShip</u> | <u>CitizenShip Create</u> | 9 | 0 | 1 | 8 | 0.004 s |

Country Functionality

| | | | | | |
|--|--------------------|--|---|--|---|
| FAILED | DURATION - 0.053 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 6 Pass - 0 Fail - 1 Skip - 5 |  |
| / 11:45:11.200 AM // 11:45:11.253 AM / | | | | | |
| | | | | | |

Create Country



| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.046 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div> | <div></div> |
| <div>/ 11:45:11.207 AM // 11:45:11.253 AM /</div> | | | | |
| <div>Country Functionality</div> | | | | |
| <div>@SmokeTest @Regression</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to Campus io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | FAILED | 0.015 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84) at org.testng.internal.Invoker.invokeMethod(Invoker.java:714) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111) at org.testng.TestRunner.privateRun(TestRunner.java:767) at org.testng.TestRunner.run(TestRunner.java:617) at org.testng.SuiteRunner.runTest(SuiteRunner.java:334) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291) at org.testng.SuiteRunner.run(SuiteRunner.java:240) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224) at org.testng.TestNG.runSuitesLocally(TestNG.java:1149) at org.testng.TestNG.run(TestNG.java:1057) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 40 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:44) at Pages.Parent.<init>(Parent.java:17) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:16) </pre> | | |
| 2 | When Enter username and password and click Login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to country page | SKIPPED | 0.000 s |
| 5 | When Create a country | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:44) at StepDefinitions.Hooks.after(Hooks.java:25) | | |

CitizenShip

| | | | | | |
|--|--------------------|--|---|--|---|
| FAILED | DURATION - 0.027 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 |  | Steps Total - 18 Pass - 0 Fail - 2 Skip - 16 |  |
| / 11:45:11.279 AM // 11:45:11.306 AM / | | | | | |
| | | | | | |

CitizenShip Create

| | | | | | | |
|--|--|--------------------|--|---|--|--|
| FAILED | | DURATION - 0.006 s | |  | Steps Total - 9 Pass - 0 Fail - 1 Skip - 8 |  |
| / 11:45:11.284 AM // 11:45:11.290 AM / | | | | | | |
| CitizenShip | | | | | | |
| @SmokeTest @Regression | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | FAILED | 0.001 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p> at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84) at org.testng.internal.Invoker.invokeMethod(Invoker.java:714) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111) at org.testng.TestRunner.privateRun(TestRunner.java:767) at org.testng.TestRunner.run(TestRunner.java:617) at org.testng.SuiteRunner.runTest(SuiteRunner.java:334) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291) at org.testng.SuiteRunner.run(SuiteRunner.java:240) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224) at org.testng.TestNG.runSuitesLocally(TestNG.java:1149) at org.testng.TestNG.run(TestNG.java:1057) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 40 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:44) </p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at Pages.Parent.<init>(Parent.java:17) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:16) | | |
| 2 | When Enter username and password and click Login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to CitizenShip page | SKIPPED | 0.000 s |
| 5 | When User a CitizenShip name as "MetCa21" short name as "MetCa21" | SKIPPED | 0.000 s |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |
| 7 | When User a CitizenShip name as "MetCa21" short name as "MetCa21" | SKIPPED | 0.000 s |
| 8 | Then Already exist message should be displayed | SKIPPED | 0.000 s |
| 9 | Then Success message should be displayed | SKIPPED | 0.000 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:44) at StepDefinitions.Hooks.after(Hooks.java:25) | | |

CitizenShip Create

| | | | | | | | | |
|--|--|--------------------|--|--|--|--|--|--|
| FAILED | | DURATION - 0.004 s | | | Steps Total - 9 Pass - 0 Fail - 1 Skip - 8 | | | |
| / 11:45:11.302 AM // 11:45:11.306 AM / | | | | | | | | |
| CitizenShip | | | | | | | | |
| @SmokeTest @Regression | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to Campus | FAILED | 0.001 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84) at org.testng.internal.Invoker.invokeMethod(Invoker.java:714) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111) at org.testng.TestRunner.privateRun(TestRunner.java:767) at org.testng.TestRunner.run(TestRunner.java:617) at org.testng.SuiteRunner.runTest(SuiteRunner.java:334) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291) at org.testng.SuiteRunner.run(SuiteRunner.java:240) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224) at org.testng.TestNG.runSuitesLocally(TestNG.java:1149) at org.testng.TestNG.run(TestNG.java:1057) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 40 more </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at Utilities.GWD.getDriver(GWD.java:44) at Pages.Parent.<init>(Parent.java:17) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:16) | | |
| 2 | When Enter username and password and click Login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to CitizenShip page | SKIPPED | 0.000 s |
| 5 | When User a CitizenShip name as "MetCa21" short name as "MetCa21" | SKIPPED | 0.000 s |
| 6 | Then Success message should be displayed | SKIPPED | 0.000 s |
| 7 | When User a CitizenShip name as "MetCa21" short name as "MetCa21" | SKIPPED | 0.000 s |
| 8 | Then Already exist message should be displayed | SKIPPED | 0.001 s |
| 9 | Then Success message should be displayed | SKIPPED | 0.000 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:44) at StepDefinitions.Hooks.after(Hooks.java:25) | | |