Cucumber Report

Start : Dec 07, 11:44:00.321 AM	End : Dec 07, 11:44:00.436 AM	Duration : 0.115 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 21

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Country Functionality	_0.054 s_	1	0	1	0	6	0	1	5
CitizenShip	_0.029 s_	2	0	2	0	18	0	2	16

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@SmokeTest	3	0	3	0	2	0	2	0
@Regression	3	0	3	0	2	0	2	0

#	Feature Name	T	P	F	S	Duration
1	*Country Functionality*	1	0	1	0	0.054 s
2	*CitizenShip*	2	0	2	0	0.029 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country Functionality	Create Country	6	0	1	5	0.047 s
2	CitizenShip	CitizenShip Create	9	0	1	8	0.008 s
3	CitizenShip	CitizenShip Create	9	0	1	8	0.004 s

Country Functionality

FAILED	DURATION - 0.054 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 11:44:00.321 AM // 11:44:00.375 AM /					

Create Country

FAILED	DURATION - 0.047 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 11:44:00.328 AM // 11:44:00.375 AM /				
Country Functionality				
@SmokeTest @Regression				

| #	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	FAILED	0.014 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:714)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)		
	at org.testng.TestRunner.privateRun(TestRunner.java:767)		
	at org.testng.TestRunner.run(TestRunner.java:617)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:334)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:240)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1149)		
	at org.testng.TestNG.run(TestNG.java:1057)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 40 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:44)		
	at Pages.Parent.<init>(Parent.java:17)		
	at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:16)		
2	When Enter username and password and click Login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country page	SKIPPED	0.000 s
5	When Create a country	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.003 s

	java.lang.NullPointerException
	  at Utilities.GWD.getDriver(GWD.java:44)
	  at StepDefinitions.Hooks.after(Hooks.java:25)		

CitizenShip

FAILED	DURATION - 0.029 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 18 Pass - 0 Fail - 2 Skip - 16	18
/ 11:44:00.407 AM // 11:44:00.436 AM /					

CitizenShip Create

FAILED	DURATION - 0.008 s		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	9
/ 11:44:00.411 AM // 11:44:00.419 AM /				
CitizenShip				
@SmokeTest @Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	FAILED	0.001 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps
	  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:714)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)		
	at org.testng.TestRunner.privateRun(TestRunner.java:767)		
	at org.testng.TestRunner.run(TestRunner.java:617)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:334)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:240)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1149)		
	at org.testng.TestNG.run(TestNG.java:1057)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 40 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:44)		

#	Step / Hook Details	Status	Duration
	at Pages.Parent.<init>(Parent.java:17) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:16)		
2	When Enter username and password and click Login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to CitizenShip page	SKIPPED	0.000 s
5	When User a CitizenShip name as "MetCa21" short name as "MetCa21"	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.000 s
7	When User a CitizenShip name as "MetCa21" short name as "MetCa21"	SKIPPED	0.000 s
8	Then Already exist message should be displayed	SKIPPED	0.000 s
9	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s

	java.lang.NullPointerException
	  at Utilities.GWD.getDriver(GWD.java:44)
	  at StepDefinitions.Hooks.after(Hooks.java:25)		

CitizenShip Create

FAILED	DURATION - 0.004 s
/ 11:44:00.432 AM // 11:44:00.436 AM /	
CitizenShip	
@SmokeTest @Regression	

Steps
Total - 9
Pass - 0
Fail - 1
Skip - 8

9

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	FAILED	0.001 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps
	  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:84)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:714)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)		
	at org.testng.TestRunner.privateRun(TestRunner.java:767)		
	at org.testng.TestRunner.run(TestRunner.java:617)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:334)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:240)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1224)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1149)		
	at org.testng.TestNG.run(TestNG.java:1057)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 40 more Caused by: java.lang.NullPointerException		

#	Step / Hook Details	Status	Duration
	at Utilities.GWD.getDriver(GWD.java:44) at Pages.Parent.<init>(Parent.java:17) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:16)		
2	When Enter username and password and click Login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to CitizenShip page	SKIPPED	0.000 s
5	When User a CitizenShip name as "MetCa21" short name as "MetCa21"	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.000 s
7	When User a CitizenShip name as "MetCa21" short name as "MetCa21"	SKIPPED	0.000 s
8	Then Already exist message should be displayed	SKIPPED	0.000 s
9	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s

	java.lang.NullPointerException
	    at Utilities.GWD.getDriver(GWD.java:44)
	    at StepDefinitions.Hooks.after(Hooks.java:25)		