## **Getstarted**

Example:

```
1. Prepare db connection
  2. Run script in folder: docs/database.sql
  3. Create .env from .env.sample and update db connection info
 4. FYI: All available API route is in file: router/router.go
  5. Run following command
 // this command is to auto map module into checksome and check error
 go mod tidy
 // build project
 go build
 // build and run
 go run main.go
It will show as
 [..]
 [GIN-debug] Environment variable PORT="8080"
 [GIN-debug] Listening and serving HTTP on :8080
So can access via: http://localhost:8080
```

```
// Test via CURL
curl http://localhost:8080/users
// Expected result example
StatusCode
                  : 200
StatusDescription : OK
                  : [{"id":1,"name":"Bong T","email":"bongt@gmail.com"}]
Content
RawContent
                  : HTTP/1.1 200 OK
                    Content-Length: 52
                    Content-Type: application/json; charset=utf-8
                    Date: Sat, 20 Jul 2024 04:40:29 GMT
                    [{"id":1,"name":"Bong T","email":"bongt@gmail.com"}]
Forms
                  : {}
                  : {[Content-Length, 52], [Content-Type, application/json; charset=utf-8], [Dat
Headers
                    04:40:29 GMT]}
Images
                  : {}
InputFields
                  : {}
```

## **Explanation**

RawContentLength : 52

Repository/Service Implementation (All in folder: internal)

: mshtml.HTMLDocumentClass

Model: models/\*.go
 Repository: repositories/\*.go
 Service - handlers: handlers/\*.go
 API Router or Controller: router/router.go

: {}

## Utilities related

Links

ParsedHtml

1. Configuration: config/config.go

2. Database connection: database/database.go