

<b>M/s EBN SINA MEDICAL</b>	<b>QREF 24/09/2025-15</b>
<b>Kind Attn: Mr Ahmed Mazhar</b>	<b>SUBJECT: Quotation for Supply &amp; Installation of 2 nos Free Standing AC Units for receiving Area</b>
Email : <a href="mailto:a.mazhar@ebnsina.com">a.mazhar@ebnsina.com</a>	<b>Location: Ebn Sina Medical</b>
<b>DATE : 24/09/2025</b>	<b>Email: mes@mes.qa</b>

Dear Sir,

With reference to the above subject and further to your request, kindly find below scope of works

**Scope of Work:**

ITEM#	DESCRIPTION	TOTAL PRICE
1	<ul style="list-style-type: none"> <li>Supply and installation of <b>2nos x Free Standing Acs (50,000BTU cooling capacity each)</b> next to each Dehumidifier in receiving area. <b>Brand : ONSYS</b></li> <li>Provide Steel stand for indoor and outdoor units</li> <li>Provide Electrical cabling from nearest DB</li> <li>Provide Drain piping, tapping with existing drain line for dehumidifier.</li> </ul>	28,000
<b>Special Discount=</b>		<b>-4,000</b>
<b>NET PRICE AFTER SPECIAL DISCOUNT QAR=</b>		<b>24,000</b>

**Warranty Terms:** 1 year full + additional 4 years for the compressor only against manufacturing defect.

**Delivery Terms:** 1 DAY from the advanced payment date.

**Payment Terms:** 100% Advance with LPO

**Validity of offer:** 7 days

**Metri Engineering Services**



**X**TREME

 **INVERTER**

# FLOOR STANDING

**BOLD DESIGN. SUPERIOR AIR CONDITIONING**





**High Efficiency &  
Optional 3 Layer  
Heat Exchanger**



**Industrial Leading  
Large Capacity**



**60°C Strong  
Cooling in High  
Ambient Temperature**



**25 Meters Long  
Distance Wind Blast**



**3D Air Flow**



**Flexible Installation**

MODEL NAME		FLOOR STAND	ONXT-IN36FS	ONXT-IN60FS
Power Supply		V/Hz/Ph	1Ph 220-240V/50Hz	1Ph 220-240V/50Hz
Climate Type			T1/T3/T4	T1/T3/T4
Cooling	Capacity	Btu/h	33000	50000
	Capacity	W	9672	14654
	Input	W	2640	4237
	Rated Current	A	11.9	18.8
	EER	W/W	3.66	3.46
Heating	Capacity	W	9965	16500
	Input	W	2709	4717
	Rated Current	A	12.2	20.9
	COP	W/W	3.68	3.5
Indoor Air Flow (Hi/Me/Lo)		m3h	1600/1600	2100/2300
Indoor noise level (Hi/Me/Lo)		dB(A)	42/54	47/59
Indoor dimension	Unit (WxHxD)	mm	600x1918x390	600x1918x390
	Packing(WxHxD)	mm	743x2083x521	743x2083x521
Compressor	Type		Inverter	Inverter
	Brand		GMCC	HIGHLY
Indoor Weight	Net	kg	51	59
	Gross	kg	64	104
Outdoor dimension	Unit (WxHxD)	mm	967x803x421	1021x1339x409
	Packing(WxHxD)	mm	1022x835x480	1080x1480x440
Outdoor Weight	Net	kg	60	91
	Gross	kg	64	104
Refrigerant	Type		R410A/2.35Kg	R410A/4.25Kg
Refrigerant pipe	Liquid side	mm	1/4"	3/8"
	Gas side	mm	5/8"	3/4"
Drainage water pipe diameter		mm	16mm	16mm
Operation temperature range		oC	55	55