



Hotel & Restaurant Supplies

P.O.Box:2415 Manama

Kingdom of Bahrain

Tel:+973 17510102

Fax:+973 17510103

Mbl: +973 66656607

Attn: Islam Ali

Email : islam.ali@hrsbahrain.com

DATE: 05/07/2025

QREF 05/07/25-22

TECHNO-COMMERCIAL PROPOSAL

Subject: Quotation Kitchen Hoods and related exhaust fans

Email: mes@mes.qa

Dear Sir,

Thank you for inviting us to quote your inquiry. We are pleased to present our best price for the following items as stated below:

SN	BRAND	MODEL/ CODE	ITEM DESCRIPTION	PHOTO	QTY	UNIT PRICE	TOTAL AMOUNT
KP-01	CUSTOM MADE	CUSTOM MADE	AMERICAN STYLE STAINLESS STEEL EXHAUST HOOD *SINGLE-SKIN * WALL TYPE * GREASE TRAP *304 BRUSH FINISH *THICKNESS 1 MM SIZE :- 450X100X50 CM		1	14,250	14,250
KP-02	CUSTOM MADE	CUSTOM MADE	AMERICAN STYLE STAINLESS STEEL EXHAUST HOOD *SINGLE-SKIN * WALL TYPE * GREASE TRAP *304 BRUSH FINISH *THICKNESS 1 MM SIZE :- 100X90X50 CM		1	10,125	10,125
KP-03	CUSTOM MADE	CUSTOM MADE	AMERICAN STYLE STAINLESS STEEL EXHAUST HOOD *SINGLE-SKIN * WALL TYPE * GREASE TRAP *304 BRUSH FINISH *THICKNESS 1 MM SIZE :- 100X90X50 CM		1	5,850	5,850
KP-04	CUSTOM MADE	CUSTOM MADE	STAINLESS STEEL DUCT *304 BRUSH FINISH *THICKNESS 0.8 MM *DUCT SIZE 3 METER , (MORE THAN 3 METER DUCT PRICE WILL BE 450 P/M) *2 ELBOW, 29X29 CM		1	2,250	2,250
KP-05	VORTICE ITALY	CA 315 MD E	Pickled and phosphated steel housing with polyester powder-coated finish, resistant to the aggressive action of atmospheric agents. • Nominal diameter 315 mm. • 3 speed fan consisting of: • External rotor AC motor with thermal overload cutout and shaft turning in ball bearings, • backward curved centrifugal impeller. • Operation controllable by remote sensors monitoring: Temperature, Relative Humidity, Smoke and Presence. WITH STAINLESS STEEL FAN BOX		1	7,000	7,000



KP-06	VORTICE ITALY	CA 250 MDE	Pickled and phosphated steel housing with polyester powder-coated finish, resistant to the aggressive action of atmospheric agents. • Nominal diameter 250 mm. • 3 speed fan consisting of: • External rotor AC motor with thermal overload cutout and shaft turning in ball bearings, • backward curved centrifugal impeller. • Operation controllable by remote sensors monitoring: Temperature, Relative Humidity, Smoke and Presence. WITH STAINLESS STEEL FAN BOX	 	1	6,000	6,000
KP-07	VORTICE ITALY	TRM 30 ED 4P	• Centrifugal roof fan suitable for extracting hot fumes at up to 400 °C for 120 minutes. • Base manufactured from phosphated pressed steel, epoxy powder coated with hammered effect finish, guaranteeing long-term resistance to atmospheric agents. • Aerodynamically contoured inlet port for optimum performance, fashioned as a single unit with the base and gauged to optimize air flow. *Voltage:- (V)220-240 *Frequency:- (Hz)50	 	1	8,000	8,000
TOTAL AMOUNT						53,475	

NOTE: PHOTOS ARE FOR REFERENCE ONLY. IF PHOTOS DO NOT MATCH WITH THE ACTUAL PRODUCTS, THE ACTUAL PRODUCTS SHALL PREVAIL

TERMS AND CONDITIONS:

- 1) On confirmation of the quotation, 100% in advance**
- 2) Order once placed will not be cancelled and advance payment will not be returned.
- 3) No Modification or change in model will be done once confirmed. Any changes on the model and design after confirmation of this quotation shall have a corresponding changes on the prices.
- 4) Material shall be delivered within 30 days from date of the receipt of payment**
- 5) All Kitchen Equipment are subject to prior sales
- 6) Material will be delivered directly to your ongoing site or to your warehouse as requested. You are requested to reserve the site or warehouse with appropriate space for unloading the materials.
- 7) All civil, plumbing and electrical works are out of our scope and are not included in this quotation.
- 8) The warranty for equipment will be 1 year against manufacturing defects. This warranty does not cover any damages cause due to the client's side of transferring the item from one place to another, misuse, accidental or incidental mishandling of the equipment such as wrong electrical connection and the likes. Any attempt to interfere with the operation and safety features of the equipment makes this warranty Null and Void. In the event we receive an equipment for service that has been tampered/ altered with, we reserve the right to restore it to its original state and charge for its repair.



METRI ENGINEERING SERVICES W.L.L
مترى لخدمات الهندسية ذ.م.م

This Quotation is valid for 7 days from date of quotation.

We hope our quotation will meet your requirement & we look forward to receive your valuable order.

Metri Engineering Services W.L.L

Engr. Fayez 55572793

