st2report preview pmtables

List of Tables

1	pmtables output preview - 1	2
2	pmtables output preview - 2	3

st2report preview pmtables

Table 1: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

			Final model	Non-parametric bootstrap				
			Estimate	Median	95% CI			
Structural mo	del parar	neters						
KA (1/h)	$\exp(\theta_1)$	First order absorption rate constant	1.56	1.57	1.39, 1.78			
V2/F (L)	$\exp(\theta_2)$	Apparent central volume	61.5	61.5	58.3, 65.1			
CL/F (L/h)	$\exp(\theta_3)$	Apparent clearance	3.23	3.23	3.07, 3.42			
V3/F (L)	$\exp(\theta_4)$	Apparent peripheral volume	67.3	67.3	65.0, 69.8			
Q/F (L/h)	$\exp(\theta_5)$	Apparent intercompartmental clearance	3.61	3.61	3.37, 3.86			
Covariate effect parameters								
$CL/F \sim eGFR$	$ heta_6$	eGFR effect on CL/F	0.485	0.484	0.408, 0.558			
$CL/F \sim Age$	$ heta_7$	Age effect on CL/F	-0.0378	-0.0386	-0.167, 0.0876			
$CL/F \sim ALB$	$ heta_8$	Serum albumin effect on CL/F	0.419	0.420	0.294, 0.587			

Parameters estimated in the log-domain were back transformed for clarity

The confidence interval was determined from the 2.5th and 97.5th percentiles of the non-parametric bootstrap (n=1000) estimates.

Abbreviations: CI = confidence interval Source code: pk-final-model-table-boot.R Source file: pk-param-boot-fixed.tex st2report preview pmtables

Table 2: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris.

		Final mo	del	Non-parametric bootstrap				
		Estimate	Shrinkage (%)	Median	95% CI			
Interindividual variance parameters								
IIV-KA	$\Omega_{(1,1)}$	0.219 [CV%=49.4]	14.1	0.218	0.130, 0.331			
IIV-V2/F	$\Omega_{(2,2)}$	0.0824 [CV%=29.3]	5.22	0.0821	0.0643, 0.101			
IIV-CL/F	$\Omega_{(3,3)}$	0.114 [CV%=34.8]	0.942	0.112	0.0896, 0.140			
Interindividual covariance parameters								
V2/F-KA	$\Omega_{(2,1)}$	0.0668 [Corr=0.498]	-	0.0656	0.0328, 0.108			
CL/F-KA	$\Omega_{(3,1)}$	0.121 [Corr=0.767]	-	0.121	0.0805, 0.173			
CL/F-V2/F	$\Omega_{(3,2)}$	0.0704 [Corr=0.725]	-	0.0696	0.0525, 0.0882			
Residual variance								
Proportional	$\Sigma_{(1,1)}$	0.0399 [CV%=20.0]	5.02	0.0400	0.0376, 0.0424			

The confidence interval was determined from the 2.5th and 97.5th percentiles of the non-parametric bootstrap (n=1000) estimates.

Abbreviations: CI = confidence interval; Corr = correlation coefficient; CV = coefficient of variation

CV% of log-normal omegas = $sqrt(exp(estimate) - 1) \cdot 100$

CV% of sigma = $sqrt(estimate) \cdot 100$

Source code: pk-final-model-table-boot.R Source file: pk-param-boot-random.tex