



UNIVERSITY OF LIÈGE
FACULTY OF APPLIED SCIENCE

Securing network with firewalls and NATs

Step 2: high-level rules

Maxime MEURISSE
Valentin VERMEYLEN

Master in Civil Engineering
Academic year 2020-2021

1 High-level rules

The rules for each firewall are defined in Tables 1, 2, 3 and 4. For each zone, from more secured to less secured, we define first the rules for incoming traffic and then the rules for outgoing traffic. We end with a rule that deny all and log.

1.1 Firewall 1

#	Source	Port	Destination	Port	Protocol	Action	Comments
Incoming traffic $z_servers_1$							
1	*	*	*	*	*	*	*
Outgoing traffic $z_servers_1$							
2	*	*	*	*	*	*	*
Incoming traffic z_public							
1	*	*	*	*	*	*	*
Outgoing traffic z_public							
2	*	*	*	*	*	*	*
Other							
3	*	*	*	*	*	deny, log	Should not happen. Log to be sure.

Table 1: Rules for firewall $FW1$.

1.2 Firewall 2

#	Source	Port	Destination	Port	Protocol	Action	Comments
Incoming traffic z_subnet_2							
1	*	*	*	*	*	*	*
Outgoing traffic z_subnet_2							
2	*	*	*	*	*	*	*
Incoming traffic z_lweb							
1	*	*	*	*	*	*	*
Outgoing traffic z_lweb							
2	*	*	*	*	*	*	*
Other							
3	*	*	*	*	*	deny, log	Should not happen. Log to be sure.

Table 2: Rules for firewall $FW2$.

1.3 Firewall 3

#	Source	Port	Destination	Port	Protocol	Action	Comments
Incoming traffic z_nfs							
1	*	*	*	*	*	*	*
Outgoing traffic z_nfs							
2	*	*	*	*	*	*	*
Incoming traffic z_u3							
1	*	*	*	*	*	*	*
Outgoing traffic z_u3							
2	*	*	*	*	*	*	*
Other							
3	*	*	*	*	*	deny, log	Should not happen. Log to be sure.

Table 3: Rules for firewall $FW3$.

1.4 Firewall 4

#	Source	Port	Destination	Port	Protocol	Action	Comments
Incoming traffic z_subnet_1							
1	*	*	*	*	*	*	*
Outgoing traffic z_subnet_1							
2	*	*	*	*	*	*	*
Incoming traffic $z_servers_2$							
1	*	*	*	*	*	*	*
Outgoing traffic $z_servers_2$							
2	*	*	*	*	*	*	*
Other							
3	*	*	*	*	*	deny, log	Should not happen. Log to be sure.

Table 4: Rules for firewall $FW4$.

2 Explanations

to do