

txpool namespace

txpool_content

Returns tx pool content.

- Request
- Response

```
curl localhost:8545 \ -X POST \ -H
```

```
"Content-Type: application/json"
```

```
\ --data
```

```
'{ "jsonrpc": "2.0", "id": 0, "method": "txpool_content", "params": [] }' { "jsonrpc" :
```

```
"2.0" , "id" :
```

```
0 , "result" : result } result :object
```

- pending
- : map of map ofobject
- map ofobject
- accessList
- : array ofobject
- - address
- - :string
- - (address)
- - storageKeys
- - : array ofstring
- - (hex integer)
- blobVersionedHashes
- : array ofstring
- (hex data)
- blockHash
- :string
- (hash)
- blockNumber
- :string
- (hex integer)
- chainId
- :string
- (hex integer)
- data
- :string
- (hex data)
- from
- :string
- (address)
- gas
- :string
- (hex integer)
- gasPrice
- :string
- (hex integer)
- hash
- :string
- (hash)
- input
- :string
- (hex data)

- isSystemTx
- :boolean
- maxFeePerBlobGas
- :string
- (hex integer)
- maxFeePerGas
- :string
- (hex integer)
- maxPriorityFeePerGas
- :string
- (hex integer)
- mint
- :string
- (hex integer)
- nonce
- :string
- (hex integer)
- r
- :string
- (hex integer)
- s
- :string
- (hex integer)
- sourceHash
- :string
- (hash)
- to
- :string
- (address)
- transactionIndex
- :string
- (hex integer)
- type
- :integer
- v
- :string
- (hex integer)
- value
- :string
- (hex integer)
- yParity
- :string
- (hex integer)
- queued
- : map of map ofobject
- map ofobject
- accessList
- : array ofobject
- - address
- - :string
- - (address)
- - storageKeys
- - : array ofstring
- - (hex integer)
- blobVersionedHashes
- : array ofstring
- (hex data)
- blockHash
- :string
- (hash)
- blockNumber
- :string

- (hex integer)
- chainId
- :string
- (hex integer)
- data
- :string
- (hex data)
- from
- :string
- (address)
- gas
- :string
- (hex integer)
- gasPrice
- :string
- (hex integer)
- hash
- :string
- (hash)
- input
- :string
- (hex data)
- isSystemTx
- :boolean
- maxFeePerBlobGas
- :string
- (hex integer)
- maxFeePerGas
- :string
- (hex integer)
- maxPriorityFeePerGas
- :string
- (hex integer)
- mint
- :string
- (hex integer)
- nonce
- :string
- (hex integer)
- r
- :string
- (hex integer)
- s
- :string
- (hex integer)
- sourceHash
- :string
- (hash)
- to
- :string
- (address)
- transactionIndex
- :string
- (hex integer)
- type
- :integer
- v
- :string
- (hex integer)
- value
- :string
- (hex integer)
- yParity
- :string
- (hex integer)

txpool_inspect

Returns a detailed info on tx pool transactions.

- Request
- Response

```
curl localhost:8545 \-X POST \-H
```

```
"Content-Type: application/json"
```

```
\--data
```

```
'{ "jsonrpc": "2.0", "id": 0, "method": "txpool_inspect", "params": [] }' { "jsonrpc" :
```

```
"2.0" , "id" :
```

```
0 , "result" : result } result :object
```

- pending
- : map of map ofstring
- queued
- : map of map ofstring

txpool_status

Returns a tx pool status.

- Request
- Response

```
curl localhost:8545 \-X POST \-H
```

```
"Content-Type: application/json"
```

```
\--data
```

```
'{ "jsonrpc": "2.0", "id": 0, "method": "txpool_status", "params": [] }' { "jsonrpc" :
```

```
"2.0" , "id" :
```

```
0 , "result" : result } result :object
```

- pending
- :string
- (hex integer)
- queued
- :string
- (hex integer) [Edit this page](#) Last updated on Feb 17, 2024 [Previous trace](#) [Next web3](#)