

Docs Cheatsheet

On this page you'll find every single markdown & mdx component used in our docs

Page Title & Data

For the title of the page, and the name of the tab, at the very top of your file, just add this code snippet to the top.

Any thing inbetween the--- tags will be used for the meta data of the page

title : Cheatsheet id : page - id - when - linking - to - it

For Heading 1 specifically, you should set the page title in the meta data.

[Docusaurus source docs](#)

Heading 1

Heading 2

Heading 2

Heading 3

Heading 3

Heading 4

Heading 4

Heading 5

Heading 5

Heading 6

Heading 6

Line breaks

Some text

With a line between them

Lists

Unordered lists

- Unordered list 1
- Unordered list 2
- Unordered list 3

- Unordered list 1 - Unordered list 2 - Unordered list 3

Unordered lists

You don't actually have to do the numbers, as long as there is a number at the start it'll count incrementally starting with the first number in the list

1. Ordererd list 1
2. Ordererd list 2
3. Ordererd list 3

1. Ordererd list 1 69. Ordererd list 2 42. Ordererd list 3

Nested & Mixed lists

1. Ordererd list1. Sable
2.
 1. Ferret* Cat rat
3.
 1.
 - Fox weasel
4.
 1. Lamp
5. Ordererd list* Grape
6.
 - Potatoes* Chips1. Crisps
7.
 - - 1. Fondant
8.
 - - 1. Frites

- 9.
 - Lemons1. Three cats
 - 10.
 - - 1. Pasta
 - 11.
 - - 1. Ragu
 - 12. Ordererd list
1. Ordererd list 1. Sable 2. Ferret - Cat rat - Fox weasel 8. Lamp 69. Ordererd list - Grape - Potatoes - Chips 1. Crisps 1. Fondant 1. Frites - Lemons 1. Three cats 1. Pasta 9. Ragu 42. Ordererd list

Text styling

Italic/Emphasize

_ Italic/Emphasize _ Strong/Bold

**** Strong/Bold ** Italic & Bold**

***** _ Italic & Bold _ *****

Codeblocks

So you basically define a section using the`` anything between two lines that contain these 3 back quotes will be in the block

If you want specific formatting for a certain language like for example Javascript here:

```
const threeCats =
[ "cat" ,
"cat" ,
"cat" ]
```

Mind the indentation here, code blocks in code blocks isn't normal usage`js const threeCats = ["cat", "cat", "cat"]

Theres a lot of different formattings to use, md,js,ts`, etc.

The package used is [Prism react render](#)

Quotes

```

Quoted text.
    Quoted quote.
Quoted text.
    Quoted quote.
        Quoted quote.
Quoted text.
    Quoted quote.
        Quoted quote.
            Quoted quote.
``md
Quoted text.
    Quoted quote.
Quoted text.
    Quoted quote.
        Quoted quote.
Quoted text.
    Quoted quote.
        Quoted quote.
            Quoted quote.
```

Admonitions

These are nifty notification blocks[from Docusaurus](#)

note The content and titlecan include markdown. Your Title The content and titlecan include markdown. You can specify an optional title Heads up! Here's a pro-tip. info Useful information. caution Warning! You better pay attention! danger Danger danger, mayday! :::note

The content and title *can* include markdown.

```

:::
:::note[Your Title]
```

The content and title *can* include markdown.

```
...
::tip[You can specify an optional title]
Heads up! Here's a pro-tip.
...
::info
Useful information.
...
::caution
Warning! You better pay attention!
...
::danger
Danger danger, mayday!
...
```

Links

```
The links in this paragraph are being pulled from a list
a link and anotherlink .
The links in this paragraph are being pulled from a list
[ a link ][ 1 ] and another [ link ][ 2 ] . This is that list
[ 1 ] : http://example.com/ "Title" [ 2 ] : http://example.org/ "Title"
```

Images

Alt tags for images

```
You can update the alt tag data for text like this:
Logo:
Logo: ! [ Alt ]( /img/logo.png
"Flashbots logo" ) You can create a image with a hyperlink to another page or a hash link on the page by adding the link in the brackets next to it
Linked logo:
Linked logo: 
```

MDX features

```
A quick note on using what's called.mdx features,mdx means markdown extended, to used these features, you need to name your file to have the extention.mdx
For examplecheatsheet.mdx
This lets you use react components that are a bit more intricate that the standard markdown features.
To make use of anmdx component likeTabs , you need to add anyimport ... from ... lines to the top of the page, but below the meta data section. Heres an example:
```

title: Cheatsheet (Heading 1)

```
import Tabs from '@theme/Tabs'; import TabItem from '@theme/TabItem';

Tabs

This is an example of thetabs component.
For extend usage, please refer to theDocusaurus documentation.

  • Apple
  • Orange
  • Banana

This is an apple          This is an orange          This is a banana          import Tabs from '@theme/Tabs'; import TabItem from
This is an apple  This is an orange  This is a banana
```

Inline Table of Contents

```
If you need a table contents literally anywhere, you can make use of thecomponent.
For extend usage, please refer to theDocusaurus documentation.

  • Page Title & Data
  • Heading 2
  •
    ◦ Heading 3
  • Line breaks
  • Lists
  •
```

- [Unordered lists](#)
-
- [Unordered lists](#)
-
- [Nested & Mixed lists](#)
- [Text styling](#)
- [Codeblocks](#)
- [Admonitions](#)
- [Links](#)
- [Images](#)
-
- [Alt tags for images](#)
- [MDX features](#)
-
- [Tabs](#)
-
- [Inline Table of Contents](#)
- [Footnotes & references](#) import TOCInline from '@theme/TOCInline'

Footnotes & references

This is how we make a reference to a foot note or reference that's found at the bottoms of the page¹.

This is how we make a reference to a footnote ^[^1] that's found at the bottoms of the page To create list of foot notes, you just add list like this somewhere, preferably at the bottom of the file

[^1] : an amazing foot note, you can add links n things here as usual

Footnotes

1. an amazing foot note, you can add links n things here as usual [Edit this page](#) Last updated on Jan 30, 2024 [Previous Docs Contribution Guide](#) [Next Data Privacy Notice](#)