

Getting Lava RPC

Public RPC

Lava offers self-served RPC as well as [△ Use our Official Endpoints](#) !

Gateway

To learn more about using the Lava Gateway visit the [Getting Started guide](#)

SDK

Input

- BackEnd
- FrontEnd

// Install lavaSDK with the following command: // npm i @lavanet/lava-sdk const

```
{
LavaSDK
}
=
require ( "@lavanet/lava-sdk" )
async
function
uselavaMainnet ( )
{
const lavaMainnet =
await
LavaSDK . create ( { privateKey : process . env . PRIVATE_KEY ,
//hide your private key in an environmental variable chainIds :
'LAV1' , rpcInterface :
'rest' } ) ;
const lavaBlockResponse =
await lavaMainnet . sendRelay ( { connectionType :
"GET" , url :
"/cosmos/base/tendermint/v1beta1/node_info" } ) ;
console . log ( lavaBlockResponse ) ;}
( async
( )
=>
{ await
uselavaMainnet ( ) ; } ) ( ) ; // Install lavaSDK with the following command: // npm i @lavanet/lava-sdk const
```

```

{
  LavaSDK
}

=

require ( "@lavanet/lava-sdk" )

async

function

uselavaMainnet ( )

{
  const lavaMainnet =

  await

  LavaSDK . create ( { badge :

  { badgeServerAddress :

  "https://badges.lavanet.xyz" ,

  // Or your own Badge-Server URL projectId :

  "enter_your_project_id_here" } , chainIds :

  'LAV1' , rpcInterface :

  'rest' } ) ;

  const lavaBlockResponse =

  await lavaMainnet . sendRelay ( { connectionType :

  "GET" , url :

  "/cosmos/base/tendermint/v1beta1/node_info" } ) ;

  console . log ( lavaBlockResponse ) ; }

( async

( )

=>

{ await

uselavaMainnet ( ) ; } ) ( ) ; To learn more about our SDK visit the Getting Started guide Edit this page Previous Lava x Lava
Next Running a Lava RPC Node

```