

Get UserOperation Status

biconomy_getUserOperationStatus

The endpoint is responsible for returning the status of transactionHash associated with the userOpHash.

Cases:

- Incorrect userOphash sent in the request
- Not submitted on chain (can be in bundler mempool or rejected due to some error)
- Submitted on chain but not included in a block
- Included in a block

The backend should automatically return correct hashes and status in case of bumped up transactions or front-run transactions.

Parameters

Body

Param Type Description Required method string Name of method in this case: eth_estimateUserOperationGas Required params array An array consisting of the userop hash returned by eth_sendUserOperation Required id string id for request determined by client for JSON RPC requests Required jsonrpc string JSON RPC version in this case 2.0.0 Required

Request

```
{ "method": "biconomy_getUserOperationStatus", "params": [ "0x9aa5864f9ebb6ec43992bdc957d9bef454c661a351c1698919339cf2587ed11c", "id": 1693369916, "jsonrpc": "2.0" }
```

Responses

If userOpHash was not found:

```
{ "jsonrpc": "2.0", "id": 1693369916, "error": { "code": -32094, "message": "userOpHash not found" } } If userOp is in mempool
```

```
{ "jsonrpc": "2.0", "id": 1693369916, "result": { "state": "BUNDLER_MEMPOOL" } }
```

 If userOp could not be sent on chain:

```
{ "jsonrpc": "2.0", "id": 1693369916, "result": { "state": "DROPPED_FROM_BUNDLER_MEMPOOL" } }
```

 If transaction was submitted on chain but not confirmed

`{ "jsonrpc": "2.0", "id": 1693369916, "result": { "state": "SUBMITTED", "transactionHash": "0xabc" } }` If transaction is confirmed:

[illegible]

```

{"jsonrpc": "2.0", "id": "1693369916", "result": { "state": "FAILED", "message": "Transaction failed on chain with message: AA 25 invalid nonce" transactionHash: "0xabc" } }

```

[Previous](#) [Get gas fee values](#) [Next](#)

[API Explorer](#)