Introduction

- Alchemy API Reference Overview
 - Chain APIs Overview
- Enhanced APIs Overview
 Alchemy Quickstart Guide

Resources

- FAQ
 - Feature Support By Chain

 - Batch Requests

 - Error Reference
- Compute Units
 - Pricing Plans
 - Compute Unit Costs

NFT API

- NFT API Quickstart
- NFT API Endpoints Overview NFT API FAQ
- Ownership & Token Gating
 - getNFTsForOwner get
 - getOwnersForNFT get
 - getOwnersForContract get
 - isHolderOfContract get
 - getContractsForOwner get
- getCollectionsForOwner get
 NFT Metadata Access
- - getNFTMetadata get
 - getNFTMetadataBatch post
 - getContractMetadata get
 - getCollectionMetadata get
 - invalidateContract get
 - getContractMetadataBatch post
- getNFTsForContract get
- getNFTsForCollection get
- searchContractMetadata get
- refreshNftMetadata post Spam Detection

- getSpamContracts get
- isSpamContract get
- isAirdropNFT get
- reportSpam get
 Rarity Data
 - summarizeNFTAttributes get
- computeRarity get
 Sales & Marketplace Data

- getNFTSales get
 NFT API V2 to V3 Migration Guide
- NFT API V2 vs. V3 Endpoint Differences
 NFT API V2 Methods (Older Version)
 - getNFTs get
 - getNFTMetadata get
 - getNFTMetadataBatch post
 - getContractMetadata get
 - getContractMetadataBatch post
 - getNFTsForCollection get
- getOwnersForToken get
- getOwnersForCollection get
- getSpamContracts get

- isSpamContract get • isAirdrop get · invalidateContract get • getFloorPrice get · computeRarity get • searchContractMetadata get • summarizeNFTAttributes get • isHolderOfCollection get getNFTSales get • getContractsForOwner get
 - Transfers API (Tx History)
- Transfers API Quickstart
 Transfers API Endpoints

· reportSpam get

alchemy_getAssetTransfers post

Transaction Receipts API

- Transaction Receipts Endpoints
 - alchemy_getTransactionReceipts post

Token API

- Token API Quickstart
 Token API Endpoints
 - alchemy getTokenBalances post
 - alchemy_getTokenMetadata post
 - alchemy_getTokenAllowance post

Subgraphs

- Subgraphs Quickstart Supported Subgraph Chains Developing a Subgraph
 - Graph CLI
 - Creating a Subgraph
 - Project Structure
 - Data Sources
- Writing Mappings
 Moving your Subgraph to Production
 - Deploying a Subgraph
 - Subgraph Versioning
 - Querying a Subgraph
 - Deleting a Subgraph
- Direct Database Access Community subgraphs

Webhooks

- Notify API Quickstart
 - Notify Tutorials and Applications
- Notify API FAQ
 Custom Webhooks Quickstart
- - Custom Webhooks FAQ
 - Custom Webhooks GraphQL Examples
- Custom Webhook Filters
- Custom Webhook Variables
 Custom Webhook API Methods
- Read Variable Elements get
 - Create a Variable post
 - Delete a Variable delete
- Update a Variable patch
- Notify API Methods
 - · Get all webhooks get
 - Get all addresses for an Address Activity webhook get
 - Create webhook post

· Add and remove webhook addresses patch · Replace webhook addresses put · Update webhook status put • Update webhook NFT filters patch • Update NFT metadata webhook filters patch • Get all webhook NFT filters get • Delete webhook delete Webhook Types Custom Webhook • Address Activity Webhook Mined Transaction Webhook Dropped Transaction Webhook NFT Activity Webhook NFT Metadata Updates Webhook Websockets Subscription API Quickstart
 Best Practices for Using WebSockets in Web3
 Subscription API Endpoints • alchemy_minedTransactions • alchemy_pendingTransactions • newPendingTransactions • newHeads • <u>logs</u> Trace API Trace API Quickstart
 Trace API Endpoints trace_block post trace call post trace get post • trace_rawTransaction post trace_replayBlockTransactions post trace_replayTransaction post trace_transaction post trace_filter post
 Trace API Resources • What are EVM Traces? • Trace API vs. Debug API · What is trace transaction? • What is trace block? What is trace_filter?

Debug API

• trace_call vs debug_traceCall

- Debug API Quickstart
 Debug API Endpoints
 - debug_traceCall post
 - debug_traceTransaction post
 - debug_traceBlockByNumber post

 - debug_traceBlockByHash post

ACCOUNT ABSTRACTION

- Bundler API Quickstart
 Bundler API Endpoints
 - eth_getUserOperationReceipt post
 - eth_supportedEntryPoints post
 - eth_getUserOperationByHash post
 - eth sendUserOperation post
 - rundler_maxPriorityFeePerGas post
- eth_estimateUserOperationGas post
 Bundler API Fee Logic

- Factory Addresses
- Gas Manager Coverage API Quickstart
 Gas Manager Coverage API Endpoints
 - alchemy_requestPaymasterAndData post
- alchemy requestGasAndPaymasterAndData post
- Gas Manager Coverage API Fee Logic
- Gas Manager Deployment Addresses
 UserOperation Simulation Endpoints
- alchemy_simulateUserOperationAssetChanges post
- AA-SDK
 Account Abstraction FAQ

Embedded Accounts

- Accounts API Endpoints
 - Create Account post
 - Send Auth Email post
 - Authenticate User post

 - Sign Message post
 - Register New Authenticator post

Gas Manager Admin API

- Gas Manager Admin API Quickstart
 Gas Manager Admin API Endpoints
- - Create Policy post
 - Get Policy get
 - Delete Policy delete
 - Replace Policy put
 - · Get All Policies get
- · Update Policy Status put
- Get Policy Stats get
- Get Sponsorships get

Alchemy Transact

- Transact Quickstart
- Reinforced Transactions
 Transaction Simulation
- - Asset Changes
- Execution Simulation
- Bundle Simulation
- Transaction Simulation Examples
- Transaction Simulation FAQs
 Transaction Simulation Endpoints
- - alchemy simulateAssetChanges post
 - alchemy simulateAssetChangesBundle post
 - alchemy_simulateExecution post
- <u>alchemy simulateExecutionBundle post</u>
 <u>Gas Optimized Transactions</u>
- - alchemy_getGasOptimizedTransactionStatus_post
- alchemy_sendGasOptimizedTransaction post
- Private Transactions
 - eth_cancelPrivateTransaction post
 - eth_sendPrivateTransaction post

Alchemy SDK

- Alchemy SDK Quickstart
 - · How to use Alchemy SDK with Typescript
 - Examples Using the Alchemy SDK
- How to Manage a Multichain Project Using Alchemy SDK Alchemy SDK Surface Overview
- - Alchemy SDK vs. Raw API Methods
- SDK Core Methods
 - call SDK
 - send SDK
 - estimateGas SDK
 - findContractDeployer SDK

- getBalance SDK
- getBlock SDK
- getBlockNumber SDK
- getBlockWithTransactions SDK
- getCode SDK
- getFeeData SDK
- getGasPrice SDK
- getLogs SDK
- getStorageAt SDK
- getTokenBalances SDK
- getTokenMetadata SDK
- getTokensForOwner SDK
- getTransactionCount SDK
- getTransactionReceipt SDK
- getTransactionReceipts SDK
- isContractAddress SDK
- getAssetTransfers SDK SDK NFT Methods

- getNftsForOwner SDK
- getNftMetadata -SDK
- getNftMetadataBatch SDK
- refreshNftMetadata SDK
- getNftSales SDK
- searchContractMetadata SDK
- summarizeNftAttributes SDK
- getNftsForOwnerIterator SDK
- getNftsForContractIterator SDK
- getContractMetadata SDK
- getNftsForContract -SDK
- getTransfersForOwner SDK
- getTransfersForContract SDK
- getMintedNfts SDK
- getOwnersForNft SDK
- getOwnersForContract SDK
- getSpamContracts -SDK
- isSpamContract SDK
- refreshContract SDK
- getContractsForOwner SDK
- getFloorPrice SDK
- computeRarity SDK
- <u>verifyNftOwnership SDK</u> <u>SDK Transact Methods</u>

- getTransaction SDK
- sendTransaction SDK
- sendPrivateTransaction SDK
- cancelPrivateTransaction SDK
- · waitForTransaction SDK
- estimateGas SDK
- getMaxPriorityFeePerGas SDK
- simulateAssetChanges SDK
- simulateAssetChangesBundle SDK
- simulateExecution SDK
- simulateExecutionBundle SDK SDK Debug Methods

- traceCall SDK
- traceTransaction SDK

• traceBlock - SDK • SDK Notify Methods • getAllWebhooks - SDK • getAddresses - SDK • getNftFilters - SDK • createWebhook - SDK • updateWebhook - SDK • deleteWebhook - SDK SDK WebSockets Endpoints SDK Ethers Utils arrayify • formatUnits · concat • hexConcat dnsEncode • <u>hexDataLength</u> • formatEther • <u>hexDataSlice</u> • hexStripZeros • hashMessage • isHexString • isValidName • joinSignature • splitSignature • toUtf8Bytes • <u>hexValue</u> • toUtf8String <u>hexZeroPad</u> zeroPad hexlify • isBytes • isBytesLike • Interface namehash • parseEther parseUnits • stripZeros Alchemy SDK V2 to V3 Migration Guide Alchemy SDK V2 vs. V3 Method Differences SDK V2 Methods call - SDK • getAssetTransfers - SDK • getMintedNfts - SDK • verifyNftOwnership - SDK • getOwnersForNft - SDK • computeRarity - SDK • getTransfersForContract - SDK • getNftsForOwner - SDK • refreshContract - SDK • getOwnersForContract - SDK • getFloorPrice - SDK • isSpamContract - SDK • findContractDeployer -SDK getSpamContracts - SDK getGasPrice - SDK • getBalance - SDK • getBlock -SDK

• getBlockWithTransactions - SDK • estimateGas - SDK • getBlockNumber - SDK • getCode - SDK • getFeeData - SDK • getLogs - SDK • getNftMetadataBatch - SDK • getTokensForOwner - SDK • getStorageAt - SDK • getTokenBalances - SDK • getTransactionCount - SDK • getTokenMetadata - SDK • getTransactionReceipt - SDK • send - SDK • getTransactionReceipts - SDK • getTransaction - SDK • isContractAddress - SDK • getNftMetadata - SDK • getNftSales - SDK • cancelPrivateTransaction - SDK • sendPrivateTransaction - SDK • traceTransaction - SDK • simulateExecutionBundle - SDK • simulateExecution - SDK • getMaxPriorityFeePerGas - SDK • simulateAssetChangesBundle - SDK • estimateGas - SDK • simulateAssetChanges - SDK • traceBlock - SDK • waitForTransaction - SDK • traceCall - SDK • sendTransaction - SDK • updateWebhook - SDK • refreshNftMetadata -SDK • createWebhook - SDK • getNftFilters - SDK • getAddresses - SDK • summarizeNftAttributes - SDK deleteWebhook - SDK • searchContractMetadata - SDK • getAllWebhooks - SDK • getNftsForOwnerIterator - SDK • getNftsForContractIterator -SDK • getContractMetadata - SDK • getTransfersForOwner - SDK • getNftsForContract - SDK **Ethereum** Ethereum API Quickstart Ethereum API FAQ • Ethereum Developer Guide to the Merge • How to decode an eth_call response

- How do I distinguish between a contract address and a wallet address?
 Ethereum API Endpoints
- eth_blockNumber Ethereum post
- eth_getBalance Ethereum post

- eth_getLogs Ethereum post
- · eth chainld Ethereum post
- eth_getBlockByNumber Ethereum post
- · eth accounts Ethereum post
- eth_feeHistory Ethereum post
- eth_estimateGas Ethereum post
- eth_gasPrice Ethereum post
- eth_getBlockTransactionCountByHash Ethereum post
- eth_getBlockReceipts Ethereum post
- eth_getBlockTransactionCountByNumber Ethereum post
- eth_getCode Ethereum post
- eth_getProof Ethereum post
- eth_getStorageAt Ethereum post
- eth_getTransactionByBlockHashAndIndex Ethereum post
- eth_getTransactionByHash Ethereum post
- eth_getTransactionCount Ethereum post
- eth_getTransactionReceipt Ethereum post
- eth_getUncleByBlockHashAndIndex Ethereum post
- eth_getUncleByBlockNumberAndIndex Ethereum post
- eth_getUncleCountByBlockHash Ethereum post
- eth_getUncleCountByBlockNumber Ethereum post
- eth_maxPriorityFeePerGas Ethereum post
- eth_protocolVersion Ethereum post
- eth_sendRawTransaction Ethereum post
- net_listening Ethereum post
- o net_version Ethereum post
- web3_clientVersion Ethereum post
- web3_sha3 Ethereum post
- eth_getTransactionByBlockNumberAndIndex Ethereum post
- · eth call Ethereum post
- eth_getBlockByHash Ethereum post
- eth createAccessList Ethereum post
- eth_newFilter Ethereum post
- eth_getFilterChanges Ethereum post
- eth_getFilterLogs Ethereum post
- eth_newBlockFilter Ethereum post
- eth_newPendingTransactionFilter Ethereum post
- eth uninstallFilter Ethereum post
- eth_subscribe
- eth_unsubscribe

Polygon PoS

- Polygon PoS API Quickstart
- Polygon SDK Examples
 Polygon PoS API FAQ
 Polygon PoS API Endpoints
- bor_getAuthor Polygon PoS post
 - bor_getCurrentProposer Polygon PoS post
 - bor_getCurrentValidators Polygon PoS post
 - bor_getRootHash Polygon PoS post
- eth accounts Polygon PoS post
- eth call Polygon PoS post
- · eth chainld Polygon PoS post
- eth_estimateGas Polygon PoS post
- · eth gasPrice Polygon PoS post
- eth_getBalance Polygon PoS post
- eth_getBlockByHash Polygon PoS post

- eth_getBlockByNumber Polygon PoS post
- eth_getBlockTransactionCountByHash Polygon PoS post
- eth_getBlockTransactionCountByNumber Polygon PoS post
- eth_getCode Polygon PoS post
- eth_getFilterChanges Polygon PoS post
- eth_getFilterLogs Polygon PoS post
- · eth_getLogs Polygon PoS post
- eth_getRootHash Polygon PoS post
- eth_getSignersAtHash Polygon PoS post
- eth getStorageAt Polygon PoS post
- eth_getTransactionByBlockHashAndIndex Polygon PoS post
- eth_getTransactionByBlockNumberAndIndex Polygon PoS post
- eth_getTransactionByHash Polygon PoS post
- eth_getTransactionCount Polygon PoS post
- eth_getTransactionReceipt Polygon PoS post
- eth_getTransactionReceiptsByBlock Polygon PoS post
- eth_sendRawTransaction Polygon PoS post
- eth_uninstallFilter Polygon PoS post
- net_listening Polygon PoS post
- eth_getUncleCountByBlockHash Polygon PoS post
- eth_getUncleCountByBlockNumber Polygon PoS post
- eth_newBlockFilter Polygon PoS post
- · eth newFilter Polygon PoS post
- eth_newPendingTransactionFilter Polygon PoS post
- web3 clientVersion Polygon PoS post
- · eth createAccessList Polygon PoS post
- eth_blockNumber Polygon PoS post
- bor_getSignersAtHash Polygon PoS post
- net_version Polygon PoS post
- eth_getProof Polygon PoS post
- eth_getUncleByBlockNumberAndIndex Polygon PoS post
- eth_subscribe Polygon PoS
- eth_unsubscribe Polygon PoS

Polygon zkEVM

- Polygon zkEVM API Quickstart Polygon zkEVM API FAQ
 - What is the difference between Polygon zkEVM and Ethereum?
- What is the difference between Polygon zkEVM and Polygon PoS? Polygon zkEVM Endpoints
- - eth_getTransactionCount Polygon zkEVM post
 - eth_call Polygon zkEVM post
 - o eth chainld Polygon zkEVM post
 - eth_newBlockFilter Polygon zkEVM post
 - eth_estimateGas Polygon zkEVM post
 - eth_newFilter Polygon zkEVM post
 - · eth_gasPrice Polygon zkEVM post
 - · eth_sendRawTransaction Polygon zkEVM post
 - eth_getBalance Polygon zkEVM post
 - eth_uninstallFilter Polygon zkEVM post
 - eth_getBlockByHash Polygon zkEVM post
 - net_version Polygon zkEVM post
 - eth_getBlockByNumber Polygon zkEVM post
 - web3_clientVersion Polygon zkEVM post
 - eth_getBlockTransactionCountByHash Polygon zkEVM post
 - eth_getBlockTransactionCountByNumber Polygon zkEVM post

- zkevm_batchNumber Polygon zkEVM post
- eth_getCode Polygon zkEVM post
- eth_getFilterChanges Polygon zkEVM post
- eth_getFilterLogs Polygon zkEVM post
- zkevm_getBatchByNumber Polygon zkEVM post
- eth_getLogs Polygon zkEVM post
- zkevm_getBroadcastURI Polygon zkEVM post
- eth_getStorageAt Polygon zkEVM post
- <u>zkevm_isBlockConsolidated Polygon zkEVM post</u>
- eth_getTransactionByBlockHashAndIndex Polygon zkEVM post
- zkevm_isBlockVirtualized Polygon zkEVM post
- eth_getTransactionByBlockNumberAndIndex Polygon zkEVM post
- zkevm_verifiedBatchNumber Polygon zkEVM post
- eth_getTransactionByHash Polygon zkEVM post
- zkevm_virtualBatchNumber Polygon zkEVM post
- eth getCompilers Polygon zkEVM post
- eth getUncleByBlockHashAndIndex Polygon zkEVM post
- eth getUncleByBlockNumberAndIndex Polygon zkEVM post
- eth_getUncleCountByBlockHash Polygon zkEVM post
- eth_getUncleCountByBlockNumber Polygon zkEVM post
- eth_protocolVersion Polygon zkEVM post
- eth_blockNumber Polygon zkEVM post
- eth_getTransactionReceipt Polygon zkEVM post
- zkevm_batchNumberByBlockNumber Polygon zkEVM post
- zkevm_consolidatedBlockNumber Polygon zkEVM post
- zkevm_estimateFee API Polygon zkEVM post
- zkevm_estimateGasPrice API Polygon zkEVM post

Arbitrum

- Arbitrum API Quickstart
- Arbitrum SDK Examples
 Arbitrum API FAQ
- Arbitrum vs. Ethereum API Differences
 Arbitrum API Endpoints
- - eth_call Arbitrum post
 - eth_estimateGas Arbitrum post
 - eth_accounts Arbitrum post
 - eth_blockNumber Arbitrum post
 - eth_chainId Arbitrum post
 - eth gasPrice Arbitrum post
 - eth getBalance Arbitrum post
 - eth_getBlockTransactionCountByHash Arbitrum post
 - eth_getBlockTransactionCountByNumber Arbitrum post
 - eth_getCode Arbitrum post
- · eth_getFilterChanges Arbitrum post
- eth_getFilterLogs Arbitrum post
- eth_getLogs Arbitrum post
- eth_getStorageAt Arbitrum post
- eth_getTransactionByBlockHashAndIndex Arbitrum post
- eth_getTransactionCount Arbitrum post
- eth_getUncleByBlockNumberAndIndex Arbitrum post
- eth_getUncleCountByBlockHash Arbitrum post
- eth_getUncleCountByBlockNumber Arbitrum post
- · eth newBlockFilter Arbitrum post
- · eth newFilter Arbitrum post
- eth_newPendingTransactionFilter Arbitrum post
- · eth uninstallFilter Arbitrum post

- net_listening Arbitrum post
- net_version Arbitrum post
- web3_clientVersion Arbitrum post
- web3_sha3 Arbitrum post
- eth_sendRawTransaction Arbitrum post
- eth_createAccessList Arbitrum post
- eth_maxPriorityFeePerGas Arbitrum post
- eth_feeHistory Arbitrum post
- eth getBlockByHash Arbitrum post
- eth_getBlockByNumber Arbitrum post
- eth_getTransactionByBlockNumberAndIndex Arbitrum post
- eth_getTransactionByHash Arbitrum post
- eth_getProof Arbitrum post
- eth_getTransactionReceipt Arbitrum post
- eth_getUncleByBlockHashAndIndex Arbitrum post
- · eth subscribe
- eth_unsubscribe

Optimism

- Optimism API Quickstart
 - Optimism SDK Examples
 ABLEAC
- Optimism API FAQ
- Optimism Error Codes
- Optimism API Endpoints
 - eth_call Optimism post
 - eth_estimateGas Optimism post
 - eth_accounts Optimism post
 - eth_blockNumber Optimism post
 - eth_chainId Optimism post
 - eth_gasPrice Optimism post
 - eth_getBalance Optimism post
 - eth_getBlockTransactionCountByHash Optimism post
- eth_getBlockTransactionCountByNumber Optimism post
- eth_getCode Optimism post
- eth getFilterChanges Optimism post
- eth_getFilterLogs Optimism post
- eth_getLogs Optimism post
- eth_getStorageAt Optimism post
- eth_getTransactionByBlockHashAndIndex Optimism post
- eth_getTransactionByBlockNumberAndIndex Optimism post
- eth_getTransactionByHash Optimism post
- eth_getTransactionCount Optimism post
- eth_getTransactionReceipt Optimism post
- eth_getUncleByBlockHashAndIndex Optimism post
- eth_getUncleByBlockNumberAndIndex Optimism post
- eth_getUncleCountByBlockHash Optimism post
- eth_getUncleCountByBlockNumber Optimism post
- eth_newBlockFilter Optimism post
- eth_newFilter Optimism post
- eth_newPendingTransactionFilter Optimism post
- eth_protocolVersion Optimism post
- eth_sendRawTransaction Optimism post
- eth_syncing Optimism post
- eth_uninstallFilter Optimism post
- net_listening Optimism post
- net_version Optimism post

- web3_clientVersion Optimism post
- web3 sha3 Optimism post
- eth_getBlockByHash Optimism post
- eth_getBlockByNumber Optimism post
- eth getProof Optimism post
- · eth subscribe
- eth_unsubscribe

Base

- Base API Quickstart
- Base API FAQ
 Base API Endpoints
 - eth_accounts Base post
 - eth_blockNumber Base post
 - eth_call Base post
 - · eth chainld Base post
 - eth estimateGas Base post
 - · eth feeHistory Base post
 - eth_gasPrice Base post
 - eth_getBalance Base post
 - eth_getBlockByHash Base post
 - eth_getBlockByNumber Base post
 - eth_getBlockTransactionCountByHash Base post
 - eth_getBlockTransactionCountByNumber Base post
 - eth_getCode Base post
 - eth_getFilterChanges Base post
 - eth getFilterLogs Base post
 - eth getLogs Base post
 - eth_getProof Base post
 - eth_getStorageAt Base post
 - eth_getTransactionByBlockHashAndIndex Base post
 - eth_getTransactionByBlockNumberAndIndex Base post
 - eth_getTransactionByHash Base post
 - eth_getTransactionCount Base post
 - eth_getTransactionReceipt Base post
 - eth_getUncleByBlockHashAndIndex Base post
 - eth_getUncleByBlockNumberAndIndex Base post
 - eth_getUncleCountByBlockHash Base post
 - eth_getUncleCountByBlockNumber Base post • eth_maxPriorityFeePerGas - Base post
 - eth newBlockFilter Base post

 - · eth newFilter Base post
 - eth newPendingTransactionFilter Base post
 - eth_protocolVersion Base post
 - eth_sendRawTransaction Base post
 - eth_syncing Base post
 - eth_uninstallFilter Base post
 - net_listening Base post
 - web3_sha3 Base post

* Solana

- Solana API Quickstart
- Solana API FAQ
 Solana API Endpoints
 - getAccountInfo post
 - · simulateTransaction post
 - getBalance post
 - getBlock post
 - getBlockCommitment post

- getBlockProduction post
- getBlocks post
- getBlocksWithLimit post
- getBlockTime post
- getClusterNodes post
- getEpochInfo post
- getEpochSchedule post
- getFeeForMessage post
- getFirstAvailableBlock post
- getGenesisHash post
- getHealth post
- getHighestSnapshotSlot post
- getIdentity post
- getInflationGovernor post
- getInflationRate post
- getInflationReward post
- getLargestAccounts post
- getMaxRetransmitSlot post
- getMaxShredInsertSlot post
- getMinimumBalanceForRentExemption post
- getMultipleAccounts post
- getProgramAccounts post
- getRecentPerformanceSamples post
- getSignaturesForAddress post
- getSignatureStatuses post
- getSlot post
- getSlotLeader post
- getSlotLeaders post
- getSupply post
- getTokenAccountBalance post
- getTokenAccountsByOwner post
- getTokenSupply post
- getTransaction post
- getVersion post
- getVoteAccounts post
- isBlockhashValid post
- minimumLedgerSlot post
- sendTransaction post
- requestAirdrop post
- getBlockHeight post
- getRecentBlockhash post

Astar

- Astar API QuickstartAstar API FAQAstar API Endpoints
 - eth_accounts Astar post
 - eth_getTransactionReceipt Astar post
 - eth_maxPriorityFeePerGas Astar post
 - eth_blockNumber Astar post
 - eth_call Astar post
 - eth_chainId Astar post
 - eth_gasPrice Astar post
 - eth_getBalance Astar post
 - eth_getBlockByHash Astar post
 - eth_getBlockByNumber Astar post

- eth_getBlockTransactionCountByHash Astar post
- eth_getBlockTransactionCountByNumber Astar post
- eth_getCode Astar post
- eth_getStorageAt Astar post
- eth_getTransactionByBlockHashAndIndex Astar post
- eth_getTransactionByBlockNumberAndIndex Astar post
- eth_getTransactionByHash Astar post
- eth_getTransactionCount Astar post
- eth_getUncleByBlockNumberAndIndex Astar post
- eth_sendRawTransaction Astar post
- net_version Astar post
- web3_clientVersion Astar post
- web3_sha3 Astar post
- eth_getLogs Astar post
- eth_getFilterChanges Astar post
- eth_getFilterLogs Astar post
- eth newFilter Astar post
- eth_newPendingTransactionFilter Astar post
- eth uninstallFilter Astar post
- eth_newBlockFilter Astar post
- eth_estimateGas Astar post
- eth_subscribe
- eth_unsubscribe

STARKNET

- Starknet API Quickstart
- Starknet API FAQ
- Starknet API Endpoints
 - starknet_addDeclareTransaction post
 - starknet_getClassAt post
 - starknet_addDeployAccountTransaction post
- starknet_getClassHashAt post
- starknet_addInvokeTransaction post
- starknet_getEvents post
- starknet blockHashAndNumber post
 - starknet_getNonce post
 - starknet_blockNumber post
- starknet_getStateUpdate post
- starknet_call post
 - starknet getStorageAt post
- starknet_chainId post
- starknet_getTransactionByBlockIdAndIndex post
- starknet_estimateFee post
- starknet getTransactionByHash post
- starknet_getBlockTransactionCount post
- starknet_getTransactionReceipt post
- starknet_getBlockWithTxHashes post
- starknet_pendingTransactions post
- starknet_getBlockWithTxs post
- starknet_syncing post
- starknet_getClass post
 - starknet_estimateMessageFee post

send - SDK

Allows sending a raw message to the Alchemy backend.

All CSS

margin-bottom: 7px; margin-top: 0px; color: #00000 limportant; } .api_key_instruct_ban_lft h3:last-child{ margin-bottom: 0; } .api_key_instruct_ban_lft p{ font-size: 14px; line-height: 1.3; color: #000000; font-family: 'Inter', sans-serif; font-weight: 400; } .gt_startd_vbtn{ display: inline-block; color: #FFFFF limportant; background: linear-gradient(126.33deg, #36BEFF 5.38%, #733FF1 108.32%); border-radius: 6px; font-size: 16px; line-height: 1.3; font-weight: 600; font-family: 'Inter', sans-serif; padding: 9px 16px; } .gt_startd_vbtn:hover{ background: #000; color: #fff; } .api_key_instruct_ban_lft{ flex-basis: 60%; max-width: 60%; padding-right: 15px; } .api_key_instruct_ban_rtt{ flex-basis: 40%; max-width: 40%; padding-left: 15px; align-self: center; } / dont_have_api_sec_end/

```
@media(min-width:1025px) {}
@media(max-width:1199px) {
    .api_main {
max-width: 100%;
    .api_main_cont ul li a {
width: 100%;
    .left_icon .evm_part {
       width: 73%;
margin: 22px auto auto auto;
     api main contullia [
    .api_main_cont ul li a:hover::before {
       border-radius: 12px;
    .learn_box,
.lear_outer {
    height: 100%;
    .navbar-nav>li>a {
       padding: 8px 10px;
    .top_header_links ul li a{
font-size: 15px;
    .footer_links_box ul li a{
font-size: 13px;
   }
/* dont_have_api_sec_start */
.api_key_instruct_ban{
    display: block;
    text-align: center;
    background: linear-gradient(180deg, #EBF9FF 0%, #EEF3FE 100%);
        .api_key_instruct_ban_lft,.api_key_instruct_ban_rtt{
           max-width: 100%:
           padding: 0;
flex-basis: 100%;
        .api_key_instruct_ban_lft{
margin-bottom: 30px;
   /* dont_have_api_sec_end */
@media (max-width: 768px) {
    /* dont_have_api_sec_start */
       .api key instruct ban Ift h3{
           font-size: 30px
        .api_key_instruct_ban_lft p{
font-size: 16px;
        .wrapper_body_cmn_out{
max-width: 100%;
        .api_key_instruct_ban_lft h3 {
           font-size: 40px;
margin-bottom: 16px;
       /* dont_have_api_sec_end */
@media (max-width: 350px){
/* dont_have_api_sec_start *
.api_key_instruct_ban_lft h3{
font-size: 36px;
    .api key instruct ban{
       padding: 30px
    /* dont_have_api_sec_end */
```

whole_Section_wrapperdont_have_api_sec_start### Don't have an API key?

Start using this method in your app today. Get started for free dont_have_api_sec_end

Description

Allows sending a raw message to the Alchemy backend.

Parameters

Name Type Description params array The parameters to pass to the method. method string The method to call, e.g., eth_getBlockByNumber .

Response

Property Type Description Promise object Returns an object corresponding to the method called.

Example Request and Response

Prerequisite: You will need to install the Alchemy SDK before making requests with it.

The commands for installing it usingnpm oryarn are given below:

npm yarn npm install alchemy-sdk yarn add alchemy-sdk

Request

Here is an example of how to make a send request using the Alchemy SDK:

send.js // Imports the Alchemy SDK const {Alchemy ,Network }= require ("alchemy-sdk") ,;// Configures the Alchemy SDK const config = {apiKey :"alchemy-replit" ,// Replace with your API key network

:Network .ETH_MAINNET ,// Replace with your network };// Creates an Alchemy object instance with the config to use for making requests const alchemy = new Alchemy (config);const main = async ()=> {let method = "eth_getBlockByNumber" ;let params = ["0xEDD023" ,false];//Call the method let response = await alchemy .core .send (method ,params)//Logging the response to the console console .log (response) };main ();

Response

Code Sandbox

You can test out the send method using the code sandbox below:

Use Cases

Here are some possible use cases for the send method:

- · Sending Ether
- : The
- con
- method can be used to send Ether from one Ethereum address to another. This is the most common use case for the send function and is used in a wide variety of applications, from simple wallet transfers to complex smart contract interactions.
- Sending Tokens
- . : In addition to Ether, the
- send
- method can also be used to send ERC-20 tokens. This is particularly useful for decentralized applications (dApps) that require the transfer of tokens as part of their functionality.
- · Triggering Smart Contract Interactions
- : The
- send
- method can be used to trigger smart contract interactions, such as executing a function or changing a contract's state. This is a powerful feature that enables developers to build complex dApps
 that interact with the Ethereum blockchain.

Updated 5 months ago

getTransactionReceipt - SDK getTransactionReceipts - SDK Did this page help you?Yes No