add-minter)

- Mint SNIP721 Token
- Transfer SNIP721 Token
- Query Tokens with Permit
- Query Tokens with Viewing Key

Was this helpful? Edit on GitHub Export as PDF

SNIP721

 $\underline{SecretNET.NFT} \text{ is a layer on top of the Secret.NET which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the Secret.NET which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the Secret.NET} \text{ which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the Secret.NET} \text{ which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the Secret.NET} \text{ which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the Secret.NET} \text{ which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the} \underline{secret.NET} \text{ which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the} \underline{secret.NET} \text{ which supports all methods of the} \underline{secret.NET} \text{ is a layer on top of the} \underline{secret.NET} \text{$

nuget install SecretNET.NFT Add Minter Copy varsnip721Client=newSecretNET.NFT.Snip721Client(secretClient);// SecretNET.NFT varaddMinterMsg=newSecretNET.NFT.AddMinterRequest(minters:new[] {""}); varaddMinter=awaitsnip721Client.Tx.AddMinter(msg:newSecretNET.NFT.MsgAddMinter(addMinterMsg,contractAddress,codeHash), txOptions:newTxOptions() { GasLimit=100 000}); Mint SNIP721 Token Copy varmintNftMsg=SecretNET.NFT.MintNftRequest.Create(tokenId:"1"); varmintNft=awaitsnip721Client.Tx.MintNft(msg:newSecretNET.NFT.MsgMintNft(mintNftMsg,contractAddress,codeHash), txOptions:newTxOptions() { GasLimit=200_000}); Transfer SNIP721 Token Copy vartransferNftMsg=newSecretNET.NFT.TransferNftRequest(recipient,tokenId); vartransferNft=awaitsnip721Client.Tx.TransferNft(msg:newSecretNET.NFT.MsgTransferNft(transferNftMsg,contractAddress,codeHash), txOptions:newTxOptions() { GasLimit=50_000}); Query Tokens with Permit Copy varpermit=awaitsecretClient.Permit.Sign(owner:wallet.Address, chainId:secretClient.ChainId, permitName:"test", allowedContracts:newstring[] { contractAddress }, permissions:newPermissionType[] { PermissionType.Owner }); vartokens=awaitsnip721Client.Query.GetTokens(contractAddress,wallet.Address,permit:permit,codeHash); ٠., Query Tokens with Viewing Key Copy vartxExec=awaitsnip20Client.Tx.SetViewingKey(contractAddress, "hello", txOptions:newTxOptions() { GasLimit=100 000});

var tokens = await snip721Client.Query.GetTokens(contractAddress, wallet.Address, viewingKey: "hello", codeHash:

codeHash);

``` Previous SNIP20 Next Shade.Js Last updated1 year ago