Running a Sei RPC node

A full Sei node is a fundamental building block of the Sei Blockchain. It consists of a local copy of the blockchain, including its history and state. Running a full node is essential for participating in network operations like validating transactions, joining consensus, and broadcasting events to other network participants.

System Configuration

- CPU Cores RAM Disk
- 16 cores 64GB 1TB NVMe

Quick start

There is a setup script that runs a lot of the basic setup to easily get you started running an RPC node. If you are an advanced user, please see Node Configurations.

You can use this startup script:

python3 scripts/run-node.py

python3

scripts/run-node.py

..: =++++= :. .: +##############+ :. . =#####+ :....: +########+ . . #####= .

....

.+###*:.

... .. +#####= ..

.=####=.

....

.-*#=. . +#####+ .

.=#########+:...:=####=. =#############################- .

##########=

:... =########### . ...

..-*######+..

.:*########: .. =- .

-###-

-####.

:+######: :

+

:

.=########:

.+####: .

##+

:.: =#############=-###### . =#############################- . +#####*- ..

..-########+..

..-#=. .. +##- .

```
.....

.-*###-.

......

.. . -- .

.:###:..

...
```

.+###-. .: +####### :..:: #####= . . -+##############+ :. .. -+**+- .. Last updated on May 27, 2024 [Introduction](#) [Node Operators](#)