

# Introduction

- [Alchemy API Reference Overview](#)
- - [Chain APIs Overview](#)
  - [Enhanced APIs Overview](#)
- [Alchemy Quickstart Guide](#)

## Resources

- [FAQ](#)
- - [Feature Support By Chain](#)
  - [Throughput](#)
  - [Batch Requests](#)
  - [Gas Limits](#)
  - [Error Reference](#)
- [Compute Units](#)
- - [Pricing Plans](#)
  - [Compute Unit Costs](#)

## NFT API

- [NFT API Quickstart](#)
- [NFT API Endpoints Overview](#)
- [NFT API FAQ](#)
- [Ownership & Token Gating](#)
- - [getNFTsForOwner get](#)
  - [getOwnersForNFT get](#)
  - [getOwnersForContract get](#)
  - [isHolderOfContract get](#)
  - [getContractsForOwner get](#)
  - [getCollectionsForOwner get](#)
- [NFT Metadata Access](#)
- - [getNFTMetadata get](#)
  - [getNFTMetadataBatch post](#)
  - [getContractMetadata get](#)
  - [getCollectionMetadata get](#)
  - [invalidateContract get](#)
  - [getContractMetadataBatch post](#)
  - [getNFTsForContract get](#)
  - [getNFTsForCollection get](#)
  - [searchContractMetadata get](#)
  - [refreshNftMetadata post](#)

- [Spam Detection](#)
- - [getSpamContracts.get](#)
  - [isSpamContract.get](#)
  - [isAirdropNFT.get](#)
  - [reportSpam.get](#)
- [Rarity Data](#)
- - [summarizeNFTAttributes.get](#)
  - [computeRarity.get](#)
- [Sales & Marketplace Data](#)
- - [getFloorPrice.get](#)
  - [getNFTSales.get](#)
- [NFT API V2 to V3 Migration Guide](#)
- - [NFT API V2 vs. V3 Endpoint Differences](#)
- [NFT API V2 Methods \(Older Version\)](#)
- - [getNFTs.get](#)
  - [getNFTMetadata.get](#)
  - [getNFTMetadataBatch.post](#)
  - [getContractMetadata.get](#)
  - [getContractMetadataBatch.post](#)
  - [getNFTsForCollection.get](#)
  - [getOwnersForToken.get](#)
  - [getOwnersForCollection.get](#)
  - [getSpamContracts.get](#)
  - [isSpamContract.get](#)
  - [isAirdrop.get](#)
  - [invalidateContract.get](#)
  - [getFloorPrice.get](#)
  - [computeRarity.get](#)
  - [searchContractMetadata.get](#)
  - [summarizeNFTAttributes.get](#)
  - [isHolderOfCollection.get](#)
  - [getNFTSales.get](#)
  - [getContractsForOwner.get](#)
  - [reportSpam.get](#)

## Transfers API (Tx History)

- [Transfers API Quickstart](#)
- [Transfers API Endpoints](#)

- 
- [alchemy\\_getAssetTransfers.post](#)

## Transaction Receipts API

- [Transaction Receipts Endpoints](#)
- 
- [alchemy\\_getTransactionReceipts.post](#)

## Token API

- [Token API Quickstart](#)
- [Token API Endpoints](#)
- 
- [alchemy\\_getTokenBalances.post](#)
- 
- [alchemy\\_getTokenMetadata.post](#)
- 
- [alchemy\\_getTokenAllowance.post](#)

## Subgraphs

- [Subgraphs Quickstart](#)
- [Supported Subgraph Chains](#)
- [Developing a Subgraph](#)
- 
- [Graph CLI](#)
- 
- [Creating a Subgraph](#)
- 
- [Project Structure](#)
- 
- [Data Sources](#)
- 
- [Writing Mappings](#)
- [Moving your Subgraph to Production](#)
- 
- [Deploying a Subgraph](#)
- 
- [Subgraph Versioning](#)
- 
- [Querying a Subgraph](#)
- 
- [Deleting a Subgraph](#)
- 
- [Direct Database Access](#)
- [Community subgraphs](#)

## Webhooks

- [Notify API Quickstart](#)
- 
- [Notify Tutorials and Applications](#)
- 
- [Notify API FAQ](#)
- [Custom Webhooks Quickstart](#)
- 
- [Custom Webhooks FAQ](#)
- 
- [Custom Webhooks GraphQL Examples](#)
- 
- [Custom Webhook Filters](#)
- 
- [Custom Webhook Variables](#)
- [Custom Webhook API Methods](#)
-

- - [Read Variable Elements get](#)
- - [Create a Variable post](#)
- - [Delete a Variable delete](#)
- - [Update a Variable patch](#)
- [Notify API Methods](#)
- - [Get all webhooks get](#)
- - [Get all addresses for an Address Activity webhook get](#)
- - [Create webhook post](#)
- - [Add and remove webhook addresses patch](#)
- - [Replace webhook addresses put](#)
- - [Update webhook status put](#)
- - [Update webhook NFT filters patch](#)
- - [Update NFT metadata webhook filters patch](#)
- - [Get all webhook NFT filters get](#)
- - [Delete webhook delete](#)
- [Webhook Types](#)
- - [Custom Webhook](#)
- - [Address Activity Webhook](#)
- - [Mined Transaction Webhook](#)
- - [Dropped Transaction Webhook](#)
- - [NFT Activity Webhook](#)
- - [NFT Metadata Updates Webhook](#)

## Websockets

- [Subscription API Quickstart](#)
- [Best Practices for Using WebSockets in Web3](#)
- [Subscription API Endpoints](#)
- - [alchemy\\_minedTransactions](#)
- - [alchemy\\_pendingTransactions](#)
- - [newPendingTransactions](#)
- - [newHeads](#)
- - [logs](#)

## Trace API

- [Trace API Quickstart](#)
- [Trace API Endpoints](#)
- - [trace\\_block post](#)
- - [trace\\_call post](#)
-

- [trace\\_get post](#)
- 
- [trace\\_rawTransaction post](#)
- 
- [trace\\_replayBlockTransactions post](#)
- 
- [trace\\_replayTransaction post](#)
- 
- [trace\\_transaction post](#)
- 
- [trace\\_filter post](#)
- [Trace API Resources](#)
- 
- [What are EVM Traces?](#)
- 
- [Trace API vs. Debug API](#)
- 
- [What is trace\\_transaction?](#)
- 
- [What is trace\\_block?](#)
- 
- [What is trace\\_filter?](#)
- 
- [trace\\_call vs debug\\_traceCall](#)

## Debug API

- [Debug API Quickstart](#)
- [Debug API Endpoints](#)
- 
- [debug\\_traceCall post](#)
- 
- [debug\\_traceTransaction post](#)
- 
- [debug\\_traceBlockByNumber post](#)
- 
- [debug\\_traceBlockByHash post](#)

## ACCOUNT ABSTRACTION

- [Bundler API Quickstart](#)
- [Bundler API Endpoints](#)
- 
- [eth\\_getUserOperationReceipt post](#)
- 
- [eth\\_supportedEntryPoints post](#)
- 
- [eth\\_getUserOperationByHash post](#)
- 
- [eth\\_sendUserOperation post](#)
- 
- [rundler\\_maxPriorityFeePerGas post](#)
- 
- [eth\\_estimateUserOperationGas post](#)
- [Bundler API Fee Logic](#)
- [Factory Addresses](#)
- [Gas Manager Coverage API Quickstart](#)
- [Gas Manager Coverage API Endpoints](#)
- 
- [alchemy\\_requestPaymasterAndData post](#)
- 
- [alchemy\\_requestGasAndPaymasterAndData post](#)
- [Gas Manager Coverage API Fee Logic](#)
- [Gas Manager Deployment Addresses](#)
- [UserOperation Simulation Endpoints](#)
- 
- [alchemy\\_simulateUserOperationAssetChanges post](#)

- [AA-SDK](#)
- [Account Abstraction FAQ](#)

## Embedded Accounts

- [Accounts API Endpoints](#)
- 
- [Create Account post](#)
- 
- [Send Auth Email post](#)
- 
- [Authenticate User post](#)
- 
- [Get User post](#)
- 
- [Sign Message post](#)
- 
- [Register New Authenticator post](#)

## Gas Manager Admin API

- [Gas Manager Admin API Quickstart](#)
- [Gas Manager Admin API Endpoints](#)
- 
- [Create Policy post](#)
- 
- [Get Policy get](#)
- 
- [Delete Policy delete](#)
- 
- [Replace Policy put](#)
- 
- [Get All Policies get](#)
- 
- [Update Policy Status put](#)
- 
- [Get Policy Stats get](#)
- 
- [Get Sponsorships get](#)

## Alchemy Transact

- [Transact Quickstart](#)
- [Reinforced Transactions](#)
- [Transaction Simulation](#)
- 
- [Asset Changes](#)
- 
- [Execution Simulation](#)
- 
- [Bundle Simulation](#)
- 
- [Transaction Simulation Examples](#)
- 
- [Transaction Simulation FAQs](#)
- [Transaction Simulation Endpoints](#)
- 
- [alchemy\\_simulateAssetChanges post](#)
- 
- [alchemy\\_simulateAssetChangesBundle post](#)
- 
- [alchemy\\_simulateExecution post](#)
- 
- [alchemy\\_simulateExecutionBundle post](#)
- [Gas Optimized Transactions](#)
- 
- [alchemy\\_getGasOptimizedTransactionStatus post](#)

- 
- [alchemy\\_sendGasOptimizedTransaction post](#)
- [Private Transactions](#)
- 
- [eth\\_cancelPrivateTransaction post](#)
- 
- [eth\\_sendPrivateTransaction post](#)

## Alchemy SDK

- [Alchemy SDK Quickstart](#)
- 
- [How to use Alchemy SDK with Typescript](#)
- 
- [Examples Using the Alchemy SDK](#)
- 
- [How to Manage a Multichain Project Using Alchemy SDK](#)
- [Alchemy SDK Surface Overview](#)
- 
- [Alchemy SDK vs. Raw API Methods](#)
- [SDK Core Methods](#)
- 
- [call - SDK](#)
- 
- [send - SDK](#)
- 
- [estimateGas - SDK](#)
- 
- [findContractDeployer - SDK](#)
- 
- [getBalance - SDK](#)
- 
- [getBlock - SDK](#)
- 
- [getBlockNumber - SDK](#)
- 
- [getBlockWithTransactions - SDK](#)
- 
- [getCode - SDK](#)
- 
- [getFeeData - SDK](#)
- 
- [getGasPrice - SDK](#)
- 
- [getLogs - SDK](#)
- 
- [getStorageAt - SDK](#)
- 
- [getTokenBalances - SDK](#)
- 
- [getTokenMetadata - SDK](#)
- 
- [getTokensForOwner - SDK](#)
- 
- [getTransactionCount - SDK](#)
- 
- [getTransactionReceipt - SDK](#)
- 
- [getTransactionReceipts - SDK](#)
- 
- [isContractAddress - SDK](#)
- 
- [getAssetTransfers - SDK](#)
- [SDK NFT Methods](#)
- 
- [getNftsForOwner - SDK](#)
- 
- [getNftMetadata - SDK](#)

- 
- [getNftMetadataBatch - SDK](#)
- 
- [refreshNftMetadata - SDK](#)
- 
- [getNftSales - SDK](#)
- 
- [searchContractMetadata - SDK](#)
- 
- [summarizeNftAttributes - SDK](#)
- 
- [getNftsForOwnerIterator - SDK](#)
- 
- [getNftsForContractIterator - SDK](#)
- 
- [getContractMetadata - SDK](#)
- 
- [getNftsForContract - SDK](#)
- 
- [getTransfersForOwner - SDK](#)
- 
- [getTransfersForContract - SDK](#)
- 
- [getMintedNfts - SDK](#)
- 
- [getOwnersForNft - SDK](#)
- 
- [getOwnersForContract - SDK](#)
- 
- [getSpamContracts - SDK](#)
- 
- [isSpamContract - SDK](#)
- 
- [refreshContract - SDK](#)
- 
- [getContractsForOwner - SDK](#)
- 
- [getFloorPrice - SDK](#)
- 
- [computeRarity - SDK](#)
- 
- [verifyNftOwnership - SDK](#)
- [SDK Transact Methods](#)
- 
- [getTransaction - SDK](#)
- 
- [sendTransaction - SDK](#)
- 
- [sendPrivateTransaction - SDK](#)
- 
- [cancelPrivateTransaction - SDK](#)
- 
- [waitForTransaction - SDK](#)
- 
- [estimateGas - SDK](#)
- 
- [getMaxPriorityFeePerGas - SDK](#)
- 
- [simulateAssetChanges - SDK](#)
- 
- [simulateAssetChangesBundle - SDK](#)
- 
- [simulateExecution - SDK](#)
- 
- [simulateExecutionBundle - SDK](#)
- [SDK Debug Methods](#)
- 
- [traceCall - SDK](#)



- - [traceTransaction - SDK](#)
- - [traceBlock - SDK](#)
- [SDK Notify Methods](#)
- - [getAllWebhooks - SDK](#)
- - [getAddresses - SDK](#)
- - [getNftFilters - SDK](#)
- - [createWebhook - SDK](#)
- - [updateWebhook - SDK](#)
- - [deleteWebhook - SDK](#)
- [SDK WebSockets Endpoints](#)
- [SDK Ethers Utils](#)
- - [arrayify](#)
- - [formatUnits](#)
- - [concat](#)
- - [hexConcat](#)
- - [dnsEncode](#)
- - [hexDataLength](#)
- - [formatEther](#)
- - [hexDataSlice](#)
- - [hexStripZeros](#)
- - [hashMessage](#)
- - [isHexString](#)
- - [isValidName](#)
- - [joinSignature](#)
- - [splitSignature](#)
- - [toUtf8Bytes](#)
- - [hexValue](#)
- - [toUtf8String](#)
- - [hexZeroPad](#)
- - [zeroPad](#)
- - [hexlify](#)
- - [id](#)
- - [isBytes](#)
- - [isBytesLike](#)
- - [Interface](#)
-

- [namehash](#)
- 
- [parseEther](#)
- 
- [parseUnits](#)
- 
- [stripZeros](#)
- [Alchemy SDK V2 to V3 Migration Guide](#)
- 
- [Alchemy SDK V2 vs. V3 Method Differences](#)
- [SDK V2 Methods](#)
- 
- [call - SDK](#)
- 
- [getAssetTransfers - SDK](#)
- 
- [getMintedNfts - SDK](#)
- 
- [verifyNftOwnership - SDK](#)
- 
- [getOwnersForNft - SDK](#)
- 
- [computeRarity - SDK](#)
- 
- [getTransfersForContract - SDK](#)
- 
- [getNftsForOwner - SDK](#)
- 
- [refreshContract - SDK](#)
- 
- [getOwnersForContract - SDK](#)
- 
- [getFloorPrice - SDK](#)
- 
- [isSpamContract - SDK](#)
- 
- [findContractDeployer - SDK](#)
- 
- [getSpamContracts - SDK](#)
- 
- [getGasPrice - SDK](#)
- 
- [getBalance - SDK](#)
- 
- [getBlock - SDK](#)
- 
- [getBlockWithTransactions - SDK](#)
- 
- [estimateGas - SDK](#)
- 
- [getBlockNumber - SDK](#)
- 
- [getCode - SDK](#)
- 
- [getFeeData - SDK](#)
- 
- [getLogs - SDK](#)
- 
- [getNftMetadataBatch - SDK](#)
- 
- [getTokensForOwner - SDK](#)
- 
- [getStorageAt - SDK](#)
- 
- [getTokenBalances - SDK](#)
- 
- [getTransactionCount - SDK](#)
-

- [getTokenMetadata - SDK](#)
- [getTransactionReceipt - SDK](#)
- [send - SDK](#)
- [getTransactionReceipts - SDK](#)
- [getTransaction - SDK](#)
- [isContractAddress - SDK](#)
- [getNftMetadata - SDK](#)
- [getNftSales - SDK](#)
- [cancelPrivateTransaction - SDK](#)
- [sendPrivateTransaction - SDK](#)
- [traceTransaction - SDK](#)
- [simulateExecutionBundle - SDK](#)
- [simulateExecution - SDK](#)
- [getMaxPriorityFeePerGas - SDK](#)
- [simulateAssetChangesBundle - SDK](#)
- [estimateGas - SDK](#)
- [simulateAssetChanges - SDK](#)
- [traceBlock - SDK](#)
- [waitForTransaction - SDK](#)
- [traceCall - SDK](#)
- [sendTransaction - SDK](#)
- [updateWebhook - SDK](#)
- [refreshNftMetadata - SDK](#)
- [createWebhook - SDK](#)
- [getNftFilters - SDK](#)
- [getAddresses - SDK](#)
- [summarizeNftAttributes - SDK](#)
- [deleteWebhook - SDK](#)
- [searchContractMetadata - SDK](#)
- [getAllWebhooks - SDK](#)
- [getNftsForOwnerIterator - SDK](#)
- [getNftsForContractIterator - SDK](#)
- [getContractMetadata - SDK](#)
- [getTransfersForOwner - SDK](#)

- [getNftsForContract - SDK](#)

## Ethereum

- [Ethereum API Quickstart](#)
- [Ethereum API FAQ](#)
- - [Ethereum Developer Guide to the Merge](#)
- - [How to decode an eth\\_call response](#)
- - [How do I distinguish between a contract address and a wallet address?](#)
- [Ethereum API Endpoints](#)
- - [eth\\_blockNumber - Ethereum post](#)
- - [eth\\_getBalance - Ethereum post](#)
- - [eth\\_getLogs - Ethereum post](#)
- - [eth\\_chainId - Ethereum post](#)
- - [eth\\_getBlockByNumber - Ethereum post](#)
- - [eth\\_accounts - Ethereum post](#)
- - [eth\\_feeHistory - Ethereum post](#)
- - [eth\\_estimateGas - Ethereum post](#)
- - [eth\\_gasPrice - Ethereum post](#)
- - [eth\\_getBlockTransactionCountByHash - Ethereum post](#)
- - [eth\\_getBlockReceipts - Ethereum post](#)
- - [eth\\_getBlockTransactionCountByNumber - Ethereum post](#)
- - [eth\\_getCode - Ethereum post](#)
- - [eth\\_getProof - Ethereum post](#)
- - [eth\\_getStorageAt - Ethereum post](#)
- - [eth\\_getTransactionByBlockHashAndIndex - Ethereum post](#)
- - [eth\\_getTransactionByHash - Ethereum post](#)
- - [eth\\_getTransactionCount - Ethereum post](#)
- - [eth\\_getTransactionReceipt - Ethereum post](#)
- - [eth\\_getUncleByBlockHashAndIndex - Ethereum post](#)
- - [eth\\_getUncleByBlockNumberAndIndex - Ethereum post](#)
- - [eth\\_getUncleCountByBlockHash - Ethereum post](#)
- - [eth\\_getUncleCountByBlockNumber - Ethereum post](#)
- - [eth\\_maxPriorityFeePerGas - Ethereum post](#)
- - [eth\\_protocolVersion - Ethereum post](#)
- - [eth\\_sendRawTransaction - Ethereum post](#)
- - [net\\_listening - Ethereum post](#)

- [net\\_version - Ethereum post](#)
- 
- [web3\\_clientVersion - Ethereum post](#)
- 
- [web3\\_sha3 - Ethereum post](#)
- 
- [eth\\_getTransactionByBlockNumberAndIndex - Ethereum post](#)
- 
- [eth\\_call - Ethereum post](#)
- 
- [eth\\_getBlockByHash - Ethereum post](#)
- 
- [eth\\_createAccessList - Ethereum post](#)
- 
- [eth\\_newFilter - Ethereum post](#)
- 
- [eth\\_getFilterChanges - Ethereum post](#)
- 
- [eth\\_getFilterLogs - Ethereum post](#)
- 
- [eth\\_newBlockFilter - Ethereum post](#)
- 
- [eth\\_newPendingTransactionFilter - Ethereum post](#)
- 
- [eth\\_uninstallFilter - Ethereum post](#)
- 
- [eth\\_subscribe](#)
- 
- [eth\\_unsubscribe](#)

## Polygon PoS

- [Polygon PoS API Quickstart](#)
- 
- [Polygon SDK Examples](#)
- [Polygon PoS API FAQ](#)
- [Polygon PoS API Endpoints](#)
- 
- [bor\\_getAuthor - Polygon PoS post](#)
- 
- [bor\\_getCurrentProposer - Polygon PoS post](#)
- 
- [bor\\_getCurrentValidators - Polygon PoS post](#)
- 
- [bor\\_getRootHash - Polygon PoS post](#)
- 
- [eth\\_accounts - Polygon PoS post](#)
- 
- [eth\\_call - Polygon PoS post](#)
- 
- [eth\\_chainId - Polygon PoS post](#)
- 
- [eth\\_estimateGas - Polygon PoS post](#)
- 
- [eth\\_gasPrice - Polygon PoS post](#)
- 
- [eth\\_getBalance - Polygon PoS post](#)
- 
- [eth\\_getBlockByHash - Polygon PoS post](#)
- 
- [eth\\_getBlockByNumber - Polygon PoS post](#)
- 
- [eth\\_getBlockTransactionCountByHash - Polygon PoS post](#)
- 
- [eth\\_getBlockTransactionCountByNumber - Polygon PoS post](#)
- 
- [eth\\_getCode - Polygon PoS post](#)
-

- [eth\\_getFilterChanges - Polygon PoS post](#)
- 
- [eth\\_getFilterLogs - Polygon PoS post](#)
- 
- [eth\\_getLogs - Polygon PoS post](#)
- 
- [eth\\_getRootHash - Polygon PoS post](#)
- 
- [eth\\_getSignersAtHash - Polygon PoS post](#)
- 
- [eth\\_getStorageAt - Polygon PoS post](#)
- 
- [eth\\_getTransactionByBlockHashAndIndex - Polygon PoS post](#)
- 
- [eth\\_getTransactionByBlockNumberAndIndex - Polygon PoS post](#)
- 
- [eth\\_getTransactionByHash - Polygon PoS post](#)
- 
- [eth\\_getTransactionCount - Polygon PoS post](#)
- 
- [eth\\_getTransactionReceipt - Polygon PoS post](#)
- 
- [eth\\_getTransactionReceiptsByBlock - Polygon PoS post](#)
- 
- [eth\\_sendRawTransaction - Polygon PoS post](#)
- 
- [eth\\_uninstallFilter - Polygon PoS post](#)
- 
- [net\\_listening - Polygon PoS post](#)
- 
- [eth\\_getUncleCountByBlockHash - Polygon PoS post](#)
- 
- [eth\\_getUncleCountByBlockNumber - Polygon PoS post](#)
- 
- [eth\\_newBlockFilter - Polygon PoS post](#)
- 
- [eth\\_newFilter - Polygon PoS post](#)
- 
- [eth\\_newPendingTransactionFilter - Polygon PoS post](#)
- 
- [web3\\_clientVersion - Polygon PoS post](#)
- 
- [eth\\_createAccessList - Polygon PoS post](#)
- 
- [eth\\_blockNumber - Polygon PoS post](#)
- 
- [bor\\_getSignersAtHash - Polygon PoS post](#)
- 
- [net\\_version - Polygon PoS post](#)
- 
- [eth\\_getProof - Polygon PoS post](#)
- 
- [eth\\_getUncleByBlockNumberAndIndex - Polygon PoS post](#)
- 
- [eth\\_subscribe - Polygon PoS](#)
- 
- [eth\\_unsubscribe - Polygon PoS](#)

## Polygon zkEVM

- [Polygon zkEVM API Quickstart](#)
- [Polygon zkEVM API FAQ](#)
- 
- [What is the difference between Polygon zkEVM and Ethereum?](#)
- 
- [What is the difference between Polygon zkEVM and Polygon PoS?](#)
- [Polygon zkEVM Endpoints](#)
-

- [eth\\_getTransactionCount - Polygon zkEVM post](#)
- [eth\\_call - Polygon zkEVM post](#)
- [eth\\_chainId - Polygon zkEVM post](#)
- [eth\\_newBlockFilter - Polygon zkEVM post](#)
- [eth\\_estimateGas - Polygon zkEVM post](#)
- [eth\\_newFilter - Polygon zkEVM post](#)
- [eth\\_gasPrice - Polygon zkEVM post](#)
- [eth\\_sendRawTransaction - Polygon zkEVM post](#)
- [eth\\_getBalance - Polygon zkEVM post](#)
- [eth\\_uninstallFilter - Polygon zkEVM post](#)
- [eth\\_getBlockByHash - Polygon zkEVM post](#)
- [net\\_version - Polygon zkEVM post](#)
- [eth\\_getBlockByNumber - Polygon zkEVM post](#)
- [web3\\_clientVersion - Polygon zkEVM post](#)
- [eth\\_getBlockTransactionCountByHash - Polygon zkEVM post](#)
- [eth\\_getBlockTransactionCountByNumber - Polygon zkEVM post](#)
- [zkevm\\_batchNumber - Polygon zkEVM post](#)
- [eth\\_getCode - Polygon zkEVM post](#)
- [eth\\_getFilterChanges - Polygon zkEVM post](#)
- [eth\\_getFilterLogs - Polygon zkEVM post](#)
- [zkevm\\_getBatchByNumber - Polygon zkEVM post](#)
- [eth\\_getLogs - Polygon zkEVM post](#)
- [zkevm\\_getBroadcastURI - Polygon zkEVM post](#)
- [eth\\_getStorageAt - Polygon zkEVM post](#)
- [zkevm\\_isBlockConsolidated - Polygon zkEVM post](#)
- [eth\\_getTransactionByBlockHashAndIndex - Polygon zkEVM post](#)
- [zkevm\\_isBlockVirtualized - Polygon zkEVM post](#)
- [eth\\_getTransactionByBlockNumberAndIndex - Polygon zkEVM post](#)
- [zkevm\\_verifiedBatchNumber - Polygon zkEVM post](#)
- [eth\\_getTransactionByHash - Polygon zkEVM post](#)
- [zkevm\\_virtualBatchNumber - Polygon zkEVM post](#)
- [eth\\_getCompilers - Polygon zkEVM post](#)
- [eth\\_getUncleByBlockHashAndIndex - Polygon zkEVM post](#)
- [eth\\_getUncleByBlockNumberAndIndex - Polygon zkEVM post](#)

- [eth\\_getUncleCountByBlockHash](#) - Polygon zkEVM post
- [eth\\_getUncleCountByBlockNumber](#) - Polygon zkEVM post
- [eth\\_protocolVersion](#) - Polygon zkEVM post
- [eth\\_blockNumber](#) - Polygon zkEVM post
- [eth\\_getTransactionReceipt](#) - Polygon zkEVM post
- [zkevm\\_batchNumberByBlockNumber](#) - Polygon zkEVM post
- [zkevm\\_consolidatedBlockNumber](#) - Polygon zkEVM post
- [zkevm\\_estimateFee](#) API - Polygon zkEVM post
- [zkevm\\_estimateGasPrice](#) API - Polygon zkEVM post

## Arbitrum

- [Arbitrum API Quickstart](#)
- [Arbitrum SDK Examples](#)
- [Arbitrum API FAQ](#)
- [Arbitrum vs. Ethereum API Differences](#)
- [Arbitrum API Endpoints](#)
- [eth\\_call](#) - Arbitrum post
- [eth\\_estimateGas](#) - Arbitrum post
- [eth\\_accounts](#) - Arbitrum post
- [eth\\_blockNumber](#) - Arbitrum post
- [eth\\_chainId](#) - Arbitrum post
- [eth\\_gasPrice](#) - Arbitrum post
- [eth\\_getBalance](#) - Arbitrum post
- [eth\\_getBlockTransactionCountByHash](#) - Arbitrum post
- [eth\\_getBlockTransactionCountByNumber](#) - Arbitrum post
- [eth\\_getCode](#) - Arbitrum post
- [eth\\_getFilterChanges](#) - Arbitrum post
- [eth\\_getFilterLogs](#) - Arbitrum post
- [eth\\_getLogs](#) - Arbitrum post
- [eth\\_getStorageAt](#) - Arbitrum post
- [eth\\_getTransactionByBlockHashAndIndex](#) - Arbitrum post
- [eth\\_getTransactionCount](#) - Arbitrum post
- [eth\\_getUncleByBlockNumberAndIndex](#) - Arbitrum post
- [eth\\_getUncleCountByBlockHash](#) - Arbitrum post
- [eth\\_getUncleCountByBlockNumber](#) - Arbitrum post
- [eth\\_newBlockFilter](#) - Arbitrum post



- [eth\\_newFilter - Arbitrum post](#)
- 
- [eth\\_newPendingTransactionFilter - Arbitrum post](#)
- 
- [eth\\_uninstallFilter - Arbitrum post](#)
- 
- [net\\_listening - Arbitrum post](#)
- 
- [net\\_version - Arbitrum post](#)
- 
- [web3\\_clientVersion - Arbitrum post](#)
- 
- [web3\\_sha3 - Arbitrum post](#)
- 
- [eth\\_sendRawTransaction - Arbitrum post](#)
- 
- [eth\\_createAccessList - Arbitrum post](#)
- 
- [eth\\_maxPriorityFeePerGas - Arbitrum post](#)
- 
- [eth\\_feeHistory - Arbitrum post](#)
- 
- [eth\\_getBlockByHash - Arbitrum post](#)
- 
- [eth\\_getBlockByNumber - Arbitrum post](#)
- 
- [eth\\_getTransactionByBlockNumberAndIndex - Arbitrum post](#)
- 
- [eth\\_getTransactionByHash - Arbitrum post](#)
- 
- [eth\\_getProof - Arbitrum post](#)
- 
- [eth\\_getTransactionReceipt - Arbitrum post](#)
- 
- [eth\\_getUncleByBlockHashAndIndex - Arbitrum post](#)
- 
- [eth\\_subscribe](#)
- 
- [eth\\_unsubscribe](#)

## Optimism

- [Optimism API Quickstart](#)
- 
- [Optimism SDK Examples](#)
- [Optimism API FAQ](#)
- 
- [Optimism Error Codes](#)
- [Optimism API Endpoints](#)
- 
- [eth\\_call - Optimism post](#)
- 
- [eth\\_estimateGas - Optimism post](#)
- 
- [eth\\_accounts - Optimism post](#)
- 
- [eth\\_blockNumber - Optimism post](#)
- 
- [eth\\_chainId - Optimism post](#)
- 
- [eth\\_gasPrice - Optimism post](#)
- 
- [eth\\_getBalance - Optimism post](#)
- 
- [eth\\_getBlockTransactionCountByHash - Optimism post](#)
- 
- [eth\\_getBlockTransactionCountByNumber - Optimism post](#)
-

- [eth\\_getCode - Optimism post](#)
- 
- [eth\\_getFilterChanges - Optimism post](#)
- 
- [eth\\_getFilterLogs - Optimism post](#)
- 
- [eth\\_getLogs - Optimism post](#)
- 
- [eth\\_getStorageAt - Optimism post](#)
- 
- [eth\\_getTransactionByBlockHashAndIndex - Optimism post](#)
- 
- [eth\\_getTransactionByBlockNumberAndIndex - Optimism post](#)
- 
- [eth\\_getTransactionByHash - Optimism post](#)
- 
- [eth\\_getTransactionCount - Optimism post](#)
- 
- [eth\\_getTransactionReceipt - Optimism post](#)
- 
- [eth\\_getUncleByBlockHashAndIndex - Optimism post](#)
- 
- [eth\\_getUncleByBlockNumberAndIndex - Optimism post](#)
- 
- [eth\\_getUncleCountByBlockHash - Optimism post](#)
- 
- [eth\\_getUncleCountByBlockNumber - Optimism post](#)
- 
- [eth\\_newBlockFilter - Optimism post](#)
- 
- [eth\\_newFilter - Optimism post](#)
- 
- [eth\\_newPendingTransactionFilter - Optimism post](#)
- 
- [eth\\_protocolVersion - Optimism post](#)
- 
- [eth\\_sendRawTransaction - Optimism post](#)
- 
- [eth\\_syncing - Optimism post](#)
- 
- [eth\\_uninstallFilter - Optimism post](#)
- 
- [net\\_listening - Optimism post](#)
- 
- [net\\_version - Optimism post](#)
- 
- [web3\\_clientVersion - Optimism post](#)
- 
- [web3\\_sha3 - Optimism post](#)
- 
- [eth\\_getBlockByHash - Optimism post](#)
- 
- [eth\\_getBlockByNumber - Optimism post](#)
- 
- [eth\\_getProof - Optimism post](#)
- 
- [eth\\_subscribe](#)
- 
- [eth\\_unsubscribe](#)

## Base

- [Base API Quickstart](#)
- [Base API FAQ](#)
- [Base API Endpoints](#)
- 
- [eth\\_accounts - Base post](#)
-

- [eth\\_blockNumber - Base post](#)
- 
- [eth\\_call - Base post](#)
- 
- [eth\\_chainId - Base post](#)
- 
- [eth\\_estimateGas - Base post](#)
- 
- [eth\\_feeHistory - Base post](#)
- 
- [eth\\_gasPrice - Base post](#)
- 
- [eth\\_getBalance - Base post](#)
- 
- [eth\\_getBlockByHash - Base post](#)
- 
- [eth\\_getBlockByNumber - Base post](#)
- 
- [eth\\_getBlockTransactionCountByHash - Base post](#)
- 
- [eth\\_getBlockTransactionCountByNumber - Base post](#)
- 
- [eth\\_getCode - Base post](#)
- 
- [eth\\_getFilterChanges - Base post](#)
- 
- [eth\\_getFilterLogs - Base post](#)
- 
- [eth\\_getLogs - Base post](#)
- 
- [eth\\_getProof - Base post](#)
- 
- [eth\\_getStorageAt - Base post](#)
- 
- [eth\\_getTransactionByBlockHashAndIndex - Base post](#)
- 
- [eth\\_getTransactionByBlockNumberAndIndex - Base post](#)
- 
- [eth\\_getTransactionByHash - Base post](#)
- 
- [eth\\_getTransactionCount - Base post](#)
- 
- [eth\\_getTransactionReceipt - Base post](#)
- 
- [eth\\_getUncleByBlockHashAndIndex - Base post](#)
- 
- [eth\\_getUncleByBlockNumberAndIndex - Base post](#)
- 
- [eth\\_getUncleCountByBlockHash - Base post](#)
- 
- [eth\\_getUncleCountByBlockNumber - Base post](#)
- 
- [eth\\_maxPriorityFeePerGas - Base post](#)
- 
- [eth\\_newBlockFilter - Base post](#)
- 
- [eth\\_newFilter - Base post](#)
- 
- [eth\\_newPendingTransactionFilter - Base post](#)
- 
- [eth\\_protocolVersion - Base post](#)
- 
- [eth\\_sendRawTransaction - Base post](#)
- 
- [eth\\_syncing - Base post](#)
- 
- [eth\\_uninstallFilter - Base post](#)
-

- [net\\_listening - Base post](#)
- [web3\\_sha3 - Base post](#)

## \* Solana

- [Solana API Quickstart](#)
- [Solana API FAQ](#)
- [Solana API Endpoints](#)
- 
- [getAccountInfo post](#)
- 
- [simulateTransaction post](#)
- 
- [getBalance post](#)
- 
- [getBlock post](#)
- 
- [getBlockCommitment post](#)
- 
- [getBlockProduction post](#)
- 
- [getBlocks post](#)
- 
- [getBlocksWithLimit post](#)
- 
- [getBlockTime post](#)
- 
- [getClusterNodes post](#)
- 
- [getEpochInfo post](#)
- 
- [getEpochSchedule post](#)
- 
- [getFeeForMessage post](#)
- 
- [getFirstAvailableBlock post](#)
- 
- [getGenesisHash post](#)
- 
- [getHealth post](#)
- 
- [getHighestSnapshotSlot post](#)
- 
- [getIdentity post](#)
- 
- [getInflationGovernor post](#)
- 
- [getInflationRate post](#)
- 
- [getInflationReward post](#)
- 
- [getLargestAccounts post](#)
- 
- [getMaxRetransmitSlot post](#)
- 
- [getMaxShredInsertSlot post](#)
- 
- [getMinimumBalanceForRentExemption post](#)
- 
- [getMultipleAccounts post](#)
- 
- [getProgramAccounts post](#)
- 
- [getRecentPerformanceSamples post](#)
- 
- [getSignaturesForAddress post](#)
-

- [getSignatureStatuses post](#)
- 
- [getSlot post](#)
- 
- [getSlotLeader post](#)
- 
- [getSlotLeaders post](#)
- 
- [getSupply post](#)
- 
- [getTokenAccountBalance post](#)
- 
- [getTokenAccountsByOwner post](#)
- 
- [getTokenSupply post](#)
- 
- [getTransaction post](#)
- 
- [getVersion post](#)
- 
- [getVoteAccounts post](#)
- 
- [isBlockhashValid post](#)
- 
- [minimumLedgerSlot post](#)
- 
- [sendTransaction post](#)
- 
- [requestAirdrop post](#)
- 
- [getBlockHeight post](#)
- 
- [getRecentBlockhash post](#)

## Astar

- [Astar API Quickstart](#)
- [Astar API FAQ](#)
- [Astar API Endpoints](#)
- 
- [eth\\_accounts - Astar post](#)
- 
- [eth\\_getTransactionReceipt - Astar post](#)
- 
- [eth\\_maxPriorityFeePerGas - Astar post](#)
- 
- [eth\\_blockNumber - Astar post](#)
- 
- [eth\\_call - Astar post](#)
- 
- [eth\\_chainId - Astar post](#)
- 
- [eth\\_gasPrice - Astar post](#)
- 
- [eth\\_getBalance - Astar post](#)
- 
- [eth\\_getBlockByHash - Astar post](#)
- 
- [eth\\_getBlockByNumber - Astar post](#)
- 
- [eth\\_getBlockTransactionCountByHash - Astar post](#)
- 
- [eth\\_getBlockTransactionCountByNumber - Astar post](#)
- 
- [eth\\_getCode - Astar post](#)
- 
- [eth\\_getStorageAt - Astar post](#)
-

- [eth\\_getTransactionByBlockHashAndIndex - Astar post](#)
- 
- [eth\\_getTransactionByBlockNumberAndIndex - Astar post](#)
- 
- [eth\\_getTransactionByHash - Astar post](#)
- 
- [eth\\_getTransactionCount - Astar post](#)
- 
- [eth\\_getUncleByBlockNumberAndIndex - Astar post](#)
- 
- [eth\\_sendRawTransaction - Astar post](#)
- 
- [net\\_version - Astar post](#)
- 
- [web3\\_clientVersion - Astar post](#)
- 
- [web3\\_sha3 - Astar post](#)
- 
- [eth\\_getLogs - Astar post](#)
- 
- [eth\\_getFilterChanges - Astar post](#)
- 
- [eth\\_getFilterLogs - Astar post](#)
- 
- [eth\\_newFilter - Astar post](#)
- 
- [eth\\_newPendingTransactionFilter - Astar post](#)
- 
- [eth\\_uninstallFilter - Astar post](#)
- 
- [eth\\_newBlockFilter - Astar post](#)
- 
- [eth\\_estimateGas - Astar post](#)
- 
- [eth\\_subscribe](#)
- 
- [eth\\_unsubscribe](#)

## STARKNET

- [Starknet API Quickstart](#)
- [Starknet API FAQ](#)
- [Starknet API Endpoints](#)
- 
- [starknet\\_addDeclareTransaction post](#)
- 
- [starknet\\_getClassAt post](#)
- 
- [starknet\\_addDeployAccountTransaction post](#)
- 
- [starknet\\_getClassHashAt post](#)
- 
- [starknet\\_addInvokeTransaction post](#)
- 
- [starknet\\_getEvents post](#)
- 
- [starknet\\_blockHashAndNumber post](#)
- 
- [starknet\\_getNonce post](#)
- 
- [starknet\\_blockNumber post](#)
- 
- [starknet\\_getStateUpdate post](#)
- 
- [starknet\\_call post](#)
- 
- [starknet\\_getStorageAt post](#)
-

- [starknet\\_chainId post](#)
- [starknet\\_getTransactionByBlockIdAndIndex post](#)
- [starknet\\_estimateFee post](#)
- [starknet\\_getTransactionByHash post](#)
- [starknet\\_getBlockTransactionCount post](#)
- [starknet\\_getTransactionReceipt post](#)
- [starknet\\_getBlockWithTxHashes post](#)
- [starknet\\_pendingTransactions post](#)
- [starknet\\_getBlockWithTxs post](#)
- [starknet\\_syncing post](#)
- [starknet\\_getClass post](#)
- [starknet\\_estimateMessageFee post](#)

## Astar API FAQ

Frequently asked questions about the Astar API

### What is the Astar Network?

Astar is a parachain that connects the Polkadot ecosystem to all major Layer-1 blockchains, including Ethereum, Acala, and eventually Cosmos.

Astar allows developers to build dapps fast, cheap dapps by offering high TPS, low transaction costs, and faster finality. By being compatible with Polkadot, it also enables blockchain networks, like Ethereum and Bitcoin, to operate together seamlessly without having to use a centralized exchange.

### What is the Astar API?

The Astar API allows applications to connect to an Astar node that is part of the Astar network. Developers can interact with on-chain data and send different types of transactions to the network by utilizing the endpoints provided by the API. The API follows a JSON-RPC standard. JSON-RPC is a stateless, lightweight, remote procedure call (RPC) protocol encoded in JSON.

### How can I get started using the Astart API?

Explained in the [Astar API Quickstart Guide](#).

### What type of scaling solution is Astar?

Astar is a parachain of the Polkadot network. They operate pretty similarly to L2s on Ethereum.

In other words, parachains are project-specific blockchains that run parallel to the main Polkadot chain (or Relay Chain), and inherit the latter's base features and security.

### Is Astar EVM compatible?

Yes! Astar allows developers to build dapps using EVM-compatible smart contracts. This means you can make full use of Ethereum developer tooling, libraries, and Solidity to build on Astar.

### How do I add Astar to MetaMask?

To [add the Astar network to MetaMask](#), create an Astar app on Alchemy. To get a dedicated Astar RPC endpoint, add a new network to MetaMask, and enter the following details:

- Network Name:
- Astar
- New RPC URL:
- YOUR-ALCHEMY-APP-URL
- Chain ID:
- 592
- Currency Symbol:
- ASTR
- Block Explorer URL:
- <https://blockscout.com/astar>

## What testnet should I use for Astar?

You should use the Shibuya testnet for testing Astar applications. Shibuya is the testnet of Shiden (a sister chain of Astar), and Astar developers can use a Shibuya faucet to [get test SBY tokens](#).

Alchemy does not support the Shibuya Testnet yet

Please note that Alchemy does not currently support the Shibuya testnet for Astar.

## How do I build an app on Astar?

Simply [sign up for Alchemy](#), click the “Apps” tab, “Create App”, and then you can start building your new app for either the Astar mainnet!

## How do you bridge Astar to Ethereum?

For bridging, use the [Arthswap Bridge](#). When you connect your Metamask wallet, you will be able to send and receive tokens between Astar and Ethereum.

[Alchemy’s overview on cross-chain bridges](#) can further help you understand how bridging works and how these bridges allow chains to interact with each other.

## What wallets can be used with Astar?

Since Astar is EVM-compatible, developers can use many wallets on it. Some of the most popular wallets include Metamask, Ledger Nano X, and SafePal S1. We give details on many of these wallets in our [Web3 wallet overview](#).

## What does Astar use for gas?

Astar uses the ASTR token for gas. Based on current market prices, developing on Astar is, on average, ten thousand times cheaper than on Ethereum. Check out the [Astar gas tracker](#) for current gas prices.

## What projects are on Astar?

[Arthswap](#) is one of the most popular dapps on Astar that facilitates swapping, staking, and bridging.

Currently, there is over 500k people in the Astar community and 200 million has already been locked into the network.

## How do you withdraw ETH from Astar?

To withdraw ETH from Astar, use the [Arthswap Bridge](#). Select Astar as the Fromchain, Ethereum as the Tochain, and ETH as the token.

## What API does Astar use?

Astar is compatible with the JSON-RPC API standard. The JSON-RPC API has the ability to power any blockchain interaction on Astar. In aggregate, this API suite allows users to read block/transaction data, query chain information, execute smart contracts, store data on-chain, etc. Developers and consumers alike interact with Astar’s base JSON-RPC APIs to communicate with its decentralized network of nodes.

## What is an Astar API key?



When accessing the Astar network via a node provider, API services like Alchemy require an API key, which allows developers to monitor personal apps and access usage metrics.

While many development environments have a set of default shared API keys, they are often throttled during periods of high usage leading to slower response times and a higher likelihood of request failures.

For the best development experience, we recommend that you [sign up for a free API key](#) !

With a dedicated API key, developers are able to:

- access higher request throughput
- and increased concurrent requests
- query [Enhanced APIs](#)
- , gaining access to free archive data, logs, and higher-level API abstractions
- leverage individualized usage metrics

## What libraries support Astar?

The Alchemy SDK, including the alchemy-web3 library, supports Astar.

In addition to the SDK, Alchemy will also offer Astar-compatible versions of:

- [Supernode](#)
- [the Notify API](#)
- [Alchemy Websockets](#)
- [Usage Analytics](#)
- [Composer](#)
- [Explorer](#)
- [Mempool Visualizer](#)

## What programming languages work with Astar?

Since Astar is EVM-compatible, it is possible to use Solidity and Vyper to build on the network. Alternatively, Astar also supports WASM-compatible smart contracts written with the Rust programming language.

## What methods does Alchemy support for the Astar API?

You can find the list of all the methods Alchemy support for the Astar API on the [Astar API Endpoints](#) page.

## My question isn't here, where can I get help?

Don't worry, we got you. Check out our feel free to post in [discord](#) with any questions you have!

Updated 5 months ago

[Astar API Quickstart](#) [Astar API Endpoints](#) Did this page help you? Yes No