# How to use ASI Alliance Wallet

## Feature 5 - More Options

- Open ASI Alliance Wallet Home Page.
- ClickMore
- · option on the home page.

## **More Page**

## Currency

Within this section, you can set the currency configuration for your wallet. You can do so following these steps:

- SelectCurrency
- · box.
- · Here, you can change the wallet currency from USD to any other available currency.

## **Manage Token**

In the Manage Tokens tab, you can:

- · View the tokens you've added.
- · Add new tokens by clicking on the+
- button on the upper right side or by clicking onAdd Token
- button.
- You will need to provide the needed details for the token you wish to add.

#### **Address Book**

Click theAddress Book box.

- · You will be able to perform operation on addresses saved within the wallet.
- · You will be able to see all existing addresses.

#### Add an Address

Add aNew address by clicking on the+ button on the upper right side or by clicking onAdd an Address button.

#### **Edit an Address**

If you need to Edit an address:

- · Click on the Edit
- · button next to the address.
- · From there, you can edit the addressName
- ,Memo
- , andAddress
- · itself.

#### **Delete Address**

- ToDelete
- an address:
- · Click on the Delete
- button next to the address.
- · Confirm.

## Language

User can change the wallet language using this option.

## **Security and Privacy Options**

- · Click on the Security and Privacy
- box.
- Here you will be able to perform multiple operations related to your account's security and privacy settings.

#### Here, you can:

- · View mnemonic seed
- after entering your password.
- Click onView Mnemonic seed
- •
- o option.
- · View your mnemonic seed after entering your password.
- Users can copy the mnemonic seed by clickingCopy to Clipboard

•

#### **Wallet Access Permission**

Here you can choose which websites can access addresses or signing.

#### **Chain List Access**

Here you can set which websites can access your active chain list.

#### **Auto-lock Timer**

User can set the Auto-Lock Timer by clicking on this box. This way, the wallet will lock when the device is in sleep mode after provided time.

## **Others**

#### **IBC Transfer**

Here you can perform IBC Transfer operations.

#### To do so:

- 1. Provide the transaction details:
- 2.
- Destination chain
- 3.
- : the destination blockchain is calledDestination Chain
- 4.
- ۰.
- 5.
- Recipient
- 6.
- : the address you want to receive the tokens is the Recipient
- 7.
  - ۰.
- 8.
- Memo
- 9.
- : a memo that is optional.
- 10. Click Next.

#### Guide

This option redirects user to guide page to seek help.

## Sign Out

User will able to sign out from their account using this option.

Last updated on December 11, 2024

## Was this page helpful?

## You can also leave detailed feedbackon Github

## Feature 4: Activity page Feature 6: Gov Proposal

## On This Page

- Feature 5 More Options
- More Page
- Currency
- Manage Token
- Address Book
- Add an Address
- Edit an Address
- Delete Address
- Language
- Security and Privacy Options
- Wallet Access Permission
- Chain List Access
- Auto-lock Timer
- Others
- IBC Transfer
- Guide
- Sign Out
- Edit this page on github(opens in a new tab)