

Push Metrics to Obol Monitoring

info This is optional and does not confer any special privileges within the Obol Network. You may have been provided with Monitoring Credentials used to push distributed validator metrics to Obol's central Prometheus cluster to monitor, analyze, and improve your Distributed Validator Cluster's performance.

The provided credentials need to be added in `prometheus/prometheus.yml` replacing `PROM_REMOTE_WRITE_TOKEN` and will look like:

`obol20!tnt8U!C...` The updated `prometheus/prometheus.yml` file should look like:

```
global:
  scrape_interval: 30s # Set the scrape interval to every 30 seconds.
  evaluation_interval: 30s # Evaluate rules every 30 seconds.
```

```
remote_write:
  - url: https://vm.monitoring.gcp.obol.tech/write
    authorization: credentials: obol20!tnt8U!C...
```

```
scrape_configs:
  - job_name: 'charon'
    static_configs:
      - targets: ['charon:3620']
  - job_name: 'lodestar'
    static_configs:
      - targets: ['lodestar:5064']
  - job_name: 'node-exporter'
    static_configs:
      - targets: ['node-exporter:9100']
```

[Edit this page](#) [Previous](#) [Getting Started](#) [Monitoring your Node](#) [Next](#) [Self-Host a Relay](#)