

Bids in the builder_blocks_received

data API should include timestamps in milliseconds. Rather than breaking the previous unix second timestamp, we'll add a new field timestamp_ms

:

```
{ "slot": "4153442", "parent_hash": "0x167c7f7c7b8f402a8f6a6e3364b2ce7f94e2e9322daa171995a9653f60628467",  
  "block_hash": "0x52e8986bb0bb7a3d0985c109d00bae73ab490371cce46733391410fc6c113a60", "builder_pubkey":  
  "0xa8575cb8de4a336109f2587145a8a2215bbf9e7124d8bba98bb2069f7a83285d6a2185be3a55ffbc82847cc574c01ebe",  
  "proposer_pubkey":  
  "0xb5d69d1a776cd741ad9ee8c4f8487923b422100b4d9be3f0f2e270d2385b1ca1b284c73cb38137cb287305e99a7473e0",  
  "proposer_fee_recipient": "0x0000000000000000000000000000000000000000000000000000000000000000", "gas_limit": "30000000", "gas_used":  
  "29966286", "value": "1072864972455703463", "num_tx": "110", "block_number": "7807902", "timestamp": "1666349304",  
  "timestamp_ms": "1666349304804" }
```

The PR: [add millisecond timestamp to builder bids by metachris · Pull Request #212 · flashbots/mev-boost-relay · GitHub](#)

Deployed to Goerli and Sepolia:

- https://boost-relay-sepolia.flashbots.net/relay/v1/data/bidtraces/builder_blocks_received
- https://boost-relay-goerli.flashbots.net/relay/v1/data/bidtraces/builder_blocks_received