starknet_getTransactionByHash

Returns the details of the specified transaction.

Parameters

transaction_hash : (string) [Required] The hash of the requested transaction.

Returns

A[StarkNet transaction](#) object.

Example

Replace YOUR-API-KEY with an API key from your [Infura dashboard](#) .

Request

- cURL

curl https://starknet-mainnet.infura.io/v3/YOUR-API-KEY \ -X POST \ -H "Content-Type: application/json" \ -d '{ "jsonrpc": "2.0", "method": "starknet_getTransactionByHash", "params": { "transaction_hash": "0x121aaba2894a63cce81acabb559eb2c114f4859dc5803e0b91349ec398d2eb0" }, "id": 1 }'

Response

- JSON

{ "jsonrpc": "2.0", "result": { "type": "INVOKE", "transaction_hash": "0x121aaba2894a63cce81acabb559eb2c114f4859dc5803e0b91349ec398d2eb0", "max_fee": "0xcfa4301cf492", "version": "0x0", "signature": ["0x71847081cae237a92ddcfbc8ff4144df8237ed251027563e709aeb69af35099", "0x36da171a5c558c8a1b233a163a399ac5c54d82a7bd0bbfdbc360cd7c3e2700d"], "nonce": "0x0", "contract_address": "0x206cd6b8b25de0ca44b944d13c2608b355e9a9224a887e2e9447cf5ae3cb2a8", "entry_point_selector": "0x15d40a3d6ca2ac30f4031e42be28da9b056fef9bb7357ac5e85627ee876e5ad", "calldata": ["0x1", "0x173f81c529191726c6e7287e24626fe24760ac44dae2a1f7e02080230f8458b", "0x68bcbdba7cc8cac2832d23e2c32e9eec39a9f1d03521eff5dff800a62725fa", "0x0", "0x5", "0x5", "0x49d36570d4e46f48e99674bd3fcc84644ddd6b96f7c741b1562b82f9e004dc7", "0x7c57808b9cea7130c44aab2f8ca6147b04408943b48c6d8c3c83eb8cfdd8c0b", "0xd6f06df0e9632b", "0x0", "0x6873917301545706d657c47a11d83ad9840fbeb3", "0x9"] }, "id": 1 }

Last updated on May 9, 2024 [Previous starknet_getTransactionByBlockIdAndIndex](#) [Next starknet_getTransactionReceipt](#)