rollup_getInfo

Returns the information about a node

Parameters

None

Returns

Node information object:

- mode
- : Node's mode of operation -sequencer
- orverifier
- syncing
- if the node is currently syncing, otherwisefalse
- ethContext
- : Object containing theblockNumber
- andtimestamp
- of the latest L1 block
- rollupContext
- : Object containing:* queueIndex
- : Index in the canonical transaction chain of the last L1 to L2 message ingested.
- · : Index of the last L2 transaction processed.
- verifiedIndex
- - · : Index of the last transaction that was ingested from a batch that was posted
- the to L1.

Example

ReplaceYOUR-API-KEY with an API key from yourInfura dashboard

Request

• cURL

 $curl \ https://mantle-mainnet.infura.io/v3/ \ -X \ POST \ -H \ "Content-Type: application/json" \ -d \ '["jsonrpc":"2.0","method":"rollup_getInfo","params":[],"id":1}' \ - ("jsonrpc":"2.0","method":"rollup_getInfo","params":[],"id":1}' \ - ("jsonrpc":"2.0","method:"params":[],"id":1}' \ - ("jsonrpc":"2.0","method:"params":[],"id$

{ "jsonrpc":"2.0", "id":1, "result":[{ "difficulty":"0x2",

extraData":"0xd98301090a848932606889676f312e61742e3133856c696e75780000000000064a82cb66c7810b9619e7f14ab65c769a828b1616974987c530684eb3870b65e5b2400c1b61c6d340beef8c"

"size":"0x30c", "stateRoot":"0x87026f3a614318ae24bcef6bc8f7564479afbbbe2b1fb189bc133a5de5a2b0f8", "timestamp":"0x618d8837", "totalDifficulty":"0x5", "transactions": ["0xaf6ed8a6864d44989adc47c84f6fe0aeb1819817505c42cde6cbbcd5e14dd317"], "transactionsRoot":"0xa39c4d0d2397f8fcb1683ba833d4ab935cd2f4c5ca6f56a7d9a45b9904ea1c69", "uncles":[] }] }

Last updatedonJun 5, 2024 Previous rollup gasPrices Next web3 clientVersion