Introduction

- Alchemy API Reference Overview
- - Chain APIs Overview
- - Enhanced APIs Overview
- Alchemy Quickstart Guide

Resources

- FAQ
- - Feature Support By Chain
- - Throughput
- - Batch Requests
- - Gas Limits
- - Error Reference
- Compute Units
- - Pricing Plans
- - Compute Unit Costs

NFT API

- NFT API Quickstart
- NFT API Endpoints Overview
- NFT API FAQ
- Ownership & Token Gating
- - getNFTsForOwner get
- - getOwnersForNFT get
- - getOwnersForContract get
- - isHolderOfContract get
- - getContractsForOwner get
- - getCollectionsForOwner get
- NFT Metadata Access
- - getNFTMetadata get
- - getNFTMetadataBatch post
- - getContractMetadata get
- - getCollectionMetadata get
- - invalidateContract get
- - getContractMetadataBatch post
- - getNFTsForContract get
- - getNFTsForCollection get
- - searchContractMetadata get
- - refreshNftMetadata post

- Spam Detection
  - getSpamContracts get
  - isSpamContract get
  - isAirdropNFT get
  - reportSpam get
- Rarity Data
  - summarizeNFTAttributes get
  - computeRarity get
- Sales & Marketplace Data
  - getFloorPrice get
  - getNFTSales get
- NFT API V2 to V3 Migration Guide
  - NFT API V2 vs. V3 Endpoint Differences
- NFT API V2 Methods (Older Version)
  - getNFTs get
  - getNFTMetadata get
  - getNFTMetadataBatch post
  - getContractMetadata get
  - getContractMetadataBatch post
  - getNFTsForCollection get
  - getOwnersForToken get
  - getOwnersForCollection get
  - getSpamContracts get
  - isSpamContract get
  - isAirdrop get
  - invalidateContract get
  - getFloorPrice get
  - computeRarity get
  - searchContractMetadata get
  - summarizeNFTAttributes get
  - isHolderOfCollection get
  - getNFTSales get
  - getContractsForOwner get
  - reportSpam get

Transfers API (Tx History)

- Transfers API Quickstart
- Transfers API Endpoints

-
  - alchemy_getAssetTransfers post

Transaction Receipts API

- Transaction Receipts Endpoints
-
  - alchemy_getTransactionReceipts post

Token API

- Token API Quickstart
- Token API Endpoints
-
  - alchemy_getTokenBalances post
-
  - alchemy_getTokenMetadata post
-
  - alchemy_getTokenAllowance post

Subgraphs

- Subgraphs Quickstart
- Supported Subgraph Chains
- Developing a Subgraph
-
  - Graph CLI
-
  - Creating a Subgraph
-
  - Project Structure
-
  - Data Sources
-
  - Writing Mappings
- Moving your Subgraph to Production
-
  - Deploying a Subgraph
-
  - Subgraph Versioning
-
  - Querying a Subgraph
-
  - Deleting a Subgraph
-
  - Direct Database Access
- Community subgraphs

Webhooks

- Notify API Quickstart
-
  - Notify Tutorials and Applications
-
  - Notify API FAQ
- Custom Webhooks Quickstart
-
  - Custom Webhooks FAQ
-
  - Custom Webhooks GraphQL Examples
-
  - Custom Webhook Filters
-
  - Custom Webhook Variables
- Custom Webhook API Methods
-

- Read Variable Elements get
- Create a Variable post
- Delete a Variable delete
- Update a Variable patch
- Notify API Methods
- Get all webhooks get
- Get all addresses for an Address Activity webhook get
- Create webhook post
- Add and remove webhook addresses patch
- Replace webhook addresses put
- Update webhook status put
- Update webhook NFT filters patch
- Update NFT metadata webhook filters patch
- Get all webhook NFT filters get
- Delete webhook delete
- Webhook Types
- Custom Webhook
- Address Activity Webhook
- Mined Transaction Webhook
- Dropped Transaction Webhook
- NFT Activity Webhook
- NFT Metadata Updates Webhook

Websockets

- Subscription API Quickstart
- Best Practices for Using WebSockets in Web3
- Subscription API Endpoints
- alchemy_minedTransactions
- alchemy_pendingTransactions
- newPendingTransactions
- newHeads
- logs

Trace API

- Trace API Quickstart
- Trace API Endpoints
- trace_block post
- trace_call post

    - trace_get post
-
    - trace_rawTransaction post
-
    - trace_replayBlockTransactions post
-
    - trace_replayTransaction post
-
    - trace_transaction post
-
    - trace_filter post
- Trace API Resources
-
    - What are EVM Traces?
-
    - Trace API vs. Debug API
-
    - What is trace_transaction?
-
    - What is trace_block?
-
    - What is trace_filter?
-
    - trace_call vs debug_traceCall

Debug API

- Debug API Quickstart
- Debug API Endpoints
-
    - debug_traceCall post
-
    - debug_traceTransaction post
-
    - debug_traceBlockByNumber post
-
    - debug_traceBlockByHash post

ACCOUNT ABSTRACTION

- Bundler API Quickstart
- Bundler API Endpoints
-
    - eth_getUserOperationReceipt post
-
    - eth_supportedEntryPoints post
-
    - eth_getUserOperationByHash post
-
    - eth_sendUserOperation post
-
    - rundler_maxPriorityFeePerGas post
-
    - eth_estimateUserOperationGas post
- Bundler API Fee Logic
- Factory Addresses
- Gas Manager Coverage API Quickstart
- Gas Manager Coverage API Endpoints
-
    - alchemy_requestPaymasterAndData post
-
    - alchemy_requestGasAndPaymasterAndData post
- Gas Manager Coverage API Fee Logic
- Gas Manager Deployment Addresses
- UserOperation Simulation Endpoints
-
    - alchemy_simulateUserOperationAssetChanges post

- AA-SDK
- Account Abstraction FAQ

Embedded Accounts

- Accounts API Endpoints
- Create Account post
- Send Auth Email post
- Authenticate User post
- Get User post
- Sign Message post
- Register New Authenticator post

Gas Manager Admin API

- Gas Manager Admin API Quickstart
- Gas Manager Admin API Endpoints
- Create Policy post
- Get Policy get
- Delete Policy delete
- Replace Policy put
- Get All Policies get
- Update Policy Status put
- Get Policy Stats get
- Get Sponsorships get

Alchemy Transact

- Transact Quickstart
- Reinforced Transactions
- Transaction Simulation
- Asset Changes
- Execution Simulation
- Bundle Simulation
- Transaction Simulation Examples
- Transaction Simulation FAQs
- Transaction Simulation Endpoints
- alchemy_simulateAssetChanges post
- alchemy_simulateAssetChangesBundle post
- alchemy_simulateExecution post
- alchemy_simulateExecutionBundle post
- Gas Optimized Transactions
- alchemy_getGasOptimizedTransactionStatus post

-
  - alchemy_sendGasOptimizedTransaction post
- Private Transactions
-
  - eth_cancelPrivateTransaction post
-
  - eth_sendPrivateTransaction post

Alchemy SDK

- Alchemy SDK Quickstart
-
  - How to use Alchemy SDK with Typescript
-
  - Examples Using the Alchemy SDK
-
  - How to Manage a Multichain Project Using Alchemy SDK
- Alchemy SDK Surface Overview
-
  - Alchemy SDK vs. Raw API Methods
- SDK Core Methods
-
  - call - SDK
-
  - send - SDK
-
  - estimateGas - SDK
-
  - findContractDeployer - SDK
-
  - getBalance - SDK
-
  - getBlock - SDK
-
  - getBlockNumber - SDK
-
  - getBlockWithTransactions - SDK
-
  - getCode - SDK
-
  - getFeeData - SDK
-
  - getGasPrice - SDK
-
  - getLogs - SDK
-
  - getStorageAt - SDK
-
  - getTokenBalances - SDK
-
  - getTokenMetadata - SDK
-
  - getTokensForOwner - SDK
-
  - getTransactionCount - SDK
-
  - getTransactionReceipt - SDK
-
  - getTransactionReceipts - SDK
-
  - isContractAddress - SDK
-
  - getAssetTransfers - SDK
- SDK NFT Methods
-
  - getNftsForOwner - SDK
-
  - getNftMetadata -SDK

-
  - getNftMetadataBatch - SDK
-
  - refreshNftMetadata - SDK
-
  - getNftSales - SDK
-
  - searchContractMetadata - SDK
-
  - summarizeNftAttributes - SDK
-
  - getNftsForOwnerIterator - SDK
-
  - getNftsForContractIterator - SDK
-
  - getContractMetadata - SDK
-
  - getNftsForContract -SDK
-
  - getTransfersForOwner - SDK
-
  - getTransfersForContract - SDK
-
  - getMintedNfts - SDK
-
  - getOwnersForNft - SDK
-
  - getOwnersForContract - SDK
-
  - getSpamContracts -SDK
-
  - isSpamContract - SDK
-
  - refreshContract - SDK
-
  - getContractsForOwner - SDK
-
  - getFloorPrice - SDK
-
  - computeRarity - SDK
-
  - verifyNftOwnership - SDK
- SDK Transact Methods
-
  - getTransaction - SDK
-
  - sendTransaction - SDK
-
  - sendPrivateTransaction - SDK
-
  - cancelPrivateTransaction - SDK
-
  - waitForTransaction - SDK
-
  - estimateGas - SDK
-
  - getMaxPriorityFeePerGas - SDK
-
  - simulateAssetChanges - SDK
-
  - simulateAssetChangesBundle - SDK
-
  - simulateExecution - SDK
-
  - simulateExecutionBundle - SDK
- SDK Debug Methods
-
  - traceCall - SDK

- traceTransaction - SDK
- traceBlock - SDK
- SDK Notify Methods
- getAllWebhooks - SDK
- getAddresses - SDK
- getNftFilters - SDK
- createWebhook - SDK
- updateWebhook - SDK
- deleteWebhook - SDK
- SDK WebSockets Endpoints
- SDK Ethers Utils
- arrayify
- formatUnits
- concat
- hexConcat
- dnsEncode
- hexDataLength
- formatEther
- hexDataSlice
- hexStripZeros
- hashMessage
- isHexString
- isValidName
- joinSignature
- splitSignature
- toUtf8Bytes
- hexValue
- toUtf8String
- hexZeroPad
- zeroPad
- hexlify
- id
- isBytes
- isBytesLike
- Interface

- namehash
- parseEther
- parseUnits
- stripZeros

Alchemy SDK V2 to V3 Migration Guide

- Alchemy SDK V2 vs. V3 Method Differences

SDK V2 Methods

- call - SDK
- getAssetTransfers - SDK
- getMintedNfts - SDK
- verifyNftOwnership - SDK
- getOwnersForNft - SDK
- computeRarity - SDK
- getTransfersForContract - SDK
- getNftsForOwner - SDK
- refreshContract - SDK
- getOwnersForContract - SDK
- getFloorPrice - SDK
- isSpamContract - SDK
- findContractDeployer -SDK
- getSpamContracts - SDK
- getGasPrice - SDK
- getBalance - SDK
- getBlock -SDK
- getBlockWithTransactions - SDK
- estimateGas - SDK
- getBlockNumber - SDK
- getCode - SDK
- getFeeData - SDK
- getLogs - SDK
- getNftMetadataBatch - SDK
- getTokensForOwner - SDK
- getStorageAt - SDK
- getTokenBalances - SDK
- getTransactionCount - SDK

- getTokenMetadata - SDK
- getTransactionReceipt - SDK
- send - SDK
- getTransactionReceipts - SDK
- getTransaction - SDK
- isContractAddress - SDK
- getNftMetadata - SDK
- getNftSales - SDK
- cancelPrivateTransaction - SDK
- sendPrivateTransaction - SDK
- traceTransaction - SDK
- simulateExecutionBundle - SDK
- simulateExecution - SDK
- getMaxPriorityFeePerGas - SDK
- simulateAssetChangesBundle - SDK
- estimateGas - SDK
- simulateAssetChanges - SDK
- traceBlock - SDK
- waitForTransaction - SDK
- traceCall - SDK
- sendTransaction - SDK
- updateWebhook - SDK
- refreshNftMetadata -SDK
- createWebhook - SDK
- getNftFilters - SDK
- getAddresses - SDK
- summarizeNftAttributes - SDK
- deleteWebhook - SDK
- searchContractMetadata - SDK
- getAllWebhooks - SDK
- getNftsForOwnerIterator - SDK
- getNftsForContractIterator -SDK
- getContractMetadata - SDK
- getTransfersForOwner - SDK

- getNftsForContract - SDK

Ethereum

- Ethereum API Quickstart
- Ethereum API FAQ
  - Ethereum Developer Guide to the Merge
  - How to decode an eth_call response
  - How do I distinguish between a contract address and a wallet address?
- Ethereum API Endpoints
  - eth_blockNumber - Ethereum post
  - eth_getBalance - Ethereum post
  - eth_getLogs - Ethereum post
  - eth_chainId - Ethereum post
  - eth_getBlockByNumber - Ethereum post
  - eth_accounts - Ethereum post
  - eth_feeHistory - Ethereum post
  - eth_estimateGas - Ethereum post
  - eth_gasPrice - Ethereum post
  - eth_getBlockTransactionCountByHash - Ethereum post
  - eth_getBlockReceipts - Ethereum post
  - eth_getBlockTransactionCountByNumber - Ethereum post
  - eth_getCode - Ethereum post
  - eth_getProof - Ethereum post
  - eth_getStorageAt - Ethereum post
  - eth_getTransactionByBlockHashAndIndex - Ethereum post
  - eth_getTransactionByHash - Ethereum post
  - eth_getTransactionCount - Ethereum post
  - eth_getTransactionReceipt - Ethereum post
  - eth_getUncleByBlockHashAndIndex - Ethereum post
  - eth_getUncleByBlockNumberAndIndex - Ethereum post
  - eth_getUncleCountByBlockHash - Ethereum post
  - eth_getUncleCountByBlockNumber - Ethereum post
  - eth_maxPriorityFeePerGas - Ethereum post
  - eth_protocolVersion - Ethereum post
  - eth_sendRawTransaction - Ethereum post
  - net_listening - Ethereum post

- net_version - Ethereum post
- web3_clientVersion - Ethereum post
- web3_sha3 - Ethereum post
- eth_getTransactionByBlockNumberAndIndex - Ethereum post
- eth_call - Ethereum post
- eth_getBlockByHash - Ethereum post
- eth_createAccessList - Ethereum post
- eth_newFilter - Ethereum post
- eth_getFilterChanges - Ethereum post
- eth_getFilterLogs - Ethereum post
- eth_newBlockFilter - Ethereum post
- eth_newPendingTransactionFilter - Ethereum post
- eth_uninstallFilter - Ethereum post
- eth_subscribe
- eth_unsubscribe

Polygon PoS

- Polygon PoS API Quickstart
  - Polygon SDK Examples
- Polygon PoS API FAQ
- Polygon PoS API Endpoints
  - bor_getAuthor - Polygon PoS post
  - bor_getCurrentProposer - Polygon PoS post
  - bor_getCurrentValidators - Polygon PoS post
  - bor_getRootHash - Polygon PoS post
  - eth_accounts - Polygon PoS post
  - eth_call - Polygon PoS post
  - eth_chainId - Polygon PoS post
  - eth_estimateGas - Polygon PoS post
  - eth_gasPrice - Polygon PoS post
  - eth_getBalance - Polygon PoS post
  - eth_getBlockByHash - Polygon PoS post
  - eth_getBlockByNumber - Polygon PoS post
  - eth_getBlockTransactionCountByHash - Polygon PoS post
  - eth_getBlockTransactionCountByNumber - Polygon PoS post
  - eth_getCode - Polygon PoS post

- eth_getFilterChanges - Polygon PoS post
- eth_getFilterLogs - Polygon PoS post
- eth_getLogs - Polygon PoS post
- eth_getRootHash - Polygon PoS post
- eth_getSignersAtHash - Polygon PoS post
- eth_getStorageAt - Polygon PoS post
- eth_getTransactionByBlockHashAndIndex - Polygon PoS post
- eth_getTransactionByBlockNumberAndIndex - Polygon PoS post
- eth_getTransactionByHash - Polygon PoS post
- eth_getTransactionCount - Polygon PoS post
- eth_getTransactionReceipt - Polygon PoS post
- eth_getTransactionReceiptsByBlock - Polygon PoS post
- eth_sendRawTransaction - Polygon PoS post
- eth_uninstallFilter - Polygon PoS post
- net_listening - Polygon PoS post
- eth_getUncleCountByBlockHash - Polygon PoS post
- eth_getUncleCountByBlockNumber - Polygon PoS post
- eth_newBlockFilter - Polygon PoS post
- eth_newFilter - Polygon PoS post
- eth_newPendingTransactionFilter - Polygon PoS post
- web3_clientVersion - Polygon PoS post
- eth_createAccessList - Polygon PoS post
- eth_blockNumber - Polygon PoS post
- bor_getSignersAtHash - Polygon PoS post
- net_version - Polygon PoS post
- eth_getProof - Polygon PoS post
- eth_getUncleByBlockNumberAndIndex - Polygon PoS post
- eth_subscribe - Polygon PoS
- eth_unsubscribe - Polygon PoS

Polygon zkEVM

- Polygon zkEVM API Quickstart
- Polygon zkEVM API FAQ
  - What is the difference between Polygon zkEVM and Ethereum?
  - What is the difference between Polygon zkEVM and Polygon PoS?
- Polygon zkEVM Endpoints

- eth_getTransactionCount - Polygon zkEVM post
- eth_call - Polygon zkEVM post
- eth_chainId - Polygon zkEVM post
- eth_newBlockFilter - Polygon zkEVM post
- eth_estimateGas - Polygon zkEVM post
- eth_newFilter - Polygon zkEVM post
- eth_gasPrice - Polygon zkEVM post
- eth_sendRawTransaction - Polygon zkEVM post
- eth_getBalance - Polygon zkEVM post
- eth_uninstallFilter - Polygon zkEVM post
- eth_getBlockByHash - Polygon zkEVM post
- net_version - Polygon zkEVM post
- eth_getBlockByNumber - Polygon zkEVM post
- web3_clientVersion - Polygon zkEVM post
- eth_getBlockTransactionCountByHash - Polygon zkEVM post
- eth_getBlockTransactionCountByNumber - Polygon zkEVM post
- zkevm_batchNumber - Polygon zkEVM post
- eth_getCode - Polygon zkEVM post
- eth_getFilterChanges - Polygon zkEVM post
- eth_getFilterLogs - Polygon zkEVM post
- zkevm_getBatchByNumber - Polygon zkEVM post
- eth_getLogs - Polygon zkEVM post
- zkevm_getBroadcastURI - Polygon zkEVM post
- eth_getStorageAt - Polygon zkEVM post
- zkevm_isBlockConsolidated - Polygon zkEVM post
- eth_getTransactionByBlockHashAndIndex - Polygon zkEVM post
- zkevm_isBlockVirtualized - Polygon zkEVM post
- eth_getTransactionByBlockNumberAndIndex - Polygon zkEVM post
- zkevm_verifiedBatchNumber - Polygon zkEVM post
- eth_getTransactionByHash - Polygon zkEVM post
- zkevm_virtualBatchNumber - Polygon zkEVM post
- eth_getCompilers - Polygon zkEVM post
- eth_getUncleByBlockHashAndIndex - Polygon zkEVM post
- eth_getUncleByBlockNumberAndIndex - Polygon zkEVM post

- eth_getUncleCountByBlockHash - Polygon zkEVM post
- eth_getUncleCountByBlockNumber - Polygon zkEVM post
- eth_protocolVersion - Polygon zkEVM post
- eth_blockNumber - Polygon zkEVM post
- eth_getTransactionReceipt - Polygon zkEVM post
- zkevm_batchNumberByBlockNumber - Polygon zkEVM post
- zkevm_consolidatedBlockNumber - Polygon zkEVM post
- zkevm_estimateFee API - Polygon zkEVM post
- zkevm_estimateGasPrice API - Polygon zkEVM post

Arbitrum

- Arbitrum API Quickstart
  - Arbitrum SDK Examples
- Arbitrum API FAQ
  - Arbitrum vs. Ethereum API Differences
- Arbitrum API Endpoints
  - eth_call - Arbitrum post
  - eth_estimateGas - Arbitrum post
  - eth_accounts - Arbitrum post
  - eth_blockNumber - Arbitrum post
  - eth_chainId - Arbitrum post
  - eth_gasPrice - Arbitrum post
  - eth_getBalance - Arbitrum post
  - eth_getBlockTransactionCountByHash - Arbitrum post
  - eth_getBlockTransactionCountByNumber - Arbitrum post
  - eth_getCode - Arbitrum post
  - eth_getFilterChanges - Arbitrum post
  - eth_getFilterLogs - Arbitrum post
  - eth_getLogs - Arbitrum post
  - eth_getStorageAt - Arbitrum post
  - eth_getTransactionByBlockHashAndIndex - Arbitrum post
  - eth_getTransactionCount - Arbitrum post
  - eth_getUncleByBlockNumberAndIndex - Arbitrum post
  - eth_getUncleCountByBlockHash - Arbitrum post
  - eth_getUncleCountByBlockNumber - Arbitrum post
  - eth_newBlockFilter - Arbitrum post

- eth_newFilter - Arbitrum post
- eth_newPendingTransactionFilter - Arbitrum post
- eth_uninstallFilter - Arbitrum post
- net_listening - Arbitrum post
- net_version - Arbitrum post
- web3_clientVersion - Arbitrum post
- web3_sha3 - Arbitrum post
- eth_sendRawTransaction - Arbitrum post
- eth_createAccessList - Arbitrum post
- eth_maxPriorityFeePerGas - Arbitrum post
- eth_feeHistory - Arbitrum post
- eth_getBlockByHash - Arbitrum post
- eth_getBlockByNumber - Arbitrum post
- eth_getTransactionByBlockNumberAndIndex - Arbitrum post
- eth_getTransactionByHash - Arbitrum post
- eth_getProof - Arbitrum post
- eth_getTransactionReceipt - Arbitrum post
- eth_getUncleByBlockHashAndIndex - Arbitrum post
- eth_subscribe
- eth_unsubscribe

Optimism

- Optimism API Quickstart
- Optimism SDK Examples
- Optimism API FAQ
- Optimism Error Codes
- Optimism API Endpoints
- eth_call - Optimism post
- eth_estimateGas - Optimism post
- eth_accounts - Optimism post
- eth_blockNumber - Optimism post
- eth_chainId - Optimism post
- eth_gasPrice - Optimism post
- eth_getBalance - Optimism post
- eth_getBlockTransactionCountByHash - Optimism post
- eth_getBlockTransactionCountByNumber - Optimism post

- eth_getCode - Optimism post
- eth_getFilterChanges - Optimism post
- eth_getFilterLogs - Optimism post
- eth_getLogs - Optimism post
- eth_getStorageAt - Optimism post
- eth_getTransactionByBlockHashAndIndex - Optimism post
- eth_getTransactionByBlockNumberAndIndex - Optimism post
- eth_getTransactionByHash - Optimism post
- eth_getTransactionCount - Optimism post
- eth_getTransactionReceipt - Optimism post
- eth_getUncleByBlockHashAndIndex - Optimism post
- eth_getUncleByBlockNumberAndIndex - Optimism post
- eth_getUncleCountByBlockHash - Optimism post
- eth_getUncleCountByBlockNumber - Optimism post
- eth_newBlockFilter - Optimism post
- eth_newFilter - Optimism post
- eth_newPendingTransactionFilter - Optimism post
- eth_protocolVersion - Optimism post
- eth_sendRawTransaction - Optimism post
- eth_syncing - Optimism post
- eth_uninstallFilter - Optimism post
- net_listening - Optimism post
- net_version - Optimism post
- web3_clientVersion - Optimism post
- web3_sha3 - Optimism post
- eth_getBlockByHash - Optimism post
- eth_getBlockByNumber - Optimism post
- eth_getProof - Optimism post
- eth_subscribe
- eth_unsubscribe

Base

- Base API Quickstart
- Base API FAQ
- Base API Endpoints
- eth_accounts - Base post

- eth_blockNumber - Base post
- eth_call - Base post
- eth_chainId - Base post
- eth_estimateGas - Base post
- eth_feeHistory - Base post
- eth_gasPrice - Base post
- eth_getBalance - Base post
- eth_getBlockByHash - Base post
- eth_getBlockByNumber - Base post
- eth_getBlockTransactionCountByHash - Base post
- eth_getBlockTransactionCountByNumber - Base post
- eth_getCode - Base post
- eth_getFilterChanges - Base post
- eth_getFilterLogs - Base post
- eth_getLogs - Base post
- eth_getProof - Base post
- eth_getStorageAt - Base post
- eth_getTransactionByBlockHashAndIndex - Base post
- eth_getTransactionByBlockNumberAndIndex - Base post
- eth_getTransactionByHash - Base post
- eth_getTransactionCount - Base post
- eth_getTransactionReceipt - Base post
- eth_getUncleByBlockHashAndIndex - Base post
- eth_getUncleByBlockNumberAndIndex - Base post
- eth_getUncleCountByBlockHash - Base post
- eth_getUncleCountByBlockNumber - Base post
- eth_maxPriorityFeePerGas - Base post
- eth_newBlockFilter - Base post
- eth_newFilter - Base post
- eth_newPendingTransactionFilter - Base post
- eth_protocolVersion - Base post
- eth_sendRawTransaction - Base post
- eth_syncing - Base post
- eth_uninstallFilter - Base post

- net_listening - Base post
- web3_sha3 - Base post

❇ Solana

- Solana API Quickstart
- Solana API FAQ
- Solana API Endpoints
- getAccountInfo post
- simulateTransaction post
- getBalance post
- getBlock post
- getBlockCommitment post
- getBlockProduction post
- getBlocks post
- getBlocksWithLimit post
- getBlockTime post
- getClusterNodes post
- getEpochInfo post
- getEpochSchedule post
- getFeeForMessage post
- getFirstAvailableBlock post
- getGenesisHash post
- getHealth post
- getHighestSnapshotSlot post
- getIdentity post
- getInflationGovernor post
- getInflationRate post
- getInflationReward post
- getLargestAccounts post
- getMaxRetransmitSlot post
- getMaxShredInsertSlot post
- getMinimumBalanceForRentExemption post
- getMultipleAccounts post
- getProgramAccounts post
- getRecentPerformanceSamples post
- getSignaturesForAddress post

- getSignatureStatuses post
- getSlot post
- getSlotLeader post
- getSlotLeaders post
- getSupply post
- getTokenAccountBalance post
- getTokenAccountsByOwner post
- getTokenSupply post
- getTransaction post
- getVersion post
- getVoteAccounts post
- isBlockhashValid post
- minimumLedgerSlot post
- sendTransaction post
- requestAirdrop post
- getBlockHeight post
- getRecentBlockhash post

Astar

- Astar API Quickstart
- Astar API FAQ
- Astar API Endpoints
- eth_accounts - Astar post
- eth_getTransactionReceipt - Astar post
- eth_maxPriorityFeePerGas - Astar post
- eth_blockNumber - Astar post
- eth_call - Astar post
- eth_chainId - Astar post
- eth_gasPrice - Astar post
- eth_getBalance - Astar post
- eth_getBlockByHash - Astar post
- eth_getBlockByNumber - Astar post
- eth_getBlockTransactionCountByHash - Astar post
- eth_getBlockTransactionCountByNumber - Astar post
- eth_getCode - Astar post
- eth_getStorageAt - Astar post

- eth_getTransactionByBlockHashAndIndex - Astar post
- eth_getTransactionByBlockNumberAndIndex - Astar post
- eth_getTransactionByHash - Astar post
- eth_getTransactionCount - Astar post
- eth_getUncleByBlockNumberAndIndex - Astar post
- eth_sendRawTransaction - Astar post
- net_version - Astar post
- web3_clientVersion - Astar post
- web3_sha3 - Astar post
- eth_getLogs - Astar post
- eth_getFilterChanges - Astar post
- eth_getFilterLogs - Astar post
- eth_newFilter - Astar post
- eth_newPendingTransactionFilter - Astar post
- eth_uninstallFilter - Astar post
- eth_newBlockFilter - Astar post
- eth_estimateGas - Astar post
- eth_subscribe
- eth_unsubscribe

STARKNET

- Starknet API Quickstart
- Starknet API FAQ
- Starknet API Endpoints
- starknet_addDeclareTransaction post
- starknet_getClassAt post
- starknet_addDeployAccountTransaction post
- starknet_getClassHashAt post
- starknet_addInvokeTransaction post
- starknet_getEvents post
- starknet_blockHashAndNumber post
- starknet_getNonce post
- starknet_blockNumber post
- starknet_getStateUpdate post
- starknet_call post
- starknet_getStorageAt post

- starknet_chainId post
- starknet_getTransactionByBlockIdAndIndex post
- starknet_estimateFee post
- starknet_getTransactionByHash post
- starknet_getBlockTransactionCount post
- starknet_getTransactionReceipt post
- starknet_getBlockWithTxHashes post
- starknet_pendingTransactions post
- starknet_getBlockWithTxs post
- starknet_syncing post
- starknet_getClass post
- starknet_estimateMessageFee post

Delete webhook

delete https://dashboard.alchemy.com/api/delete-webhook Allows you to delete a webhook.

Query Params webhook_id string required ID of the address activity webhook. Headers X-Alchemy-Token string required Alchemy Auth token to use the Notify API.

Response

200

Returns empty object.

Response body object View Additional Properties

Updated 5 months ago

Update NFT metadata webhook filters Webhook Types Did this page help you?Yes No