#### Introduction

- Alchemy API Reference Overview
  - Chain APIs Overview
- Enhanced APIs Overview
   Alchemy Quickstart Guide

# Resources

- FAQ
  - Feature Support By Chain

  - Batch Requests

  - Error Reference
- Compute Units
  - Pricing Plans
  - Compute Unit Costs

#### **NFT API**

- NFT API Quickstart
- NFT API Endpoints Overview NFT API FAQ
- Ownership & Token Gating
  - getNFTsForOwner get
  - getOwnersForNFT get
  - getOwnersForContract get
  - isHolderOfContract get
  - getContractsForOwner get
- getCollectionsForOwner get
   NFT Metadata Access
- - getNFTMetadata get
  - getNFTMetadataBatch post
  - getContractMetadata get
  - getCollectionMetadata get
  - invalidateContract get
  - getContractMetadataBatch post
- getNFTsForContract get
- getNFTsForCollection get
- searchContractMetadata get
- refreshNftMetadata post Spam Detection

- getSpamContracts get
- isSpamContract get
- isAirdropNFT get
- reportSpam get
   Rarity Data
  - summarizeNFTAttributes get
- computeRarity get
   Sales & Marketplace Data

- getNFTSales get
   NFT API V2 to V3 Migration Guide
- NFT API V2 vs. V3 Endpoint Differences
   NFT API V2 Methods (Older Version)
  - getNFTs get
  - getNFTMetadata get
  - getNFTMetadataBatch post
  - getContractMetadata get
  - getContractMetadataBatch post
  - getNFTsForCollection get
- getOwnersForToken get
- getOwnersForCollection get
- getSpamContracts get

- isSpamContract get • isAirdrop get · invalidateContract get • getFloorPrice get · computeRarity get • searchContractMetadata get • summarizeNFTAttributes get • isHolderOfCollection get getNFTSales get • getContractsForOwner get
  - Transfers API (Tx History)
- Transfers API Quickstart
   Transfers API Endpoints

· reportSpam get

alchemy\_getAssetTransfers post

# **Transaction Receipts API**

- Transaction Receipts Endpoints
  - alchemy\_getTransactionReceipts post

## **Token API**

- Token API Quickstart
   Token API Endpoints
  - alchemy getTokenBalances post
  - alchemy\_getTokenMetadata post
  - alchemy\_getTokenAllowance post

#### **Subgraphs**

- Subgraphs Quickstart Supported Subgraph Chains Developing a Subgraph
  - Graph CLI
  - Creating a Subgraph
  - Project Structure
  - Data Sources
- Writing Mappings
   Moving your Subgraph to Production
  - Deploying a Subgraph
  - Subgraph Versioning
  - Querying a Subgraph
  - Deleting a Subgraph
- Direct Database Access Community subgraphs

### Webhooks

- Notify API Quickstart
  - Notify Tutorials and Applications
- Notify API FAQ
   Custom Webhooks Quickstart
- - Custom Webhooks FAQ
  - Custom Webhooks GraphQL Examples
- Custom Webhook Filters
- Custom Webhook Variables
   Custom Webhook API Methods
- Read Variable Elements get
  - Create a Variable post
  - Delete a Variable delete
- Update a Variable patch
- Notify API Methods
  - · Get all webhooks get
  - Get all addresses for an Address Activity webhook get
  - Create webhook post

· Add and remove webhook addresses patch · Replace webhook addresses put · Update webhook status put • Update webhook NFT filters patch • Update NFT metadata webhook filters patch • Get all webhook NFT filters get • Delete webhook delete Webhook Types Custom Webhook • Address Activity Webhook Mined Transaction Webhook Dropped Transaction Webhook NFT Activity Webhook NFT Metadata Updates Webhook Websockets Subscription API Quickstart
 Best Practices for Using WebSockets in Web3
 Subscription API Endpoints • alchemy\_minedTransactions • alchemy\_pendingTransactions • newPendingTransactions • newHeads • <u>logs</u> Trace API Trace API Quickstart
 Trace API Endpoints trace\_block post trace call post trace get post • trace\_rawTransaction post trace\_replayBlockTransactions post trace\_replayTransaction post trace\_transaction post trace\_filter post
 Trace API Resources • What are EVM Traces? • Trace API vs. Debug API · What is trace transaction? • What is trace block? What is trace\_filter?

### **Debug API**

• trace\_call vs debug\_traceCall

- Debug API Quickstart
  Debug API Endpoints
  - debug\_traceCall post
  - debug\_traceTransaction post
  - debug\_traceBlockByNumber post

  - debug\_traceBlockByHash post

### **ACCOUNT ABSTRACTION**

- Bundler API Quickstart
   Bundler API Endpoints
  - eth\_getUserOperationReceipt post
  - eth\_supportedEntryPoints post
  - eth\_getUserOperationByHash post
  - eth sendUserOperation post
  - rundler\_maxPriorityFeePerGas post
- eth\_estimateUserOperationGas post
   Bundler API Fee Logic

- Factory Addresses
- Gas Manager Coverage API Quickstart
  Gas Manager Coverage API Endpoints
  - alchemy\_requestPaymasterAndData post
- alchemy requestGasAndPaymasterAndData post
- Gas Manager Coverage API Fee Logic
- Gas Manager Deployment Addresses
  UserOperation Simulation Endpoints
- alchemy\_simulateUserOperationAssetChanges post
- AA-SDK
   Account Abstraction FAQ

#### **Embedded Accounts**

- Accounts API Endpoints
  - Create Account post
  - Send Auth Email post
  - Authenticate User post

  - Sign Message post
  - Register New Authenticator post

### Gas Manager Admin API

- Gas Manager Admin API Quickstart
  Gas Manager Admin API Endpoints
- - Create Policy post
  - Get Policy get
  - Delete Policy delete
  - Replace Policy put
  - · Get All Policies get
- · Update Policy Status put
- Get Policy Stats get
- Get Sponsorships get

### **Alchemy Transact**

- Transact Quickstart
- Reinforced Transactions
  Transaction Simulation
- - Asset Changes
- Execution Simulation
- Bundle Simulation
- Transaction Simulation Examples
- Transaction Simulation FAQs
   Transaction Simulation Endpoints
- - alchemy simulateAssetChanges post
  - alchemy simulateAssetChangesBundle post
  - alchemy\_simulateExecution post
- <u>alchemy simulateExecutionBundle post</u>
   <u>Gas Optimized Transactions</u>
- - alchemy\_getGasOptimizedTransactionStatus\_post
- alchemy\_sendGasOptimizedTransaction post
- Private Transactions
  - eth\_cancelPrivateTransaction post
  - eth\_sendPrivateTransaction post

#### **Alchemy SDK**

- Alchemy SDK Quickstart
  - · How to use Alchemy SDK with Typescript
  - Examples Using the Alchemy SDK
- How to Manage a Multichain Project Using Alchemy SDK Alchemy SDK Surface Overview
- - Alchemy SDK vs. Raw API Methods
- SDK Core Methods
  - call SDK
  - send SDK
  - estimateGas SDK
  - findContractDeployer SDK

- getBalance SDK
- getBlock SDK
- getBlockNumber SDK
- getBlockWithTransactions SDK
- getCode SDK
- getFeeData SDK
- getGasPrice SDK
- getLogs SDK
- getStorageAt SDK
- getTokenBalances SDK
- getTokenMetadata SDK
- getTokensForOwner SDK
- getTransactionCount SDK
- getTransactionReceipt SDK
- getTransactionReceipts SDK
- isContractAddress SDK
- getAssetTransfers SDK SDK NFT Methods

- getNftsForOwner SDK
- getNftMetadata -SDK
- getNftMetadataBatch SDK
- refreshNftMetadata SDK
- getNftSales SDK
- searchContractMetadata SDK
- summarizeNftAttributes SDK
- getNftsForOwnerIterator SDK
- getNftsForContractIterator SDK
- getContractMetadata SDK
- getNftsForContract -SDK
- getTransfersForOwner SDK
- getTransfersForContract SDK
- getMintedNfts SDK
- getOwnersForNft SDK
- getOwnersForContract SDK
- getSpamContracts -SDK
- isSpamContract SDK
- refreshContract SDK
- getContractsForOwner SDK
- getFloorPrice SDK
- computeRarity SDK
- <u>verifyNftOwnership SDK</u> <u>SDK Transact Methods</u>

- getTransaction SDK
- sendTransaction SDK
- sendPrivateTransaction SDK
- cancelPrivateTransaction SDK
- · waitForTransaction SDK
- estimateGas SDK
- getMaxPriorityFeePerGas SDK
- simulateAssetChanges SDK
- simulateAssetChangesBundle SDK
- simulateExecution SDK
- simulateExecutionBundle SDK SDK Debug Methods

- traceCall SDK
- traceTransaction SDK

# • traceBlock - SDK • SDK Notify Methods • getAllWebhooks - SDK • getAddresses - SDK • getNftFilters - SDK • createWebhook - SDK • updateWebhook - SDK • deleteWebhook - SDK SDK WebSockets Endpoints SDK Ethers Utils arrayify • formatUnits · concat • hexConcat dnsEncode • <u>hexDataLength</u> • formatEther • <u>hexDataSlice</u> • hexStripZeros • hashMessage • isHexString • isValidName • joinSignature • splitSignature • toUtf8Bytes • <u>hexValue</u> • toUtf8String <u>hexZeroPad</u> zeroPad hexlify • isBytes • isBytesLike • Interface namehash • parseEther parseUnits • stripZeros Alchemy SDK V2 to V3 Migration Guide Alchemy SDK V2 vs. V3 Method Differences SDK V2 Methods call - SDK • getAssetTransfers - SDK • getMintedNfts - SDK • verifyNftOwnership - SDK • getOwnersForNft - SDK • computeRarity - SDK • getTransfersForContract - SDK • getNftsForOwner - SDK • refreshContract - SDK • getOwnersForContract - SDK • getFloorPrice - SDK • isSpamContract - SDK • findContractDeployer -SDK getSpamContracts - SDK getGasPrice - SDK • getBalance - SDK • getBlock -SDK

• getBlockWithTransactions - SDK • estimateGas - SDK • getBlockNumber - SDK • getCode - SDK • getFeeData - SDK • getLogs - SDK • getNftMetadataBatch - SDK • getTokensForOwner - SDK • getStorageAt - SDK • getTokenBalances - SDK • getTransactionCount - SDK • getTokenMetadata - SDK • getTransactionReceipt - SDK • send - SDK • getTransactionReceipts - SDK • getTransaction - SDK • isContractAddress - SDK • getNftMetadata - SDK • getNftSales - SDK • cancelPrivateTransaction - SDK • sendPrivateTransaction - SDK • traceTransaction - SDK • simulateExecutionBundle - SDK • simulateExecution - SDK • getMaxPriorityFeePerGas - SDK • simulateAssetChangesBundle - SDK • estimateGas - SDK • simulateAssetChanges - SDK • traceBlock - SDK • waitForTransaction - SDK • traceCall - SDK • sendTransaction - SDK • updateWebhook - SDK • refreshNftMetadata -SDK • createWebhook - SDK • getNftFilters - SDK • getAddresses - SDK • summarizeNftAttributes - SDK deleteWebhook - SDK • searchContractMetadata - SDK • getAllWebhooks - SDK • getNftsForOwnerIterator - SDK • getNftsForContractIterator -SDK • getContractMetadata - SDK • getTransfersForOwner - SDK • getNftsForContract - SDK **Ethereum** Ethereum API Quickstart Ethereum API FAQ • Ethereum Developer Guide to the Merge • How to decode an eth\_call response

- How do I distinguish between a contract address and a wallet address?
   Ethereum API Endpoints
- eth\_blockNumber Ethereum post
- eth\_getBalance Ethereum post

- eth\_getLogs Ethereum post
- · eth chainld Ethereum post
- eth\_getBlockByNumber Ethereum post
- · eth accounts Ethereum post
- eth\_feeHistory Ethereum post
- eth\_estimateGas Ethereum post
- eth\_gasPrice Ethereum post
- eth\_getBlockTransactionCountByHash Ethereum post
- eth\_getBlockReceipts Ethereum post
- eth\_getBlockTransactionCountByNumber Ethereum post
- eth\_getCode Ethereum post
- eth\_getProof Ethereum post
- eth\_getStorageAt Ethereum post
- eth\_getTransactionByBlockHashAndIndex Ethereum post
- eth\_getTransactionByHash Ethereum post
- eth\_getTransactionCount Ethereum post
- eth\_getTransactionReceipt Ethereum post
- eth\_getUncleByBlockHashAndIndex Ethereum post
- eth\_getUncleByBlockNumberAndIndex Ethereum post
- eth\_getUncleCountByBlockHash Ethereum post
- eth\_getUncleCountByBlockNumber Ethereum post
- eth\_maxPriorityFeePerGas Ethereum post
- eth\_protocolVersion Ethereum post
- eth\_sendRawTransaction Ethereum post
- net\_listening Ethereum post
- o net\_version Ethereum post
- web3\_clientVersion Ethereum post
- web3\_sha3 Ethereum post
- eth\_getTransactionByBlockNumberAndIndex Ethereum post
- · eth call Ethereum post
- eth\_getBlockByHash Ethereum post
- eth createAccessList Ethereum post
- eth\_newFilter Ethereum post
- eth\_getFilterChanges Ethereum post
- eth\_getFilterLogs Ethereum post
- eth\_newBlockFilter Ethereum post
- eth\_newPendingTransactionFilter Ethereum post
- eth uninstallFilter Ethereum post
- eth\_subscribe
- eth\_unsubscribe

#### **Polygon PoS**

- Polygon PoS API Quickstart
- Polygon SDK Examples
   Polygon PoS API FAQ
   Polygon PoS API Endpoints
- bor\_getAuthor Polygon PoS post
  - bor\_getCurrentProposer Polygon PoS post
  - bor\_getCurrentValidators Polygon PoS post
  - bor\_getRootHash Polygon PoS post
- eth accounts Polygon PoS post
- eth call Polygon PoS post
- · eth chainld Polygon PoS post
- eth\_estimateGas Polygon PoS post
- · eth gasPrice Polygon PoS post
- eth\_getBalance Polygon PoS post
- eth\_getBlockByHash Polygon PoS post

- eth\_getBlockByNumber Polygon PoS post
- eth\_getBlockTransactionCountByHash Polygon PoS post
- eth\_getBlockTransactionCountByNumber Polygon PoS post
- eth\_getCode Polygon PoS post
- eth\_getFilterChanges Polygon PoS post
- eth\_getFilterLogs Polygon PoS post
- · eth\_getLogs Polygon PoS post
- eth\_getRootHash Polygon PoS post
- eth\_getSignersAtHash Polygon PoS post
- eth getStorageAt Polygon PoS post
- eth\_getTransactionByBlockHashAndIndex Polygon PoS post
- eth\_getTransactionByBlockNumberAndIndex Polygon PoS post
- eth\_getTransactionByHash Polygon PoS post
- eth\_getTransactionCount Polygon PoS post
- eth\_getTransactionReceipt Polygon PoS post
- eth\_getTransactionReceiptsByBlock Polygon PoS post
- eth\_sendRawTransaction Polygon PoS post
- eth\_uninstallFilter Polygon PoS post
- net\_listening Polygon PoS post
- eth\_getUncleCountByBlockHash Polygon PoS post
- eth\_getUncleCountByBlockNumber Polygon PoS post
- eth\_newBlockFilter Polygon PoS post
- · eth newFilter Polygon PoS post
- eth\_newPendingTransactionFilter Polygon PoS post
- web3 clientVersion Polygon PoS post
- · eth createAccessList Polygon PoS post
- eth\_blockNumber Polygon PoS post
- bor\_getSignersAtHash Polygon PoS post
- net\_version Polygon PoS post
- eth\_getProof Polygon PoS post
- eth\_getUncleByBlockNumberAndIndex Polygon PoS post
- eth\_subscribe Polygon PoS
- eth\_unsubscribe Polygon PoS

#### Polygon zkEVM

- Polygon zkEVM API Quickstart Polygon zkEVM API FAQ
  - What is the difference between Polygon zkEVM and Ethereum?
- What is the difference between Polygon zkEVM and Polygon PoS? Polygon zkEVM Endpoints
- - eth\_getTransactionCount Polygon zkEVM post
  - eth\_call Polygon zkEVM post
  - o eth chainld Polygon zkEVM post
  - eth\_newBlockFilter Polygon zkEVM post
  - eth\_estimateGas Polygon zkEVM post
  - eth\_newFilter Polygon zkEVM post
  - · eth\_gasPrice Polygon zkEVM post
  - · eth\_sendRawTransaction Polygon zkEVM post
  - eth\_getBalance Polygon zkEVM post
  - eth\_uninstallFilter Polygon zkEVM post
  - eth\_getBlockByHash Polygon zkEVM post
  - net\_version Polygon zkEVM post
  - eth\_getBlockByNumber Polygon zkEVM post
  - web3\_clientVersion Polygon zkEVM post
  - eth\_getBlockTransactionCountByHash Polygon zkEVM post
  - eth\_getBlockTransactionCountByNumber Polygon zkEVM post

- zkevm\_batchNumber Polygon zkEVM post
- eth\_getCode Polygon zkEVM post
- eth\_getFilterChanges Polygon zkEVM post
- eth\_getFilterLogs Polygon zkEVM post
- zkevm\_getBatchByNumber Polygon zkEVM post
- eth\_getLogs Polygon zkEVM post
- zkevm\_getBroadcastURI Polygon zkEVM post
- eth\_getStorageAt Polygon zkEVM post
- <u>zkevm\_isBlockConsolidated Polygon zkEVM post</u>
- eth\_getTransactionByBlockHashAndIndex Polygon zkEVM post
- zkevm\_isBlockVirtualized Polygon zkEVM post
- eth\_getTransactionByBlockNumberAndIndex Polygon zkEVM post
- zkevm\_verifiedBatchNumber Polygon zkEVM post
- eth\_getTransactionByHash Polygon zkEVM post
- zkevm\_virtualBatchNumber Polygon zkEVM post
- eth getCompilers Polygon zkEVM post
- eth getUncleByBlockHashAndIndex Polygon zkEVM post
- eth getUncleByBlockNumberAndIndex Polygon zkEVM post
- eth\_getUncleCountByBlockHash Polygon zkEVM post
- eth\_getUncleCountByBlockNumber Polygon zkEVM post
- eth\_protocolVersion Polygon zkEVM post
- eth\_blockNumber Polygon zkEVM post
- eth\_getTransactionReceipt Polygon zkEVM post
- zkevm\_batchNumberByBlockNumber Polygon zkEVM post
- zkevm\_consolidatedBlockNumber Polygon zkEVM post
- zkevm\_estimateFee API Polygon zkEVM post
- zkevm\_estimateGasPrice API Polygon zkEVM post

#### **Arbitrum**

- Arbitrum API Quickstart
- Arbitrum SDK Examples
   Arbitrum API FAQ
- Arbitrum vs. Ethereum API Differences
   Arbitrum API Endpoints
- - eth\_call Arbitrum post
  - eth\_estimateGas Arbitrum post
  - eth\_accounts Arbitrum post
  - eth\_blockNumber Arbitrum post
  - eth\_chainId Arbitrum post
  - eth gasPrice Arbitrum post
  - eth getBalance Arbitrum post
  - eth\_getBlockTransactionCountByHash Arbitrum post
  - eth\_getBlockTransactionCountByNumber Arbitrum post
  - eth\_getCode Arbitrum post
- · eth\_getFilterChanges Arbitrum post
- eth\_getFilterLogs Arbitrum post
- eth\_getLogs Arbitrum post
- eth\_getStorageAt Arbitrum post
- eth\_getTransactionByBlockHashAndIndex Arbitrum post
- eth\_getTransactionCount Arbitrum post
- eth\_getUncleByBlockNumberAndIndex Arbitrum post
- eth\_getUncleCountByBlockHash Arbitrum post
- eth\_getUncleCountByBlockNumber Arbitrum post
- · eth newBlockFilter Arbitrum post
- · eth newFilter Arbitrum post
- eth\_newPendingTransactionFilter Arbitrum post
- · eth uninstallFilter Arbitrum post

- net\_listening Arbitrum post
- net\_version Arbitrum post
- web3\_clientVersion Arbitrum post
- web3\_sha3 Arbitrum post
- eth\_sendRawTransaction Arbitrum post
- eth\_createAccessList Arbitrum post
- eth\_maxPriorityFeePerGas Arbitrum post
- eth\_feeHistory Arbitrum post
- eth getBlockByHash Arbitrum post
- eth\_getBlockByNumber Arbitrum post
- eth\_getTransactionByBlockNumberAndIndex Arbitrum post
- eth\_getTransactionByHash Arbitrum post
- eth\_getProof Arbitrum post
- eth\_getTransactionReceipt Arbitrum post
- eth\_getUncleByBlockHashAndIndex Arbitrum post
- · eth subscribe
- eth\_unsubscribe

## **Optimism**

- Optimism API Quickstart
  - Optimism SDK Examples
     ABLEAC
- Optimism API FAQ
- Optimism Error Codes
- Optimism API Endpoints
  - eth\_call Optimism post
  - eth\_estimateGas Optimism post
  - eth\_accounts Optimism post
  - eth\_blockNumber Optimism post
  - eth\_chainId Optimism post
  - eth\_gasPrice Optimism post
  - eth\_getBalance Optimism post
  - eth\_getBlockTransactionCountByHash Optimism post
- eth\_getBlockTransactionCountByNumber Optimism post
- eth\_getCode Optimism post
- eth getFilterChanges Optimism post
- eth\_getFilterLogs Optimism post
- eth\_getLogs Optimism post
- eth\_getStorageAt Optimism post
- eth\_getTransactionByBlockHashAndIndex Optimism post
- eth\_getTransactionByBlockNumberAndIndex Optimism post
- eth\_getTransactionByHash Optimism post
- eth\_getTransactionCount Optimism post
- eth\_getTransactionReceipt Optimism post
- eth\_getUncleByBlockHashAndIndex Optimism post
- eth\_getUncleByBlockNumberAndIndex Optimism post
- eth\_getUncleCountByBlockHash Optimism post
- eth\_getUncleCountByBlockNumber Optimism post
- eth\_newBlockFilter Optimism post
- eth\_newFilter Optimism post
- eth\_newPendingTransactionFilter Optimism post
- eth\_protocolVersion Optimism post
- eth\_sendRawTransaction Optimism post
- eth\_syncing Optimism post
- eth\_uninstallFilter Optimism post
- net\_listening Optimism post
- net\_version Optimism post

- web3\_clientVersion Optimism post
- web3 sha3 Optimism post
- eth\_getBlockByHash Optimism post
- eth\_getBlockByNumber Optimism post
- eth getProof Optimism post
- · eth subscribe
- eth\_unsubscribe

#### Base

- Base API Quickstart
- Base API FAQ
  Base API Endpoints
  - eth\_accounts Base post
  - eth\_blockNumber Base post
  - eth\_call Base post
  - · eth chainld Base post
  - eth estimateGas Base post
  - · eth feeHistory Base post
  - eth\_gasPrice Base post
  - eth\_getBalance Base post
  - eth\_getBlockByHash Base post
  - eth\_getBlockByNumber Base post
  - eth\_getBlockTransactionCountByHash Base post
  - eth\_getBlockTransactionCountByNumber Base post
  - eth\_getCode Base post
  - eth\_getFilterChanges Base post
  - eth getFilterLogs Base post
  - eth getLogs Base post
  - eth\_getProof Base post
  - eth\_getStorageAt Base post
  - eth\_getTransactionByBlockHashAndIndex Base post
  - eth\_getTransactionByBlockNumberAndIndex Base post
  - eth\_getTransactionByHash Base post
  - eth\_getTransactionCount Base post
  - eth\_getTransactionReceipt Base post
  - eth\_getUncleByBlockHashAndIndex Base post
  - eth\_getUncleByBlockNumberAndIndex Base post
  - eth\_getUncleCountByBlockHash Base post
  - eth\_getUncleCountByBlockNumber Base post • eth\_maxPriorityFeePerGas - Base post
  - eth newBlockFilter Base post

  - · eth newFilter Base post
  - eth newPendingTransactionFilter Base post
  - eth\_protocolVersion Base post
  - eth\_sendRawTransaction Base post
  - eth\_syncing Base post
  - eth\_uninstallFilter Base post
  - net\_listening Base post
    - web3\_sha3 Base post

### \* Solana

- Solana API Quickstart
- Solana API FAQ
  Solana API Endpoints
  - getAccountInfo post
  - · simulateTransaction post
  - getBalance post
  - getBlock post
    - getBlockCommitment post

- getBlockProduction post
- getBlocks post
- getBlocksWithLimit post
- getBlockTime post
- getClusterNodes post
- getEpochInfo post
- getEpochSchedule post
- getFeeForMessage post
- getFirstAvailableBlock post
- getGenesisHash post
- getHealth post
- getHighestSnapshotSlot post
- getIdentity post
- getInflationGovernor post
- getInflationRate post
- getInflationReward post
- getLargestAccounts post
- getMaxRetransmitSlot post
- getMaxShredInsertSlot post
- getMinimumBalanceForRentExemption post
- getMultipleAccounts post
- getProgramAccounts post
- getRecentPerformanceSamples post
- getSignaturesForAddress post
- getSignatureStatuses post
- getSlot post
- getSlotLeader post
- getSlotLeaders post
- getSupply post
- getTokenAccountBalance post
- getTokenAccountsByOwner post
- getTokenSupply post
- getTransaction post
- getVersion post
- getVoteAccounts post
- isBlockhashValid post
- minimumLedgerSlot post
- sendTransaction post
- requestAirdrop post
- getBlockHeight post
- getRecentBlockhash post

#### Astar

- Astar API QuickstartAstar API FAQAstar API Endpoints
  - eth\_accounts Astar post
    - eth\_getTransactionReceipt Astar post
    - eth\_maxPriorityFeePerGas Astar post
    - eth\_blockNumber Astar post
    - eth\_call Astar post
    - eth\_chainId Astar post
    - eth\_gasPrice Astar post
    - eth\_getBalance Astar post
    - eth\_getBlockByHash Astar post
    - eth\_getBlockByNumber Astar post

- eth\_getBlockTransactionCountByHash Astar post
- eth\_getBlockTransactionCountByNumber Astar post
- eth getCode Astar post
- eth\_getStorageAt Astar post
- eth\_getTransactionByBlockHashAndIndex Astar post
- eth\_getTransactionByBlockNumberAndIndex Astar post
- eth\_getTransactionByHash Astar post
- eth\_getTransactionCount Astar post
- eth\_getUncleByBlockNumberAndIndex Astar post
- eth\_sendRawTransaction Astar post
- net\_version Astar post
- web3\_clientVersion Astar post
- web3\_sha3 Astar post
- eth\_getLogs Astar post
- eth getFilterChanges Astar post
- eth\_getFilterLogs Astar post
- eth newFilter Astar post
- eth\_newPendingTransactionFilter Astar post
- eth uninstallFilter Astar post
- eth\_newBlockFilter Astar post
- eth\_estimateGas Astar post
- eth\_subscribe
- eth\_unsubscribe

#### **STARKNET**

- Starknet API Quickstart
- Starknet API FAQ
- Starknet API Endpoints
  - starknet\_addDeclareTransaction post
  - starknet\_getClassAt post
  - starknet\_addDeployAccountTransaction post
  - starknet\_getClassHashAt post
  - starknet\_addInvokeTransaction post
  - starknet\_getEvents post
  - starknet\_blockHashAndNumber post
  - starknet\_getNonce post
  - starknet\_blockNumber post
  - starknet\_getStateUpdate post
  - starknet\_call post
  - starknet\_getStorageAt post
  - starknet\_chainId post
  - starknet getTransactionByBlockIdAndIndex post
  - starknet\_estimateFee post
  - starknet getTransactionByHash post
- starknet\_getBlockTransactionCount post
- starknet\_getTransactionReceipt post
- starknet\_getBlockWithTxHashes post
- starknet\_pendingTransactions post
- starknet\_getBlockWithTxs post
- starknet\_syncing post
- starknet\_getClass post
- starknet\_estimateMessageFee post

#### simulateTransaction

post https://{network}.g.alchemy.com/v2/{apiKey} Simulate sending a transaction.

#### **Parameters**

.

• Transaction, as an encoded string. The transaction must have a valid blockhash, but is not required to be signed.
(optional) Configuration object containing the following fields:
• sigVerify:
• - if true the transaction signatures will be verified (default: false, conflicts with
replaceRecentBlockhash
• )
• commitment:
• - (optional) Configures the commitment level of the blocks queried
Accepts one of the following strings: [
• "finalized"
• ,
• "confirmed"
•,
• "processed"]
For more info, refer to thisdoc
• .
• encoding:
(optional) Encoding used for the transaction data. Either
• "base58"
• (slow
• ,DEPRECATED
• ), or
• "base64"
• . (default:
• "base58"
• ).
replaceRecentBlockhash:     replaceRecentBlockhash:
• - (optional) if true the transaction recent blockhash will be replaced with the most recent blockhash. (default: false, conflicts with
。 ■ sigVerify
• )
• accounts:
<ul> <li>- (optional) Accounts configuration object containing the following fields:</li> </ul>
<ul><li>encoding:</li></ul>
• (optional)
• •
<ul> <li>data encoding for each returned transaction</li> </ul>
Accept on other following strings.
<ul> <li>Accepts one of the following strings:</li> </ul>
• [
• • "base64"
■ Dase04
(default),
• "base64+zstd"
• Dase04+25tu
• or
· • "jsonParsed"
- 30011 01000
• 1
■ "jsonParsed"
•
<ul> <li>encoding attempts to use program-specific parsers to make the</li> </ul>
<ul> <li>transaction.message.instructions</li> </ul>
<ul> <li>list more human-readable; if a parser cannot be found, the instruction falls back to default JSON.</li> </ul>

- addresses:
  - . An array of accounts to return
  - minContextSlot:
  - (optional) set the minimum slot that the request can be evaluated at.

#### Results

#### Tx Success

- · Error if transaction failed, null if transaction succeeded
- logs:
- Array of log messages the transaction instructions output during execution, null if simulation failed before the transaction was able to execute (for example due to an invalid blockhash or signature verification failure)
- accounts:
- | null> array of accounts with the same length as the
- accounts.addresse
- array in the request\*
- - if the account doesn't exist or if
- is not null
- - otherwise, a JSON object containing:\* lamports:

  - , number of lamports assigned to this account
  - owner:

  - , Pubkey of the program this account has been assigned to
  - data:
  - <[string, encoding]|object>, data associated with the account, either as encoded binary data or JSON format
  - {:}

  - . , depending on encoding parameter
  - executable

  - , boolean indicating if the account contains a program (and is strictly read-only)
  - rentEpoch:
  - - , the epoch at which this account will next owe rent
  - unitsConsumed
  - , The number of compute budget units consumed during the processing of this transaction.

#### Example

#### Request

"encoding": "base64", "commitment": "recent", "sigVerify": false, "accounts": {"acddresses": [ "9zyLN5CQwxWrEPit1sFy5DZ5xMqJfNQTLiqBVSfvPvWY", "GtFMtrW31RdCeSdW4ot3jNVuoLtFywJGGTiF1Q8Uopky", "pMintT25CEkHUlngrurPgoiMntoLgFwbsKdbqNrXsrdy", "3d8SpnZntmGKtvUmhuak7KSu6XT7AUMinuUDma5hmiBX", "9P68kbvW9KzPHsZTFq4yQrRVkYsf5CQFg9hVhyBZdpP2", "BB7pctPeVCQPjXMGdkDX9ADT995gXCVLyHJUygpJPN2x", "pSTAkE7Z2guBmSheg6tHdHk3rT1wmF1Mfuf52tnWeAd", "TokenkegQfeZyiNwAJbNbGKPFXCWuBvf9Ss623VQ5DA"]}}}], "id": "ea57afc0-7db8-4aa3-8ddb-a28c6099153c"}

#### Response

JavaScript {"jsonrpc": "2.0", "result": {"context": {"slot"::137569919}, "value": {"accounts": [null, null, null, null, null, null, null]., null null, null null]. [],"unitsConsumed":0}},"id":"ea57afc0-7db8-4aa3-8ddb-a28c6099153c"}

Path Params apiKey string required .custom-style { color: #048FF4; } For higher throughput, create your own API key Body Params id integer jsonrpc string method string params array params Option 1 Option 2 Option 1 Option 2

Response

### 200

Response body object id integer jsonrpc string result object context object context object value object | null value object | null

Updated 5 months ago

getAccountInfo getBalance Did this page help you?Yes No