

# v5.3.0: 10/23/23

## Highlights

- CHAIN\_TYPE
- env variable which can provide different logic for fetchers, API, views, DB schema extensions are applied to the explorer. Additional values will be supported in upcoming releases - currently supported values are:
  - - ethereum
  - - - default value
  - - polygon\_edge
  - - - chains based on Polygon Edge nodes
  - - rsk
  - - - for Rootstock (rskj node)
  - \*
  - TVL display is live with the DefiLlama API integration
  - DB schema update which will support additional NFT views on owner addresses. The view is still in development, scheme update was required first.
  - IPFS\_GATEWAY\_URL
  - endpoint allows projects to connect Blockscout to their own IPFS gateway for fetching token metadata.
  - Many additional improvements and fixes on the indexer side and API.
  -

## New Features List

- [#8512](#)
- - Add caching and improve/tabs-counters
- performance
- [#8472](#)
- - Integrate/api/v2/bytecodes/sources:search-all
- ofeth\_bytecode\_db
- [#8589](#)
- - DefiLlama TVL source
- [#8583](#)
- - Add stats widget for rootstock
- [#8542](#)
- - Add tracing for rootstock
- [#8561](#)
- [#8564](#)
- - Get historical market cap data from CoinGecko
- [#8543](#)
- - Fix polygon tracer
- [#8386](#)
- - Addowner\_address\_hash
- to thetoken\_instances
- [#8530](#)
- - Addblock\_type
- to search results
- [#8180](#)
- - Deposits and Withdrawals for Polygon Edge

- [#7996](#)
- - Add CoinBalance fetcher init query limit
- [#8658](#)
- - Remove block consensus on import fail
- [#8575](#)
- - Filter token transfers on coin balances updates
- 

Last updated 4 months ago