

# eth\_getBlockTransactionCountByHash

Returns the number of transactions in the block with the given block hash.

## Parameters

block hash :[Required ] A string representing the hash (32 bytes) of a block.

## Returns

block transaction count : A hexadecimal equivalent of the integer representing the number of transactions in the block.

## Example

Replace YOUR-API-KEY with an API key from your [Infura dashboard](#) .

## Request

- cURL
- WSS

```
curl https://bsc-mainnet.infura.io/v3/YOUR-API-KEY \-X POST \-H "Content-Type: application/json" \-d '{"jsonrpc": "2.0", "method": "eth_getBlockTransactionCountByHash", "params": ["0xb3b20624f8f0f86eb50dd04688409e5cea4bd02d700bf6e79e9384d47d6a5a35"], "id":1}' wscat -c wss://bsc-mainnet.infura.io/ws/v3/YOUR-API-KEY -x '{"jsonrpc": "2.0", "method": "eth_getBlockTransactionCountByHash", "params": ["0xb3b20624f8f0f86eb50dd04688409e5cea4bd02d700bf6e79e9384d47d6a5a35"], "id":1}'
```

## Response

- JSON

```
{ "jsonrpc": "2.0", "id": 1, "result": "0x50" }
```

Last updated on Nov 5, 2024 [Previous eth\\_getBlockReceipts](#) [Next eth\\_getBlockTransactionCountByNumber](#)