

# Cosmovisor

Setting Up A Node Using Cosmovisor

- [Setting up a node using Cosmovisor](#)
- [Install Cosmovisor](#)
- [Set up a new v1.2 node](#)
- [Migrate a running v1.2 node](#)
- [Prepare a v1.3 node upgrade \(Shockwave Alpha\)](#)
- 

Cosmovisor is a new process manager for cosmos blockchains. It can make low-downtime upgrades smoother, as validators don't have to manually upgrade binaries during the upgrade, and instead can pre-install new binaries, and Cosmovisor will automatically update them based on on-chain SoftwareUpgrade proposals.

You should review the docs for Cosmovisor located here <https://docs.cosmos.network/master/run-node/cosmovisor.html>

Install Cosmovisor

...

Copy

## Get the Cosmovisor binary

```
wget-O-"https://github.com/cosmos/cosmos-sdk/releases/download/cosmovisor%2Fv1.1.0/cosmovisor-v1.1.0-linux-amd64.tar.gz"|sudo tar xz-C/bin cosmovisor sudo chmod +x /bin/cosmovisor
```

## Make the necessary directory structure for seced v1.2

```
mkdir -p ~/.seced/cosmovisor/genesis/bin
```

## Setup environment variables for every future bash session

## This will make sure to setup cosmovisor on you shell in

## in case you'll want to run the cosmovisor command manually

```
echo"# Setup Secret & Cosmovisor export SCRT_ENCLAVE_DIR="{HOME}/.seced/cosmovisor/current/bin" export LD_LIBRARY_PATH="{LD_LIBRARY_PATH}:"{HOME}/.seced/cosmovisor/current/bin" export PATH="{PATH}:"{HOME}/.seced/cosmovisor/current/bin" export DAEMON_NAME=seced export DAEMON_HOME="{HOME}/.seced" export DAEMON_ALLOW_DOWNLOAD_BINARIES=false export DAEMON_LOG_BUFFER_SIZE=512 export DAEMON_RESTART_AFTER_UPGRADE=true export DAEMON_DATA_BACKUP_DIR="{HOME}" export UNSAFE_SKIP_BACKUP=true">> ~/.profile source ~/.profile
```

## Setup a systemd service

```
echo"[Unit] Description=Cosmovisor Secret Network Node After=network.target
```

```
[Service] Type=simple WorkingDirectory={HOME} ExecStart=/bin/cosmovisor run start User={USER} Restart=on-failure StartLimitInterval=0 RestartSec=3 LimitNOFILE=65535 LimitMEMLOCK=209715200 Environment=SCRT_ENCLAVE_DIR={HOME}/.seced/cosmovisor/current/bin Environment=LD_LIBRARY_PATH={LD_LIBRARY_PATH}:"{HOME}/.seced/cosmovisor/current/bin Environment=DAEMON_NAME=seced Environment=DAEMON_HOME={HOME}/.seced Environment=DAEMON_ALLOW_DOWNLOAD_BINARIES=false Environment=DAEMON_LOG_BUFFER_SIZE=512 Environment=DAEMON_RESTART_AFTER_UPGRADE=true Environment=DAEMON_DATA_BACKUP_DIR={HOME} Environment=UNSAFE_SKIP_BACKUP=true
```

```
[Install] WantedBy=multi-user.target "|sudo tee /etc/systemd/system/cosmovisor.service>/dev/null
```

```
sudo systemctl daemon-reload sudo systemctl enable cosmovisor
```

...

Set Up A New v1.2 Node

...

Copy

## Make the necessary directory structure for v1.2

```
mkdir -p ~/.seced/cosmovisor/genesis/bin
```

## Get v1.2 binaries

```
wget-P/tmp/"https://github.com/secretlabs/SecretNetwork/releases/download/v1.2.2/secretnetwork_v1.2.2_mainnet_amd64.deb"
```

## Verify v1.2 binaries checksum

```
echo"1a51d3d9324979ef9a1f56023e458023488b4583bf4587abed2d1f389aea947 /tmp/secretnetwork_v1.2.2_mainnet_amd64.deb"|sha256sum--check
```

## Extract v1.2 from archive

```
dpkg-deb-R/tmp/secretnetwork_v1.2.2_mainnet_amd64.deb/tmp/secretnetwork_v1.2.2_mainnet_amd64.deb.extracted
```

## Move v1.2 binaries to Cosmovisor's directory

```
mv/tmp/secretnetwork_v1.2.2_mainnet_amd64.deb.extracted/usr/{local/bin/,lib}~/.seced/cosmovisor/genesis/bin
```

...

Now the Cosmovisor directory structure should look like this:

...

```
Copy find ~/.seced/cosmovisor /home/ubuntu/.seced/cosmovisor/ /home/ubuntu/.seced/cosmovisor/genesis/bin/ /home/ubuntu/.seced/cosmovisor/genesis/bin/libgo_cosmwasm.so /home/ubuntu/.seced/cosmovisor/genesis/bin/librust_cosmwasm_enclave.signed.so /home/ubuntu/.seced/cosmovisor/genesis/bin/tendermint_enclave.signed.so /home/ubuntu/.seced/cosmovisor/genesis/bin/seced
```

...

Now you might want to checkout the [How To Join Secret Network as a Full Node](#) guide for syncing a node from height 0 or [Sync with State-Sync](#) for syncing a node from a more recent block height.

After making the proper configurations to your new node, launch it using `sudo systemctl start cosmovisor` . You should now see blocks executing in the logs (`journalctl -fu cosmovisor` ).

Migrate A Running v1.2 Node

...

Copy

## Make the necessary directory structure for v1.2

```
mkdir -p ~/.secretd/cosmovisor/genesis/bin
```

## Disable the old secret-node systemd service

```
sudo systemctl stop secret-node && sudo systemctl disable secret-node
```

## Move v1.2 binaries to Cosmovisor's directory

```
sudo mv /usr/local/bin/secretd /usr/lib/{libgo_cosmwasm.so,librust_cosmwasm_enclave.signed.so} ~/.secretd/cosmovisor/genesis/bin
```

## For a query node also move the query enclave

```
sudo mv /usr/lib/librust_cosmwasm_query_enclave.signed.so ~/.secretd/cosmovisor/genesis/bin
```

## Launch the Cosmovisor service

```
sudo systemctl start cosmovisor
```

...

Now the Cosmovisor directory structure should look like this:

...

```
Copy find ~/.secretd/cosmovisor /home/ubuntu/.secretd/cosmovisor/ /home/ubuntu/.secretd/cosmovisor/genesis/bin/ /home/ubuntu/.secretd/cosmovisor/genesis/bin/libgo_cosmwasm.so /home/ubuntu/.secretd/cosmovisor/genesis/bin/librust_cosmwasm_enclave.signed.so /home/ubuntu/.secretd/cosmovisor/genesis/bin/secretd
```

...

To relaunch your node, use `sudo systemctl start cosmovisor`. You should now see blocks executing in the logs (`journalctl -fu cosmovisor`).

Prepare A v1.3 Node Upgrade (Shockwave Alpha)

The "Shockwave Alpha" upgrade is anticipated to be on Wednesday April 27th, 2022 at 2:00PM UTC. Below are instructions to prepare Cosmovisor for automatically upgrading your node to v1.3.

...

Copy

## Make the necessary directory structure for v1.3

```
mkdir -p ~/.secretd/cosmovisor/upgrades/v1.3/bin
```

## Get & verify v1.3 binaries

### Uncomment goleveldb or rocksdb:

```
wget -P /tmp/
```

```
"https://github.com/scrtlabs/SecretNetwork/releases/download/v1.3.0/secretnetwork_1.3.0_ma
```

```
echo "b5a4387fd3af477f1d7d0c8ab13debc9b9ad9abccb59c82b1a35cc8a90db902b /tmp/secretnetwork_1.3.0_mainnet_goleveldb_amd64.deb" | sha256sum --check
```

or rocksdb

```
wget -P /tmp/
```

```
"https://github.com/scrtlabs/SecretNetwork/releases/download/v1.3.0/secretnetwork_1.3.0_ma
```

```
echo "a1fc48003b3b563aae216901fc5821bb11164746c61b86507bc813cb49bd85cb /tmp/secretnetwork_1.3.0_mainnet_rocksdb_amd64.deb" | sha256sum --check
```

## Extract v1.3 from archive

```
dpkg-deb -R /tmp/secretnetwork_1.3.0_mainnet_*_amd64.deb /tmp/secretnetwork_1.3.0_mainnet_amd64.deb.extracted
```

## Move v1.3 binaries to Cosmovisor's directory

```
mv /tmp/secretnetwork_1.3.0_mainnet_amd64.deb.extracted /usr/{local/bin/secretd,lib/librust_cosmwasm_enclave.signed.so,librust_cosmwasm_query_enclave.signed.so,lib/libgo_cosmwasm.so} ~/.secretd
```

...

Now the Cosmovisor directory structure should look like this:

...

```
Copy find ~/.secretd/cosmovisor /home/ubuntu/.secretd/cosmovisor/ /home/ubuntu/.secretd/cosmovisor/genesis/bin/ /home/ubuntu/.secretd/cosmovisor/genesis/bin/libgo_cosmwasm.so /home/ubuntu/.secretd/cosmovisor/genesis/bin/librust_cosmwasm_enclave.signed.so /home/ubuntu/.secretd/cosmovisor/genesis/bin/secretd /home/ubuntu/.secretd/cosmovisor/upgrades/v1.3/bin/ /home/ubuntu/.secretd/cosmovisor/upgrades/v1.3/bin/libgo_cosmwasm.so /home/ubuntu/.secretd/cosmovisor/upgrades/v1.3/bin/librust_cosmwasm_enclave.signed.so /home/ubuntu/.secretd/cosmovisor/upgrades/v1.3/bin/librust_cosmwasm_query_enclave.signed.so /home/ubuntu/.secretd/cosmovisor/upgrades/v1.3/bin/secretd
```

...

If set up properly, when the time comes Cosmovisor will perform an automatic v1.2 to v1.3 upgrade.

Last updated 1 year ago On this page \* [Setting Up A Node Using Cosmovisor](#) \* [Install Cosmovisor](#) \* [Set Up A New v1.2 Node](#) \* [Migrate A Running v1.2 Node](#) \* [Prepare A v1.3 Node Upgrade \(Shockwave Alpha\)](#)

Was this helpful? [Edit on GitHub](#) [Export as PDF](#)