

HTTP Errors

[Suggest Edits](#)

In cases where an API request is made and the error can be detected immediately, an applicable [HTTP status code](#) is returned.

General Error Format

[HTTP status codes](#) do not always provide sufficient information about the cause of an error. Responses contain additional JSON fields describing the error for more detailed programmatic handling of errors.

HTTP/1.1 400 Bad RequestContent-Type: application/json

JSON { "code": 2, "message": "API parameter invalid" }

Extended Format

In some cases, extended information is available for clients about why a request has failed. For example, failing to supply a value for a required field will result in the following error:

HTTP/1.1 400 Bad RequestContent-Type: application/json

JSON { "code": 2, "message": "API parameter invalid", "errors": [{ "error": "required", "message": "fail to bind request to CreateWalletSetRequest: EOF", "location": "field1", "invalidValue": "null", "constraints": { } }] }

Web3 Services Common Error Messages

Below are some common extended error messages you may encounter as you implement Circle's Programmable Wallets API.

General

A list of Web3 Services common errors that may be returned in the of malformed request.

Error Code HTTP code Error Message Description -1 400 Something went wrong An unknown error occurred while processing the API request, likely an invalid parameter or API key. 3 403 Forbidden The API key used does not have access to the requested endpoint.

400 Bad Request

A 400 bad request error is most commonly due to an API parameter being invalid. See the list below for the different error messages that will be received from an error code 2 .

Error Code HTTP code Error Message Description 2 400 Invalid Entity There is an error in the JSON format passed in the request. 2 400 Fail to bind request to parameter : invalid UUID format The parameter must be in UUID format. 2 400 Error: Field validation One of the fields in the request is invalid. 2 400 Error: Field validation for 'blockchain' failed on the 'blockchain' tag The blockchain does not exist. Try again with a [supported blockchain](#) . 2 400 Error: Field validation for gasLimit failed on the required_without tag" If feeLevel is provided, gasLimit should be set to NULL . If feeLevel is NULL , gasLimit must be provided. 2 400 Error: Field validation for parameter failed on the min tag The parameter is not in the correct format. 2 400 Cannot unmarshal The parameter is not in the correct format. 2 400 INVALID: parameter empty The parameter is required for this request. Try the request again with this parameter.

Programmable Wallet Error Messages

User Error (155101 - 155199)

Error code HTTP Code Error Message Description 155101 409 Existing user already created with the provided userId. The user ID already exists. Try the request again with a different user ID. 155102 404 Cannot find the user id in the system. The user is not found. Try the request again with a different user ID. 155103 401 Cannot find the user token in the system. The user token is not found. Try the request again with a different user token. 155104 403 The userToken had expired. The user token has expired. Please generate a new user token and try the request again. 155105 403 The userToken is invalid. The user token is not invalid. Please generate a new user token and try the request again. 155106 409 The user had already been initialized. The user has already been initialized. Please query the user status first to check if the user has already set a pin and created a wallet. 155107 409 User has previously set a PIN. Use PUT /user/pin to reset the PIN. The PIN has already been set successfully. Please query the user status to check if the user has already set a PIN. 155108 409 User has

previously set up their security questions, and they can't be reset. The user has already set the security questions successfully. The questions can only be set once. 155109 409 The specified user has been disabled. The specified user has been disabled. 155110 400 User has not set up a PIN yet. The action cannot be performed before the user sets their pin. To set a pin, please call initialize or set a pin first. 155111 400 User hasn't set the security questions for PIN backup yet. The action cannot be performed before the user sets their security questions. To set security questions, please call initialize or set security questions first. 155112 400 The user has inputted the incorrect pin. The user's PIN is not correct. Try the request again with a different PIN. 155113 400 Provided device ID is not found in the system. The device ID is not correct. Try the request again with a different device ID. 155114 400 Provided app ID is not recognized in the system. The app ID is not found. Check the app ID in the SDK API. If you do not have the app ID or it is incorrect, you can acquire it from the Developer Console or by making an API request to GET /config/entity. 155115 400 The user has inputted the incorrect security answers The provided security answers are not correct. Try the request again with different answers. 155116 404 The challenge ID doesn't exist in the system. The challenge ID is invalid. Check the challenge ID in the SDK API. 155117 400 The content provided for approval is not correct. The provided approval content is unknown. Please integrate with the latest SDK. 155118 400 Encryption key does not match with the user's token. Call POST /users/token to get the correct token encryption key pair. The encryption key does not match the user's token. Call POST /users/token to get the correct token encryption key pair. 155119 400 The user's PIN input is locked. It will be unlocked after the cooldown period. The user's PIN input is locked. Please wait for cold time to unlock, and try again. 155120 400 The user's security questions input is locked. It will be unlocked after the cooldown period. The user's security questions input is locked. Please wait for the locked period to expire to unlock, and try again. 155121 403 The provided challengeld has expired. The challenge has expired. Try the request again to create a new challenge. 155122 403 The provided challengeld is invalid The challenge is invalid. Try the request again to create a new challenge. 155123 403 No extra information provided when adding PIN-related requests. When SDK approves the challenge, the challenge format is wrong. Try the request again to create a new challenge. 155124 403 The extra information provided for PIN-related requests is invalid. When SDK approves the challenge, the challenge format is wrong. Try the request again to create a new challenge.

Transaction Error (155201 - 155299)

Error code HTTP Code Error Message Description 155201 400 Not enough funds to fulfill the withdraw request. There is insufficient native token balance in the wallet to cover all pending transactions on the network. Please add funds to the wallet, and try again. 155202 400 Transaction nonce is inconsistent with sender's latest nonce. Transaction nonce mismatches occur when a sender has created one or more transactions on-chain where the initial transaction has not yet reached finality. Try the transaction again. 155203 400 User op nonce can not be larger than 0 when smart contract wallet hasn't been deployed. User op nonce can not be larger than 0 when the smart contract wallet hasn't been deployed. 155204 400 The total cost of executing transaction is higher than the balance of the user's account when estimating fee. There is insufficient native token balance in the wallet to cover the total cost of executing the transaction. Please add funds to the wallet, and try again. 155205 400 Failed to execute this request on EVM due to insufficient token when estimating fee. There is insufficient non-native token balance in the wallet to cover the request execution. Please add funds to the wallet, and try again. 155206 400 The sender address is not token owner or approved when estimating token transfer. The owner of the tokens may not call approve ABI to allow the caller to access the tokens. 155207 400 Gas required exceeds allowance when estimating fee. Gas required exceeds allowance when estimating fee. 155208 400 Estimate fee execution reverted. Estimate fee execution reverted on EVM. 155209 400 ABI function signature can't pack ABI parameter. The ABI parameters were invalid. Please correct the ABI parameters and try again. 155210 400 Fails to perform transaction estimation. Estimate fee execution failed on EVM. 155211 400 MaxFee * GasLimit exceed configurable max transaction fee (default is 1 native token). Please reduce maxFee or gasLimit, and try again. Note Circle has system-wide limits for maxFee for each blockchain network and native token pair. Ethereum = 1 ETH, Polygon = 10 MATIC, Avalanche = 1 AVAX. 155215 400 Unsupported operation for transaction. The requested operation for the transaction is not eligible to be executed anymore. Check the status of the transaction. 155218 400 Invalid number of nft in transaction request. Invalid number of NFT in the transaction request. Only ERC-1155 supports batch NFT token transfer. 155219 400 Invalid destination address. Please correct the destination address, and try again. 155220 400 Wallet and token's blockchain mismatch. The wallet and token's blockchain must be the same. 155221 400 Invalid amounts in transfer request. Other than ERC-1155, all other types of token transfer amount length should be 1. 155222 404 NFT metadata can not be found. NFT metadata can not be found. 155223 400 Unsupported userId for get transactions. UserId is not supported as a query parameter for GET transaction requests. 155224 400 Failed to parse the provided amounts in request to decimals. Failed to parse the provided amounts in request to decimals. 155225 400 Wallet and request's blockchain mismatch. The wallet and blockchain in the request should be the same. 155226 400 Invalid source address. Please correct the source address, and try again. 155227 400 Invalid transaction type. Transaction validation failed because the transaction type is not outbound. 155228 400 Missing token ID. The token ID is missing from the request. Add the correct token ID, and try again. 155229 400 Transaction is not eligible for operation. The transaction is not eligible for operation. 155230 400 No call data or abi signature provided. Please provide ABI signature, and try again. 155231 400 Transaction needs feeLevel or gasLimit provided. Please provide feeLevel or gasLimit, and try again. 155232 400 SCA transaction needs feeLevel provided. SCA transaction needs feeLevel provided. Please specify the feeLevel, and try again. 155233 400 Provided gasLimit is too low to complete the requested transaction. Provided gasLimit smaller than network estimation. Please provide a higher gasLimit, and try again. 155234 400 Transaction can't have both feeLevel and fee parameters provided. Specify either feeLevel, or provide the detailed fee params for a transaction. 155235 400 EIP1559 chains need maxFee/priorityFee provided. EIP1559 chains need maxFee/priorityFee provided. 155236 400 Failed to parse the provided fee in request to decimals. Failed to parse the provided fee in request to decimals. 155237 400 PriorityFee cannot be larger than maxFee in creating transaction request. PriorityFee cannot be larger than maxFee in creating transaction requests. 155238 400 Non-EIP1559 chains need gasPrice provided. Non-EIP1559 chains need gasPrice provided. 155239 400 Invalid token address for transfer. Please correct the token address, and try

again. 155240 400 Invalid token standard for transfer. Please correct the token standard, and try again. 155241 400 Invalid token decimal for transfer. Please correct the token decimal, and try again. 155242 400 The lengths of amounts and nft tokens don't match. The lengths of amounts and NFT tokens don't match. 155243 400 Missing bytecode for contract deployment. Please provide bytecode for contract deployment, and try again. 155244 400 Cannot provide both WalletID and SourceAddress/Blockchain. Specify WalletID or provide the SourceAddress/Blockchain, and try the request again. 155245 400 Invalid amount in contract execution request. Invalid amount in contract execution request. Error raised when parsing amount in the request. 155247 400 Cannot provide both CallData and AbiFunctionSignature/AbiParameters. Specify CallData or provide AbiFunctionSignature/AbiParameters, and try the request again.

Wallet Error (155501 - 155599)

Error code HTTP Code Error Message Description 155501 409 Frozen wallets can not be updated or interact with, only query. Frozen wallets cannot be updated or interacted with. You can only query this wallet. 155502 403 Max amount of wallets (tentative 1M) reached under 1 wallet set. 1M maximum amount of wallets has been reached under 1 wallet set. 155503 400 Metadata array length needs to match wallet count in create developer wallets request. The metadata array length must match the wallet count in the POST /developer/wallets request. 155504 400 Metadata array length needs to match number of blockchains in create user wallets request. The metadata array length must match the number of blockchains in the create user wallet request. 155505 400 SCA wallet needs to wait for first-time transaction to be queued before processing more transactions. SCA wallet needs to wait for first-time transactions to be queued before processing more transactions. 155506 400 SCA wallet config is invalid. SCA wallet config is invalid. 155507 400 SCA account is not supported on the given blockchain. The SCA account type is not supported on the given chain. Please see the [account types](#) doc for more details on the supported blockchains. 155508 400 Can't create multiple user-controlled SCA wallets across multiple blockchains at a time. When the account type is SCA, you cannot send more than one value in the blockchains array. Instead, send two separate requests, providing blockchain value one in the first request and value two in the second request. 155509 400 Entity is not eligible for SCA account creation. Please check paymaster policy setup. The paymaster policies for your account need to be properly configured. Go to the web3 console and ensure you have a policy configured for the blockchain and do not have multiple policies for a given blockchain.

Wallet Set Error (155601 - 155699)

Error code HTTP Code Error Message Description 155601 400 Failed to retrieve wallet set which already exists. Cannot create a new wallet set because it already exists. Try again with a unique wallet set.

SDK UI 155701 - 155799

Error code HTTP Code Error Message Description 155701 N/A User canceled The user canceled or exited the execute UI. 155702 N/A Please check the error message to see the exact UI launch failure reason. 155703 N/A The code you entered is not the same as the first one. The code you entered is not the same as the first one. 155704 N/A Your PIN can't have repeating or consecutive numbers. Your PIN can't have repeating or consecutive numbers. Try again with a valid PIN. 155705 N/A Your hint can't be the same as the answer. Your hint can't be the same as the answer. Try again with a valid hint. 155706 N/A Network error Network error. Try again. 155707 N/A Failed to encrypt data Failed to encrypt data. Try again. 155708 N/A "Biometrics instead of PIN" is disabled Please enable the "Biometrics instead of PIN" SDK API. 155709 N/A The device system doesn't support biometrics Cannot enable biometrics in this device. The user must use the PIN code. 155710 N/A Failed to decrypt biometrics key Ask the user to reset the biometrics settings. 155711 N/A The user has not enabled biometrics yet The user skipped the biometrics setting. 155712 N/A The user refused to enable biometrics Must call the SetBiometricsPin SDK API so the user can enable biometrics. 155713 N/A Too many requests. Try again later Please wait for 30 minutes, and try again. 155714 N/A Too many requests. The biometrics sensor on the device is locked. Please go to the device system settings to unlock. 155715 N/A The user didn't enable biometrics The user can be prompted to go to the App Settings to re-allow the app to use biometrics. (Warning) This operation will cause the app to be relaunched. 155716 N/A Unexpected error for biometrics Unexpected error. Try again.

Common Errors (156001 - 156099)

Error Code HTTP Code Error Message Description 156001 404 Cannot find target wallet in the system. Either the specified wallet doesn't exist or it's not accessible to the caller. The specified wallet does not exist, or is not visible to the caller. Try the request again with a valid wallet ID. 156002 404 Cannot find target token in the system. Either the specified token doesn't exist or it's not accessible to the caller. The specified token does not exist, or is not visible to the caller. Try the request again with a valid token ID. 156003 404 Cannot find target transaction in the system. Either the specified transaction doesn't exist or it's not accessible to the caller. The specified transaction does not exist, or is not visible to the caller. Try the request again with a valid transaction ID. 156004 400 Reusing an entity secret ciphertext is not allowed. Please re-encrypt the entity secret to generate new ciphertext. Reusing an entity secret ciphertext is not allowed. Please re-encrypt the entity secret to generate a new ciphertext and try again. 156005 404 Cannot find target wallet set in the system. Either no such wallet set, or it's not accessible to the caller. The specified wallet set does not exist, or is not visible to the caller. Try the request again with a valid wallet set. 156006 400 TEST_API key cannot be used with blockchain mainnets, or LIVE_API key cannot be used with blockchain testnets. A TEST_API key cannot be used with blockchain Mainnets, and a LIVE_API key cannot be used with blockchain Testnets. Try again with a valid API key. 156007 401 TEST_API key or LIVE_API key is not found for the request. A TEST_API key or LIVE_API key is not found for the request. Try again with a valid API key. 156008 400 Cannot find target entity config in the system. Either no such entity config, or it's not accessible to the caller. The

specified entity config does not exist, or is not visible to the caller. Try the request again with a valid entity config. 156009 400 Fail to parse id as UUID in url. The specified id is invalid (must be in UUID format). Try again with a valid id. 156010 404 Cannot find the corresponding entity in the system. The specified entity does not exist, or is not configured. Try again with a valid entity. 156011 404 Cannot find target nftTokenId in the system. The nftTokenId does not exist. Try again with a valid nftTokenId. 156012 404 Cannot find corresponding pagination cursor in the system. The pagination parameters are invalid. Please correct your pagination parameters, and try again. 156013 400 The provided entity secret is invalid. The specified entity secret is not valid. Please create or re-encrypt your entity secret, and try again. 156014 400 Pagination params are invalid. Only UUID format is supported for pageBefore and pageAfter. Pagination parameters are invalid. Only UUID format is supported for pageBefore and pageAfter. 156015 409 The secret for this entity has already been set. The secret for this entity has already been set. 156016 403 The entity secret has not been set yet. Please provide encrypted ciphertext in the console. The entity secret has not been set yet. Please provide encrypted ciphertext in the Developer console. 156017 400 The specified blockchain parameters are incorrect. The blockchain parameters are invalid. Please correct the blockchain parameters, and try again. 156018 403 The uploaded recovery file is invalid. The uploaded recovery file is invalid. Try again with a valid recovery file. 156019 403 Current entity secret is invalid. Please rotate the entity secret first. The current entity secret is invalid. Please rotate the entity secret first in the Developer console, and try again. 156020 403 Please use a new idempotency key. Please use a new idempotency key, and try again. 156021 409 A new wallet set ID is required. Please use a new wallet set ID, and try again. 156023 409 EncodedByHex is true in sign request, but the message is not hex encoded. The encodedByHex parameter is set to true , but the provided message is not in the correct hex-encoded format. Please ensure the message is hex-encoded and try again, or set encodedByHex to false . 156024 400 Data is not a valid JSON string in sign request. Data is not a valid JSON string in the Sign request. Please provide a valid JSON format typed data string. 156025 400 Invalid message in request. Sign message is invalid. Try the request again with a valid EIP-191 message. 156026 400 Invalid typed data in request. Typed data is invalid. Try the request again with a valid EIP-712 typed data. 156027 400 The specified blockchain is either not supported or deprecated. Please try again with a supported blockchain. Please see the guide [Supported Blockchains and Currencies](#) for the complete list of supported blockchains.

Smart Contract Platform Error Messages

Contract Error Codes (175001 - 175200)

Error Code	HTTP Code	Error Message	Description
175001	404	Contract not found.	The specified contract does not exist in the system.
175002	400	No ABI JSON for the target contract.	Cannot execute a read function on a contract without the ABI JSON.
175003	400	Constructor parameters length must match constructor signature.	The number of constructor parameters must match the constructor signature.
175004	409	Contract already exists.	The contract already exists in the system.
175005	400	Address is not a contract address.	The given address is not associated with a smart contract.
175006	400	Contract is archived.	Attempted to interact with an archived contract.
175007	400	Invalid ABI JSON.	The inputted ABI JSON is not correctly formatted.
175008	400	Multi-layered proxies are not supported.	Importing a multi-layered proxy contract is not currently supported.
175009	400	Contract deployment pending.	Contract deployment must be completed before function execution is available.
175010	400	ABI function not found.	The ABI function was not found on the contract.
175011	400	Empty update on a contract.	An empty update for a contract is not allowed

Template Error Codes (175201 - 175400)

Error Code	HTTP Code	Error Message	Description
175201	404	Template not found.	The specified template does not exist in the system.
175202	400	Deploying this template is temporarily disabled.	Deploying this template is temporarily disabled.
175203	400	Invalid template deployment parameter.	The request contains an invalid field in the template parameters.
175204	400	Missing required template deployment parameter.	The request is missing a required field in the template parameters.

Common Error Codes (175401 - 175600)

Code	HTTP Code	Error Message	Description
175401	400	Fail to parse id as UUID in url.	The specified ID is invalid (must be in UUID format). Try again with a valid ID.
175402	400	The specified blockchain is either not supported or deprecated.	The specified blockchain is either not supported or deprecated.
175403	409	Please use a new idempotency key.	Please use a new idempotency key and try again.
175404	400	TEST_API key cannot be used with blockchain mainnets, or LIVE_API key cannot be used with blockchain testnets.	TEST_API key cannot be used with blockchain mainnets, or LIVE_API key cannot be used with blockchain testnets.
175405	401	TEST_API key or LIVE_API key is not found for the request.	TEST_API key or LIVE_API key is not found for the request.
175406	400	This feature is temporarily disabled.	This feature is temporarily disabled.
175407	400	The specified blockchain is currently unavailable.	The specified blockchain is currently unavailable. Please check the Circle Status page for more details.

Transaction Error Codes (177001 - 177607)

Code	HTTP Code	Error Message	Description
177001	400	transaction nonce is inconsistent with sender's latest nonce	The transaction nonce is inconsistent with the sender's latest nonce.
177002	400	user op nonce can not be larger than 0 when smart contract wallet hasn't been deployed	User op nonce can not be larger than 0 when the smart contract wallet hasn't been deployed.
177003	400	failed to execute this request on EVM due to insufficient token when estimating fee	Failed to execute this request on EVM due to insufficient tokens when estimating the fee.
177004	400	the total cost of executing	

transaction is higher than the balance of the user's account when estimating fee When estimating the fee, the total cost of executing the transaction is higher than the balance of the user's account. 177005 400 the sender address is not token owner or approved when estimating token transfer The sender address is not token owner or approved when estimating token transfer. 177006 400 gas required exceeds allowance when estimating fee Gas required exceeds allowance when estimating fee. 177007 400 estimate fee execution reverted Estimate fee execution reverted. 177008 400 ABI function signature can't pack ABI parameter ABI function signature can't pack ABI parameter. 177009 400 fails to perform transaction estimation Fails to perform transaction estimation. 177010 400 maxFee * gasLimit exceed configurable max transaction fee (default is 1 native token) The MaxFee * GasLimit exceeds the configurable max transaction fee (default is 1 native token). 177011 400 transaction needs feeLevel or gasLimit provided The transaction requires feeLevel or gasLimit to be provided in the request. 177012 400 sca transaction needs feeLevel provided The SCA transaction requires feeLevel to be provided in the request. 177013 400 EIP1559 chains need maxFee/priorityFee provided EIP1559 chains require maxFee and priorityFee to be provided in the request. 177014 400 priorityFee cannot be larger than maxFee in creating transaction request Creating transaction requests priorityFee cannot be larger than maxFee . 177015 400 missing bytecode for contract deployment Missing bytecode for contract deployment. 177016 400 cannot provide both WalletID and SourceAddress/Blockchain You cannot provide WalletID and SourceAddress / Blockchain in a request. 177017 400 Invalid amount in contract execution request The amount in the contract execution request is invalid. 177018 400 policy is not activated and cannot be used The Gas Station paymaster policy is not activated and cannot be used. 177019 400 exceeded max daily transaction of the policy The Gas Station paymaster policy maximum daily transaction limit has been reached. 177020 400 exceeded max spend USD per transaction of the policy The transaction cost exceeds the Gas Station paymaster policy maximum spend per transaction in USD. 177021 400 exceeded max spend USD daily of the policy The Gas Station paymaster policy for maximum spending daily in USD has been reached. 177022 400 exceeded max native token daily of the policy The Gas Station paymaster policy for maximum native tokens daily of the policy. 177023 400 sender is in policy blocklist The sender is on the Gas Station paymaster policy blocklist. 177024 400 wallet and request's blockchain mismatch. The wallet and blockchain in the request should be the same. 177301 400 wallet is Frozen Frozen wallets can not be updated or interacted with; they can only be queried. 177302 400 invalid sca wallet config The SCA wallet configuration is invalid. 177303 400 sca wallet first-time transaction is still in progress The SCA wallet needs to wait for the first-time transaction to finish deploying the wallet before processing more transactions. 177304 400 SCA account is not supported on the given blockchain The SCA account is not supported on the given blockchain. 177305 400 Entity is not eligible for SCA account creation. Please check paymaster policy setup The entity is not eligible for SCA account creation. Please check the Gas Station paymaster policy setup. 177601 400 could be caused by either no such wallet or wallet is not accessible to the caller The target wallet cannot be found in the system. Either the specified wallet doesn't exist, or it's inaccessible to the caller. 177602 400 reusing an entity secret ciphertext is not allowed. Please re-encrypt the entity secret to generate new ciphertext Reusing an entity's secret ciphertext is not allowed. Please re-encrypt the entity secret to generate a new ciphertext. 177603 400 entity is likely not properly set up during the onboarding process The corresponding entity cannot be found in the system. 177604 400 the provided entity secret is invalid The provided entity secret is invalid. 177605 400 the entity secret has not been set yet. Please provide encrypted ciphertext in the console The entity secret has not been set up on your account. Please provide encrypted ciphertext in the console. 177606 400 current entity secret is invalid. Please rotate the entity secret first The provided entity secret is invalid. Please rotate the entity secret first and send another API request. 177607 400 please use a new idempotency key Please use a new idempotency key. Updated 18 days ago * [Table of Contents](#) * * [General Error Format](#) * * [Extended Format](#) * * [Web3 Services Common Error Messages](#) * * * [General](#) * * * [400 Bad Request](#) * * [Programmable Wallet Error Messages](#) * * * [User Error \(155101 - 155199\)](#) * * * [Transaction Error \(155201 - 155299\)](#) * * * [Wallet Error \(155501 - 155599\)](#) * * * [Wallet Set Error \(155601 - 155699\)](#) * * * [SDK UI 155701 - 155799](#) * * * [Common Errors \(156001 - 156099\)](#) * * [Smart Contract Platform Error Messages](#) * * * [Contract Error Codes \(175001 - 175200\)](#) * * * [Template Error Codes \(175201 - 175400\)](#) * * * [Common Error Codes \(175401 - 175600\)](#) * * * [Transaction Error Codes \(177001 - 177607\)](#)