

# AggregationRouterV6

## Derives

- [GenericRouter](#)
- [ClipperRouter](#)
- [UnoswapRouter](#)
- [LimitOrderProtocol](#)
- [IUniswapV3SwapCallback](#)
- [EIP712](#)
- [EthReceiver](#)
- [Ownable](#)
- [OnlyWethReceiver](#)
- [PredicateHelper](#)
- [SeriesEpochManager](#)

## Functions

### constructor

function

constructor ( contract

IWETH weth )

#### Parameters:

Name	Type	Description
weth	contract IWETH	

### rescueFunds

function

rescueFunds ( contract

IERC20 token , uint256 amount )

external Retrieves funds accidentally sent directly to the contract address.

#### Parameters:

Name	Type	Description
token	contract IERC20	ERC20 token to retrieve
amount	uint256	amount to retrieve

### destroy

function

destroy ( )

external Destroys the contract and sends eth to sender. Use with caution. The only case when the use of the method is justified is if there is an exploit found. And the damage from the exploit is greater than from just an urgent contract change.

## Events

### Swapped

event

Swapped ( address sender , contract

IERC20 srcToken , contract

IERC20 dstToken , address dstReceiver , uint256 spentAmount , uint256 returnAmount )

#### Parameters:

Name Type Description sender address srcToken contract IERC20 dstToken contract IERC20 dstReceiver address  
spentAmount uint256 returnAmount uint256 [Edit this page](#) [Previous Quote params](#) [Next ClipperRouter](#)