MakerTraitsLib

type MakerTraits is uint256;

Functions

hasExtension

Hasextension
function
hasExtension (MakerTraits makerTraits)
internal
pure
returns
(bool)
Parameters:
Name Type Description makerTraits MakerTraits
Return values
Type Description bool
isAllowedSender
function
isAllowedSender (MakerTraits makerTraits , address sender)
internal
pure
returns
(bool)
Parameters:
Name Type Description makerTraits MakerTraits sender address
Return values
Type Description bool
isExpired
function
isExpired (MakerTraits makerTraits)
internal
view
returns
(bool)

Parameters:

Name Type Description makerTraits MakerTraits

Return values Type Description bool nonceOrEpoch function nonceOrEpoch (MakerTraits makerTraits) internal pure returns (uint256) Parameters: Name Type Description makerTraits MakerTraits **Return values** Type Description uint256 series function series (MakerTraits makerTraits) internal

(uint256) Parameters:

pure

returns

Name Type Description makerTraits MakerTraits

Return values

Type Description uint256

allowPartialFills

function

allowPartialFills (MakerTraits makerTraits)

internal

pure

returns

(bool)

Parameters:

Name Type Description makerTraits MakerTraits

Return values

Type Description bool

allowImproveRateViaInteraction function allowImproveRateViaInteraction (MakerTraits makerTraits) internal pure returns (bool) Parameters: Name Type Description makerTraits MakerTraits **Return values** Type Description bool needPreInteractionCall function needPreInteractionCall (MakerTraits makerTraits) internal pure returns (bool) Parameters: Name Type Description makerTraits MakerTraits **Return values** Type Description bool needPostInteractionCall function needPostInteractionCall (MakerTraits makerTraits) internal pure returns (bool) Parameters: Name Type Description makerTraits MakerTraits **Return values** Type Description bool

allowMultipleFills

function

allowMultipleFills (MakerTraits makerTraits)
internal
pure
returns
(bool)
Parameters:
Name Type Description makerTraits MakerTraits
Return values
Type Description bool
useBitInvalidator
function
useBitInvalidator (MakerTraits makerTraits)
internal
pure
returns
(bool)
Parameters:
Name Type Description makerTraits MakerTraits
Return values
Type Description bool
needCheckEpochManager
function
needCheckEpochManager (MakerTraits makerTraits)
internal
pure
returns
(bool)
Parameters:
Name Type Description makerTraits MakerTraits
Return values
Type Description bool
usePermit2
function
function usePermit2 (MakerTraits makerTraits)

pure	
returns	
(bool)	
Parameters:	
Name Type Description makerTraits MakerTraits	
Return values	
Type Description bool	
unwrapWeth	
function	
unwrapWeth (MakerTraits makerTraits)	
internal	
pure	
returns	
(bool)	
Parameters:	
Name Type Description makerTraits MakerTraits	
Return values	
Type Description bool Edit this page Previous EthReceiver Next OnlyWethReceiver	