txpool namespace

txpool_content

Returns tx pool content.

- Request
- Response

curl localhost:8545 \ -X POST \ -H

"Content-Type: application/json"

\ --data

'{ "jsonrpc": "2.0", "id": 0, "method": "txpool_content", "params": [] }' { "jsonrpc" :

"2.0", "id":

0, "result": result } result:object

- · pending
- · : map of map ofobject
- · map ofobject
- accessList
- · : array ofobject

•

- address
- string

,

- (address)
- storageKeys
 - · : array ofstring

- (hex integer)
- blobVersionedHashes
- : array ofstring
- (hex data)
- blockHash
- :string
- (hash)
- blockNumber
- · :string
- (hex integer)
- chainId
- :string
- (hex integer)
- data
- · :string
- · (hex data)
- from
- · :string
- (address)
- gas
- · :string
- (hex integer)
- gasPrice
- · :string
- (hex integer)
- hash
- string
- (hash)
- input
- · :string
- (hex data)

- isSystemTx
- :boolean
- maxFeePerBlobGas
- · :string
- (hex integer)
- maxFeePerGas
- · :string
- (hex integer)
- maxPriorityFeePerGas
- :string
- (hex integer)
- mint
- · :string
- (hex integer)
- nonce
- · :string
- (hex integer)
- r
- · :string
- (hex integer)
- s
- · :string
- (hex integer)
- sourceHash
- :string
- (hash)
- to
- :string
- (address)
- transactionIndex
- :string
- (hex integer)
- type
- :integer
- V
- · :string
- (hex integer)
- value
- :string
- (hex integer)
- yParity
- :string
- (hex integer)
- queued
- : map of map of object
- map ofobject
- accessList
- : array ofobject
- •
- address
- •
- string
- - (address)
- storageKeys
 - : array ofstring
 - (hex integer)
- blobVersionedHashes
- : array ofstring
- (hex data)
- blockHash
- :string
- (hash)
- blockNumber
- · :string

- (hex integer)
- chainId
- string
- · (hex integer)
- data
- :string
- (hex data)
- from
- · :string
- (address)
- gas
- :string
- (hex integer)
- gasPrice
- · :string
- (hex integer)
- hash
- · :string
- (hash)
- input
- :string
- (hex data)
- isSystemTx
- :boolean
- maxFeePerBlobGas
- :string
- (hex integer)
- maxFeePerGas
- :string
- (hex integer)
- maxPriorityFeePerGas
- :string
- (hex integer)
- mint
- · :string
- (hex integer)
- nonce
- · :string
- (hex integer)
- r
- :string
- (hex integer)
- S
- · :string
- (hex integer)
- sourceHash
- :string
- (hash)
- to
- :string
- (address)
- transactionIndex
- :string
- (hex integer)
- type
- :integer
- \
- :string
- (hex integer)
- value
- · :string
- (hex integer)
- yParity
- string
- (hex integer)

Returns a detailed info on tx pool transactions.

- Request
- Response

```
curl localhost:8545 \ -X POST \ -H
"Content-Type: application/json"
```

\ --data

'{ "jsonrpc": "2.0", "id": 0, "method": "txpool_inspect", "params": [] }' { "jsonrpc" : "2.0" , "id" :

0, "result": result } result:object

- pending
- : map of map ofstring
- queued
- · : map of map ofstring

txpool_status

Returns a tx pool status.

- Request
- Response

curl localhost:8545 \ -X POST \ -H

"Content-Type: application/json"

\--data

'{ "jsonrpc": "2.0", "id": 0, "method": "txpool_status", "params": [] }' { "jsonrpc" :

"2.0" , "id" :

- 0 , "result" : result } result :object
 - pending
 - :string
 - (hex integer)
 - queued
 - :string
 - (hex integer) Edit this page Last updatedonFeb 17, 2024 Previous trace Next web3